

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B48_5MHz_EIRP

Band: 48 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3552.5	1	0	22.68	-7.01	15.67	/	Pass
			13	22.80	-7.01	15.79	/	Pass
			24	22.73	-7.01	15.72	/	Pass
		12	0	21.74	-7.01	14.73	/	Pass
			6	21.84	-7.01	14.83	/	Pass
			13	21.79	-7.01	14.78	/	Pass
		25	0	21.79	-7.01	14.78	/	Pass
	3625	1	0	22.59	-7.01	15.58	/	Pass
			13	22.69	-7.01	15.68	/	Pass
			24	22.68	-7.01	15.67	/	Pass
		12	0	21.66	-7.01	14.65	/	Pass
			6	21.79	-7.01	14.78	/	Pass
			13	21.79	-7.01	14.78	/	Pass
		25	0	21.80	-7.01	14.79	/	Pass
	3697.5	1	0	23.36	-7.01	16.35	/	Pass
			13	23.51	-7.01	16.50	/	Pass
			24	23.38	-7.01	16.37	/	Pass
		12	0	22.47	-7.01	15.46	/	Pass
			6	22.45	-7.01	15.44	/	Pass
			13	22.47	-7.01	15.46	/	Pass
		25	0	22.52	-7.01	15.51	/	Pass
16QAM	3552.5	1	0	21.69	-7.01	14.68	/	Pass
			13	21.78	-7.01	14.77	/	Pass
			24	21.68	-7.01	14.67	/	Pass
		12	0	20.78	-7.01	13.77	/	Pass
			6	20.88	-7.01	13.87	/	Pass
			13	20.78	-7.01	13.77	/	Pass
		25	0	20.73	-7.01	13.72	/	Pass
	3625	1	0	21.67	-7.01	14.66	/	Pass
			13	21.69	-7.01	14.68	/	Pass
			24	21.74	-7.01	14.73	/	Pass
		12	0	20.74	-7.01	13.73	/	Pass
			6	20.79	-7.01	13.78	/	Pass
			13	20.82	-7.01	13.81	/	Pass
		25	0	20.81	-7.01	13.80	/	Pass
	3697.5	1	0	22.56	-7.01	15.55	/	Pass
			13	22.67	-7.01	15.66	/	Pass
			24	22.58	-7.01	15.57	/	Pass
		12	0	21.55	-7.01	14.54	/	Pass
			6	21.49	-7.01	14.48	/	Pass
			13	21.47	-7.01	14.46	/	Pass
		25	0	21.50	-7.01	14.49	/	Pass
64QAM	3552.5	1	0	20.61	-7.01	13.60	/	Pass
			13	20.91	-7.01	13.90	/	Pass
			24	20.58	-7.01	13.57	/	Pass
		12	0	19.80	-7.01	12.79	/	Pass
			6	19.87	-7.01	12.86	/	Pass
			13	19.78	-7.01	12.77	/	Pass
		25	0	19.84	-7.01	12.83	/	Pass

	3625	1	0	20.65	-7.01	13.64	/	Pass	
			13	20.75	-7.01	13.74	/	Pass	
			24	20.77	-7.01	13.76	/	Pass	
		12	0	19.69	-7.01	12.68	/	Pass	
			6	19.84	-7.01	12.83	/	Pass	
			13	19.83	-7.01	12.82	/	Pass	
		25	0	19.80	-7.01	12.79	/	Pass	
		3697.5	1	0	21.46	-7.01	14.45	/	Pass
				13	21.46	-7.01	14.45	/	Pass
	24			21.39	-7.01	14.38	/	Pass	
	12		0	20.37	-7.01	13.36	/	Pass	
			6	20.43	-7.01	13.42	/	Pass	
			13	20.38	-7.01	13.37	/	Pass	
	25	0	20.54	-7.01	13.53	/	Pass		
256QAM	3552.5	1	0	17.87	-7.01	10.86	/	Pass	
			13	17.92	-7.01	10.91	/	Pass	
			24	17.78	-7.01	10.77	/	Pass	
		12	0	17.83	-7.01	10.82	/	Pass	
			6	17.86	-7.01	10.85	/	Pass	
			13	17.81	-7.01	10.80	/	Pass	
		25	0	17.76	-7.01	10.75	/	Pass	
	3625	1	0	17.78	-7.01	10.77	/	Pass	
			13	17.83	-7.01	10.82	/	Pass	
			24	17.74	-7.01	10.73	/	Pass	
		12	0	17.65	-7.01	10.64	/	Pass	
			6	17.82	-7.01	10.81	/	Pass	
			13	17.77	-7.01	10.76	/	Pass	
	25	0	17.76	-7.01	10.75	/	Pass		
	3697.5	1	0	18.47	-7.01	11.46	/	Pass	
			13	18.53	-7.01	11.52	/	Pass	
			24	18.52	-7.01	11.51	/	Pass	
		12	0	18.51	-7.01	11.50	/	Pass	
			6	18.51	-7.01	11.50	/	Pass	
			13	18.49	-7.01	11.48	/	Pass	
		25	0	18.47	-7.01	11.46	/	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.2 B48_5MHz_EIRP/10MHz

Band: 48 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3552.5	1	0	22.77	-7.01	15.76	<=23	Pass
			13	22.82	-7.01	15.81	<=23	Pass
			24	22.85	-7.01	15.84	<=23	Pass
		12	0	21.91	-7.01	14.90	<=23	Pass
			6	21.93	-7.01	14.92	<=23	Pass
			13	21.86	-7.01	14.85	<=23	Pass
		25	0	21.87	-7.01	14.86	<=23	Pass
	3625	1	0	23.38	-7.01	16.37	<=23	Pass
			13	23.50	-7.01	16.49	<=23	Pass
			24	23.41	-7.01	16.40	<=23	Pass
		12	0	22.42	-7.01	15.41	<=23	Pass
			6	22.53	-7.01	15.52	<=23	Pass
			13	22.48	-7.01	15.47	<=23	Pass
		25	0	22.50	-7.01	15.49	<=23	Pass
	3697.5	1	0	24.12	-7.01	17.11	<=23	Pass

			13	24.23	-7.01	17.22	<=23	Pass
			24	24.11	-7.01	17.10	<=23	Pass
			0	23.22	-7.01	16.21	<=23	Pass
		12	6	23.25	-7.01	16.24	<=23	Pass
			13	23.23	-7.01	16.22	<=23	Pass
		25	0	23.25	-7.01	16.24	<=23	Pass
16QAM	3552.5	1	0	21.84	-7.01	14.83	<=23	Pass
			13	21.93	-7.01	14.92	<=23	Pass
			24	21.92	-7.01	14.91	<=23	Pass
		12	0	20.88	-7.01	13.87	<=23	Pass
			6	20.92	-7.01	13.91	<=23	Pass
			13	20.93	-7.01	13.92	<=23	Pass
		25	0	20.88	-7.01	13.87	<=23	Pass
	3625	1	0	22.45	-7.01	15.44	<=23	Pass
			13	22.52	-7.01	15.51	<=23	Pass
			24	22.60	-7.01	15.59	<=23	Pass
		12	0	21.53	-7.01	14.52	<=23	Pass
			6	21.65	-7.01	14.64	<=23	Pass
			13	21.60	-7.01	14.59	<=23	Pass
		25	0	21.58	-7.01	14.57	<=23	Pass
	3697.5	1	0	23.11	-7.01	16.10	<=23	Pass
			13	23.28	-7.01	16.27	<=23	Pass
			24	23.22	-7.01	16.21	<=23	Pass
		12	0	22.24	-7.01	15.23	<=23	Pass
			6	22.26	-7.01	15.25	<=23	Pass
			13	22.26	-7.01	15.25	<=23	Pass
		25	0	22.24	-7.01	15.23	<=23	Pass
64QAM	3552.5	1	0	20.86	-7.01	13.85	<=23	Pass
			13	20.97	-7.01	13.96	<=23	Pass
			24	20.96	-7.01	13.95	<=23	Pass
		12	0	19.88	-7.01	12.87	<=23	Pass
			6	19.93	-7.01	12.92	<=23	Pass
			13	19.90	-7.01	12.89	<=23	Pass
		25	0	19.92	-7.01	12.91	<=23	Pass
	3625	1	0	21.64	-7.01	14.63	<=23	Pass
			13	21.71	-7.01	14.70	<=23	Pass
			24	21.55	-7.01	14.54	<=23	Pass
		12	0	20.56	-7.01	13.55	<=23	Pass
			6	20.70	-7.01	13.69	<=23	Pass
			13	20.70	-7.01	13.69	<=23	Pass
		25	0	20.70	-7.01	13.69	<=23	Pass
	3697.5	1	0	22.13	-7.01	15.12	<=23	Pass
			13	22.26	-7.01	15.25	<=23	Pass
			24	22.30	-7.01	15.29	<=23	Pass
		12	0	21.28	-7.01	14.27	<=23	Pass
			6	21.29	-7.01	14.28	<=23	Pass
			13	21.27	-7.01	14.26	<=23	Pass
		25	0	21.27	-7.01	14.26	<=23	Pass
256QAM	3552.5	1	0	17.95	-7.01	10.94	<=23	Pass
			13	18.05	-7.01	11.04	<=23	Pass
			24	17.84	-7.01	10.83	<=23	Pass
		12	0	17.89	-7.01	10.88	<=23	Pass
			6	17.92	-7.01	10.91	<=23	Pass
			13	17.83	-7.01	10.82	<=23	Pass
		25	0	17.82	-7.01	10.81	<=23	Pass
	3625	1	0	18.61	-7.01	11.60	<=23	Pass
			13	18.77	-7.01	11.76	<=23	Pass
			24	18.49	-7.01	11.48	<=23	Pass
		12	0	18.63	-7.01	11.62	<=23	Pass

			6	18.74	-7.01	11.73	<=23	Pass
			13	18.72	-7.01	11.71	<=23	Pass
		25	0	18.66	-7.01	11.65	<=23	Pass
	3697.5	1	0	19.26	-7.01	12.25	<=23	Pass
			13	19.37	-7.01	12.36	<=23	Pass
			24	19.29	-7.01	12.28	<=23	Pass
		12	0	19.26	-7.01	12.25	<=23	Pass
			6	19.32	-7.01	12.31	<=23	Pass
			13	19.26	-7.01	12.25	<=23	Pass
		25	0	19.26	-7.01	12.25	<=23	Pass
Note1: EIRP/10MHz=Conducted Power+Antenna Gain								

1.1.3 B48_10MHz_EIRP

Band: 48 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3555	1	0	22.78	-7.01	15.77	/	Pass
			25	22.80	-7.01	15.79	/	Pass
			49	22.70	-7.01	15.69	/	Pass
		25	0	21.80	-7.01	14.79	/	Pass
			13	21.81	-7.01	14.80	/	Pass
			25	21.81	-7.01	14.80	/	Pass
		50	0	21.78	-7.01	14.77	/	Pass
	3625	1	0	22.70	-7.01	15.69	/	Pass
			25	22.72	-7.01	15.71	/	Pass
			49	22.74	-7.01	15.73	/	Pass
		25	0	21.77	-7.01	14.76	/	Pass
			13	21.79	-7.01	14.78	/	Pass
			25	21.82	-7.01	14.81	/	Pass
		50	0	21.77	-7.01	14.76	/	Pass
	3695	1	0	23.44	-7.01	16.43	/	Pass
			25	23.58	-7.01	16.57	/	Pass
			49	23.48	-7.01	16.47	/	Pass
		25	0	22.37	-7.01	15.36	/	Pass
			13	22.52	-7.01	15.51	/	Pass
			25	22.45	-7.01	15.44	/	Pass
		50	0	22.45	-7.01	15.44	/	Pass
16QAM	3555	1	0	21.78	-7.01	14.77	/	Pass
			25	21.71	-7.01	14.70	/	Pass
			49	21.71	-7.01	14.70	/	Pass
		25	0	20.80	-7.01	13.79	/	Pass
			13	20.80	-7.01	13.79	/	Pass
			25	20.78	-7.01	13.77	/	Pass
		50	0	20.73	-7.01	13.72	/	Pass
	3625	1	0	21.74	-7.01	14.73	/	Pass
			25	21.70	-7.01	14.69	/	Pass
			49	21.66	-7.01	14.65	/	Pass
		25	0	20.67	-7.01	13.66	/	Pass
			13	20.91	-7.01	13.90	/	Pass
			25	20.88	-7.01	13.87	/	Pass
		50	0	20.84	-7.01	13.83	/	Pass
	3695	1	0	22.44	-7.01	15.43	/	Pass
			25	22.53	-7.01	15.52	/	Pass
			49	22.45	-7.01	15.44	/	Pass
		25	0	21.38	-7.01	14.37	/	Pass
			13	21.45	-7.01	14.44	/	Pass

			25	21.49	-7.01	14.48	/	Pass		
		50	0	21.44	-7.01	14.43	/	Pass		
64QAM	3555	1	0	20.88	-7.01	13.87	/	Pass		
			25	20.88	-7.01	13.87	/	Pass		
			49	20.82	-7.01	13.81	/	Pass		
			0	19.77	-7.01	12.76	/	Pass		
		25	13	19.80	-7.01	12.79	/	Pass		
			25	19.76	-7.01	12.75	/	Pass		
			0	19.79	-7.01	12.78	/	Pass		
		3625	1	0	20.77	-7.01	13.76	/	Pass	
				25	20.82	-7.01	13.81	/	Pass	
				49	20.77	-7.01	13.76	/	Pass	
	0			19.71	-7.01	12.70	/	Pass		
	25		13	19.87	-7.01	12.86	/	Pass		
			25	19.84	-7.01	12.83	/	Pass		
	50		0	19.85	-7.01	12.84	/	Pass		
	3695	1	0	21.47	-7.01	14.46	/	Pass		
			25	21.55	-7.01	14.54	/	Pass		
			49	21.47	-7.01	14.46	/	Pass		
			0	20.47	-7.01	13.46	/	Pass		
		25	13	20.43	-7.01	13.42	/	Pass		
			25	20.55	-7.01	13.54	/	Pass		
			0	20.45	-7.01	13.44	/	Pass		
		256QAM	3555	1	0	17.66	-7.01	10.65	/	Pass
					25	17.73	-7.01	10.72	/	Pass
49	17.59				-7.01	10.58	/	Pass		
25	0			17.82	-7.01	10.81	/	Pass		
	13			17.78	-7.01	10.77	/	Pass		
	25			17.80	-7.01	10.79	/	Pass		
50	0			17.79	-7.01	10.78	/	Pass		
3625	1		0	17.62	-7.01	10.61	/	Pass		
			25	17.70	-7.01	10.69	/	Pass		
			49	17.83	-7.01	10.82	/	Pass		
			0	17.65	-7.01	10.64	/	Pass		
	25		13	17.78	-7.01	10.77	/	Pass		
			25	17.76	-7.01	10.75	/	Pass		
	50		0	17.82	-7.01	10.81	/	Pass		
3695	1		0	18.36	-7.01	11.35	/	Pass		
			25	18.57	-7.01	11.56	/	Pass		
			49	18.47	-7.01	11.46	/	Pass		
			0	18.41	-7.01	11.40	/	Pass		
	25		13	18.41	-7.01	11.40	/	Pass		
			25	18.45	-7.01	11.44	/	Pass		
	50		0	18.43	-7.01	11.42	/	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.4 B48_10MHz_EIRP/10MHz

Band: 48 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3555	1	0	22.99	-7.01	15.98	<=23	Pass
			25	23.06	-7.01	16.05	<=23	Pass
			49	23.01	-7.01	16.00	<=23	Pass
		25	0	22.04	-7.01	15.03	<=23	Pass
			13	22.04	-7.01	15.03	<=23	Pass
			25	22.06	-7.01	15.05	<=23	Pass

	3625	50	0	22.03	-7.01	15.02	<=23	Pass	
			0	23.59	-7.01	16.58	<=23	Pass	
		1	25	23.64	-7.01	16.63	<=23	Pass	
			49	23.49	-7.01	16.48	<=23	Pass	
			25	0	22.61	-7.01	15.60	<=23	Pass
				13	22.72	-7.01	15.71	<=23	Pass
		25		22.69	-7.01	15.68	<=23	Pass	
		50	0	22.73	-7.01	15.72	<=23	Pass	
		3695	1	0	24.24	-7.01	17.23	<=23	Pass
				25	24.43	-7.01	17.42	<=23	Pass
	49			24.33	-7.01	17.32	<=23	Pass	
	25		0	23.31	-7.01	16.30	<=23	Pass	
			13	23.33	-7.01	16.32	<=23	Pass	
			25	23.39	-7.01	16.38	<=23	Pass	
	50	0	23.29	-7.01	16.28	<=23	Pass		
	16QAM	3555	1	0	22.07	-7.01	15.06	<=23	Pass
25				22.06	-7.01	15.05	<=23	Pass	
49				22.03	-7.01	15.02	<=23	Pass	
25			0	21.00	-7.01	13.99	<=23	Pass	
			13	21.06	-7.01	14.05	<=23	Pass	
			25	21.03	-7.01	14.02	<=23	Pass	
50			0	20.98	-7.01	13.97	<=23	Pass	
3625		1	0	22.74	-7.01	15.73	<=23	Pass	
			25	22.81	-7.01	15.80	<=23	Pass	
			49	22.65	-7.01	15.64	<=23	Pass	
		25	0	21.78	-7.01	14.77	<=23	Pass	
			13	21.87	-7.01	14.86	<=23	Pass	
			25	21.80	-7.01	14.79	<=23	Pass	
50		0	21.81	-7.01	14.80	<=23	Pass		
3695		1	0	23.39	-7.01	16.38	<=23	Pass	
			25	23.41	-7.01	16.40	<=23	Pass	
			49	23.41	-7.01	16.40	<=23	Pass	
		25	0	22.31	-7.01	15.30	<=23	Pass	
			13	22.34	-7.01	15.33	<=23	Pass	
			25	22.38	-7.01	15.37	<=23	Pass	
		50	0	22.31	-7.01	15.30	<=23	Pass	
		64QAM	3555	1	0	21.04	-7.01	14.03	<=23
25	21.14				-7.01	14.13	<=23	Pass	
49	21.07				-7.01	14.06	<=23	Pass	
25	0			19.91	-7.01	12.90	<=23	Pass	
	13			20.00	-7.01	12.99	<=23	Pass	
	25			19.98	-7.01	12.97	<=23	Pass	
50	0			19.97	-7.01	12.96	<=23	Pass	
3625	1		0	21.89	-7.01	14.88	<=23	Pass	
			25	21.93	-7.01	14.92	<=23	Pass	
			49	21.84	-7.01	14.83	<=23	Pass	
	25		0	20.83	-7.01	13.82	<=23	Pass	
			13	20.87	-7.01	13.86	<=23	Pass	
			25	20.88	-7.01	13.87	<=23	Pass	
50	0		20.91	-7.01	13.90	<=23	Pass		
3695	1		0	22.38	-7.01	15.37	<=23	Pass	
			25	22.50	-7.01	15.49	<=23	Pass	
			49	22.37	-7.01	15.36	<=23	Pass	
	25		0	21.33	-7.01	14.32	<=23	Pass	
			13	21.31	-7.01	14.30	<=23	Pass	
			25	21.37	-7.01	14.36	<=23	Pass	
	50		0	21.28	-7.01	14.27	<=23	Pass	
	256QAM		3555	1	0	17.92	-7.01	10.91	<=23
25		18.00			-7.01	10.99	<=23	Pass	

			49	17.95	-7.01	10.94	<=23	Pass
		25	0	17.89	-7.01	10.88	<=23	Pass
			13	17.95	-7.01	10.94	<=23	Pass
			25	17.94	-7.01	10.93	<=23	Pass
		50	0	17.93	-7.01	10.92	<=23	Pass
	3625	1	0	18.82	-7.01	11.81	<=23	Pass
			25	18.88	-7.01	11.87	<=23	Pass
			49	18.88	-7.01	11.87	<=23	Pass
		25	0	18.87	-7.01	11.86	<=23	Pass
			13	18.94	-7.01	11.93	<=23	Pass
			25	18.90	-7.01	11.89	<=23	Pass
		50	0	18.93	-7.01	11.92	<=23	Pass
	3695	1	0	19.31	-7.01	12.30	<=23	Pass
			25	19.44	-7.01	12.43	<=23	Pass
			49	19.32	-7.01	12.31	<=23	Pass
		25	0	19.23	-7.01	12.22	<=23	Pass
			13	19.28	-7.01	12.27	<=23	Pass
			25	19.31	-7.01	12.30	<=23	Pass
		50	0	19.20	-7.01	12.19	<=23	Pass
Note1: EIRP/10MHz=Conducted Power+Antenna Gain								

1.1.5 B48_15MHz_EIRP

Band: 48 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3557.5	1	0	22.55	-7.01	15.54	/	Pass
			38	22.51	-7.01	15.50	/	Pass
			74	22.53	-7.01	15.52	/	Pass
		36	0	21.58	-7.01	14.57	/	Pass
			18	21.61	-7.01	14.60	/	Pass
			39	21.65	-7.01	14.64	/	Pass
		75	0	21.67	-7.01	14.66	/	Pass
	3625	1	0	22.51	-7.01	15.50	/	Pass
			38	22.58	-7.01	15.57	/	Pass
			74	22.64	-7.01	15.63	/	Pass
		36	0	21.55	-7.01	14.54	/	Pass
			18	21.66	-7.01	14.65	/	Pass
			39	21.62	-7.01	14.61	/	Pass
		75	0	21.62	-7.01	14.61	/	Pass
	3692.5	1	0	23.13	-7.01	16.12	/	Pass
			38	23.19	-7.01	16.18	/	Pass
			74	23.16	-7.01	16.15	/	Pass
		36	0	22.20	-7.01	15.19	/	Pass
			18	22.28	-7.01	15.27	/	Pass
			39	22.36	-7.01	15.35	/	Pass
		75	0	22.23	-7.01	15.22	/	Pass
16QAM	3557.5	1	0	21.41	-7.01	14.40	/	Pass
			38	21.55	-7.01	14.54	/	Pass
			74	21.44	-7.01	14.43	/	Pass
		36	0	20.56	-7.01	13.55	/	Pass
			18	20.64	-7.01	13.63	/	Pass
			39	20.60	-7.01	13.59	/	Pass
		75	0	20.61	-7.01	13.60	/	Pass
	3625	1	0	21.52	-7.01	14.51	/	Pass
			38	21.71	-7.01	14.70	/	Pass
			74	21.70	-7.01	14.69	/	Pass

		36	0	20.57	-7.01	13.56	/	Pass
			18	20.65	-7.01	13.64	/	Pass
			39	20.60	-7.01	13.59	/	Pass
		75	0	20.63	-7.01	13.62	/	Pass
	3692.5	1	0	22.03	-7.01	15.02	/	Pass
			38	22.11	-7.01	15.10	/	Pass
			74	22.10	-7.01	15.09	/	Pass
		36	0	21.25	-7.01	14.24	/	Pass
			18	21.28	-7.01	14.27	/	Pass
			39	21.38	-7.01	14.37	/	Pass
		75	0	21.27	-7.01	14.26	/	Pass
64QAM		3557.5	1	0	20.57	-7.01	13.56	/
	38			20.56	-7.01	13.55	/	Pass
	74			20.65	-7.01	13.64	/	Pass
	36		0	19.53	-7.01	12.52	/	Pass
			18	19.61	-7.01	12.60	/	Pass
			39	19.58	-7.01	12.57	/	Pass
	75		0	19.61	-7.01	12.60	/	Pass
	3625	1	0	20.46	-7.01	13.45	/	Pass
			38	20.51	-7.01	13.50	/	Pass
			74	20.62	-7.01	13.61	/	Pass
		36	0	19.53	-7.01	12.52	/	Pass
			18	19.62	-7.01	12.61	/	Pass
			39	19.67	-7.01	12.66	/	Pass
		75	0	19.66	-7.01	12.65	/	Pass
	3692.5	1	0	21.15	-7.01	14.14	/	Pass
			38	21.38	-7.01	14.37	/	Pass
			74	21.35	-7.01	14.34	/	Pass
		36	0	20.22	-7.01	13.21	/	Pass
			18	20.27	-7.01	13.26	/	Pass
			39	20.32	-7.01	13.31	/	Pass
		75	0	20.26	-7.01	13.25	/	Pass
256QAM	3557.5	1	0	17.54	-7.01	10.53	/	Pass
			38	17.52	-7.01	10.51	/	Pass
			74	17.56	-7.01	10.55	/	Pass
		36	0	17.60	-7.01	10.59	/	Pass
			18	17.68	-7.01	10.67	/	Pass
			39	17.64	-7.01	10.63	/	Pass
		75	0	17.65	-7.01	10.64	/	Pass
	3625	1	0	17.47	-7.01	10.46	/	Pass
			38	17.61	-7.01	10.60	/	Pass
			74	17.62	-7.01	10.61	/	Pass
		36	0	17.53	-7.01	10.52	/	Pass
			18	17.64	-7.01	10.63	/	Pass
			39	17.63	-7.01	10.62	/	Pass
		75	0	17.62	-7.01	10.61	/	Pass
	3692.5	1	0	18.15	-7.01	11.14	/	Pass
			38	18.20	-7.01	11.19	/	Pass
			74	18.19	-7.01	11.18	/	Pass
		36	0	18.20	-7.01	11.19	/	Pass
			18	18.20	-7.01	11.19	/	Pass
			39	18.30	-7.01	11.29	/	Pass
		75	0	18.20	-7.01	11.19	/	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B48_15MHz_EIRP/10MHz

Band: 48 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3557.5	1	0	22.70	-7.01	15.69	<=23	Pass
			38	22.84	-7.01	15.83	<=23	Pass
			74	22.75	-7.01	15.74	<=23	Pass
		36	0	21.77	-7.01	14.76	<=23	Pass
			18	21.88	-7.01	14.87	<=23	Pass
			39	21.86	-7.01	14.85	<=23	Pass
		75	0	20.58	-7.01	13.57	<=23	Pass
	3625	1	0	23.52	-7.01	16.51	<=23	Pass
			38	23.46	-7.01	16.45	<=23	Pass
			74	23.38	-7.01	16.37	<=23	Pass
		36	0	22.49	-7.01	15.48	<=23	Pass
			18	22.52	-7.01	15.51	<=23	Pass
			39	22.50	-7.01	15.49	<=23	Pass
		75	0	21.29	-7.01	14.28	<=23	Pass
	3692.5	1	0	23.87	-7.01	16.86	<=23	Pass
			38	24.01	-7.01	17.00	<=23	Pass
			74	23.94	-7.01	16.93	<=23	Pass
		36	0	23.01	-7.01	16.00	<=23	Pass
			18	22.98	-7.01	15.97	<=23	Pass
			39	23.06	-7.01	16.05	<=23	Pass
		75	0	21.70	-7.01	14.69	<=23	Pass
16QAM	3557.5	1	0	21.70	-7.01	14.69	<=23	Pass
			38	21.87	-7.01	14.86	<=23	Pass
			74	21.76	-7.01	14.75	<=23	Pass
		36	0	20.73	-7.01	13.72	<=23	Pass
			18	20.84	-7.01	13.83	<=23	Pass
			39	20.84	-7.01	13.83	<=23	Pass
		75	0	19.50	-7.01	12.49	<=23	Pass
	3625	1	0	22.60	-7.01	15.59	<=23	Pass
			38	22.57	-7.01	15.56	<=23	Pass
			74	22.48	-7.01	15.47	<=23	Pass
		36	0	21.56	-7.01	14.55	<=23	Pass
			18	21.61	-7.01	14.60	<=23	Pass
			39	21.59	-7.01	14.58	<=23	Pass
		75	0	20.31	-7.01	13.30	<=23	Pass
	3692.5	1	0	22.99	-7.01	15.98	<=23	Pass
			38	22.93	-7.01	15.92	<=23	Pass
			74	22.88	-7.01	15.87	<=23	Pass
		36	0	22.02	-7.01	15.01	<=23	Pass
			18	22.02	-7.01	15.01	<=23	Pass
			39	22.07	-7.01	15.06	<=23	Pass
		75	0	20.70	-7.01	13.69	<=23	Pass
64QAM	3557.5	1	0	20.78	-7.01	13.77	<=23	Pass
			38	20.80	-7.01	13.79	<=23	Pass
			74	20.71	-7.01	13.70	<=23	Pass
		36	0	19.67	-7.01	12.66	<=23	Pass
			18	19.77	-7.01	12.76	<=23	Pass
			39	19.77	-7.01	12.76	<=23	Pass
		75	0	18.45	-7.01	11.44	<=23	Pass
	3625	1	0	21.56	-7.01	14.55	<=23	Pass
			38	21.60	-7.01	14.59	<=23	Pass
			74	21.57	-7.01	14.56	<=23	Pass
		36	0	20.61	-7.01	13.60	<=23	Pass
			18	20.63	-7.01	13.62	<=23	Pass
			39	20.61	-7.01	13.60	<=23	Pass
		75	0	19.33	-7.01	12.32	<=23	Pass

	3692.5	1	0	22.06	-7.01	15.05	<=23	Pass
			38	21.99	-7.01	14.98	<=23	Pass
			74	22.06	-7.01	15.05	<=23	Pass
		36	0	20.99	-7.01	13.98	<=23	Pass
			18	20.99	-7.01	13.98	<=23	Pass
			39	21.05	-7.01	14.04	<=23	Pass
		75	0	19.66	-7.01	12.65	<=23	Pass
256QAM	3557.5	1	0	17.53	-7.01	10.52	<=23	Pass
			38	17.74	-7.01	10.73	<=23	Pass
			74	17.82	-7.01	10.81	<=23	Pass
		36	0	17.71	-7.01	10.70	<=23	Pass
			18	17.82	-7.01	10.81	<=23	Pass
			39	17.90	-7.01	10.89	<=23	Pass
		75	0	16.57	-7.01	9.56	<=23	Pass
	3625	1	0	18.64	-7.01	11.63	<=23	Pass
			38	18.63	-7.01	11.62	<=23	Pass
			74	18.68	-7.01	11.67	<=23	Pass
		36	0	18.64	-7.01	11.63	<=23	Pass
			18	18.68	-7.01	11.67	<=23	Pass
			39	18.63	-7.01	11.62	<=23	Pass
		75	0	17.37	-7.01	10.36	<=23	Pass
	3692.5	1	0	18.97	-7.01	11.96	<=23	Pass
			38	19.05	-7.01	12.04	<=23	Pass
			74	18.91	-7.01	11.90	<=23	Pass
		36	0	18.93	-7.01	11.92	<=23	Pass
			18	18.90	-7.01	11.89	<=23	Pass
			39	18.94	-7.01	11.93	<=23	Pass
		75	0	17.58	-7.01	10.57	<=23	Pass
Note1: EIRP/10MHz=Conducted Power+Antenna Gain								

1.1.7 B48_20MHz_EIRP

Band: 48 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3560	1	0	22.55	-7.01	15.54	/	Pass
			50	22.60	-7.01	15.59	/	Pass
			99	22.49	-7.01	15.48	/	Pass
		50	0	21.54	-7.01	14.53	/	Pass
			25	21.62	-7.01	14.61	/	Pass
			50	21.60	-7.01	14.59	/	Pass
		100	0	21.61	-7.01	14.60	/	Pass
	3625	1	0	22.56	-7.01	15.55	/	Pass
			50	22.64	-7.01	15.63	/	Pass
			99	22.63	-7.01	15.62	/	Pass
		50	0	21.52	-7.01	14.51	/	Pass
			25	21.66	-7.01	14.65	/	Pass
			50	21.68	-7.01	14.67	/	Pass
		100	0	21.60	-7.01	14.59	/	Pass
	3690	1	0	23.18	-7.01	16.17	/	Pass
			50	23.24	-7.01	16.23	/	Pass
			99	23.11	-7.01	16.10	/	Pass
		50	0	22.20	-7.01	15.19	/	Pass
			25	22.18	-7.01	15.17	/	Pass
			50	22.32	-7.01	15.31	/	Pass
		100	0	22.21	-7.01	15.20	/	Pass
16QAM	3560	1	0	21.69	-7.01	14.68	/	Pass

		50	50	21.71	-7.01	14.70	/	Pass
			99	21.55	-7.01	14.54	/	Pass
			0	20.57	-7.01	13.56	/	Pass
			25	20.68	-7.01	13.67	/	Pass
			50	20.60	-7.01	13.59	/	Pass
		100	0	20.62	-7.01	13.61	/	Pass
	3625	1	0	21.46	-7.01	14.45	/	Pass
			50	21.63	-7.01	14.62	/	Pass
			99	21.57	-7.01	14.56	/	Pass
		50	0	20.55	-7.01	13.54	/	Pass
			25	20.62	-7.01	13.61	/	Pass
			50	20.62	-7.01	13.61	/	Pass
		100	0	20.63	-7.01	13.62	/	Pass
	3690	1	0	21.99	-7.01	14.98	/	Pass
			50	22.13	-7.01	15.12	/	Pass
			99	22.11	-7.01	15.10	/	Pass
		50	0	21.16	-7.01	14.15	/	Pass
			25	21.23	-7.01	14.22	/	Pass
			50	21.27	-7.01	14.26	/	Pass
		100	0	21.22	-7.01	14.21	/	Pass
64QAM	3560	1	0	20.52	-7.01	13.51	/	Pass
			50	20.80	-7.01	13.79	/	Pass
			99	20.45	-7.01	13.44	/	Pass
		50	0	19.54	-7.01	12.53	/	Pass
			25	19.65	-7.01	12.64	/	Pass
			50	19.63	-7.01	12.62	/	Pass
		100	0	19.61	-7.01	12.60	/	Pass
	3625	1	0	20.43	-7.01	13.42	/	Pass
			50	20.71	-7.01	13.70	/	Pass
			99	20.50	-7.01	13.49	/	Pass
		50	0	19.58	-7.01	12.57	/	Pass
			25	19.66	-7.01	12.65	/	Pass
			50	19.67	-7.01	12.66	/	Pass
		100	0	19.61	-7.01	12.60	/	Pass
	3690	1	0	20.96	-7.01	13.95	/	Pass
			50	21.16	-7.01	14.15	/	Pass
			99	21.18	-7.01	14.17	/	Pass
		50	0	20.13	-7.01	13.12	/	Pass
			25	20.24	-7.01	13.23	/	Pass
			50	20.28	-7.01	13.27	/	Pass
		100	0	20.21	-7.01	13.20	/	Pass
256QAM	3560	1	0	17.53	-7.01	10.52	/	Pass
			50	17.62	-7.01	10.61	/	Pass
			99	17.69	-7.01	10.68	/	Pass
		50	0	17.58	-7.01	10.57	/	Pass
			25	17.70	-7.01	10.69	/	Pass
			50	17.61	-7.01	10.60	/	Pass
		100	0	17.65	-7.01	10.64	/	Pass
	3625	1	0	17.52	-7.01	10.51	/	Pass
			50	17.47	-7.01	10.46	/	Pass
			99	17.64	-7.01	10.63	/	Pass
		50	0	17.53	-7.01	10.52	/	Pass
			25	17.65	-7.01	10.64	/	Pass
			50	17.69	-7.01	10.68	/	Pass
		100	0	17.66	-7.01	10.65	/	Pass
	3690	1	0	18.06	-7.01	11.05	/	Pass
			50	18.11	-7.01	11.10	/	Pass
			99	18.17	-7.01	11.16	/	Pass
		50	0	18.13	-7.01	11.12	/	Pass

		25	18.19	-7.01	11.18	/	Pass
		50	18.23	-7.01	11.22	/	Pass
	100	0	18.14	-7.01	11.13	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.8 B48_20MHz_EIRP/10MHz

Band: 48 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3560	1	0	22.76	-7.01	15.75	<=23	Pass
			50	22.82	-7.01	15.81	<=23	Pass
			99	22.63	-7.01	15.62	<=23	Pass
		50	0	21.75	-7.01	14.74	<=23	Pass
			25	21.83	-7.01	14.82	<=23	Pass
			50	21.82	-7.01	14.81	<=23	Pass
		100	0	19.25	-7.01	12.24	<=23	Pass
	3625	1	0	23.41	-7.01	16.40	<=23	Pass
			50	23.41	-7.01	16.40	<=23	Pass
			99	23.20	-7.01	16.19	<=23	Pass
		50	0	22.41	-7.01	15.40	<=23	Pass
			25	22.44	-7.01	15.43	<=23	Pass
			50	22.41	-7.01	15.40	<=23	Pass
		100	0	19.85	-7.01	12.84	<=23	Pass
	3690	1	0	23.66	-7.01	16.65	<=23	Pass
			50	23.83	-7.01	16.82	<=23	Pass
			99	23.61	-7.01	16.60	<=23	Pass
		50	0	22.79	-7.01	15.78	<=23	Pass
			25	22.76	-7.01	15.75	<=23	Pass
			50	22.81	-7.01	15.80	<=23	Pass
		100	0	20.14	-7.01	13.13	<=23	Pass
16QAM	3560	1	0	21.82	-7.01	14.81	<=23	Pass
			50	21.85	-7.01	14.84	<=23	Pass
			99	21.71	-7.01	14.70	<=23	Pass
		50	0	20.71	-7.01	13.70	<=23	Pass
			25	20.80	-7.01	13.79	<=23	Pass
			50	20.77	-7.01	13.76	<=23	Pass
		100	0	18.22	-7.01	11.21	<=23	Pass
	3625	1	0	22.49	-7.01	15.48	<=23	Pass
			50	22.40	-7.01	15.39	<=23	Pass
			99	22.31	-7.01	15.30	<=23	Pass
		50	0	21.48	-7.01	14.47	<=23	Pass
			25	21.51	-7.01	14.50	<=23	Pass
			50	21.45	-7.01	14.44	<=23	Pass
		100	0	18.93	-7.01	11.92	<=23	Pass
	3690	1	0	22.72	-7.01	15.71	<=23	Pass
			50	22.98	-7.01	15.97	<=23	Pass
			99	22.51	-7.01	15.50	<=23	Pass
		50	0	21.80	-7.01	14.79	<=23	Pass
			25	21.80	-7.01	14.79	<=23	Pass
			50	21.81	-7.01	14.80	<=23	Pass
		100	0	19.16	-7.01	12.15	<=23	Pass
64QAM	3560	1	0	20.64	-7.01	13.63	<=23	Pass
			50	20.87	-7.01	13.86	<=23	Pass
			99	20.56	-7.01	13.55	<=23	Pass
		50	0	19.69	-7.01	12.68	<=23	Pass
			25	19.81	-7.01	12.80	<=23	Pass

			50	19.78	-7.01	12.77	<=23	Pass	
		100	0	17.19	-7.01	10.18	<=23	Pass	
	3625	1	0	21.58	-7.01	14.57	<=23	Pass	
			50	21.54	-7.01	14.53	<=23	Pass	
			99	21.33	-7.01	14.32	<=23	Pass	
			0	20.49	-7.01	13.48	<=23	Pass	
		50	25	20.53	-7.01	13.52	<=23	Pass	
			50	20.47	-7.01	13.46	<=23	Pass	
			100	0	17.92	-7.01	10.91	<=23	Pass
	3690	1	0	21.72	-7.01	14.71	<=23	Pass	
			50	21.83	-7.01	14.82	<=23	Pass	
			99	21.70	-7.01	14.69	<=23	Pass	
		50	0	20.84	-7.01	13.83	<=23	Pass	
			25	20.80	-7.01	13.79	<=23	Pass	
			50	20.84	-7.01	13.83	<=23	Pass	
		100	0	18.17	-7.01	11.16	<=23	Pass	
256QAM	3560	1	0	17.66	-7.01	10.65	<=23	Pass	
			50	17.83	-7.01	10.82	<=23	Pass	
			99	17.77	-7.01	10.76	<=23	Pass	
			0	17.74	-7.01	10.73	<=23	Pass	
		50	25	17.83	-7.01	10.82	<=23	Pass	
			50	17.84	-7.01	10.83	<=23	Pass	
			100	0	15.28	-7.01	8.27	<=23	Pass
	3625	1	0	18.55	-7.01	11.54	<=23	Pass	
			50	18.59	-7.01	11.58	<=23	Pass	
			99	18.58	-7.01	11.57	<=23	Pass	
		50	0	18.51	-7.01	11.50	<=23	Pass	
			25	18.52	-7.01	11.51	<=23	Pass	
			50	18.25	-7.01	11.24	<=23	Pass	
	100	0	15.80	-7.01	8.79	<=23	Pass		
	3690	1	0	18.72	-7.01	11.71	<=23	Pass	
			50	18.77	-7.01	11.76	<=23	Pass	
			99	18.84	-7.01	11.83	<=23	Pass	
		50	0	18.80	-7.01	11.79	<=23	Pass	
			25	18.78	-7.01	11.77	<=23	Pass	
			50	18.80	-7.01	11.79	<=23	Pass	
		100	0	16.16	-7.01	9.15	<=23	Pass	
	Note1: EIRP/10MHz=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 Test Result

2.1.1 B48_10MHz

Band: 48 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	3625	50	0	20	LV	-2.089	-0.0006	-2.5 to 2.5	Pass
					NV	-1.559	-0.0004	-2.5 to 2.5	Pass
					HV	-2.675	-0.0007	-2.5 to 2.5	Pass
				-30	NV	-1.788	-0.0005	-2.5 to 2.5	Pass
				-20	NV	-3.805	-0.0010	-2.5 to 2.5	Pass
				-10	NV	-0.858	-0.0002	-2.5 to 2.5	Pass
				0	NV	-1.245	-0.0003	-2.5 to 2.5	Pass
				10	NV	-2.661	-0.0007	-2.5 to 2.5	Pass
				30	NV	-2.561	-0.0007	-2.5 to 2.5	Pass
				40	NV	-1.645	-0.0005	-2.5 to 2.5	Pass
				50	NV	-2.704	-0.0007	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band48_OBW


Band: 48 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	3625	25	0	4.637	/	Pass
	16QAM	3625	25	0	4.606	/	Pass
	64QAM	3625	25	0	4.642	/	Pass
	256QAM	3625	25	0	4.608	/	Pass
10	QPSK	3625	50	0	9.084	/	Pass
	16QAM	3625	50	0	9.118	/	Pass
	64QAM	3625	50	0	9.097	/	Pass
	256QAM	3625	50	0	9.093	/	Pass
15	QPSK	3625	75	0	14.242	/	Pass
	16QAM	3625	75	0	14.239	/	Pass
	64QAM	3625	75	0	14.242	/	Pass
	256QAM	3625	75	0	14.183	/	Pass
20	QPSK	3625	100	0	18.547	/	Pass
	16QAM	3625	100	0	18.567	/	Pass
	64QAM	3625	100	0	18.529	/	Pass
	256QAM	3625	100	0	18.536	/	Pass

3.1.2 Band48_XDB


Band: 48 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	3625	25	0	6.051	/	Pass
	16QAM	3625	25	0	5.784	/	Pass
	64QAM	3625	25	0	6.285	/	Pass
	256QAM	3625	25	0	6.076	/	Pass
10	QPSK	3625	50	0	11.742	/	Pass
	16QAM	3625	50	0	11.475	/	Pass
	64QAM	3625	50	0	11.775	/	Pass
	256QAM	3625	50	0	11.738	/	Pass
15	QPSK	3625	75	0	21.274	/	Pass
	16QAM	3625	75	0	21.885	/	Pass
	64QAM	3625	75	0	21.121	/	Pass
	256QAM	3625	75	0	19.948	/	Pass
20	QPSK	3625	100	0	23.880	/	Pass
	16QAM	3625	100	0	25.509	/	Pass
	64QAM	3625	100	0	24.286	/	Pass
	256QAM	3625	100	0	26.134	/	Pass

3.2 Test Graph


3.2.1 Band48_OBW




Band48 5MHz 64QAM MCH 3625MHz RB 25 0 NTNV




Band48 5MHz 256QAM MCH 3625MHz RB 25 0 NTNV




Band48 10MHz QPSK MCH 3625MHz RB 50 0 NTNV




Band48 10MHz 16QAM MCH 3625MHz RB 50 0 NTNV




Band48 10MHz 64QAM MCH 3625MHz RB 50 0 NTN




Band48 10MHz 256QAM MCH 3625MHz RB 50 0 NTN




Band48 15MHz QPSK MCH 3625MHz RB 75 0 NTNV




Band48 15MHz 16QAM MCH 3625MHz RB 75 0 NTNV




Band48 15MHz 64QAM MCH 3625MHz RB 75 0 NTNV




Band48 15MHz 256QAM MCH 3625MHz RB 75 0 NTNV




Band48 20MHz QPSK MCH 3625MHz RB 100 0 NTNV




Band48 20MHz 16QAM MCH 3625MHz RB 100 0 NTNV




Band48 20MHz 64QAM MCH 3625MHz RB 100 0 NTNV




Band48 20MHz 256QAM MCH 3625MHz RB 100 0 NTNV




3.2.2 Band48_XDB




Band48 5MHz 64QAM MCH 3625MHz RB 25 0 NTNV




Band48 5MHz 256QAM MCH 3625MHz RB 25 0 NTNV




Band48 10MHz QPSK MCH 3625MHz RB 50 0 NTNV




Band48 10MHz 16QAM MCH 3625MHz RB 50 0 NTNV




Band48 10MHz 64QAM MCH 3625MHz RB 50 0 NTN




Band48 10MHz 256QAM MCH 3625MHz RB 50 0 NTN




Band48 15MHz QPSK MCH 3625MHz RB 75 0 NTNV




Band48 15MHz 16QAM MCH 3625MHz RB 75 0 NTNV




Band48 15MHz 64QAM MCH 3625MHz RB 75 0 NTNV




Band48 15MHz 256QAM MCH 3625MHz RB 75 0 NTNV




Band48 20MHz QPSK MCH 3625MHz RB 100 0 NTNV




Band48 20MHz 16QAM MCH 3625MHz RB 100 0 NTNV



Band48 20MHz 64QAM MCH 3625MHz RB 100 0 NTN



Band48 20MHz 256QAM MCH 3625MHz RB 100 0 NTN



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B48_20MHz


Band: 48 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	3625	100	0	8.56	<=13	Pass
16QAM	3625	100	0	8.57	<=13	Pass
64QAM	3625	100	0	8.71	<=13	Pass
256QAM	3625	100	0	8.65	<=13	Pass

4.2 Test Graph


4.2.1 B48_20MHz



Band48_20MHz_64QAM_MCH_3625MHz_RB_100_0_NTNV



Band48_20MHz_256QAM_MCH_3625MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B48_5MHz

Band: 48 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3552.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B48_10MHz

Band: 48 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3555	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3695	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.3 B48_15MHz


Band: 48 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3557.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3692.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.4 B48_20MHz


Band: 48 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3560	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B48_5MHz




Band48 5MHz QPSK LCH 3552.5MHz RB 1 0 NTNV



Band48 5MHz QPSK LCH 3552.5MHz RB 1 0 NTNV




Band48 5MHz QPSK LCH 3552.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.255	-50.97	-40	Pass
3530	3545	1	CHP	2	3544.885	-35.02	-25	Pass
3545	3549	1	CHP	3	3548.500	-27.41	-13	Pass
3549	3550	0.061	CHP	4	3549.985	-26.12	-13	Pass
3550	3555	0.061	CHP	/	/	/	/	/
3555	3556	0.061	CHP	5	3555.010	-28.09	-13	Pass
3556	3560	1	CHP	6	3556.510	-28.44	-13	Pass
3560	3720	1	CHP	7	3560.035	-35.12	-25	Pass
3720	3730	1	CHP	8	3728.695	-56.67	-40	Pass


Band48 5MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48_5MHz_QPSK_MCH_3625MHz_RB_1_0_NTNV




Band48_5MHz_QPSK_MCH_3625MHz_RB_1_0_NTNV




Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTV




Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTV



Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTV




Band48 5MHz QPSK HCH 3697.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.355	-54.02	-40	Pass
3530	3690	1	CHP	2	3661.420	-44.34	-25	Pass
3690	3694	1	CHP	3	3693.460	-41.89	-13	Pass
3694	3695	0.03	/	4	3694.495	-48.91	-13	Pass
3695	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.045	-24.71	-13	Pass
3701	3705	1	CHP	6	3701.500	-30.84	-13	Pass
3705	3720	1	CHP	7	3705.115	-41.43	-25	Pass
3720	3730	1	CHP	8	3720.055	-51.26	-40	Pass

Band48 5MHz QPSK HCH 3697.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.705	-54.34	-40	Pass
3530	3690	1	CHP	2	3689.980	-33.20	-25	Pass
3690	3694	1	CHP	3	3693.475	-26.58	-13	Pass
3694	3695	0.061	CHP	4	3694.990	-26.10	-13	Pass
3695	3700	0.061	CHP	/	/	/	/	/
3700	3701	0.061	CHP	5	3700.015	-27.49	-13	Pass
3701	3705	1	CHP	6	3701.500	-27.41	-13	Pass
3705	3720	1	CHP	7	3705.010	-33.56	-25	Pass
3720	3730	1	CHP	8	3720.865	-51.48	-40	Pass


5.2.2 B48_10MHz




Band48 10MHz QPSK LCH 3555MHz RB 1 0 NTN




Band48 10MHz QPSK LCH 3555MHz RB 1 0 NTN




Band48 10MHz QPSK LCH 3555MHz RB 50 0 NTV




Band48 10MHz QPSK MCH 3625MHz RB 1 0 NTV




Band48_10MHz_QPSK_MCH_3625MHz_RB_1_0_NTNV




Band48_10MHz_QPSK_MCH_3625MHz_RB_1_0_NTNV




Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTNV




Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTNV



Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTNV




Band48 10MHz QPSK HCH 3695MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.560	-54.17	-40	Pass
3530	3680	1	CHP	2	3679.840	-46.65	-25	Pass
3680	3689	1	CHP	3	3688.405	-34.10	-13	Pass
3689	3690	0.03	/	4	3689.965	-30.32	-13	Pass
3690	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.600	-54.45	-13	Pass
3701	3710	1	CHP	6	3701.815	-46.86	-13	Pass
3710	3720	1	CHP	7	3710.005	-52.05	-25	Pass
3720	3730	1	CHP	8	3728.770	-51.48	-40	Pass

Band48 10MHz QPSK HCH 3695MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.600	-53.79	-40	Pass
3530	3680	1	CHP	2	3652.350	-46.87	-25	Pass
3680	3689	1	CHP	3	3688.350	-35.54	-13	Pass
3689	3690	0.117	CHP	4	3689.950	-31.21	-13	Pass
3690	3700	0.117	CHP	/	/	/	/	/
3700	3701	0.117	CHP	5	3700.600	-53.17	-13	Pass
3701	3710	1	CHP	6	3702.050	-44.93	-13	Pass
3710	3720	1	CHP	7	3712.350	-50.95	-25	Pass
3720	3730	1	CHP	8	3729.250	-51.29	-40	Pass


5.2.3 B48_15MHz




Band48_15MHz_QPSK_LCH_3557.5MHz_RB_1_0_NTNV




Band48_15MHz_QPSK_LCH_3557.5MHz_RB_1_0_NTNV




Band48 15MHz QPSK LCH 3557.5MHz RB 75 0 NTNV




Band48 15MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 15MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 15MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48_15MHz_QPSK_HCH_3692.5MHz_RB_1_0_NTNV




Band48_15MHz_QPSK_HCH_3692.5MHz_RB_1_0_NTNV



Band48 15MHz QPSK HCH 3692.5MHz RB 1 0 NTNV




Band48 15MHz QPSK HCH 3692.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.945	-54.15	-40	Pass
3530	3670	1	CHP	2	3669.985	-49.22	-25	Pass
3670	3684	1	CHP	3	3683.455	-32.00	-13	Pass
3684	3685	0.03	/	4	3684.655	-33.44	-13	Pass
3685	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.420	-56.77	-13	Pass
3701	3710	1	CHP	6	3701.500	-44.83	-13	Pass
3710	3720	1	CHP	7	3710.290	-53.16	-25	Pass
3720	3730	1	CHP	8	3721.255	-55.05	-40	Pass

Band48 15MHz QPSK HCH 3692.5MHz RB 75 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.700	-54.23	-40	Pass
3530	3670	1	CHP	2	3669.650	-46.36	-25	Pass
3670	3684	1	CHP	3	3683.650	-32.70	-13	Pass
3684	3685	0.213	CHP	4	3684.950	-25.71	-13	Pass
3685	3700	0.213	CHP	/	/	/	/	/
3700	3701	0.213	CHP	5	3700.950	-52.81	-13	Pass
3701	3710	1	CHP	6	3701.500	-46.26	-13	Pass
3710	3720	1	CHP	7	3710.050	-50.76	-25	Pass
3720	3730	1	CHP	8	3722.100	-54.11	-40	Pass


5.2.4 B48_20MHz




Band48 20MHz QPSK LCH 3560MHz RB 1 0 NTNV



Band48 20MHz QPSK LCH 3560MHz RB 1 0 NTNV




Band48 20MHz QPSK LCH 3560MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.300	-49.50	-40	Pass
3530	3540	1	CHP	2	3538.350	-47.05	-25	Pass
3540	3549	1	CHP	3	3548.450	-35.28	-13	Pass
3549	3550	0.239	CHP	4	3549.850	-29.95	-13	Pass
3550	3570	0.239	CHP	/	/	/	/	/
3570	3571	0.239	CHP	5	3570.350	-57.76	-13	Pass
3571	3590	1	CHP	6	3572.500	-47.69	-13	Pass
3590	3720	1	CHP	7	3591.500	-53.28	-25	Pass
3720	3730	1	CHP	8	3728.450	-56.35	-40	Pass


Band48 20MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 20MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 20MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 20MHz QPSK HCH 3690MHz RB 1 0 NTNV




Band48 20MHz QPSK HCH 3690MHz RB 1 0 NTNV



Band48 20MHz QPSK HCH 3690MHz RB 1 0 NTNV




Band48 20MHz QPSK HCH 3690MHz RB 1 99 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.650	-49.07	-40	Pass
3530	3660	1	CHP	2	3604.015	-49.60	-25	Pass
3660	3679	1	CHP	3	3678.490	-33.74	-13	Pass
3679	3680	0.03	/	4	3679.870	-33.66	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.120	-59.87	-13	Pass
3701	3710	1	CHP	6	3701.515	-51.63	-13	Pass
3710	3720	1	CHP	7	3710.635	-54.16	-25	Pass
3720	3730	1	CHP	8	3725.275	-55.72	-40	Pass

Band48 20MHz QPSK HCH 3690MHz RB 100 0 NTN



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.200	-49.52	-40	Pass
3530	3660	1	CHP	2	3604.450	-49.40	-25	Pass
3660	3679	1	CHP	3	3678.300	-36.41	-13	Pass
3679	3680	0.239	CHP	4	3679.950	-25.57	-13	Pass
3680	3700	0.239	CHP	/	/	/	/	/
3700	3701	0.239	CHP	5	3700.850	-57.93	-13	Pass
3701	3710	1	CHP	6	3701.650	-50.93	-13	Pass
3710	3720	1	CHP	7	3710.050	-52.87	-25	Pass
3720	3730	1	CHP	8	3720.650	-54.69	-40	Pass

6. Adjacent Channel Leakage Ratio

6.1 Test Result

6.1.1 B48_5MHz

Band: 48 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
64QAM	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
256QAM	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

6.1.2 B48_10MHz

Band: 48 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3555	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass

	3695	50	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	3555	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3695	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3555	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
64QAM	3555	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3695	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3555	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
256QAM	3555	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3695	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3555	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

6.1.3 B48_15MHz

Band: 48 / Bandwidth: 15MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio	
		Size	Offset	Result	Limit
QPSK	3557.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	3692.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
16QAM	3557.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	3692.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
64QAM	3557.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass


	3625	75	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	3692.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
256QAM	3557.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	3692.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

6.1.4 B48_20MHz


Band: 48 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	3560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
64QAM	3560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
256QAM	3560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B48_5MHz




Band48_5MHz_QPSK_LCH_3552.5MHz_RB_25_0_NTNV



Band48_5MHz_QPSK_MCH_3625MHz_RB_1_0_NTNV




Band48 5MHz QPSK MCH 3625MHz RB 1 24 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	21.63	/	/	/	/
Adjacent	-5	5.00	-37.74	-59.37	-30	29.37	Pass
Adjacent	5	5.00	-19.36	-40.99	-30	10.99	Pass

Band48 5MHz QPSK MCH 3625MHz RB 25 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	20.49	/	/	/	/
Adjacent	-5	5.00	-22.02	-42.51	-30	12.51	Pass
Adjacent	5	5.00	-22.88	-43.37	-30	13.37	Pass

Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	21.94	/	/	/	/
Adjacent	-5	5.00	-19.61	-41.55	-30	11.55	Pass
Adjacent	5	5.00	-37.24	-59.18	-30	29.18	Pass

Band48 5MHz QPSK HCH 3697.5MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	21.87	/	/	/	/
Adjacent	-5	5.00	-36.58	-58.45	-30	28.45	Pass
Adjacent	5	5.00	-21.42	-43.29	-30	13.29	Pass

Band48_5MHz_QPSK_HCH_3697.5MHz_RB_25_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	20.71	/	/	/	/
Adjacent	-5	5.00	-20.82	-41.53	-30	11.53	Pass
Adjacent	5	5.00	-21.65	-42.36	-30	12.36	Pass

Band48_5MHz_16QAM_LCH_3552.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.26	/	/	/	/
Adjacent	-5	5.00	-21.19	-40.45	-30	10.45	Pass
Adjacent	5	5.00	-40.20	-59.46	-30	29.46	Pass


Band48 5MHz 16QAM LCH 3552.5MHz RB 1 24 NTN



Band48 5MHz 16QAM LCH 3552.5MHz RB 25_0 NTN




Band48_5MHz_16QAM_MCH_3625MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	20.28	/	/	/	/
Adjacent	-5	5.00	-19.24	-39.52	-30	9.52	Pass
Adjacent	5	5.00	-38.60	-58.88	-30	28.88	Pass

Band48_5MHz_16QAM_MCH_3625MHz_RB_1_24_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.80	/	/	/	/
Adjacent	-5	5.00	-38.87	-58.67	-30	28.67	Pass
Adjacent	5	5.00	-22.48	-42.28	-30	12.28	Pass


Band48_5MHz_16QAM_MCH_3625MHz_RB_25_0_NTNV



Band48_5MHz_16QAM_HCH_3697.5MHz_RB_1_0_NTNV




Band48 5MHz 16QAM HCH 3697.5MHz RB 1 24 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	20.90	/	/	/	/
Adjacent	-5	5.00	-37.92	-58.82	-30	28.82	Pass
Adjacent	5	5.00	-22.34	-43.24	-30	13.24	Pass

Band48 5MHz 16QAM HCH 3697.5MHz RB 25_0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.96	/	/	/	/
Adjacent	-5	5.00	-20.76	-40.72	-30	10.72	Pass
Adjacent	5	5.00	-22.08	-42.04	-30	12.04	Pass

Band48 5MHz 64QAM LCH 3552.5MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.97	/	/	/	/
Adjacent	-5	5.00	-23.60	-42.57	-30	12.57	Pass
Adjacent	5	5.00	-41.10	-60.07	-30	30.07	Pass

Band48 5MHz 64QAM LCH 3552.5MHz RB 1 24 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.95	/	/	/	/
Adjacent	-5	5.00	-40.71	-59.66	-30	29.66	Pass
Adjacent	5	5.00	-25.69	-44.64	-30	14.64	Pass

Band48 5MHz 64QAM LCH 3552.5MHz RB 25 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	17.47	/	/	/	/
Adjacent	-5	5.00	-25.30	-42.77	-30	12.77	Pass
Adjacent	5	5.00	-25.86	-43.33	-30	13.33	Pass

Band48 5MHz 64QAM MCH 3625MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.56	/	/	/	/
Adjacent	-5	5.00	-23.05	-42.61	-30	12.61	Pass
Adjacent	5	5.00	-41.25	-60.81	-30	30.81	Pass

Band48_5MHz_64QAM_MCH_3625MHz_RB_1_24_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.78	/	/	/	/
Adjacent	-5	5.00	-39.59	-59.37	-30	29.37	Pass
Adjacent	5	5.00	-26.51	-46.29	-30	16.29	Pass

Band48_5MHz_64QAM_MCH_3625MHz_RB_25_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.56	/	/	/	/
Adjacent	-5	5.00	-23.71	-42.27	-30	12.27	Pass
Adjacent	5	5.00	-25.48	-44.04	-30	14.04	Pass

Band48 5MHz 64QAM HCH 3697.5MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.91	/	/	/	/
Adjacent	-5	5.00	-20.86	-40.77	-30	10.77	Pass
Adjacent	5	5.00	-39.85	-59.76	-30	29.76	Pass

Band48 5MHz 64QAM HCH 3697.5MHz RB 1 24 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.61	/	/	/	/
Adjacent	-5	5.00	-38.53	-58.14	-30	28.14	Pass
Adjacent	5	5.00	-21.57	-41.18	-30	11.18	Pass

Band48 5MHz 64QAM HCH 3697.5MHz RB 25 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.87	/	/	/	/
Adjacent	-5	5.00	-23.12	-41.99	-30	11.99	Pass
Adjacent	5	5.00	-23.40	-42.27	-30	12.27	Pass

Band48 5MHz 256QAM LCH 3552.5MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	15.28	/	/	/	/
Adjacent	-5	5.00	-27.43	-42.71	-30	12.71	Pass
Adjacent	5	5.00	-42.50	-57.78	-30	27.78	Pass

Band48_5MHz_256QAM_LCH_3552.5MHz_RB_1_24_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	15.22	/	/	/	/
Adjacent	-5	5.00	-43.63	-58.85	-30	28.85	Pass
Adjacent	5	5.00	-26.96	-42.18	-30	12.18	Pass

Band48_5MHz_256QAM_LCH_3552.5MHz_RB_25_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	15.81	/	/	/	/
Adjacent	-5	5.00	-26.42	-42.23	-30	12.23	Pass
Adjacent	5	5.00	-27.13	-42.94	-30	12.94	Pass

Band48 5MHz 256QAM MCH 3625MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	16.39	/	/	/	/
Adjacent	-5	5.00	-24.79	-41.18	-30	11.18	Pass
Adjacent	5	5.00	-43.03	-59.42	-30	29.42	Pass

Band48 5MHz 256QAM MCH 3625MHz RB 1 24 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	16.41	/	/	/	/
Adjacent	-5	5.00	-42.51	-58.92	-30	28.92	Pass
Adjacent	5	5.00	-24.76	-41.17	-30	11.17	Pass


Band48 5MHz 256QAM MCH 3625MHz RB 25 0 NTN



Band48 5MHz 256QAM HCH 3697.5MHz RB 1 0 NTN




Band48_5MHz_256QAM_HCH_3697.5MHz_RB_1_24_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	16.67	/	/	/	/
Adjacent	-5	5.00	-41.12	-57.79	-30	27.79	Pass
Adjacent	5	5.00	-26.81	-43.48	-30	13.48	Pass

Band48_5MHz_256QAM_HCH_3697.5MHz_RB_25_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	16.77	/	/	/	/
Adjacent	-5	5.00	-25.30	-42.07	-30	12.07	Pass
Adjacent	5	5.00	-25.56	-42.33	-30	12.33	Pass

6.2.2 B48_10MHz




Band48 10MHz QPSK LCH 3555MHz RB 50 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	20.12	/	/	/	/
Adjacent	-10	10.00	-24.79	-44.91	-30	14.91	Pass
Adjacent	10	10.00	-25.22	-45.34	-30	15.34	Pass

Band48 10MHz QPSK MCH 3625MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	21.29	/	/	/	/
Adjacent	-10	10.00	-23.08	-44.37	-30	14.37	Pass
Adjacent	10	10.00	-40.26	-61.55	-30	31.55	Pass

Band48_10MHz_QPSK_MCH_3625MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	20.81	/	/	/	/
Adjacent	-10	10.00	-38.70	-59.51	-30	29.51	Pass
Adjacent	10	10.00	-24.73	-45.54	-30	15.54	Pass

Band48_10MHz_QPSK_MCH_3625MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.89	/	/	/	/
Adjacent	-10	10.00	-22.97	-42.86	-30	12.86	Pass
Adjacent	10	10.00	-25.75	-45.64	-30	15.64	Pass

Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.58	/	/	/	/
Adjacent	-10	10.00	-24.59	-44.17	-30	14.17	Pass
Adjacent	10	10.00	-40.07	-59.65	-30	29.65	Pass

Band48 10MHz QPSK HCH 3695MHz RB 1 49 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	21.28	/	/	/	/
Adjacent	-10	10.00	-38.52	-59.80	-30	29.80	Pass
Adjacent	10	10.00	-22.30	-43.58	-30	13.58	Pass


Band48_10MHz_QPSK_HCH_3695MHz_RB_50_0_NTNV



Band48_10MHz_16QAM_LCH_3555MHz_RB_1_0_NTNV




Band48 10MHz 16QAM LCH 3555MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.86	/	/	/	/
Adjacent	-10	10.00	-42.02	-61.88	-30	31.88	Pass
Adjacent	10	10.00	-24.81	-44.67	-30	14.67	Pass

Band48 10MHz 16QAM LCH 3555MHz RB 50 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.06	/	/	/	/
Adjacent	-10	10.00	-25.78	-43.84	-30	13.84	Pass
Adjacent	10	10.00	-25.80	-43.86	-30	13.86	Pass

Band48 10MHz 16QAM MCH 3625MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.78	/	/	/	/
Adjacent	-10	10.00	-25.35	-43.13	-30	13.13	Pass
Adjacent	10	10.00	-40.63	-58.41	-30	28.41	Pass

Band48 10MHz 16QAM MCH 3625MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	20.92	/	/	/	/
Adjacent	-10	10.00	-40.26	-61.18	-30	31.18	Pass
Adjacent	10	10.00	-27.02	-47.94	-30	17.94	Pass

Band48 10MHz 16QAM MCH 3625MHz RB 50 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.81	/	/	/	/
Adjacent	-10	10.00	-23.35	-43.16	-30	13.16	Pass
Adjacent	10	10.00	-25.83	-45.64	-30	15.64	Pass

Band48 10MHz 16QAM HCH 3695MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	20.51	/	/	/	/
Adjacent	-10	10.00	-28.23	-48.74	-30	18.74	Pass
Adjacent	10	10.00	-38.91	-59.42	-30	29.42	Pass

Band48 10MHz 16QAM HCH 3695MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	21.70	/	/	/	/
Adjacent	-10	10.00	-41.70	-63.40	-30	33.40	Pass
Adjacent	10	10.00	-25.64	-47.34	-30	17.34	Pass

Band48 10MHz 16QAM HCH 3695MHz RB 50 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	20.97	/	/	/	/
Adjacent	-10	10.00	-22.25	-43.22	-30	13.22	Pass
Adjacent	10	10.00	-22.34	-43.31	-30	13.31	Pass

Band48 10MHz 64QAM LCH 3555MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.03	/	/	/	/
Adjacent	-10	10.00	-28.86	-47.89	-30	17.89	Pass
Adjacent	10	10.00	-42.89	-61.92	-30	31.92	Pass

Band48 10MHz 64QAM LCH 3555MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.07	/	/	/	/
Adjacent	-10	10.00	-42.58	-60.65	-30	30.65	Pass
Adjacent	10	10.00	-31.10	-49.17	-30	19.17	Pass

Band48 10MHz 64QAM LCH 3555MHz RB 50 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.01	/	/	/	/
Adjacent	-10	10.00	-26.35	-44.36	-30	14.36	Pass
Adjacent	10	10.00	-27.24	-45.25	-30	15.25	Pass

Band48 10MHz 64QAM MCH 3625MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.40	/	/	/	/
Adjacent	-10	10.00	-27.09	-46.49	-30	16.49	Pass
Adjacent	10	10.00	-41.86	-61.26	-30	31.26	Pass

Band48 10MHz 64QAM MCH 3625MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.07	/	/	/	/
Adjacent	-10	10.00	-40.80	-59.87	-30	29.87	Pass
Adjacent	10	10.00	-26.65	-45.72	-30	15.72	Pass

Band48 10MHz 64QAM MCH 3625MHz RB 50_0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.62	/	/	/	/
Adjacent	-10	10.00	-25.48	-43.10	-30	13.10	Pass
Adjacent	10	10.00	-27.20	-44.82	-30	14.82	Pass

Band48 10MHz 64QAM HCH 3695MHz RB 1 0 NTV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	20.61	/	/	/	/
Adjacent	-10	10.00	-27.76	-48.37	-30	18.37	Pass
Adjacent	10	10.00	-42.37	-62.98	-30	32.98	Pass

Band48 10MHz 64QAM HCH 3695MHz RB 1 49 NTV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	20.24	/	/	/	/
Adjacent	-10	10.00	-42.25	-62.49	-30	32.49	Pass
Adjacent	10	10.00	-26.06	-46.30	-30	16.30	Pass