




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



5. Unwanted Emissions In Restricted Frequency Bands

5.1 Test Result

5.1.1 RSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	Refer To Test Graph		Pass
		5200	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5260	1	Refer To Test Graph		Pass
		5300	1	Refer To Test Graph		Pass
		5320	1	Refer To Test Graph		Pass
		5500	1	Refer To Test Graph		Pass
		5580	1	Refer To Test Graph		Pass
		5700	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
		5785	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5825	1	Refer To Test Graph		Pass
		5180	1	Refer To Test Graph		Pass
		5200	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5260	1	Refer To Test Graph		Pass
		5300	1	Refer To Test Graph		Pass
		5320	1	Refer To Test Graph		Pass
		5500	1	Refer To Test Graph		Pass
		5580	1	Refer To Test Graph		Pass
		5700	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5785	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
		5190	1	Refer To Test Graph		Pass
		5230	1	Refer To Test Graph		Pass
		5270	1	Refer To Test Graph		Pass
		5310	1	Refer To Test Graph		Pass
		5510	1	Refer To Test Graph		Pass
		5550	1	Refer To Test Graph		Pass
		5670	1	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5755	1	Refer To Test Graph		Pass
		5795	1	Refer To Test Graph		Pass
		5180	1	Refer To Test Graph		Pass
		5200	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5260	1	Refer To Test Graph		Pass
		5300	1	Refer To Test Graph		Pass
		5320	1	Refer To Test Graph		Pass
		5500	1	Refer To Test Graph		Pass
		5580	1	Refer To Test Graph		Pass
		5700	1	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5745	1	Refer To Test Graph		Pass
		5785	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5190	1	Refer To Test Graph		Pass
		5230	1	Refer To Test Graph		Pass

		5270	1	Refer To Test Graph	Pass
		5310	1	Refer To Test Graph	Pass
		5510	1	Refer To Test Graph	Pass
		5550	1	Refer To Test Graph	Pass
		5670	1	Refer To Test Graph	Pass
		5755	1	Refer To Test Graph	Pass
		5795	1	Refer To Test Graph	Pass
802.11ac (VHT80)	SISO	5210	1	Refer To Test Graph	Pass
		5290	1	Refer To Test Graph	Pass
		5530	1	Refer To Test Graph	Pass
		5610	1	Refer To Test Graph	Pass
		5775	1	Refer To Test Graph	Pass


5.2 Test Graph

5.2.1 RSE


802.11a_LCH_5180MHz_Ant1_NTNV



802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20299.25	-34.97	-21.20	13.77	Pass	Peak	7	20299.25	-45.40	-41.20	4.20	Pass	AVG
2	21601.45	-36.72	-27.00	9.72	Pass	Peak	8	21601.45	/	-27.00	/	/	AVG
3	23043.9	-37.01	-21.20	15.81	Pass	Peak	9	23043.9	-46.99	-41.20	5.79	Pass	AVG
4	24171.85	-35.26	-27.00	8.26	Pass	Peak	10	24171.85	/	-27.00	/	/	AVG
5	24956.4	-31.68	-27.00	4.68	Pass	Peak	11	24956.4	/	-27.00	/	/	AVG
6	25983.2	-33.26	-27.00	6.26	Pass	Peak	12	25983.2	/	-27.00	/	/	AVG

802.11a_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20121.6	-36.94	-21.20	15.74	Pass	Peak	7	20121.6	-47.14	-41.20	5.94	Pass	AVG
2	20958.85	-35.23	-21.20	14.03	Pass	Peak	8	20958.85	-44.40	-41.20	3.20	Pass	AVG
3	23570.05	-36.94	-27.00	9.94	Pass	Peak	9	23570.05	/	-27.00	/	/	AVG
4	24364.8	-33.87	-27.00	6.87	Pass	Peak	10	24364.8	/	-27.00	/	/	AVG
5	25412.85	-31.38	-27.00	4.38	Pass	Peak	11	25412.85	/	-27.00	/	/	AVG
6	26211	-34.84	-27.00	7.84	Pass	Peak	12	26211	/	-27.00	/	/	AVG

802.11a_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5355.840	-47.59	-21.20	26.39	Pass	Peak	7	5355.840	-55.36	-41.20	14.16	Pass	AVG
2	5365.440	-48.47	-21.20	27.27	Pass	Peak	8	5365.440	-55.96	-41.20	14.76	Pass	AVG
3	5377.440	-48.35	-21.20	27.15	Pass	Peak	9	5377.440	-55.77	-41.20	14.57	Pass	AVG
4	5387.760	-48.62	-21.20	27.42	Pass	Peak	10	5387.760	-55.74	-41.20	14.54	Pass	AVG
5	5395.440	-48.48	-21.20	27.28	Pass	Peak	11	5395.440	-56.08	-41.20	14.88	Pass	AVG
6	5409.120	-48.37	-21.20	27.17	Pass	Peak	12	5409.120	-55.95	-41.20	14.75	Pass	AVG

802.11a_LCH_5260MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19474.75	-37.53	-21.20	16.33	Pass	Peak	7	19474.75	-46.68	-41.20	5.48	Pass	AVG
2	20377.45	-35.23	-21.20	14.03	Pass	Peak	8	20377.45	-44.83	-41.20	3.63	Pass	AVG
3	21147.55	-36.02	-21.20	14.82	Pass	Peak	9	21147.55	-45.76	-41.20	4.56	Pass	AVG
4	23721.35	-35.73	-21.20	14.53	Pass	Peak	10	23721.35	-45.27	-41.20	4.07	Pass	AVG
5	24947.05	-32.23	-27.00	5.23	Pass	Peak	11	24947.05	/	-27.00	/	/	AVG
6	26003.6	-33.47	-27.00	6.47	Pass	Peak	12	26003.6	/	-27.00	/	/	AVG

802.11a_LCH_5260MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4806.000	-49.52	-21.20	28.32	Pass	Peak	7	4806.000	-56.09	-41.20	14.89	Pass	AVG
2	5015.000	-49.56	-21.20	28.36	Pass	Peak	8	5015.000	-56.10	-41.20	14.90	Pass	AVG
3	5048.500	-48.76	-21.20	27.56	Pass	Peak	9	5048.500	-56.09	-41.20	14.89	Pass	AVG
4	5087.000	-48.80	-21.20	27.60	Pass	Peak	10	5087.000	-55.77	-41.20	14.57	Pass	AVG
5	5113.500	-47.09	-21.20	25.89	Pass	Peak	11	5113.500	-55.89	-41.20	14.69	Pass	AVG
6	5146.500	-48.65	-21.20	27.45	Pass	Peak	12	5146.500	-55.77	-41.20	14.57	Pass	AVG

802.11a_MCH_5300MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20123.3	-37.29	-21.20	16.09	Pass	Peak	7	20123.3	-47.21	-41.20	6.01	Pass	AVG
2	20974.15	-34.06	-21.20	12.86	Pass	Peak	8	20974.15	-44.38	-41.20	3.18	Pass	AVG
3	23443.4	-34.68	-27.00	7.68	Pass	Peak	9	23443.4	/	-27.00	/	/	AVG
4	24239	-34.28	-27.00	7.28	Pass	Peak	10	24239	/	-27.00	/	/	AVG
5	25446	-31.74	-27.00	4.74	Pass	Peak	11	25446	/	-27.00	/	/	AVG
6	26500	-35.66	-27.00	8.66	Pass	Peak	12	26500	/	-27.00	/	/	AVG

802.11a_HCH_5320MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19470.5	-36.35	-21.20	15.15	Pass	Peak	7	19470.5	-46.47	-41.20	5.27	Pass	AVG
2	20979.25	-34.93	-21.20	13.73	Pass	Peak	8	20979.25	-44.29	-41.20	3.09	Pass	AVG
3	23580.25	-36.09	-27.00	9.09	Pass	Peak	9	23580.25	/	-27.00	/	/	AVG
4	24397.95	-32.90	-27.00	5.90	Pass	Peak	10	24397.95	/	-27.00	/	/	AVG
5	25474.9	-29.73	-27.00	2.73	Pass	Peak	11	25474.9	/	-27.00	/	/	AVG
6	26246.7	-35.57	-27.00	8.57	Pass	Peak	12	26246.7	/	-27.00	/	/	AVG

802.11a_HCH_5320MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.400	-35.46	-21.20	14.26	Pass	Peak	7	5350.400	-51.64	-41.20	10.44	Pass	AVG
2	5357.600	-45.23	-21.20	24.03	Pass	Peak	8	5357.600	-53.05	-41.20	11.85	Pass	AVG
3	5362.880	-45.49	-21.20	24.29	Pass	Peak	9	5362.880	-54.02	-41.20	12.82	Pass	AVG
4	5368.800	-47.52	-21.20	26.32	Pass	Peak	10	5368.800	-54.55	-41.20	13.35	Pass	AVG
5	5376.000	-46.46	-21.20	25.26	Pass	Peak	11	5376.000	-54.97	-41.20	13.77	Pass	AVG
6	5384.640	-49.03	-21.20	27.83	Pass	Peak	12	5384.640	-54.87	-41.20	13.67	Pass	AVG

802.11a_LCH_5500MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20341.75	-35.96	-21.20	14.76	Pass	Peak	7	20341.75	-45.59	-41.20	4.39	Pass	AVG
2	21150.1	-36.83	-21.20	15.63	Pass	Peak	8	21150.1	-46.19	-41.20	4.99	Pass	AVG
3	23500.35	-37.06	-27.00	10.06	Pass	Peak	9	23500.35	/	-27.00	/	/	AVG
4	24414.1	-34.05	-27.00	7.05	Pass	Peak	10	24414.1	/	-27.00	/	/	AVG
5	25447.7	-32.61	-27.00	5.61	Pass	Peak	11	25447.7	/	-27.00	/	/	AVG
6	26253.5	-35.44	-27.00	8.44	Pass	Peak	12	26253.5	/	-27.00	/	/	AVG

802.11a_LCH_5500MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5436.360	-46.12	-21.20	24.92	Pass	Peak	7	5436.360	-55.31	-41.20	14.11	Pass	AVG
2	5442.650	-45.59	-21.20	24.39	Pass	Peak	8	5442.650	-55.15	-41.20	13.95	Pass	AVG
3	5449.110	-44.39	-21.20	23.19	Pass	Peak	9	5449.110	-54.71	-41.20	13.51	Pass	AVG
4	5455.740	-45.08	-21.20	23.88	Pass	Peak	10	5455.740	-52.83	-41.20	11.63	Pass	AVG
5	5462.540	-34.88	-27.00	7.88	Pass	Peak	11	5462.540	/	/	/	/	AVG
6	5467.810	-33.62	-27.00	6.62	Pass	Peak	12	5467.810	/	/	/	/	AVG

802.11a_MCH_5580MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20202.35	-43.72	-21.20	22.52	Pass	Peak	7	20202.35	-53.11	-41.20	11.91	Pass	AVG
2	20978.4	-41.39	-21.20	20.19	Pass	Peak	8	20978.4	-50.79	-41.20	9.59	Pass	AVG
3	23538.6	-43.05	-27.00	16.05	Pass	Peak	9	23538.6	/	-27.00	/	/	AVG
4	24385.2	-39.95	-27.00	12.95	Pass	Peak	10	24385.2	/	-27.00	/	/	AVG
5	25423.05	-37.92	-27.00	10.92	Pass	Peak	11	25423.05	/	-27.00	/	/	AVG
6	26480.45	-41.06	-27.00	14.06	Pass	Peak	12	26480.45	/	-27.00	/	/	AVG

802.11a_HCH_5700MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.15	-41.80	-27.00	14.80	Pass	Peak	7	5725.15	/	-27.00	/	/	AVG
2	20991.15	-40.40	-21.20	19.20	Pass	Peak	8	20991.15	-50.78	-41.20	9.58	Pass	AVG
3	22851.8	-43.26	-21.20	22.06	Pass	Peak	9	22851.8	-53.77	-41.20	12.57	Pass	AVG
4	23706.05	-41.65	-21.20	20.45	Pass	Peak	10	23706.05	-51.45	-41.20	10.25	Pass	AVG
5	24924.95	-38.32	-27.00	11.32	Pass	Peak	11	24924.95	/	-27.00	/	/	AVG
6	25999.35	-38.99	-27.00	11.99	Pass	Peak	12	25999.35	/	-27.00	/	/	AVG


802.11a_HCH_5700MHz_Ant1_NTNV



802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20380.85	-34.94	-21.20	13.74	Pass	Peak	7	20380.85	-44.93	-41.20	3.73	Pass	AVG
2	21552.15	-36.53	-27.00	9.53	Pass	Peak	8	21552.15	/	-27.00	/	/	AVG
3	23615.95	-35.80	-21.20	14.60	Pass	Peak	9	23615.95	-45.71	-41.20	4.51	Pass	AVG
4	24407.3	-33.59	-27.00	6.59	Pass	Peak	10	24407.3	/	-27.00	/	/	AVG
5	25476.6	-32.38	-27.00	5.38	Pass	Peak	11	25476.6	/	-27.00	/	/	AVG
6	26452.4	-35.38	-27.00	8.38	Pass	Peak	12	26452.4	/	-27.00	/	/	AVG

802.11a_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-47.50	-27.00	20.50	Pass	Peak	3	5725.000	-28.73	27.00	55.73	Pass	Peak
2	5724.520	-27.35	25.91	53.26	Pass	Peak							

802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19387.2	-37.36	-21.20	16.16	Pass	Peak	7	19387.2	-46.92	-41.20	5.72	Pass	AVG
2	20969.9	-34.07	-21.20	12.87	Pass	Peak	8	20969.9	-44.37	-41.20	3.17	Pass	AVG
3	23447.65	-37.53	-27.00	10.53	Pass	Peak	9	23447.65	/	-27.00	/	/	AVG
4	24231.35	-35.78	-27.00	8.78	Pass	Peak	10	24231.35	/	-27.00	/	/	AVG
5	24997.2	-31.95	-27.00	4.95	Pass	Peak	11	24997.2	/	-27.00	/	/	AVG
6	26127.7	-33.92	-27.00	6.92	Pass	Peak	12	26127.7	/	-27.00	/	/	AVG

802.11a_HCH_5825MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20450.55	-35.45	-21.20	14.25	Pass	Peak	7	20450.55	-45.25	-41.20	4.05	Pass	AVG
2	21830.1	-36.66	-27.00	9.66	Pass	Peak	8	21830.1	/	-27.00	/	/	AVG
3	22964.85	-36.49	-21.20	15.29	Pass	Peak	9	22964.85	-47.04	-41.20	5.84	Pass	AVG
4	24386.05	-33.55	-27.00	6.55	Pass	Peak	10	24386.05	/	-27.00	/	/	AVG
5	25462.15	-32.20	-27.00	5.20	Pass	Peak	11	25462.15	/	-27.00	/	/	AVG
6	26383.55	-35.28	-27.00	8.28	Pass	Peak	12	26383.55	/	-27.00	/	/	AVG


802.11a_HCH_5825MHz_Ant1_NTNV



802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20) LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4799.000	-49.37	-21.20	28.17	Pass	Peak	7	4799.000	-55.98	-41.20	14.78	Pass	AVG
2	5059.500	-49.10	-21.20	27.90	Pass	Peak	8	5059.500	-55.82	-41.20	14.62	Pass	AVG
3	5079.500	-47.94	-21.20	26.74	Pass	Peak	9	5079.500	-55.63	-41.20	14.43	Pass	AVG
4	5099.500	-48.46	-21.20	27.26	Pass	Peak	10	5099.500	-55.72	-41.20	14.52	Pass	AVG
5	5121.000	-47.27	-21.20	26.07	Pass	Peak	11	5121.000	-54.79	-41.20	13.59	Pass	AVG
6	5145.500	-44.24	-21.20	23.04	Pass	Peak	12	5145.500	-52.28	-41.20	11.08	Pass	AVG

802.11n(HT20) MCH_5200MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16858.45	-36.89	-27.00	9.89	Pass	Peak	7	16858.45	/	-27.00	/	/	AVG
2	20970.75	-35.61	-21.20	14.41	Pass	Peak	8	20970.75	-44.58	-41.20	3.38	Pass	AVG
3	23615.1	-36.57	-21.20	15.37	Pass	Peak	9	23615.1	-45.69	-41.20	4.49	Pass	AVG
4	24387.75	-34.31	-27.00	7.31	Pass	Peak	10	24387.75	/	-27.00	/	/	AVG
5	25503.8	-30.86	-27.00	3.86	Pass	Peak	11	25503.8	/	-27.00	/	/	AVG
6	26327.45	-35.17	-27.00	8.17	Pass	Peak	12	26327.45	/	-27.00	/	/	AVG


802.11n(HT20) HCH_5240MHz_Ant1_NTNV



802.11n(HT20) HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19504.5	-37.14	-21.20	15.94	Pass	Peak	7	19504.5	-46.44	-41.20	5.24	Pass	AVG
2	20930.8	-35.10	-21.20	13.90	Pass	Peak	8	20930.8	-44.67	-41.20	3.47	Pass	AVG
3	22494.8	-37.19	-21.20	15.99	Pass	Peak	9	22494.8	-47.85	-41.20	6.65	Pass	AVG
4	23584.5	-36.45	-27.00	9.45	Pass	Peak	10	23584.5	/	-27.00	/	/	AVG
5	24908.8	-31.62	-27.00	4.62	Pass	Peak	11	24908.8	/	-27.00	/	/	AVG
6	25953.45	-33.99	-27.00	6.99	Pass	Peak	12	25953.45	/	-27.00	/	/	AVG

802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4964.000	-50.04	-21.20	28.84	Pass	Peak	7	4964.000	-56.25	-41.20	15.05	Pass	AVG
2	5034.500	-49.89	-21.20	28.69	Pass	Peak	8	5034.500	-56.12	-41.20	14.92	Pass	AVG
3	5062.000	-50.22	-21.20	29.02	Pass	Peak	9	5062.000	-56.25	-41.20	15.05	Pass	AVG
4	5086.000	-48.02	-21.20	26.82	Pass	Peak	10	5086.000	-55.89	-41.20	14.69	Pass	AVG
5	5125.500	-49.80	-21.20	28.60	Pass	Peak	11	5125.500	-55.72	-41.20	14.52	Pass	AVG
6	5148.500	-48.59	-21.20	27.39	Pass	Peak	12	5148.500	-56.33	-41.20	15.13	Pass	AVG

802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20210.85	-36.41	-21.20	15.21	Pass	Peak	7	20210.85	-46.57	-41.20	5.37	Pass	AVG
2	21033.65	-34.79	-21.20	13.59	Pass	Peak	8	21033.65	-44.59	-41.20	3.39	Pass	AVG
3	23635.5	-36.05	-21.20	14.85	Pass	Peak	9	23635.5	-45.62	-41.20	4.42	Pass	AVG
4	24430.25	-33.98	-27.00	6.98	Pass	Peak	10	24430.25	/	-27.00	/	/	AVG
5	25524.2	-31.94	-27.00	4.94	Pass	Peak	11	25524.2	/	-27.00	/	/	AVG
6	26484.7	-35.04	-27.00	8.04	Pass	Peak	12	26484.7	/	-27.00	/	/	AVG

802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19383.8	-36.94	-21.20	15.74	Pass	Peak	7	19383.8	-47.07	-41.20	5.87	Pass	AVG
2	21012.4	-34.32	-21.20	13.12	Pass	Peak	8	21012.4	-44.37	-41.20	3.17	Pass	AVG
3	23562.4	-36.34	-27.00	9.34	Pass	Peak	9	23562.4	/	-27.00	/	/	AVG
4	24383.5	-33.76	-27.00	6.76	Pass	Peak	10	24383.5	/	-27.00	/	/	AVG
5	25438.35	-31.72	-27.00	4.72	Pass	Peak	11	25438.35	/	-27.00	/	/	AVG
6	26402.25	-35.02	-27.00	8.02	Pass	Peak	12	26402.25	/	-27.00	/	/	AVG


802.11n(HT20) HCH_5320MHz_Ant1_NTNV




802.11n(HT20) LCH_5500MHz_Ant1_NTNV




802.11n(HT20) LCH_5500MHz_Ant1_NTNV




802.11n(HT20) MCH_5580MHz_Ant1_NTNV




802.11n(HT20) HCH_5700MHz_Ant1_NTNV




802.11n(HT20) HCH_5700MHz_Ant1_NTNV



802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18935	-37.28	-21.20	16.08	Pass	Peak	7	18935	-47.50	-41.20	6.30	Pass	AVG
2	20966.5	-34.90	-21.20	13.70	Pass	Peak	8	20966.5	-44.45	-41.20	3.25	Pass	AVG
3	23474	-36.49	-27.00	9.49	Pass	Peak	9	23474	/	-27.00	/	/	AVG
4	24340.15	-34.76	-27.00	7.76	Pass	Peak	10	24340.15	/	-27.00	/	/	AVG
5	25431.55	-31.18	-27.00	4.18	Pass	Peak	11	25431.55	/	-27.00	/	/	AVG
6	26202.5	-35.28	-27.00	8.28	Pass	Peak	12	26202.5	/	-27.00	/	/	AVG

802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-48.64	-27.00	21.64	Pass	Peak	3	5725.000	-29.44	27.00	56.44	Pass	Peak
2	5724.520	-28.67	25.91	54.58	Pass	Peak							

802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18951.15	-36.37	-21.20	15.17	Pass	Peak	7	18951.15	-47.33	-41.20	6.13	Pass	AVG
2	21002.2	-35.35	-21.20	14.15	Pass	Peak	8	21002.2	-44.50	-41.20	3.30	Pass	AVG
3	23400.9	-36.71	-27.00	9.71	Pass	Peak	9	23400.9	/	-27.00	/	/	AVG
4	24342.7	-31.99	-27.00	4.99	Pass	Peak	10	24342.7	/	-27.00	/	/	AVG
5	25436.65	-32.09	-27.00	5.09	Pass	Peak	11	25436.65	/	-27.00	/	/	AVG
6	26205.9	-34.75	-27.00	7.75	Pass	Peak	12	26205.9	/	-27.00	/	/	AVG

802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT20) HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20989.45	-35.39	-21.20	14.19	Pass	Peak	7	20989.45	-44.48	-41.20	3.28	Pass	AVG
2	22936.8	-36.86	-21.20	15.66	Pass	Peak	8	22936.8	-46.98	-41.20	5.78	Pass	AVG
3	23712.85	-34.09	-21.20	12.89	Pass	Peak	9	23712.85	-45.13	-41.20	3.93	Pass	AVG
4	24481.25	-35.06	-27.00	8.06	Pass	Peak	10	24481.25	/	-27.00	/	/	AVG
5	25399.25	-31.55	-27.00	4.55	Pass	Peak	11	25399.25	/	-27.00	/	/	AVG
6	26353.8	-35.26	-27.00	8.26	Pass	Peak	12	26353.8	/	-27.00	/	/	AVG

802.11n(HT20) HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-35.21	27.00	62.21	Pass	Peak	3	5925.000	-49.16	-27.00	22.16	Pass	Peak
2	5850.600	-30.69	25.63	56.32	Pass	Peak							

802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19479	-43.13	-21.20	21.93	Pass	Peak	7	19479	-52.56	-41.20	11.36	Pass	AVG
2	20954.6	-40.93	-21.20	19.73	Pass	Peak	8	20954.6	-50.29	-41.20	9.09	Pass	AVG
3	23489.3	-41.93	-27.00	14.93	Pass	Peak	9	23489.3	/	-27.00	/	/	AVG
4	24422.6	-40.41	-27.00	13.41	Pass	Peak	10	24422.6	/	-27.00	/	/	AVG
5	25440.9	-37.22	-27.00	10.22	Pass	Peak	11	25440.9	/	-27.00	/	/	AVG
6	26298.55	-39.68	-27.00	12.68	Pass	Peak	12	26298.55	/	-27.00	/	/	AVG

802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5022.500	-54.28	-21.20	33.08	Pass	Peak	7	5022.500	-61.28	-41.20	20.08	Pass	AVG
2	5048.500	-52.34	-21.20	31.14	Pass	Peak	8	5048.500	-61.20	-41.20	20.00	Pass	AVG
3	5079.000	-52.55	-21.20	31.35	Pass	Peak	9	5079.000	-59.92	-41.20	18.72	Pass	AVG
4	5104.500	-51.40	-21.20	30.20	Pass	Peak	10	5104.500	-58.87	-41.20	17.67	Pass	AVG
5	5128.500	-43.89	-21.20	22.69	Pass	Peak	11	5128.500	-57.28	-41.20	16.08	Pass	AVG
6	5149.500	-38.58	-21.20	17.38	Pass	Peak	12	5149.500	-52.06	-41.20	10.86	Pass	AVG

802.11n(HT40) HCH 5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19435.65	-42.98	-21.20	21.78	Pass	Peak	7	19435.65	-52.43	-41.20	11.23	Pass	AVG
2	20959.7	-41.07	-21.20	19.87	Pass	Peak	8	20959.7	-50.17	-41.20	8.97	Pass	AVG
3	23602.35	-42.71	-21.20	21.51	Pass	Peak	9	23602.35	-51.63	-41.20	10.43	Pass	AVG
4	24375.85	-39.53	-27.00	12.53	Pass	Peak	10	24375.85	/	-27.00	/	/	AVG
5	25465.55	-37.60	-27.00	10.60	Pass	Peak	11	25465.55	/	-27.00	/	/	AVG
6	26247.55	-41.75	-27.00	14.75	Pass	Peak	12	26247.55	/	-27.00	/	/	AVG

802.11n(HT40) HCH 5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.650	-52.69	-21.20	31.49	Pass	Peak	7	5350.650	-59.73	-41.20	18.53	Pass	AVG
2	5359.020	-52.77	-21.20	31.57	Pass	Peak	8	5359.020	-59.67	-41.20	18.47	Pass	AVG
3	5372.790	-54.01	-21.20	32.81	Pass	Peak	9	5372.790	-60.02	-41.20	18.82	Pass	AVG
4	5385.210	-50.89	-21.20	29.69	Pass	Peak	10	5385.210	-60.25	-41.20	19.05	Pass	AVG
5	5398.980	-53.57	-21.20	32.37	Pass	Peak	11	5398.980	-60.57	-41.20	19.37	Pass	AVG
6	5413.830	-54.32	-21.20	33.12	Pass	Peak	12	5413.830	-61.07	-41.20	19.87	Pass	AVG


802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40) HCH 5310MHz_Ant1_NTNV




802.11n(HT40) HCH 5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV



802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19437.35	-37.32	-21.20	16.12	Pass	Peak	7	19437.35	-46.61	-41.20	5.41	Pass	AVG
2	20952.9	-35.30	-21.20	14.10	Pass	Peak	8	20952.9	-44.66	-41.20	3.46	Pass	AVG
3	21735.75	-37.96	-27.00	10.96	Pass	Peak	9	21735.75	/	-27.00	/	/	AVG
4	23780.85	-36.31	-21.20	15.11	Pass	Peak	10	23780.85	-45.39	-41.20	4.19	Pass	AVG
5	24946.2	-31.66	-27.00	4.66	Pass	Peak	11	24946.2	/	-27.00	/	/	AVG
6	25806.4	-33.71	-27.00	6.71	Pass	Peak	12	25806.4	/	-27.00	/	/	AVG

802.11n(HT40)_HCH_5670MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5737.9	-39.20	-27.00	12.20	Pass	Peak	7	5737.9	/	-27.00	/	/	AVG
2	20909.55	-41.82	-21.20	20.62	Pass	Peak	8	20909.55	-50.70	-41.20	9.50	Pass	AVG
3	22181.15	-43.40	-21.20	22.20	Pass	Peak	9	22181.15	-54.01	-41.20	12.81	Pass	AVG
4	23695.85	-41.91	-21.20	20.71	Pass	Peak	10	23695.85	-51.52	-41.20	10.32	Pass	AVG
5	24979.35	-37.83	-27.00	10.83	Pass	Peak	11	24979.35	/	-27.00	/	/	AVG
6	25927.95	-39.32	-27.00	12.32	Pass	Peak	12	25927.95	/	-27.00	/	/	AVG


802.11n(HT40) HCH 5670MHz_Ant1_NTNV




802.11n(HT40) LCH 5755MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40) HCH 5795MHz_Ant1_NTNV




802.11n(HT40) HCH 5795MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19346.4	-43.74	-21.20	22.54	Pass	Peak	7	19346.4	-53.07	-41.20	11.87	Pass	AVG
2	20966.5	-41.39	-21.20	20.19	Pass	Peak	8	20966.5	-50.36	-41.20	9.16	Pass	AVG
3	21747.65	-43.50	-27.00	16.50	Pass	Peak	9	21747.65	/	-27.00	/	/	AVG
4	23583.65	-41.61	-27.00	14.61	Pass	Peak	10	23583.65	/	-27.00	/	/	AVG
5	24949.6	-38.07	-27.00	11.07	Pass	Peak	11	24949.6	/	-27.00	/	/	AVG
6	26028.25	-39.82	-27.00	12.82	Pass	Peak	12	26028.25	/	-27.00	/	/	AVG


802.11n(HT40) HCH 5795MHz_Ant1_NTNV



802.11ac(VHT20) LCH 5180MHz_Ant1_NTNV




802.11ac(VHT20) LCH_5180MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5019.500	-47.46	-21.20	26.26	Pass	Peak	7	5019.500	-56.06	-41.20	14.86	Pass	AVG
2	5042.500	-48.10	-21.20	26.90	Pass	Peak	8	5042.500	-55.86	-41.20	14.66	Pass	AVG
3	5074.000	-48.01	-21.20	26.81	Pass	Peak	9	5074.000	-55.72	-41.20	14.52	Pass	AVG
4	5102.000	-46.94	-21.20	25.74	Pass	Peak	10	5102.000	-55.33	-41.20	14.13	Pass	AVG
5	5128.500	-47.97	-21.20	26.77	Pass	Peak	11	5128.500	-54.77	-41.20	13.57	Pass	AVG
6	5148.500	-39.32	-21.20	18.12	Pass	Peak	12	5148.500	-51.36	-41.20	10.16	Pass	AVG

802.11ac(VHT20) MCH_5200MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19534.25	-36.38	-21.20	15.18	Pass	Peak	7	19534.25	-46.70	-41.20	5.50	Pass	AVG
2	20986.9	-34.79	-21.20	13.59	Pass	Peak	8	20986.9	-44.18	-41.20	2.98	Pass	AVG
3	23456.15	-36.63	-27.00	9.63	Pass	Peak	9	23456.15	/	-27.00	/	/	AVG
4	24331.65	-32.95	-27.00	5.95	Pass	Peak	10	24331.65	/	-27.00	/	/	AVG
5	25363.55	-32.27	-27.00	5.27	Pass	Peak	11	25363.55	/	-27.00	/	/	AVG
6	26417.55	-34.63	-27.00	7.63	Pass	Peak	12	26417.55	/	-27.00	/	/	AVG