



Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted power (dBm)	ERP(dBm) or EIRP(dBm)	Limit	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	24.32	23.58	30	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	24.15	23.41	30	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	24.13	23.39	30	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	24.19	23.45	30	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	24.18	23.44	30	PASS
Band66	1.4MHz	QPSK	131979	3RB#3	24.10	23.36	30	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	23.24	22.5	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	24.92	24.18	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	24.93	24.19	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	24.83	24.09	30	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	24.92	24.18	30	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	24.93	24.19	30	PASS
Band66	1.4MHz	QPSK	132322	3RB#3	24.89	24.15	30	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	24.04	23.3	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	24.61	23.87	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	24.55	23.81	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	24.41	23.67	30	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	24.58	23.84	30	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	24.54	23.8	30	PASS
Band66	1.4MHz	QPSK	132665	3RB#3	24.55	23.81	30	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	23.76	23.02	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	23.32	22.58	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	23.52	22.78	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	23.11	22.37	30	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	23.06	22.32	30	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	23.19	22.45	30	PASS
Band66	1.4MHz	16QAM	131979	3RB#3	23.08	22.34	30	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	22.21	21.47	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	23.98	23.24	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	23.87	23.13	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	23.92	23.18	30	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	23.85	23.11	30	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	23.94	23.2	30	PASS
Band66	1.4MHz	16QAM	132322	3RB#3	23.81	23.07	30	PASS



Band66	1.4MHz	16QAM	132322	6RB#0	22.94	22.2	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	23.79	23.05	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	23.63	22.89	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	23.73	22.99	30	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	23.62	22.88	30	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	23.82	23.08	30	PASS
Band66	1.4MHz	16QAM	132665	3RB#3	23.65	22.91	30	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	22.87	22.13	30	PASS
Band66	3MHz	QPSK	131987	1RB#0	24.14	23.4	30	PASS
Band66	3MHz	QPSK	131987	1RB#8	24.10	23.36	30	PASS
Band66	3MHz	QPSK	131987	1RB#14	23.84	23.1	30	PASS
Band66	3MHz	QPSK	131987	8RB#0	23.24	22.5	30	PASS
Band66	3MHz	QPSK	131987	8RB#4	23.28	22.54	30	PASS
Band66	3MHz	QPSK	131987	8RB#7	23.21	22.47	30	PASS
Band66	3MHz	QPSK	131987	15RB#0	23.22	22.48	30	PASS
Band66	3MHz	QPSK	132322	1RB#0	24.58	23.84	30	PASS
Band66	3MHz	QPSK	132322	1RB#8	24.81	24.07	30	PASS
Band66	3MHz	QPSK	132322	1RB#14	24.75	24.01	30	PASS
Band66	3MHz	QPSK	132322	8RB#0	24.01	23.27	30	PASS
Band66	3MHz	QPSK	132322	8RB#4	24.01	23.27	30	PASS
Band66	3MHz	QPSK	132322	8RB#7	24.00	23.26	30	PASS
Band66	3MHz	QPSK	132322	15RB#0	23.78	23.04	30	PASS
Band66	3MHz	QPSK	132657	1RB#0	24.40	23.66	30	PASS
Band66	3MHz	QPSK	132657	1RB#8	24.51	23.77	30	PASS
Band66	3MHz	QPSK	132657	1RB#14	24.33	23.59	30	PASS
Band66	3MHz	QPSK	132657	8RB#0	23.65	22.91	30	PASS
Band66	3MHz	QPSK	132657	8RB#4	23.75	23.01	30	PASS
Band66	3MHz	QPSK	132657	8RB#7	23.70	22.96	30	PASS
Band66	3MHz	QPSK	132657	15RB#0	23.63	22.89	30	PASS
Band66	3MHz	16QAM	131987	1RB#0	23.32	22.58	30	PASS
Band66	3MHz	16QAM	131987	1RB#8	23.16	22.42	30	PASS
Band66	3MHz	16QAM	131987	1RB#14	23.08	22.34	30	PASS
Band66	3MHz	16QAM	131987	8RB#0	22.37	21.63	30	PASS
Band66	3MHz	16QAM	131987	8RB#4	22.22	21.48	30	PASS
Band66	3MHz	16QAM	131987	8RB#7	22.32	21.58	30	PASS
Band66	3MHz	16QAM	131987	15RB#0	22.24	21.5	30	PASS
Band66	3MHz	16QAM	132322	1RB#0	23.87	23.13	30	PASS
Band66	3MHz	16QAM	132322	1RB#8	23.82	23.08	30	PASS
Band66	3MHz	16QAM	132322	1RB#14	23.95	23.21	30	PASS
Band66	3MHz	16QAM	132322	8RB#0	22.95	22.21	30	PASS
Band66	3MHz	16QAM	132322	8RB#4	22.87	22.13	30	PASS



Band66	3MHz	16QAM	132322	8RB#7	22.90	22.16	30	PASS
Band66	3MHz	16QAM	132322	15RB#0	22.84	22.1	30	PASS
Band66	3MHz	16QAM	132657	1RB#0	23.54	22.8	30	PASS
Band66	3MHz	16QAM	132657	1RB#8	23.66	22.92	30	PASS
Band66	3MHz	16QAM	132657	1RB#14	23.63	22.89	30	PASS
Band66	3MHz	16QAM	132657	8RB#0	22.89	22.15	30	PASS
Band66	3MHz	16QAM	132657	8RB#4	22.80	22.06	30	PASS
Band66	3MHz	16QAM	132657	8RB#7	22.92	22.18	30	PASS
Band66	3MHz	16QAM	132657	15RB#0	22.79	22.05	30	PASS
Band66	5MHz	QPSK	131997	1RB#0	24.44	23.7	30	PASS
Band66	5MHz	QPSK	131997	1RB#12	24.12	23.38	30	PASS
Band66	5MHz	QPSK	131997	1RB#24	24.20	23.46	30	PASS
Band66	5MHz	QPSK	131997	12RB#0	23.40	22.66	30	PASS
Band66	5MHz	QPSK	131997	12RB#6	23.29	22.55	30	PASS
Band66	5MHz	QPSK	131997	12RB#13	23.22	22.48	30	PASS
Band66	5MHz	QPSK	131997	25RB#0	23.32	22.58	30	PASS
Band66	5MHz	QPSK	132322	1RB#0	24.95	24.21	30	PASS
Band66	5MHz	QPSK	132322	1RB#12	24.77	24.03	30	PASS
Band66	5MHz	QPSK	132322	1RB#24	24.92	24.18	30	PASS
Band66	5MHz	QPSK	132322	12RB#0	23.90	23.16	30	PASS
Band66	5MHz	QPSK	132322	12RB#6	23.89	23.15	30	PASS
Band66	5MHz	QPSK	132322	12RB#13	23.95	23.21	30	PASS
Band66	5MHz	QPSK	132322	25RB#0	23.95	23.21	30	PASS
Band66	5MHz	QPSK	132647	1RB#0	24.37	23.63	30	PASS
Band66	5MHz	QPSK	132647	1RB#12	24.42	23.68	30	PASS
Band66	5MHz	QPSK	132647	1RB#24	24.67	23.93	30	PASS
Band66	5MHz	QPSK	132647	12RB#0	23.59	22.85	30	PASS
Band66	5MHz	QPSK	132647	12RB#6	23.65	22.91	30	PASS
Band66	5MHz	QPSK	132647	12RB#13	23.75	23.01	30	PASS
Band66	5MHz	QPSK	132647	25RB#0	23.69	22.95	30	PASS
Band66	5MHz	16QAM	131997	1RB#0	23.31	22.57	30	PASS
Band66	5MHz	16QAM	131997	1RB#12	23.03	22.29	30	PASS
Band66	5MHz	16QAM	131997	1RB#24	22.99	22.25	30	PASS
Band66	5MHz	16QAM	131997	12RB#0	22.51	21.77	30	PASS
Band66	5MHz	16QAM	131997	12RB#6	22.31	21.57	30	PASS
Band66	5MHz	16QAM	131997	12RB#13	22.33	21.59	30	PASS
Band66	5MHz	16QAM	131997	25RB#0	22.36	21.62	30	PASS
Band66	5MHz	16QAM	132322	1RB#0	23.79	23.05	30	PASS
Band66	5MHz	16QAM	132322	1RB#12	23.65	22.91	30	PASS
Band66	5MHz	16QAM	132322	1RB#24	23.80	23.06	30	PASS
Band66	5MHz	16QAM	132322	12RB#0	23.01	22.27	30	PASS



Band66	5MHz	16QAM	132322	12RB#6	22.90	22.16	30	PASS
Band66	5MHz	16QAM	132322	12RB#13	23.06	22.32	30	PASS
Band66	5MHz	16QAM	132322	25RB#0	22.96	22.22	30	PASS
Band66	5MHz	16QAM	132647	1RB#0	23.32	22.58	30	PASS
Band66	5MHz	16QAM	132647	1RB#12	23.40	22.66	30	PASS
Band66	5MHz	16QAM	132647	1RB#24	23.62	22.88	30	PASS
Band66	5MHz	16QAM	132647	12RB#0	22.80	22.06	30	PASS
Band66	5MHz	16QAM	132647	12RB#6	22.79	22.05	30	PASS
Band66	5MHz	16QAM	132647	12RB#13	23.00	22.26	30	PASS
Band66	5MHz	16QAM	132647	25RB#0	22.86	22.12	30	PASS
Band66	10MHz	QPSK	132022	1RB#0	24.70	23.96	30	PASS
Band66	10MHz	QPSK	132022	1RB#24	24.34	23.6	30	PASS
Band66	10MHz	QPSK	132022	1RB#49	24.47	23.73	30	PASS
Band66	10MHz	QPSK	132022	25RB#0	23.75	23.01	30	PASS
Band66	10MHz	QPSK	132022	25RB#12	23.61	22.87	30	PASS
Band66	10MHz	QPSK	132022	25RB#25	23.62	22.88	30	PASS
Band66	10MHz	QPSK	132022	50RB#0	23.67	22.93	30	PASS
Band66	10MHz	QPSK	132322	1RB#0	24.66	23.92	30	PASS
Band66	10MHz	QPSK	132322	1RB#24	24.76	24.02	30	PASS
Band66	10MHz	QPSK	132322	1RB#49	24.75	24.01	30	PASS
Band66	10MHz	QPSK	132322	25RB#0	24.04	23.3	30	PASS
Band66	10MHz	QPSK	132322	25RB#12	24.09	23.35	30	PASS
Band66	10MHz	QPSK	132322	25RB#25	23.96	23.22	30	PASS
Band66	10MHz	QPSK	132322	50RB#0	23.99	23.25	30	PASS
Band66	10MHz	QPSK	132622	1RB#0	24.12	23.38	30	PASS
Band66	10MHz	QPSK	132622	1RB#24	24.04	23.3	30	PASS
Band66	10MHz	QPSK	132622	1RB#49	24.44	23.7	30	PASS
Band66	10MHz	QPSK	132622	25RB#0	23.42	22.68	30	PASS
Band66	10MHz	QPSK	132622	25RB#12	23.47	22.73	30	PASS
Band66	10MHz	QPSK	132622	25RB#25	23.68	22.94	30	PASS
Band66	10MHz	QPSK	132622	50RB#0	23.53	22.79	30	PASS
Band66	10MHz	16QAM	132022	1RB#0	24.05	23.31	30	PASS
Band66	10MHz	16QAM	132022	1RB#24	23.63	22.89	30	PASS
Band66	10MHz	16QAM	132022	1RB#49	23.94	23.2	30	PASS
Band66	10MHz	16QAM	132022	25RB#0	23.00	22.26	30	PASS
Band66	10MHz	16QAM	132022	25RB#12	22.71	21.97	30	PASS
Band66	10MHz	16QAM	132022	25RB#25	22.78	22.04	30	PASS
Band66	10MHz	16QAM	132322	1RB#0	23.91	23.17	30	PASS
Band66	10MHz	16QAM	132322	1RB#24	23.74	23	30	PASS
Band66	10MHz	16QAM	132322	1RB#49	23.90	23.16	30	PASS
Band66	10MHz	16QAM	132322	25RB#0	22.93	22.19	30	PASS



Band66	10MHz	16QAM	132322	25RB#12	22.92	22.18	30	PASS
Band66	10MHz	16QAM	132322	25RB#25	23.06	22.32	30	PASS
Band66	10MHz	16QAM	132622	1RB#0	23.50	22.76	30	PASS
Band66	10MHz	16QAM	132622	1RB#24	23.25	22.51	30	PASS
Band66	10MHz	16QAM	132622	1RB#49	23.85	23.11	30	PASS
Band66	10MHz	16QAM	132622	25RB#0	22.62	21.88	30	PASS
Band66	10MHz	16QAM	132622	25RB#12	22.63	21.89	30	PASS
Band66	10MHz	16QAM	132622	25RB#25	22.91	22.17	30	PASS
Band66	15MHz	QPSK	132047	1RB#0	24.55	23.81	30	PASS
Band66	15MHz	QPSK	132047	1RB#38	24.27	23.53	30	PASS
Band66	15MHz	QPSK	132047	1RB#74	24.40	23.66	30	PASS
Band66	15MHz	QPSK	132047	38RB#0	23.59	22.85	30	PASS
Band66	15MHz	QPSK	132047	38RB#18	23.61	22.87	30	PASS
Band66	15MHz	QPSK	132047	38RB#37	23.63	22.89	30	PASS
Band66	15MHz	QPSK	132047	75RB#0	23.61	22.87	30	PASS
Band66	15MHz	QPSK	132322	1RB#0	24.59	23.85	30	PASS
Band66	15MHz	QPSK	132322	1RB#38	24.88	24.14	30	PASS
Band66	15MHz	QPSK	132322	1RB#74	24.39	23.65	30	PASS
Band66	15MHz	QPSK	132322	38RB#0	23.99	23.25	30	PASS
Band66	15MHz	QPSK	132322	38RB#18	24.15	23.41	30	PASS
Band66	15MHz	QPSK	132322	38RB#37	24.00	23.26	30	PASS
Band66	15MHz	QPSK	132322	75RB#0	23.91	23.17	30	PASS
Band66	15MHz	QPSK	132597	1RB#0	23.76	23.02	30	PASS
Band66	15MHz	QPSK	132597	1RB#38	24.17	23.43	30	PASS
Band66	15MHz	QPSK	132597	1RB#74	24.23	23.49	30	PASS
Band66	15MHz	QPSK	132597	38RB#0	23.44	22.7	30	PASS
Band66	15MHz	QPSK	132597	38RB#18	23.42	22.68	30	PASS
Band66	15MHz	QPSK	132597	38RB#37	23.37	22.63	30	PASS
Band66	15MHz	QPSK	132597	75RB#0	23.36	22.62	30	PASS
Band66	15MHz	16QAM	132047	1RB#0	23.56	22.82	30	PASS
Band66	15MHz	16QAM	132047	1RB#38	23.20	22.46	30	PASS
Band66	15MHz	16QAM	132047	1RB#74	23.44	22.7	30	PASS
Band66	15MHz	16QAM	132047	38RB#0	23.70	22.96	30	PASS
Band66	15MHz	16QAM	132047	38RB#37	23.53	22.79	30	PASS
Band66	15MHz	16QAM	132322	1RB#0	23.15	22.41	30	PASS
Band66	15MHz	16QAM	132322	1RB#38	23.61	22.87	30	PASS
Band66	15MHz	16QAM	132322	1RB#74	23.27	22.53	30	PASS
Band66	15MHz	16QAM	132322	38RB#0	23.56	22.82	30	PASS
Band66	15MHz	16QAM	132322	38RB#37	23.68	22.94	30	PASS
Band66	15MHz	16QAM	132597	1RB#0	22.96	22.22	30	PASS
Band66	15MHz	16QAM	132597	1RB#38	23.21	22.47	30	PASS



Band66	15MHz	16QAM	132597	1RB#74	23.50	22.76	30	PASS
Band66	15MHz	16QAM	132597	38RB#0	23.01	22.27	30	PASS
Band66	20MHz	QPSK	132072	1RB#0	24.44	23.7	30	PASS
Band66	20MHz	QPSK	132072	1RB#49	24.19	23.45	30	PASS
Band66	20MHz	QPSK	132072	1RB#99	24.37	23.63	30	PASS
Band66	20MHz	QPSK	132072	50RB#0	23.40	22.66	30	PASS
Band66	20MHz	QPSK	132072	50RB#50	23.25	22.51	30	PASS
Band66	20MHz	QPSK	132072	100RB#0	23.10	22.36	30	PASS
Band66	20MHz	QPSK	132322	1RB#0	23.94	23.2	30	PASS
Band66	20MHz	QPSK	132322	1RB#49	24.47	23.73	30	PASS
Band66	20MHz	QPSK	132322	1RB#99	24.00	23.26	30	PASS
Band66	20MHz	QPSK	132322	50RB#0	23.39	22.65	30	PASS
Band66	20MHz	QPSK	132322	50RB#50	23.65	22.91	30	PASS
Band66	20MHz	QPSK	132322	100RB#0	23.45	22.71	30	PASS
Band66	20MHz	QPSK	132572	1RB#0	24.06	23.32	30	PASS
Band66	20MHz	QPSK	132572	1RB#49	23.86	23.12	30	PASS
Band66	20MHz	QPSK	132572	1RB#99	24.13	23.39	30	PASS
Band66	20MHz	QPSK	132572	50RB#0	22.84	22.1	30	PASS
Band66	20MHz	QPSK	132572	50RB#50	23.09	22.35	30	PASS
Band66	20MHz	QPSK	132572	100RB#0	22.85	22.11	30	PASS
Band66	20MHz	16QAM	132072	1RB#0	23.32	22.58	30	PASS
Band66	20MHz	16QAM	132072	1RB#49	22.89	22.15	30	PASS
Band66	20MHz	16QAM	132072	1RB#99	23.06	22.32	30	PASS
Band66	20MHz	16QAM	132322	1RB#0	22.89	22.15	30	PASS
Band66	20MHz	16QAM	132322	1RB#49	23.48	22.74	30	PASS
Band66	20MHz	16QAM	132322	1RB#99	23.09	22.35	30	PASS
Band66	20MHz	16QAM	132572	1RB#0	23.55	22.81	30	PASS
Band66	20MHz	16QAM	132572	1RB#49	23.01	22.27	30	PASS
Band66	20MHz	16QAM	132572	1RB#99	23.74	23	30	PASS

$EIRP = PT + GT - LC$, $ERP = EIRP - 2.15$, where

PT = Conducted output power(dBm);

GT = gain of the transmitting antenna(dBi);



Appendix B: Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	4.22	13	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	5.32	13	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	3.59	13	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	4.69	13	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	3.55	13	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	4.70	13	PASS
Band66	3MHz	QPSK	131987	1RB#0	4.23	13	PASS
Band66	3MHz	QPSK	131987	15RB#0	5.45	13	PASS
Band66	3MHz	QPSK	132322	1RB#0	3.71	13	PASS
Band66	3MHz	QPSK	132322	15RB#0	5.12	13	PASS
Band66	3MHz	QPSK	132657	1RB#0	3.73	13	PASS
Band66	3MHz	QPSK	132657	15RB#0	5.07	13	PASS
Band66	5MHz	QPSK	131997	1RB#0	3.75	13	PASS
Band66	5MHz	QPSK	131997	25RB#0	5.43	13	PASS
Band66	5MHz	QPSK	132322	1RB#0	3.31	13	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.90	13	PASS
Band66	5MHz	QPSK	132647	1RB#0	3.48	13	PASS
Band66	5MHz	QPSK	132647	25RB#0	5.01	13	PASS
Band66	10MHz	QPSK	132022	1RB#0	3.17	13	PASS
Band66	10MHz	QPSK	132022	50RB#0	5.09	13	PASS
Band66	10MHz	QPSK	132322	1RB#0	3.19	13	PASS
Band66	10MHz	QPSK	132322	50RB#0	4.84	13	PASS
Band66	10MHz	QPSK	132622	1RB#0	3.64	13	PASS
Band66	10MHz	QPSK	132622	50RB#0	5.55	13	PASS
Band66	15MHz	QPSK	132047	1RB#0	3.86	13	PASS
Band66	15MHz	QPSK	132047	75RB#0	5.66	13	PASS
Band66	15MHz	QPSK	132322	1RB#0	3.94	13	PASS
Band66	15MHz	QPSK	132322	75RB#0	5.29	13	PASS
Band66	15MHz	QPSK	132597	1RB#0	4.60	13	PASS
Band66	15MHz	QPSK	132597	75RB#0	5.62	13	PASS
Band66	20MHz	QPSK	132072	1RB#0	3.94	13	PASS
Band66	20MHz	QPSK	132072	100RB#0	5.51	13	PASS
Band66	20MHz	QPSK	132322	1RB#0	4.01	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	4.98	13	PASS
Band66	20MHz	QPSK	132572	1RB#0	4.26	13	PASS




Band66	20MHz	QPSK	132572	100RB#0	5.40	13	PASS
--------	-------	------	--------	---------	------	----	------




Band66-1.4MHz-QPSK-132322-6RB#0-PASS




Band66-1.4MHz-QPSK-132665-1RB#0-PASS




Band66-1.4MHz-QPSK-132665-6RB#0-PASS




Band66-3MHz-QPSK-131987-1RB#0-PASS




Band66-3MHz-QPSK-131987-15RB#0-PASS




Band66-3MHz-QPSK-132322-1RB#0-PASS




Band66-3MHz-QPSK-132322-15RB#0-PASS




Band66-3MHz-QPSK-132657-1RB#0-PASS




Band66-3MHz-QPSK-132657-15RB#0-PASS




Band66-5MHz-QPSK-131997-1RB#0-PASS




Band66-5MHz-QPSK-131997-25RB#0-PASS




Band66-5MHz-QPSK-132322-1RB#0-PASS




Band66-5MHz-QPSK-132322-25RB#0-PASS




Band66-5MHz-QPSK-132647-1RB#0-PASS




Band66-5MHz-QPSK-132647-25RB#0-PASS




Band66-10MHz-QPSK-132022-1RB#0-PASS




Band66-10MHz-QPSK-132022-50RB#0-PASS




Band66-10MHz-QPSK-132322-1RB#0-PASS




Band66-10MHz-QPSK-132322-50RB#0-PASS




Band66-10MHz-QPSK-132622-1RB#0-PASS




Band66-10MHz-QPSK-132622-50RB#0-PASS




Band66-15MHz-QPSK-132047-1RB#0-PASS




Band66-15MHz-QPSK-132047-75RB#0-PASS




Band66-15MHz-QPSK-132322-1RB#0-PASS




Band66-15MHz-QPSK-132322-75RB#0-PASS




Band66-15MHz-QPSK-132597-1RB#0-PASS




Band66-15MHz-QPSK-132597-75RB#0-PASS




Band66-20MHz-QPSK-132072-1RB#0-PASS




Band66-20MHz-QPSK-132072-100RB#0-PASS




Band66-20MHz-QPSK-132322-1RB#0-PASS



Band66-20MHz-QPSK-132322-100RB#0-PASS



Band66-20MHz-QPSK-132572-1RB#0-PASS



Band66-20MHz-QPSK-132572-100RB#0-PASS





Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	1.0969	1.315	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0950	1.312	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0958	1.335	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.0987	1.319	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.1027	1.332	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.0995	1.328	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.7077	3.134	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.7055	3.080	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.7109	3.152	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.7136	3.131	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.7035	3.175	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.7124	3.140	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5251	5.546	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5216	5.533	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.5368	5.636	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.5393	5.600	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5221	5.437	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5299	5.722	PASS
Band66	10MHz	QPSK	132022	50RB#0	9.0224	10.70	PASS
Band66	10MHz	QPSK	132322	50RB#0	9.0127	10.55	PASS
Band66	10MHz	QPSK	132622	50RB#0	9.0202	10.52	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.535	16.14	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.465	15.59	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.519	15.98	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.973	20.70	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.905	20.33	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.954	20.48	PASS




Test Graphs




Band66-1.4MHz-QPSK-131979-6RB#0-PASS

Band66-1.4MHz-QPSK-132322-6RB#0-PASS




Band66-1.4MHz-QPSK-132665-6RB#0-PASS

Band66-1.4MHz-16QAM-131979-6RB#0-PASS



Band66-1.4MHz-16QAM-132665-6RB#0-PASS



Band66-3MHz-QPSK-132322-15RB#0-PASS