



Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Power Class	Verdict
n66	15	5	DFT-BPSK	L	Edge_1RB_Left	21.97	23.10	PC3	PASS
n66	15	5	DFT-BPSK	L	Inner_1RB_Left	21.98	23.11	PC3	PASS
n66	15	5	DFT-BPSK	L	Inner_1RB_Right	22.00	23.13	PC3	PASS
n66	15	5	DFT-BPSK	L	Edge_1RB_Right	21.98	23.11	PC3	PASS
n66	15	5	DFT-BPSK	L	Inner_Full	21.96	23.09	PC3	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	21.96	23.09	PC3	PASS
n66	15	5	DFT-QPSK	L	Edge_1RB_Left	21.78	22.91	PC3	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Left	21.73	22.86	PC3	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Right	21.84	22.97	PC3	PASS
n66	15	5	DFT-QPSK	L	Edge_1RB_Right	21.80	22.93	PC3	PASS
n66	15	5	DFT-QPSK	L	Inner_Full	21.77	22.90	PC3	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	21.86	22.99	PC3	PASS
n66	15	5	DFT-16QAM	L	Edge_1RB_Left	20.75	21.88	PC3	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Left	21.73	22.86	PC3	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Right	21.75	22.88	PC3	PASS
n66	15	5	DFT-16QAM	L	Edge_1RB_Right	20.77	21.90	PC3	PASS
n66	15	5	DFT-16QAM	L	Inner_Full	21.87	23.00	PC3	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	20.77	21.90	PC3	PASS
n66	15	5	DFT-64QAM	L	Edge_1RB_Left	20.46	21.59	PC3	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Left	20.51	21.64	PC3	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Right	20.51	21.64	PC3	PASS
n66	15	5	DFT-64QAM	L	Edge_1RB_Right	20.49	21.62	PC3	PASS
n66	15	5	DFT-64QAM	L	Inner_Full	20.40	21.53	PC3	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	20.23	21.36	PC3	PASS
n66	15	5	DFT-256QAM	L	Edge_1RB_Left	17.84	18.97	PC3	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Left	17.88	19.01	PC3	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Right	17.90	19.03	PC3	PASS
n66	15	5	DFT-256QAM	L	Edge_1RB_Right	17.87	19.00	PC3	PASS
n66	15	5	DFT-256QAM	L	Inner_Full	18.30	19.43	PC3	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	18.28	19.41	PC3	PASS
n66	15	5	CP-QPSK	L	Edge_1RB_Left	19.83	20.96	PC3	PASS
n66	15	5	CP-QPSK	L	Inner_1RB_Left	21.19	22.32	PC3	PASS
n66	15	5	CP-QPSK	L	Inner_1RB_Right	21.30	22.43	PC3	PASS
n66	15	5	CP-QPSK	L	Edge_1RB_Right	19.92	21.05	PC3	PASS
n66	15	5	CP-QPSK	L	Inner_Full	21.36	22.49	PC3	PASS
n66	15	5	CP-QPSK	L	Outer_Full	19.77	20.90	PC3	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10

Page 2 of 71

n66	15	5	DFT-BPSK	M	Edge_1RB_Left	21.73	22.86	PC3	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Left	21.85	22.98	PC3	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Right	21.79	22.92	PC3	PASS
n66	15	5	DFT-BPSK	M	Edge_1RB_Right	21.73	22.86	PC3	PASS
n66	15	5	DFT-BPSK	M	Inner_Full	21.78	22.91	PC3	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	21.87	23.00	PC3	PASS
n66	15	5	DFT-QPSK	M	Edge_1RB_Left	21.77	22.90	PC3	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Left	21.75	22.88	PC3	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Right	21.80	22.93	PC3	PASS
n66	15	5	DFT-QPSK	M	Edge_1RB_Right	21.78	22.91	PC3	PASS
n66	15	5	DFT-QPSK	M	Inner_Full	21.72	22.85	PC3	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	21.83	22.96	PC3	PASS
n66	15	5	DFT-16QAM	M	Edge_1RB_Left	20.69	21.82	PC3	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Left	21.69	22.82	PC3	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Right	21.76	22.89	PC3	PASS
n66	15	5	DFT-16QAM	M	Edge_1RB_Right	20.80	21.93	PC3	PASS
n66	15	5	DFT-16QAM	M	Inner_Full	21.86	22.99	PC3	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	20.75	21.88	PC3	PASS
n66	15	5	DFT-64QAM	M	Edge_1RB_Left	20.39	21.52	PC3	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Left	20.45	21.58	PC3	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Right	20.47	21.60	PC3	PASS
n66	15	5	DFT-64QAM	M	Edge_1RB_Right	20.44	21.57	PC3	PASS
n66	15	5	DFT-64QAM	M	Inner_Full	20.37	21.50	PC3	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	20.31	21.44	PC3	PASS
n66	15	5	DFT-256QAM	M	Edge_1RB_Left	17.76	18.89	PC3	PASS
n66	15	5	DFT-256QAM	M	Inner_1RB_Left	17.76	18.89	PC3	PASS
n66	15	5	DFT-256QAM	M	Inner_1RB_Right	17.79	18.92	PC3	PASS
n66	15	5	DFT-256QAM	M	Edge_1RB_Right	17.75	18.88	PC3	PASS
n66	15	5	DFT-256QAM	M	Inner_Full	18.23	19.36	PC3	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	18.16	19.29	PC3	PASS
n66	15	5	CP-QPSK	M	Edge_1RB_Left	20.00	21.13	PC3	PASS
n66	15	5	CP-QPSK	M	Inner_1RB_Left	21.53	22.66	PC3	PASS
n66	15	5	CP-QPSK	M	Inner_1RB_Right	21.40	22.53	PC3	PASS
n66	15	5	CP-QPSK	M	Edge_1RB_Right	19.92	21.05	PC3	PASS
n66	15	5	CP-QPSK	M	Inner_Full	21.45	22.58	PC3	PASS
n66	15	5	CP-QPSK	M	Outer_Full	19.84	20.97	PC3	PASS
n66	15	5	DFT-BPSK	H	Edge_1RB_Left	21.59	22.72	PC3	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Left	21.64	22.77	PC3	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Right	21.63	22.76	PC3	PASS
n66	15	5	DFT-BPSK	H	Edge_1RB_Right	21.66	22.79	PC3	PASS
n66	15	5	DFT-BPSK	H	Inner_Full	21.60	22.73	PC3	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	21.70	22.83	PC3	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10

Page 3 of 71

n66	15	5	DFT-QPSK	H	Edge_1RB_Left	21.62	22.75	PC3	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Left	21.59	22.72	PC3	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Right	21.70	22.83	PC3	PASS
n66	15	5	DFT-QPSK	H	Edge_1RB_Right	21.68	22.81	PC3	PASS
n66	15	5	DFT-QPSK	H	Inner_Full	21.59	22.72	PC3	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	21.73	22.86	PC3	PASS
n66	15	5	DFT-16QAM	H	Edge_1RB_Left	20.55	21.68	PC3	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Left	21.52	22.65	PC3	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Right	21.65	22.78	PC3	PASS
n66	15	5	DFT-16QAM	H	Edge_1RB_Right	20.74	21.87	PC3	PASS
n66	15	5	DFT-16QAM	H	Inner_Full	21.74	22.87	PC3	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	20.68	21.81	PC3	PASS
n66	15	5	DFT-64QAM	H	Edge_1RB_Left	20.31	21.44	PC3	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Left	20.30	21.43	PC3	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Right	20.36	21.49	PC3	PASS
n66	15	5	DFT-64QAM	H	Edge_1RB_Right	20.34	21.47	PC3	PASS
n66	15	5	DFT-64QAM	H	Inner_Full	20.21	21.34	PC3	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	20.11	21.24	PC3	PASS
n66	15	5	DFT-256QAM	H	Edge_1RB_Left	17.54	18.67	PC3	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Left	17.57	18.70	PC3	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Right	17.67	18.80	PC3	PASS
n66	15	5	DFT-256QAM	H	Edge_1RB_Right	17.69	18.82	PC3	PASS
n66	15	5	DFT-256QAM	H	Inner_Full	18.06	19.19	PC3	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	18.01	19.14	PC3	PASS
n66	15	5	CP-QPSK	H	Edge_1RB_Left	19.71	20.84	PC3	PASS
n66	15	5	CP-QPSK	H	Inner_1RB_Left	21.03	22.16	PC3	PASS
n66	15	5	CP-QPSK	H	Inner_1RB_Right	21.22	22.35	PC3	PASS
n66	15	5	CP-QPSK	H	Edge_1RB_Right	19.66	20.79	PC3	PASS
n66	15	5	CP-QPSK	H	Inner_Full	21.24	22.37	PC3	PASS
n66	15	5	CP-QPSK	H	Outer_Full	19.68	20.81	PC3	PASS
n66	15	10	DFT-BPSK	L	Edge_1RB_Left	21.62	22.75	PC3	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Left	21.61	22.74	PC3	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Right	21.71	22.84	PC3	PASS
n66	15	10	DFT-BPSK	L	Edge_1RB_Right	21.74	22.87	PC3	PASS
n66	15	10	DFT-BPSK	L	Inner_Full	21.67	22.80	PC3	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	21.82	22.95	PC3	PASS
n66	15	10	DFT-QPSK	L	Edge_1RB_Left	21.61	22.74	PC3	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Left	21.60	22.73	PC3	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Right	21.80	22.93	PC3	PASS
n66	15	10	DFT-QPSK	L	Edge_1RB_Right	21.72	22.85	PC3	PASS
n66	15	10	DFT-QPSK	L	Inner_Full	21.69	22.82	PC3	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	21.80	22.93	PC3	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10

Page 4 of 71

n66	15	10	DFT-16QAM	L	Edge_1RB_Left	20.62	21.75	PC3	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Left	21.63	22.76	PC3	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Right	21.67	22.80	PC3	PASS
n66	15	10	DFT-16QAM	L	Edge_1RB_Right	20.76	21.89	PC3	PASS
n66	15	10	DFT-16QAM	L	Inner_Full	21.76	22.89	PC3	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	20.70	21.83	PC3	PASS
n66	15	10	DFT-64QAM	L	Edge_1RB_Left	20.28	21.41	PC3	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Left	20.30	21.43	PC3	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Right	20.40	21.53	PC3	PASS
n66	15	10	DFT-64QAM	L	Edge_1RB_Right	20.40	21.53	PC3	PASS
n66	15	10	DFT-64QAM	L	Inner_Full	20.28	21.41	PC3	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	20.21	21.34	PC3	PASS
n66	15	10	DFT-256QAM	L	Edge_1RB_Left	17.54	18.67	PC3	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Left	17.55	18.68	PC3	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Right	17.68	18.81	PC3	PASS
n66	15	10	DFT-256QAM	L	Edge_1RB_Right	17.70	18.83	PC3	PASS
n66	15	10	DFT-256QAM	L	Inner_Full	18.16	19.29	PC3	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	18.20	19.33	PC3	PASS
n66	15	10	CP-QPSK	L	Edge_1RB_Left	19.68	20.81	PC3	PASS
n66	15	10	CP-QPSK	L	Inner_1RB_Left	21.12	22.25	PC3	PASS
n66	15	10	CP-QPSK	L	Inner_1RB_Right	21.31	22.44	PC3	PASS
n66	15	10	CP-QPSK	L	Edge_1RB_Right	19.85	20.98	PC3	PASS
n66	15	10	CP-QPSK	L	Inner_Full	21.24	22.37	PC3	PASS
n66	15	10	CP-QPSK	L	Outer_Full	19.79	20.92	PC3	PASS
n66	15	10	DFT-BPSK	M	Edge_1RB_Left	21.65	22.78	PC3	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Left	21.71	22.84	PC3	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Right	21.72	22.85	PC3	PASS
n66	15	10	DFT-BPSK	M	Edge_1RB_Right	21.71	22.84	PC3	PASS
n66	15	10	DFT-BPSK	M	Inner_Full	21.75	22.88	PC3	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	21.77	22.90	PC3	PASS
n66	15	10	DFT-QPSK	M	Edge_1RB_Left	21.67	22.80	PC3	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Left	21.72	22.85	PC3	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Right	21.69	22.82	PC3	PASS
n66	15	10	DFT-QPSK	M	Edge_1RB_Right	21.70	22.83	PC3	PASS
n66	15	10	DFT-QPSK	M	Inner_Full	21.73	22.86	PC3	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	21.72	22.85	PC3	PASS
n66	15	10	DFT-16QAM	M	Edge_1RB_Left	20.64	21.77	PC3	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Left	21.57	22.70	PC3	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Right	21.67	22.80	PC3	PASS
n66	15	10	DFT-16QAM	M	Edge_1RB_Right	20.73	21.86	PC3	PASS
n66	15	10	DFT-16QAM	M	Inner_Full	21.66	22.79	PC3	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	20.77	21.90	PC3	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10

Page 5 of 71

n66	15	10	DFT-64QAM	M	Edge_1RB_Left	20.43	21.56	PC3	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Left	20.49	21.62	PC3	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Right	20.45	21.58	PC3	PASS
n66	15	10	DFT-64QAM	M	Edge_1RB_Right	20.32	21.45	PC3	PASS
n66	15	10	DFT-64QAM	M	Inner_Full	20.18	21.31	PC3	PASS
n66	15	10	DFT-64QAM	M	Outer_Full	20.23	21.36	PC3	PASS
n66	15	10	DFT-256QAM	M	Edge_1RB_Left	17.69	18.82	PC3	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Left	17.67	18.80	PC3	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Right	17.70	18.83	PC3	PASS
n66	15	10	DFT-256QAM	M	Edge_1RB_Right	17.70	18.83	PC3	PASS
n66	15	10	DFT-256QAM	M	Inner_Full	18.20	19.33	PC3	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	18.23	19.36	PC3	PASS
n66	15	10	CP-QPSK	M	Edge_1RB_Left	19.78	20.91	PC3	PASS
n66	15	10	CP-QPSK	M	Inner_1RB_Left	21.12	22.25	PC3	PASS
n66	15	10	CP-QPSK	M	Inner_1RB_Right	21.20	22.33	PC3	PASS
n66	15	10	CP-QPSK	M	Edge_1RB_Right	19.77	20.90	PC3	PASS
n66	15	10	CP-QPSK	M	Inner_Full	21.19	22.32	PC3	PASS
n66	15	10	CP-QPSK	M	Outer_Full	19.77	20.90	PC3	PASS
n66	15	10	DFT-BPSK	H	Edge_1RB_Left	21.49	22.62	PC3	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Left	21.48	22.61	PC3	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Right	21.60	22.73	PC3	PASS
n66	15	10	DFT-BPSK	H	Edge_1RB_Right	21.64	22.77	PC3	PASS
n66	15	10	DFT-BPSK	H	Inner_Full	21.52	22.65	PC3	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	21.65	22.78	PC3	PASS
n66	15	10	DFT-QPSK	H	Edge_1RB_Left	21.49	22.62	PC3	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Left	21.47	22.60	PC3	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Right	21.63	22.76	PC3	PASS
n66	15	10	DFT-QPSK	H	Edge_1RB_Right	21.64	22.77	PC3	PASS
n66	15	10	DFT-QPSK	H	Inner_Full	21.65	22.78	PC3	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	21.69	22.82	PC3	PASS
n66	15	10	DFT-16QAM	H	Edge_1RB_Left	20.33	21.46	PC3	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Left	21.23	22.36	PC3	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Right	21.57	22.70	PC3	PASS
n66	15	10	DFT-16QAM	H	Edge_1RB_Right	20.61	21.74	PC3	PASS
n66	15	10	DFT-16QAM	H	Inner_Full	21.54	22.67	PC3	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	20.55	21.68	PC3	PASS
n66	15	10	DFT-64QAM	H	Edge_1RB_Left	20.18	21.31	PC3	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Left	20.23	21.36	PC3	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Right	20.38	21.51	PC3	PASS
n66	15	10	DFT-64QAM	H	Edge_1RB_Right	20.33	21.46	PC3	PASS
n66	15	10	DFT-64QAM	H	Inner_Full	20.10	21.23	PC3	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	20.06	21.19	PC3	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10

Page 6 of 71

n66	15	10	DFT-256QAM	H	Edge_1RB_Left	17.41	18.54	PC3	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Left	17.47	18.60	PC3	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Right	17.59	18.72	PC3	PASS
n66	15	10	DFT-256QAM	H	Edge_1RB_Right	17.56	18.69	PC3	PASS
n66	15	10	DFT-256QAM	H	Inner_Full	17.98	19.11	PC3	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	17.98	19.11	PC3	PASS
n66	15	10	CP-QPSK	H	Edge_1RB_Left	19.48	20.61	PC3	PASS
n66	15	10	CP-QPSK	H	Inner_1RB_Left	20.98	22.11	PC3	PASS
n66	15	10	CP-QPSK	H	Inner_1RB_Right	21.19	22.32	PC3	PASS
n66	15	10	CP-QPSK	H	Edge_1RB_Right	19.70	20.83	PC3	PASS
n66	15	10	CP-QPSK	H	Inner_Full	21.04	22.17	PC3	PASS
n66	15	10	CP-QPSK	H	Outer_Full	19.69	20.82	PC3	PASS
n66	15	15	DFT-BPSK	L	Edge_1RB_Left	21.70	22.83	PC3	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Left	21.70	22.83	PC3	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Right	21.72	22.85	PC3	PASS
n66	15	15	DFT-BPSK	L	Edge_1RB_Right	21.73	22.86	PC3	PASS
n66	15	15	DFT-BPSK	L	Inner_Full	21.80	22.93	PC3	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	21.82	22.95	PC3	PASS
n66	15	15	DFT-QPSK	L	Edge_1RB_Left	21.66	22.79	PC3	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Left	21.82	22.95	PC3	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Right	21.80	22.93	PC3	PASS
n66	15	15	DFT-QPSK	L	Edge_1RB_Right	21.79	22.92	PC3	PASS
n66	15	15	DFT-QPSK	L	Inner_Full	21.74	22.87	PC3	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	21.82	22.95	PC3	PASS
n66	15	15	DFT-16QAM	L	Edge_1RB_Left	20.58	21.71	PC3	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Left	21.63	22.76	PC3	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Right	21.62	22.75	PC3	PASS
n66	15	15	DFT-16QAM	L	Edge_1RB_Right	20.83	21.96	PC3	PASS
n66	15	15	DFT-16QAM	L	Inner_Full	21.79	22.92	PC3	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	20.78	21.91	PC3	PASS
n66	15	15	DFT-64QAM	L	Edge_1RB_Left	20.33	21.46	PC3	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Left	20.32	21.45	PC3	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Right	20.51	21.64	PC3	PASS
n66	15	15	DFT-64QAM	L	Edge_1RB_Right	20.52	21.65	PC3	PASS
n66	15	15	DFT-64QAM	L	Inner_Full	20.28	21.41	PC3	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	20.24	21.37	PC3	PASS
n66	15	15	DFT-256QAM	L	Edge_1RB_Left	17.65	18.78	PC3	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Left	17.67	18.80	PC3	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Right	17.76	18.89	PC3	PASS
n66	15	15	DFT-256QAM	L	Edge_1RB_Right	17.68	18.81	PC3	PASS
n66	15	15	DFT-256QAM	L	Inner_Full	18.22	19.35	PC3	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	18.23	19.36	PC3	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10

Page 7 of 71

n66	15	15	CP-QPSK	L	Edge_1RB_Left	19.81	20.94	PC3	PASS
n66	15	15	CP-QPSK	L	Inner_1RB_Left	21.24	22.37	PC3	PASS
n66	15	15	CP-QPSK	L	Inner_1RB_Right	21.38	22.51	PC3	PASS
n66	15	15	CP-QPSK	L	Edge_1RB_Right	19.83	20.96	PC3	PASS
n66	15	15	CP-QPSK	L	Inner_Full	21.22	22.35	PC3	PASS
n66	15	15	CP-QPSK	L	Outer_Full	19.82	20.95	PC3	PASS
n66	15	15	DFT-BPSK	M	Edge_1RB_Left	21.70	22.83	PC3	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Left	21.78	22.91	PC3	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Right	21.64	22.77	PC3	PASS
n66	15	15	DFT-BPSK	M	Edge_1RB_Right	21.65	22.78	PC3	PASS
n66	15	15	DFT-BPSK	M	Inner_Full	21.69	22.82	PC3	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	21.88	23.01	PC3	PASS
n66	15	15	DFT-QPSK	M	Edge_1RB_Left	21.70	22.83	PC3	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Left	21.76	22.89	PC3	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Right	21.72	22.85	PC3	PASS
n66	15	15	DFT-QPSK	M	Edge_1RB_Right	21.72	22.85	PC3	PASS
n66	15	15	DFT-QPSK	M	Inner_Full	21.76	22.89	PC3	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	21.69	22.82	PC3	PASS
n66	15	15	DFT-16QAM	M	Edge_1RB_Left	20.55	21.68	PC3	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Left	21.57	22.70	PC3	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Right	21.70	22.83	PC3	PASS
n66	15	15	DFT-16QAM	M	Edge_1RB_Right	20.68	21.81	PC3	PASS
n66	15	15	DFT-16QAM	M	Inner_Full	21.76	22.89	PC3	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	20.74	21.87	PC3	PASS
n66	15	15	DFT-64QAM	M	Edge_1RB_Left	20.25	21.38	PC3	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Left	20.47	21.60	PC3	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Right	20.39	21.52	PC3	PASS
n66	15	15	DFT-64QAM	M	Edge_1RB_Right	20.40	21.53	PC3	PASS
n66	15	15	DFT-64QAM	M	Inner_Full	20.28	21.41	PC3	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	20.27	21.40	PC3	PASS
n66	15	15	DFT-256QAM	M	Edge_1RB_Left	17.62	18.75	PC3	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Left	17.60	18.73	PC3	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Right	17.62	18.75	PC3	PASS
n66	15	15	DFT-256QAM	M	Edge_1RB_Right	17.65	18.78	PC3	PASS
n66	15	15	DFT-256QAM	M	Inner_Full	18.18	19.31	PC3	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	18.13	19.26	PC3	PASS
n66	15	15	CP-QPSK	M	Edge_1RB_Left	19.82	20.95	PC3	PASS
n66	15	15	CP-QPSK	M	Inner_1RB_Left	21.26	22.39	PC3	PASS
n66	15	15	CP-QPSK	M	Inner_1RB_Right	21.22	22.35	PC3	PASS
n66	15	15	CP-QPSK	M	Edge_1RB_Right	19.74	20.87	PC3	PASS
n66	15	15	CP-QPSK	M	Inner_Full	21.14	22.27	PC3	PASS
n66	15	15	CP-QPSK	M	Outer_Full	19.75	20.88	PC3	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10

Page 8 of 71

n66	15	15	DFT-BPSK	H	Edge_1RB_Left	21.62	22.75	PC3	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Left	21.61	22.74	PC3	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Right	21.74	22.87	PC3	PASS
n66	15	15	DFT-BPSK	H	Edge_1RB_Right	21.68	22.81	PC3	PASS
n66	15	15	DFT-BPSK	H	Inner_Full	21.61	22.74	PC3	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	21.67	22.80	PC3	PASS
n66	15	15	DFT-QPSK	H	Edge_1RB_Left	21.66	22.79	PC3	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Left	21.65	22.78	PC3	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Right	21.72	22.85	PC3	PASS
n66	15	15	DFT-QPSK	H	Edge_1RB_Right	21.72	22.85	PC3	PASS
n66	15	15	DFT-QPSK	H	Inner_Full	21.58	22.71	PC3	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	21.67	22.80	PC3	PASS
n66	15	15	DFT-16QAM	H	Edge_1RB_Left	20.45	21.58	PC3	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Left	21.36	22.49	PC3	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Right	21.68	22.81	PC3	PASS
n66	15	15	DFT-16QAM	H	Edge_1RB_Right	20.79	21.92	PC3	PASS
n66	15	15	DFT-16QAM	H	Inner_Full	21.69	22.82	PC3	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	20.76	21.89	PC3	PASS
n66	15	15	DFT-64QAM	H	Edge_1RB_Left	20.38	21.51	PC3	PASS
n66	15	15	DFT-64QAM	H	Inner_1RB_Left	20.18	21.31	PC3	PASS
n66	15	15	DFT-64QAM	H	Inner_1RB_Right	20.41	21.54	PC3	PASS
n66	15	15	DFT-64QAM	H	Edge_1RB_Right	20.40	21.53	PC3	PASS
n66	15	15	DFT-64QAM	H	Inner_Full	20.23	21.36	PC3	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	20.18	21.31	PC3	PASS
n66	15	15	DFT-256QAM	H	Edge_1RB_Left	17.52	18.65	PC3	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Left	17.61	18.74	PC3	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Right	17.62	18.75	PC3	PASS
n66	15	15	DFT-256QAM	H	Edge_1RB_Right	17.66	18.79	PC3	PASS
n66	15	15	DFT-256QAM	H	Inner_Full	18.01	19.14	PC3	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	18.08	19.21	PC3	PASS
n66	15	15	CP-QPSK	H	Edge_1RB_Left	19.68	20.81	PC3	PASS
n66	15	15	CP-QPSK	H	Inner_1RB_Left	21.23	22.36	PC3	PASS
n66	15	15	CP-QPSK	H	Inner_1RB_Right	21.30	22.43	PC3	PASS
n66	15	15	CP-QPSK	H	Edge_1RB_Right	19.72	20.85	PC3	PASS
n66	15	15	CP-QPSK	H	Inner_Full	21.04	22.17	PC3	PASS
n66	15	15	CP-QPSK	H	Outer_Full	19.67	20.80	PC3	PASS
n66	15	20	DFT-BPSK	L	Edge_1RB_Left	21.55	22.68	PC3	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Left	21.62	22.75	PC3	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Right	21.80	22.93	PC3	PASS
n66	15	20	DFT-BPSK	L	Edge_1RB_Right	21.79	22.92	PC3	PASS
n66	15	20	DFT-BPSK	L	Inner_Full	21.72	22.85	PC3	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	21.73	22.86	PC3	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10

Page 9 of 71

n66	15	20	DFT-QPSK	L	Edge_1RB_Left	21.59	22.72	PC3	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Left	21.63	22.76	PC3	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Right	21.80	22.93	PC3	PASS
n66	15	20	DFT-QPSK	L	Edge_1RB_Right	21.80	22.93	PC3	PASS
n66	15	20	DFT-QPSK	L	Inner_Full	21.72	22.85	PC3	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	21.79	22.92	PC3	PASS
n66	15	20	DFT-16QAM	L	Edge_1RB_Left	20.63	21.76	PC3	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Left	21.57	22.70	PC3	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Right	21.61	22.74	PC3	PASS
n66	15	20	DFT-16QAM	L	Edge_1RB_Right	20.72	21.85	PC3	PASS
n66	15	20	DFT-16QAM	L	Inner_Full	21.76	22.89	PC3	PASS
n66	15	20	DFT-16QAM	L	Outer_Full	20.70	21.83	PC3	PASS
n66	15	20	DFT-64QAM	L	Edge_1RB_Left	20.27	21.40	PC3	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Left	20.26	21.39	PC3	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Right	20.51	21.64	PC3	PASS
n66	15	20	DFT-64QAM	L	Edge_1RB_Right	20.52	21.65	PC3	PASS
n66	15	20	DFT-64QAM	L	Inner_Full	20.26	21.39	PC3	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	20.27	21.40	PC3	PASS
n66	15	20	DFT-256QAM	L	Edge_1RB_Left	17.53	18.66	PC3	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Left	17.52	18.65	PC3	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Right	17.79	18.92	PC3	PASS
n66	15	20	DFT-256QAM	L	Edge_1RB_Right	17.70	18.83	PC3	PASS
n66	15	20	DFT-256QAM	L	Inner_Full	18.17	19.30	PC3	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	18.24	19.37	PC3	PASS
n66	15	20	CP-QPSK	L	Edge_1RB_Left	19.67	20.80	PC3	PASS
n66	15	20	CP-QPSK	L	Inner_1RB_Left	21.10	22.23	PC3	PASS
n66	15	20	CP-QPSK	L	Inner_1RB_Right	21.39	22.52	PC3	PASS
n66	15	20	CP-QPSK	L	Edge_1RB_Right	19.79	20.92	PC3	PASS
n66	15	20	CP-QPSK	L	Inner_Full	21.23	22.36	PC3	PASS
n66	15	20	CP-QPSK	L	Outer_Full	19.76	20.89	PC3	PASS
n66	15	20	DFT-BPSK	M	Edge_1RB_Left	21.69	22.82	PC3	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Left	21.69	22.82	PC3	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Right	21.65	22.78	PC3	PASS
n66	15	20	DFT-BPSK	M	Edge_1RB_Right	21.67	22.80	PC3	PASS
n66	15	20	DFT-BPSK	M	Inner_Full	21.73	22.86	PC3	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	21.71	22.84	PC3	PASS
n66	15	20	DFT-QPSK	M	Edge_1RB_Left	21.67	22.80	PC3	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Left	21.77	22.90	PC3	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Right	21.72	22.85	PC3	PASS
n66	15	20	DFT-QPSK	M	Edge_1RB_Right	21.64	22.77	PC3	PASS
n66	15	20	DFT-QPSK	M	Inner_Full	21.76	22.89	PC3	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	21.75	22.88	PC3	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10

Page 10 of 71

n66	15	20	DFT-16QAM	M	Edge_1RB_Left	20.60	21.73	PC3	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Left	21.46	22.59	PC3	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Right	21.63	22.76	PC3	PASS
n66	15	20	DFT-16QAM	M	Edge_1RB_Right	20.61	21.74	PC3	PASS
n66	15	20	DFT-16QAM	M	Inner_Full	21.71	22.84	PC3	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	20.71	21.84	PC3	PASS
n66	15	20	DFT-64QAM	M	Edge_1RB_Left	20.41	21.54	PC3	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Left	20.39	21.52	PC3	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Right	20.35	21.48	PC3	PASS
n66	15	20	DFT-64QAM	M	Edge_1RB_Right	20.40	21.53	PC3	PASS
n66	15	20	DFT-64QAM	M	Inner_Full	20.32	21.45	PC3	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	20.27	21.40	PC3	PASS
n66	15	20	DFT-256QAM	M	Edge_1RB_Left	17.62	18.75	PC3	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Left	17.59	18.72	PC3	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Right	17.55	18.68	PC3	PASS
n66	15	20	DFT-256QAM	M	Edge_1RB_Right	17.58	18.71	PC3	PASS
n66	15	20	DFT-256QAM	M	Inner_Full	18.16	19.29	PC3	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	18.26	19.39	PC3	PASS
n66	15	20	CP-QPSK	M	Edge_1RB_Left	19.84	20.97	PC3	PASS
n66	15	20	CP-QPSK	M	Inner_1RB_Left	21.17	22.30	PC3	PASS
n66	15	20	CP-QPSK	M	Inner_1RB_Right	21.04	22.17	PC3	PASS
n66	15	20	CP-QPSK	M	Edge_1RB_Right	19.71	20.84	PC3	PASS
n66	15	20	CP-QPSK	M	Inner_Full	21.20	22.33	PC3	PASS
n66	15	20	CP-QPSK	M	Outer_Full	19.66	20.79	PC3	PASS
n66	15	20	DFT-BPSK	H	Edge_1RB_Left	21.74	22.87	PC3	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Left	21.67	22.80	PC3	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Right	21.73	22.86	PC3	PASS
n66	15	20	DFT-BPSK	H	Edge_1RB_Right	21.76	22.89	PC3	PASS
n66	15	20	DFT-BPSK	H	Inner_Full	21.67	22.80	PC3	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	21.66	22.79	PC3	PASS
n66	15	20	DFT-QPSK	H	Edge_1RB_Left	21.63	22.76	PC3	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Left	21.66	22.79	PC3	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Right	21.75	22.88	PC3	PASS
n66	15	20	DFT-QPSK	H	Edge_1RB_Right	21.76	22.89	PC3	PASS
n66	15	20	DFT-QPSK	H	Inner_Full	21.67	22.80	PC3	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	21.66	22.79	PC3	PASS
n66	15	20	DFT-16QAM	H	Edge_1RB_Left	20.59	21.72	PC3	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Left	21.48	22.61	PC3	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Right	21.70	22.83	PC3	PASS
n66	15	20	DFT-16QAM	H	Edge_1RB_Right	20.71	21.84	PC3	PASS
n66	15	20	DFT-16QAM	H	Inner_Full	21.73	22.86	PC3	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	20.67	21.80	PC3	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10

Page 11 of 71

n66	15	20	DFT-64QAM	H	Edge_1RB_Left	20.37	21.50	PC3	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Left	20.29	21.42	PC3	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Right	20.41	21.54	PC3	PASS
n66	15	20	DFT-64QAM	H	Edge_1RB_Right	20.44	21.57	PC3	PASS
n66	15	20	DFT-64QAM	H	Inner_Full	20.22	21.35	PC3	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	20.15	21.28	PC3	PASS
n66	15	20	DFT-256QAM	H	Edge_1RB_Left	17.55	18.68	PC3	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Left	17.57	18.70	PC3	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Right	17.66	18.79	PC3	PASS
n66	15	20	DFT-256QAM	H	Edge_1RB_Right	17.59	18.72	PC3	PASS
n66	15	20	DFT-256QAM	H	Inner_Full	18.02	19.15	PC3	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	18.14	19.27	PC3	PASS
n66	15	20	CP-QPSK	H	Edge_1RB_Left	19.74	20.87	PC3	PASS
n66	15	20	CP-QPSK	H	Inner_1RB_Left	21.20	22.33	PC3	PASS
n66	15	20	CP-QPSK	H	Inner_1RB_Right	21.21	22.34	PC3	PASS
n66	15	20	CP-QPSK	H	Edge_1RB_Right	19.73	20.86	PC3	PASS
n66	15	20	CP-QPSK	H	Inner_Full	21.01	22.14	PC3	PASS
n66	15	20	CP-QPSK	H	Outer_Full	19.64	20.77	PC3	PASS




Appendix B: Peak-to-Average Ratio

Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result(dB)	Limit(dB)	Verdict
n66	15	5	DFT-BPSK	L	Outer_Full	4.02	≤13dB	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	5.36	≤13dB	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	4.12	≤13dB	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	5	≤13dB	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	4.1	≤13dB	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	5.32	≤13dB	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	4.4	≤13dB	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	5.44	≤13dB	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	4.16	≤13dB	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	5.12	≤13dB	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	4.26	≤13dB	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	4.96	≤13dB	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	4.28	≤13dB	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	5.3	≤13dB	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	4.04	≤13dB	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	4.94	≤13dB	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	3.86	≤13dB	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	4.62	≤13dB	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	3.98	≤13dB	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	5.14	≤13dB	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	4.2	≤13dB	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	5.18	≤13dB	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	4.1	≤13dB	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	4.92	≤13dB	PASS




Test Graphs




NTNV-n66-PC3-15-5-L-DFT-BPSK-Outer_Full-PASS




NTNV-n66-PC3-15-5-L-DFT-QPSK-Outer_Full-PASS




NTNV-n66-PC3-15-5-M-DFT-BPSK-Outer_Full-PASS



NTNV-n66-PC3-15-5-M-DFT-QPSK-Outer_Full-PASS



NTNV-n66-PC3-15-5-H-DFT-BPSK-Outer_Full-PASS




NTNV-n66-PC3-15-5-H-DFT-QPSK-Outer_Full-PASS




CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10


Page 14 of 71




NTNV-n66-PC3-15-10-L-DFT-BPSK-Outer_Full-PASS




NTNV-n66-PC3-15-10-L-DFT-QPSK-Outer_Full-PASS




NTNV-n66-PC3-15-10-M-DFT-BPSK-Outer_Full-PASS



NTNV-n66-PC3-15-10-M-DFT-QPSK-Outer_Full-PASS



NTNV-n66-PC3-15-10-H-DFT-BPSK-Outer_Full-PASS




NTNV-n66-PC3-15-10-H-DFT-QPSK-Outer_Full-PASS




CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10


Page 15 of 71




NTNV-n66-PC3-15-15-L-DFT-BPSK-Outer_Full-PASS




NTNV-n66-PC3-15-15-L-DFT-QPSK-Outer_Full-PASS




NTNV-n66-PC3-15-15-M-DFT-BPSK-Outer_Full-PASS



NTNV-n66-PC3-15-15-M-DFT-QPSK-Outer_Full-PASS



NTNV-n66-PC3-15-15-H-DFT-BPSK-Outer_Full-PASS




NTNV-n66-PC3-15-15-H-DFT-QPSK-Outer_Full-PASS




CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10


Page 16 of 71




NTNV-n66-PC3-15-20-L-DFT-BPSK-Outer_Full-PASS




NTNV-n66-PC3-15-20-L-DFT-QPSK-Outer_Full-PASS




NTNV-n66-PC3-15-20-M-DFT-BPSK-Outer_Full-PASS



NTNV-n66-PC3-15-20-M-DFT-QPSK-Outer_Full-PASS



NTNV-n66-PC3-15-20-H-DFT-BPSK-Outer_Full-PASS



NTNV-n66-PC3-15-20-H-DFT-QPSK-Outer_Full-PASS



Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	99% OBW (MHz)	26dB BW (MHz)	Verdict
n66	15	5	DFT-BPSK	L	Outer_Full	4.473	4.990	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	4.479	4.960	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	4.483	5.150	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	4.462	4.830	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	4.485	5.060	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	4.465	4.970	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	4.482	4.970	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	4.488	5.060	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	4.48	5.000	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	4.468	4.990	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	4.47	5.090	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	4.484	4.900	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	4.484	5.090	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	4.478	4.990	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	4.486	5.020	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	8.929	9.540	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	8.928	9.600	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	8.953	9.680	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	8.945	9.560	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	8.953	9.620	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	8.925	9.600	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	8.938	9.700	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	8.943	9.640	PASS
n66	15	10	DFT-64QAM	M	Outer_Full	8.953	9.740	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	8.932	9.620	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	8.917	9.700	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	8.951	9.520	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	8.97	9.760	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	8.955	9.760	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	8.947	9.660	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	13.431	14.190	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	13.429	14.250	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	13.42	14.340	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	13.413	14.280	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	13.422	14.100	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	13.434	14.250	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	13.426	14.370	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10

Page 18 of 71

n66	15	15	DFT-16QAM	M	Outer_Full	13.436	14.280	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	13.416	14.370	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	13.456	14.220	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	13.434	14.280	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	13.441	14.340	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	13.448	14.370	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	13.421	14.310	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	13.461	14.430	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	17.902	18.920	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	17.911	18.760	PASS
n66	15	20	DFT-16QAM	L	Outer_Full	17.912	19.120	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	17.916	18.800	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	17.892	18.680	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	17.907	18.920	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	17.925	19.000	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	17.905	19.120	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	17.894	18.760	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	17.918	18.760	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	17.902	18.800	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	17.934	18.880	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	17.915	18.800	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	17.939	19.080	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	17.914	18.640	PASS





CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A10



Page 19 of 71

Test Graphs





NTNV-n66-PC3-15-5-L-DFT-BPSK-Outter_Full-Ant1-PASS

NTNV-n66-PC3-15-5-L-DFT-QPSK-Outter_Full-Ant1-PASS



NTNV-n66-PC3-15-5-L-DFT-16QAM-Outter_Full-Ant1-PASS

NTNV-n66-PC3-15-5-L-DFT-64QAM-Outter_Full-Ant1-PASS



NTNV-n66-PC3-15-5-L-DFT-256QAM-Outter_Full-Ant1-PASS


NTNV-n66-PC3-15-5-M-DFT-BPSK-Outter_Full-Ant1-PASS




CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCS2025-0042-RF4-A10


Page 20 of 71




NTNV-n66-PC3-15-5-M-DFT-QPSK-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-5-M-DFT-16QAM-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-5-M-DFT-64QAM-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-5-M-DFT-256QAM-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-5-H-DFT-BPSK-Outer_Full-Ant1-PASS





NTNV-n66-PC3-15-5-H-DFT-QPSK-Outer_Full-Ant1-PASS



CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCS2025-0042-RF4-A10

Page 21 of 71





NTNV-n66-PC3-15-5-H-DFT-16QAM-Outer_Full-Ant1-PASS

NTNV-n66-PC3-15-5-H-DFT-64QAM-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-5-H-DFT-256QAM-Outer_Full-Ant1-PASS

NTNV-n66-PC3-15-10-L-DFT-BPSK-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-10-L-DFT-QPSK-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-10-L-DFT-16QAM-Outer_Full-Ant1-PASS



CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCS2025-0042-RF4-A10

Page 22 of 71





NTNV-n66-PC3-15-10-L-DFT-64QAM-Outer_Full-Ant1-PASS

NTNV-n66-PC3-15-10-L-DFT-256QAM-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-10-M-DFT-BPSK-Outer_Full-Ant1-PASS

NTNV-n66-PC3-15-10-M-DFT-QPSK-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-10-M-DFT-16QAM-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-10-M-DFT-64QAM-Outer_Full-Ant1-PASS



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCS2025-0042-RF4-A10

Page 23 of 71





NTNV-n66-PC3-15-10-M-DFT-256QAM-Outer_Full-Ant1-PASS

NTNV-n66-PC3-15-10-H-DFT-BPSK-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-10-H-DFT-QPSK-Outer_Full-Ant1-PASS

NTNV-n66-PC3-15-10-H-DFT-16QAM-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-10-H-DFT-64QAM-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-10-H-DFT-256QAM-Outer_Full-Ant1-PASS



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCSZ2025-0042-RF4-A10

Page 24 of 71





NTNV-n66-PC3-15-15-L-DFT-BPSK-Outet_Full-Ant1-PASS

NTNV-n66-PC3-15-15-L-DFT-QPSK-Outet_Full-Ant1-PASS



NTNV-n66-PC3-15-15-L-DFT-16QAM-Outet_Full-Ant1-PASS

NTNV-n66-PC3-15-15-L-DFT-64QAM-Outet_Full-Ant1-PASS



NTNV-n66-PC3-15-15-L-DFT-256QAM-Outet_Full-Ant1-PASS

NTNV-n66-PC3-15-15-M-DFT-BPSK-Outet_Full-Ant1-PASS