



## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band | SCS | Bandwidth | Modulation | Channel | RB Config       | Power (dBm) | EIRP (dBm) | Power Class | Verdict |
|------|-----|-----------|------------|---------|-----------------|-------------|------------|-------------|---------|
| n7   | 15  | 5         | DFT-BPSK   | L       | Edge_1RB_Left   | 24.03       | 24.96      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-BPSK   | L       | Inner_1RB_Left  | 24          | 24.93      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-BPSK   | L       | Inner_1RB_Right | 24.14       | 25.07      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-BPSK   | L       | Edge_1RB_Right  | 24.1        | 25.03      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-BPSK   | L       | Inner_Full      | 24.06       | 24.99      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-BPSK   | L       | Outer_Full      | 24.14       | 25.07      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | L       | Edge_1RB_Left   | 24.03       | 24.96      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | L       | Inner_1RB_Left  | 24.06       | 24.99      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | L       | Inner_1RB_Right | 24.12       | 25.05      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | L       | Edge_1RB_Right  | 24.18       | 25.11      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | L       | Inner_Full      | 24.05       | 24.98      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | L       | Outer_Full      | 24.1        | 25.03      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-16QAM  | L       | Edge_1RB_Left   | 23.02       | 23.95      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-16QAM  | L       | Inner_1RB_Left  | 24.05       | 24.98      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-16QAM  | L       | Inner_1RB_Right | 24.1        | 25.03      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-16QAM  | L       | Edge_1RB_Right  | 23.1        | 24.03      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-16QAM  | L       | Inner_Full      | 24.12       | 25.05      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-16QAM  | L       | Outer_Full      | 23.2        | 24.13      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-64QAM  | L       | Edge_1RB_Left   | 22.72       | 23.65      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-64QAM  | L       | Inner_1RB_Left  | 22.75       | 23.68      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-64QAM  | L       | Inner_1RB_Right | 22.8        | 23.73      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-64QAM  | L       | Edge_1RB_Right  | 22.8        | 23.73      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-64QAM  | L       | Inner_Full      | 22.68       | 23.61      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-64QAM  | L       | Outer_Full      | 22.6        | 23.53      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-256QAM | L       | Edge_1RB_Left   | 19.96       | 20.89      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-256QAM | L       | Inner_1RB_Left  | 19.88       | 20.81      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-256QAM | L       | Inner_1RB_Right | 20.05       | 20.98      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-256QAM | L       | Edge_1RB_Right  | 20.04       | 20.97      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-256QAM | L       | Inner_Full      | 20.62       | 21.55      | PC3         | PASS    |
| n7   | 15  | 5         | DFT-256QAM | L       | Outer_Full      | 20.48       | 21.41      | PC3         | PASS    |
| n7   | 15  | 5         | CP-QPSK    | L       | Edge_1RB_Left   | 22.03       | 22.96      | PC3         | PASS    |
| n7   | 15  | 5         | CP-QPSK    | L       | Inner_1RB_Left  | 23.48       | 24.41      | PC3         | PASS    |
| n7   | 15  | 5         | CP-QPSK    | L       | Inner_1RB_Right | 23.59       | 24.52      | PC3         | PASS    |
| n7   | 15  | 5         | CP-QPSK    | L       | Edge_1RB_Right  | 22.03       | 22.96      | PC3         | PASS    |
| n7   | 15  | 5         | CP-QPSK    | L       | Inner_Full      | 23.67       | 24.60      | PC3         | PASS    |
| n7   | 15  | 5         | CP-QPSK    | L       | Outer_Full      | 22.1        | 23.03      | PC3         | PASS    |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A3

Page 2 of 65

|    |    |   |            |   |                 |       |       |     |      |
|----|----|---|------------|---|-----------------|-------|-------|-----|------|
| n7 | 15 | 5 | DFT-BPSK   | M | Edge_1RB_Left   | 23.87 | 24.80 | PC3 | PASS |
| n7 | 15 | 5 | DFT-BPSK   | M | Inner_1RB_Left  | 23.8  | 24.73 | PC3 | PASS |
| n7 | 15 | 5 | DFT-BPSK   | M | Inner_1RB_Right | 23.93 | 24.86 | PC3 | PASS |
| n7 | 15 | 5 | DFT-BPSK   | M | Edge_1RB_Right  | 23.89 | 24.82 | PC3 | PASS |
| n7 | 15 | 5 | DFT-BPSK   | M | Inner_Full      | 23.87 | 24.80 | PC3 | PASS |
| n7 | 15 | 5 | DFT-BPSK   | M | Outer_Full      | 23.89 | 24.82 | PC3 | PASS |
| n7 | 15 | 5 | DFT-QPSK   | M | Edge_1RB_Left   | 23.88 | 24.81 | PC3 | PASS |
| n7 | 15 | 5 | DFT-QPSK   | M | Inner_1RB_Left  | 23.91 | 24.84 | PC3 | PASS |
| n7 | 15 | 5 | DFT-QPSK   | M | Inner_1RB_Right | 23.92 | 24.85 | PC3 | PASS |
| n7 | 15 | 5 | DFT-QPSK   | M | Edge_1RB_Right  | 23.98 | 24.91 | PC3 | PASS |
| n7 | 15 | 5 | DFT-QPSK   | M | Inner_Full      | 23.83 | 24.76 | PC3 | PASS |
| n7 | 15 | 5 | DFT-QPSK   | M | Outer_Full      | 23.88 | 24.81 | PC3 | PASS |
| n7 | 15 | 5 | DFT-16QAM  | M | Edge_1RB_Left   | 22.86 | 23.79 | PC3 | PASS |
| n7 | 15 | 5 | DFT-16QAM  | M | Inner_1RB_Left  | 23.89 | 24.82 | PC3 | PASS |
| n7 | 15 | 5 | DFT-16QAM  | M | Inner_1RB_Right | 23.92 | 24.85 | PC3 | PASS |
| n7 | 15 | 5 | DFT-16QAM  | M | Edge_1RB_Right  | 22.98 | 23.91 | PC3 | PASS |
| n7 | 15 | 5 | DFT-16QAM  | M | Inner_Full      | 24    | 24.93 | PC3 | PASS |
| n7 | 15 | 5 | DFT-16QAM  | M | Outer_Full      | 22.95 | 23.88 | PC3 | PASS |
| n7 | 15 | 5 | DFT-64QAM  | M | Edge_1RB_Left   | 22.54 | 23.47 | PC3 | PASS |
| n7 | 15 | 5 | DFT-64QAM  | M | Inner_1RB_Left  | 22.55 | 23.48 | PC3 | PASS |
| n7 | 15 | 5 | DFT-64QAM  | M | Inner_1RB_Right | 22.67 | 23.60 | PC3 | PASS |
| n7 | 15 | 5 | DFT-64QAM  | M | Edge_1RB_Right  | 22.64 | 23.57 | PC3 | PASS |
| n7 | 15 | 5 | DFT-64QAM  | M | Inner_Full      | 22.49 | 23.42 | PC3 | PASS |
| n7 | 15 | 5 | DFT-64QAM  | M | Outer_Full      | 22.43 | 23.36 | PC3 | PASS |
| n7 | 15 | 5 | DFT-256QAM | M | Edge_1RB_Left   | 19.83 | 20.76 | PC3 | PASS |
| n7 | 15 | 5 | DFT-256QAM | M | Inner_1RB_Left  | 19.85 | 20.78 | PC3 | PASS |
| n7 | 15 | 5 | DFT-256QAM | M | Inner_1RB_Right | 19.86 | 20.79 | PC3 | PASS |
| n7 | 15 | 5 | DFT-256QAM | M | Edge_1RB_Right  | 19.83 | 20.76 | PC3 | PASS |
| n7 | 15 | 5 | DFT-256QAM | M | Inner_Full      | 20.38 | 21.31 | PC3 | PASS |
| n7 | 15 | 5 | DFT-256QAM | M | Outer_Full      | 20.36 | 21.29 | PC3 | PASS |
| n7 | 15 | 5 | CP-QPSK    | M | Edge_1RB_Left   | 21.81 | 22.74 | PC3 | PASS |
| n7 | 15 | 5 | CP-QPSK    | M | Inner_1RB_Left  | 23.4  | 24.33 | PC3 | PASS |
| n7 | 15 | 5 | CP-QPSK    | M | Inner_1RB_Right | 23.36 | 24.29 | PC3 | PASS |
| n7 | 15 | 5 | CP-QPSK    | M | Edge_1RB_Right  | 21.95 | 22.88 | PC3 | PASS |
| n7 | 15 | 5 | CP-QPSK    | M | Inner_Full      | 23.45 | 24.38 | PC3 | PASS |
| n7 | 15 | 5 | CP-QPSK    | M | Outer_Full      | 21.86 | 22.79 | PC3 | PASS |
| n7 | 15 | 5 | DFT-BPSK   | H | Edge_1RB_Left   | 23.84 | 24.77 | PC3 | PASS |
| n7 | 15 | 5 | DFT-BPSK   | H | Inner_1RB_Left  | 23.88 | 24.81 | PC3 | PASS |
| n7 | 15 | 5 | DFT-BPSK   | H | Inner_1RB_Right | 23.93 | 24.86 | PC3 | PASS |
| n7 | 15 | 5 | DFT-BPSK   | H | Edge_1RB_Right  | 23.95 | 24.88 | PC3 | PASS |
| n7 | 15 | 5 | DFT-BPSK   | H | Inner_Full      | 23.91 | 24.84 | PC3 | PASS |
| n7 | 15 | 5 | DFT-BPSK   | H | Outer_Full      | 23.95 | 24.88 | PC3 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A3

Page 3 of 65

|    |    |    |            |   |                 |       |       |     |      |
|----|----|----|------------|---|-----------------|-------|-------|-----|------|
| n7 | 15 | 5  | DFT-QPSK   | H | Edge_1RB_Left   | 23.9  | 24.83 | PC3 | PASS |
| n7 | 15 | 5  | DFT-QPSK   | H | Inner_1RB_Left  | 23.85 | 24.78 | PC3 | PASS |
| n7 | 15 | 5  | DFT-QPSK   | H | Inner_1RB_Right | 23.97 | 24.90 | PC3 | PASS |
| n7 | 15 | 5  | DFT-QPSK   | H | Edge_1RB_Right  | 24.01 | 24.94 | PC3 | PASS |
| n7 | 15 | 5  | DFT-QPSK   | H | Inner_Full      | 23.88 | 24.81 | PC3 | PASS |
| n7 | 15 | 5  | DFT-QPSK   | H | Outer_Full      | 23.86 | 24.79 | PC3 | PASS |
| n7 | 15 | 5  | DFT-16QAM  | H | Edge_1RB_Left   | 22.89 | 23.82 | PC3 | PASS |
| n7 | 15 | 5  | DFT-16QAM  | H | Inner_1RB_Left  | 23.81 | 24.74 | PC3 | PASS |
| n7 | 15 | 5  | DFT-16QAM  | H | Inner_1RB_Right | 23.93 | 24.86 | PC3 | PASS |
| n7 | 15 | 5  | DFT-16QAM  | H | Edge_1RB_Right  | 22.95 | 23.88 | PC3 | PASS |
| n7 | 15 | 5  | DFT-16QAM  | H | Inner_Full      | 24.02 | 24.95 | PC3 | PASS |
| n7 | 15 | 5  | DFT-16QAM  | H | Outer_Full      | 22.93 | 23.86 | PC3 | PASS |
| n7 | 15 | 5  | DFT-64QAM  | H | Edge_1RB_Left   | 22.58 | 23.51 | PC3 | PASS |
| n7 | 15 | 5  | DFT-64QAM  | H | Inner_1RB_Left  | 22.59 | 23.52 | PC3 | PASS |
| n7 | 15 | 5  | DFT-64QAM  | H | Inner_1RB_Right | 22.68 | 23.61 | PC3 | PASS |
| n7 | 15 | 5  | DFT-64QAM  | H | Edge_1RB_Right  | 22.63 | 23.56 | PC3 | PASS |
| n7 | 15 | 5  | DFT-64QAM  | H | Inner_Full      | 22.49 | 23.42 | PC3 | PASS |
| n7 | 15 | 5  | DFT-64QAM  | H | Outer_Full      | 22.4  | 23.33 | PC3 | PASS |
| n7 | 15 | 5  | DFT-256QAM | H | Edge_1RB_Left   | 19.81 | 20.74 | PC3 | PASS |
| n7 | 15 | 5  | DFT-256QAM | H | Inner_1RB_Left  | 19.84 | 20.77 | PC3 | PASS |
| n7 | 15 | 5  | DFT-256QAM | H | Inner_1RB_Right | 19.95 | 20.88 | PC3 | PASS |
| n7 | 15 | 5  | DFT-256QAM | H | Edge_1RB_Right  | 19.91 | 20.84 | PC3 | PASS |
| n7 | 15 | 5  | DFT-256QAM | H | Inner_Full      | 20.34 | 21.27 | PC3 | PASS |
| n7 | 15 | 5  | DFT-256QAM | H | Outer_Full      | 20.3  | 21.23 | PC3 | PASS |
| n7 | 15 | 5  | CP-QPSK    | H | Edge_1RB_Left   | 21.84 | 22.77 | PC3 | PASS |
| n7 | 15 | 5  | CP-QPSK    | H | Inner_1RB_Left  | 23.38 | 24.31 | PC3 | PASS |
| n7 | 15 | 5  | CP-QPSK    | H | Inner_1RB_Right | 23.37 | 24.30 | PC3 | PASS |
| n7 | 15 | 5  | CP-QPSK    | H | Edge_1RB_Right  | 21.96 | 22.89 | PC3 | PASS |
| n7 | 15 | 5  | CP-QPSK    | H | Inner_Full      | 23.51 | 24.44 | PC3 | PASS |
| n7 | 15 | 5  | CP-QPSK    | H | Outer_Full      | 21.89 | 22.82 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | L | Edge_1RB_Left   | 24.06 | 24.99 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | L | Inner_1RB_Left  | 24.02 | 24.95 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | L | Inner_1RB_Right | 24.18 | 25.11 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | L | Edge_1RB_Right  | 24.11 | 25.04 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | L | Inner_Full      | 24.13 | 25.06 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | L | Outer_Full      | 24.08 | 25.01 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | L | Edge_1RB_Left   | 23.94 | 24.87 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | L | Inner_1RB_Left  | 24.01 | 24.94 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | L | Inner_1RB_Right | 24.17 | 25.10 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | L | Edge_1RB_Right  | 24.12 | 25.05 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | L | Inner_Full      | 24.12 | 25.05 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | L | Outer_Full      | 24.09 | 25.02 | PC3 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A3

Page 4 of 65

|    |    |    |            |   |                 |       |       |     |      |
|----|----|----|------------|---|-----------------|-------|-------|-----|------|
| n7 | 15 | 10 | DFT-16QAM  | L | Edge_1RB_Left   | 22.99 | 23.92 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | L | Inner_1RB_Left  | 23.85 | 24.78 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | L | Inner_1RB_Right | 23.89 | 24.82 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | L | Edge_1RB_Right  | 23.08 | 24.01 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | L | Inner_Full      | 24.15 | 25.08 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | L | Outer_Full      | 23.14 | 24.07 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | L | Edge_1RB_Left   | 22.76 | 23.69 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | L | Inner_1RB_Left  | 22.78 | 23.71 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | L | Inner_1RB_Right | 22.84 | 23.77 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | L | Edge_1RB_Right  | 22.82 | 23.75 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | L | Inner_Full      | 22.63 | 23.56 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | L | Outer_Full      | 22.65 | 23.58 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | L | Edge_1RB_Left   | 20.05 | 20.98 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | L | Inner_1RB_Left  | 20.04 | 20.97 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | L | Inner_1RB_Right | 20.07 | 21.00 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | L | Edge_1RB_Right  | 20.07 | 21.00 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | L | Inner_Full      | 20.58 | 21.51 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | L | Outer_Full      | 20.57 | 21.50 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | L | Edge_1RB_Left   | 22.06 | 22.99 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | L | Inner_1RB_Left  | 23.54 | 24.47 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | L | Inner_1RB_Right | 23.66 | 24.59 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | L | Edge_1RB_Right  | 22.17 | 23.10 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | L | Inner_Full      | 23.6  | 24.53 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | L | Outer_Full      | 22.16 | 23.09 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | M | Edge_1RB_Left   | 23.91 | 24.84 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | M | Inner_1RB_Left  | 23.89 | 24.82 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | M | Inner_1RB_Right | 24.02 | 24.95 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | M | Edge_1RB_Right  | 23.96 | 24.89 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | M | Inner_Full      | 24.02 | 24.95 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | M | Outer_Full      | 24    | 24.93 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | M | Edge_1RB_Left   | 23.9  | 24.83 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | M | Inner_1RB_Left  | 23.93 | 24.86 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | M | Inner_1RB_Right | 24.01 | 24.94 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | M | Edge_1RB_Right  | 24.03 | 24.96 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | M | Inner_Full      | 23.95 | 24.88 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | M | Outer_Full      | 23.98 | 24.91 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | M | Edge_1RB_Left   | 22.93 | 23.86 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | M | Inner_1RB_Left  | 23.91 | 24.84 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | M | Inner_1RB_Right | 23.96 | 24.89 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | M | Edge_1RB_Right  | 23.01 | 23.94 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | M | Inner_Full      | 23.98 | 24.91 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | M | Outer_Full      | 22.96 | 23.89 | PC3 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A3

Page 5 of 65

|    |    |    |            |   |                 |       |       |     |      |
|----|----|----|------------|---|-----------------|-------|-------|-----|------|
| n7 | 15 | 10 | DFT-64QAM  | M | Edge_1RB_Left   | 22.59 | 23.52 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | M | Inner_1RB_Left  | 22.62 | 23.55 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | M | Inner_1RB_Right | 22.72 | 23.65 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | M | Edge_1RB_Right  | 22.69 | 23.62 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | M | Inner_Full      | 22.51 | 23.44 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | M | Outer_Full      | 22.57 | 23.50 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | M | Edge_1RB_Left   | 19.82 | 20.75 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | M | Inner_1RB_Left  | 19.92 | 20.85 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | M | Inner_1RB_Right | 19.97 | 20.90 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | M | Edge_1RB_Right  | 19.97 | 20.90 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | M | Inner_Full      | 20.44 | 21.37 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | M | Outer_Full      | 20.44 | 21.37 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | M | Edge_1RB_Left   | 21.96 | 22.89 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | M | Inner_1RB_Left  | 23.38 | 24.31 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | M | Inner_1RB_Right | 23.55 | 24.48 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | M | Edge_1RB_Right  | 21.98 | 22.91 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | M | Inner_Full      | 23.46 | 24.39 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | M | Outer_Full      | 21.98 | 22.91 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | H | Edge_1RB_Left   | 23.87 | 24.80 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | H | Inner_1RB_Left  | 23.94 | 24.87 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | H | Inner_1RB_Right | 24.09 | 25.02 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | H | Edge_1RB_Right  | 24.11 | 25.04 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | H | Inner_Full      | 23.97 | 24.90 | PC3 | PASS |
| n7 | 15 | 10 | DFT-BPSK   | H | Outer_Full      | 24.02 | 24.95 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | H | Edge_1RB_Left   | 23.94 | 24.87 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | H | Inner_1RB_Left  | 24    | 24.93 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | H | Inner_1RB_Right | 24.11 | 25.04 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | H | Edge_1RB_Right  | 24.13 | 25.06 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | H | Inner_Full      | 23.98 | 24.91 | PC3 | PASS |
| n7 | 15 | 10 | DFT-QPSK   | H | Outer_Full      | 24.02 | 24.95 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | H | Edge_1RB_Left   | 22.88 | 23.81 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | H | Inner_1RB_Left  | 23.88 | 24.81 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | H | Inner_1RB_Right | 23.97 | 24.90 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | H | Edge_1RB_Right  | 22.98 | 23.91 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | H | Inner_Full      | 24.1  | 25.03 | PC3 | PASS |
| n7 | 15 | 10 | DFT-16QAM  | H | Outer_Full      | 22.93 | 23.86 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | H | Edge_1RB_Left   | 22.55 | 23.48 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | H | Inner_1RB_Left  | 22.49 | 23.42 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | H | Inner_1RB_Right | 22.7  | 23.63 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | H | Edge_1RB_Right  | 22.65 | 23.58 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | H | Inner_Full      | 22.46 | 23.39 | PC3 | PASS |
| n7 | 15 | 10 | DFT-64QAM  | H | Outer_Full      | 22.46 | 23.39 | PC3 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A3

Page 6 of 65

|    |    |    |            |   |                 |       |       |     |      |
|----|----|----|------------|---|-----------------|-------|-------|-----|------|
| n7 | 15 | 10 | DFT-256QAM | H | Edge_1RB_Left   | 19.85 | 20.78 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | H | Inner_1RB_Left  | 19.86 | 20.79 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | H | Inner_1RB_Right | 20.01 | 20.94 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | H | Edge_1RB_Right  | 20.01 | 20.94 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | H | Inner_Full      | 20.43 | 21.36 | PC3 | PASS |
| n7 | 15 | 10 | DFT-256QAM | H | Outer_Full      | 20.49 | 21.42 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | H | Edge_1RB_Left   | 21.86 | 22.79 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | H | Inner_1RB_Left  | 23.45 | 24.38 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | H | Inner_1RB_Right | 23.59 | 24.52 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | H | Edge_1RB_Right  | 22.1  | 23.03 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | H | Inner_Full      | 23.47 | 24.40 | PC3 | PASS |
| n7 | 15 | 10 | CP-QPSK    | H | Outer_Full      | 22.06 | 22.99 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | L | Edge_1RB_Left   | 24.2  | 25.13 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | L | Inner_1RB_Left  | 24.15 | 25.08 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | L | Inner_1RB_Right | 24.26 | 25.19 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | L | Edge_1RB_Right  | 24.32 | 25.25 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | L | Inner_Full      | 24.11 | 25.04 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | L | Outer_Full      | 24.19 | 25.12 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | L | Edge_1RB_Left   | 24.23 | 25.16 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | L | Inner_1RB_Left  | 24.2  | 25.13 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | L | Inner_1RB_Right | 24.29 | 25.22 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | L | Edge_1RB_Right  | 24.33 | 25.26 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | L | Inner_Full      | 24.18 | 25.11 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | L | Outer_Full      | 24.23 | 25.16 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | L | Edge_1RB_Left   | 23.17 | 24.10 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | L | Inner_1RB_Left  | 24.15 | 25.08 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | L | Inner_1RB_Right | 24.25 | 25.18 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | L | Edge_1RB_Right  | 23.31 | 24.24 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | L | Inner_Full      | 24.24 | 25.17 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | L | Outer_Full      | 23.25 | 24.18 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | L | Edge_1RB_Left   | 22.84 | 23.77 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | L | Inner_1RB_Left  | 22.88 | 23.81 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | L | Inner_1RB_Right | 22.97 | 23.90 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | L | Edge_1RB_Right  | 22.98 | 23.91 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | L | Inner_Full      | 22.76 | 23.69 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | L | Outer_Full      | 22.74 | 23.67 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | L | Edge_1RB_Left   | 20.08 | 21.01 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | L | Inner_1RB_Left  | 20.1  | 21.03 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | L | Inner_1RB_Right | 20.15 | 21.08 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | L | Edge_1RB_Right  | 20.16 | 21.09 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | L | Inner_Full      | 20.57 | 21.50 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | L | Outer_Full      | 20.59 | 21.52 | PC3 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A3

Page 7 of 65

|    |    |    |            |   |                 |       |       |     |      |
|----|----|----|------------|---|-----------------|-------|-------|-----|------|
| n7 | 15 | 15 | CP-QPSK    | L | Edge_1RB_Left   | 22.2  | 23.13 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | L | Inner_1RB_Left  | 23.68 | 24.61 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | L | Inner_1RB_Right | 23.71 | 24.64 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | L | Edge_1RB_Right  | 22.31 | 23.24 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | L | Inner_Full      | 23.65 | 24.58 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | L | Outer_Full      | 22.19 | 23.12 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | M | Edge_1RB_Left   | 24.04 | 24.97 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | M | Inner_1RB_Left  | 24.14 | 25.07 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | M | Inner_1RB_Right | 24.11 | 25.04 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | M | Edge_1RB_Right  | 24.13 | 25.06 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | M | Inner_Full      | 24.04 | 24.97 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | M | Outer_Full      | 24.01 | 24.94 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | M | Edge_1RB_Left   | 24.04 | 24.97 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | M | Inner_1RB_Left  | 24.07 | 25.00 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | M | Inner_1RB_Right | 24.16 | 25.09 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | M | Edge_1RB_Right  | 24.19 | 25.12 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | M | Inner_Full      | 24.03 | 24.96 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | M | Outer_Full      | 24.04 | 24.97 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | M | Edge_1RB_Left   | 23.09 | 24.02 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | M | Inner_1RB_Left  | 23.99 | 24.92 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | M | Inner_1RB_Right | 24.12 | 25.05 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | M | Edge_1RB_Right  | 23.08 | 24.01 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | M | Inner_Full      | 24.06 | 24.99 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | M | Outer_Full      | 23.11 | 24.04 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | M | Edge_1RB_Left   | 22.73 | 23.66 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | M | Inner_1RB_Left  | 22.77 | 23.70 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | M | Inner_1RB_Right | 22.79 | 23.72 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | M | Edge_1RB_Right  | 22.66 | 23.59 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | M | Inner_Full      | 22.64 | 23.57 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | M | Outer_Full      | 22.59 | 23.52 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | M | Edge_1RB_Left   | 19.91 | 20.84 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | M | Inner_1RB_Left  | 19.92 | 20.85 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | M | Inner_1RB_Right | 20    | 20.93 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | M | Edge_1RB_Right  | 19.97 | 20.90 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | M | Inner_Full      | 20.43 | 21.36 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | M | Outer_Full      | 20.43 | 21.36 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | M | Edge_1RB_Left   | 22.11 | 23.04 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | M | Inner_1RB_Left  | 23.61 | 24.54 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | M | Inner_1RB_Right | 23.55 | 24.48 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | M | Edge_1RB_Right  | 22.15 | 23.08 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | M | Inner_Full      | 23.52 | 24.45 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | M | Outer_Full      | 22.06 | 22.99 | PC3 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A3

Page 8 of 65

|    |    |    |            |   |                 |       |       |     |      |
|----|----|----|------------|---|-----------------|-------|-------|-----|------|
| n7 | 15 | 15 | DFT-BPSK   | H | Edge_1RB_Left   | 24.02 | 24.95 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | H | Inner_1RB_Left  | 23.98 | 24.91 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | H | Inner_1RB_Right | 24.24 | 25.17 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | H | Edge_1RB_Right  | 24.26 | 25.19 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | H | Inner_Full      | 24.04 | 24.97 | PC3 | PASS |
| n7 | 15 | 15 | DFT-BPSK   | H | Outer_Full      | 24.09 | 25.02 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | H | Edge_1RB_Left   | 24.08 | 25.01 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | H | Inner_1RB_Left  | 24.05 | 24.98 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | H | Inner_1RB_Right | 24.28 | 25.21 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | H | Edge_1RB_Right  | 24.2  | 25.13 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | H | Inner_Full      | 24.06 | 24.99 | PC3 | PASS |
| n7 | 15 | 15 | DFT-QPSK   | H | Outer_Full      | 24.08 | 25.01 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | H | Edge_1RB_Left   | 22.93 | 23.86 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | H | Inner_1RB_Left  | 23.92 | 24.85 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | H | Inner_1RB_Right | 24.21 | 25.14 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | H | Edge_1RB_Right  | 23.15 | 24.08 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | H | Inner_Full      | 24.06 | 24.99 | PC3 | PASS |
| n7 | 15 | 15 | DFT-16QAM  | H | Outer_Full      | 23.12 | 24.05 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | H | Edge_1RB_Left   | 22.61 | 23.54 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | H | Inner_1RB_Left  | 22.64 | 23.57 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | H | Inner_1RB_Right | 22.77 | 23.70 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | H | Edge_1RB_Right  | 22.83 | 23.76 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | H | Inner_Full      | 22.55 | 23.48 | PC3 | PASS |
| n7 | 15 | 15 | DFT-64QAM  | H | Outer_Full      | 22.52 | 23.45 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | H | Edge_1RB_Left   | 19.93 | 20.86 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | H | Inner_1RB_Left  | 19.94 | 20.87 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | H | Inner_1RB_Right | 20.09 | 21.02 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | H | Edge_1RB_Right  | 20.08 | 21.01 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | H | Inner_Full      | 20.46 | 21.39 | PC3 | PASS |
| n7 | 15 | 15 | DFT-256QAM | H | Outer_Full      | 20.5  | 21.43 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | H | Edge_1RB_Left   | 21.97 | 22.90 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | H | Inner_1RB_Left  | 23.57 | 24.50 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | H | Inner_1RB_Right | 23.59 | 24.52 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | H | Edge_1RB_Right  | 22.25 | 23.18 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | H | Inner_Full      | 23.59 | 24.52 | PC3 | PASS |
| n7 | 15 | 15 | CP-QPSK    | H | Outer_Full      | 22.05 | 22.98 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | L | Edge_1RB_Left   | 24.2  | 25.13 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | L | Inner_1RB_Left  | 24.26 | 25.19 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | L | Inner_1RB_Right | 24.25 | 25.18 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | L | Edge_1RB_Right  | 24.34 | 25.27 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | L | Inner_Full      | 24.31 | 25.24 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | L | Outer_Full      | 24.3  | 25.23 | PC3 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A3

Page 9 of 65

|    |    |    |            |   |                 |       |       |     |      |
|----|----|----|------------|---|-----------------|-------|-------|-----|------|
| n7 | 15 | 20 | DFT-QPSK   | L | Edge_1RB_Left   | 24.17 | 25.10 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | L | Inner_1RB_Left  | 24.3  | 25.23 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | L | Inner_1RB_Right | 24.32 | 25.25 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | L | Edge_1RB_Right  | 24.3  | 25.23 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | L | Inner_Full      | 24.19 | 25.12 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | L | Outer_Full      | 24.21 | 25.14 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | L | Edge_1RB_Left   | 23.2  | 24.13 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | L | Inner_1RB_Left  | 24.16 | 25.09 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | L | Inner_1RB_Right | 24.29 | 25.22 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | L | Edge_1RB_Right  | 23.35 | 24.28 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | L | Inner_Full      | 24.16 | 25.09 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | L | Outer_Full      | 23.17 | 24.10 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | L | Edge_1RB_Left   | 22.85 | 23.78 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | L | Inner_1RB_Left  | 22.88 | 23.81 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | L | Inner_1RB_Right | 23.01 | 23.94 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | L | Edge_1RB_Right  | 23    | 23.93 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | L | Inner_Full      | 22.76 | 23.69 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | L | Outer_Full      | 22.8  | 23.73 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | L | Edge_1RB_Left   | 20.01 | 20.94 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | L | Inner_1RB_Left  | 20.02 | 20.95 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | L | Inner_1RB_Right | 20.16 | 21.09 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | L | Edge_1RB_Right  | 20.16 | 21.09 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | L | Inner_Full      | 20.67 | 21.60 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | L | Outer_Full      | 20.69 | 21.62 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | L | Edge_1RB_Left   | 22.19 | 23.12 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | L | Inner_1RB_Left  | 23.68 | 24.61 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | L | Inner_1RB_Right | 23.74 | 24.67 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | L | Edge_1RB_Right  | 22.38 | 23.31 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | L | Inner_Full      | 23.78 | 24.71 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | L | Outer_Full      | 22.2  | 23.13 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | M | Edge_1RB_Left   | 24.12 | 25.05 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | M | Inner_1RB_Left  | 24.13 | 25.06 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | M | Inner_1RB_Right | 24.15 | 25.08 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | M | Edge_1RB_Right  | 24.1  | 25.03 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | M | Inner_Full      | 24.09 | 25.02 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | M | Outer_Full      | 23.99 | 24.92 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | M | Edge_1RB_Left   | 24.12 | 25.05 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | M | Inner_1RB_Left  | 24.08 | 25.01 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | M | Inner_1RB_Right | 24.11 | 25.04 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | M | Edge_1RB_Right  | 24.06 | 24.99 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | M | Inner_Full      | 24.08 | 25.01 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | M | Outer_Full      | 24.12 | 25.05 | PC3 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A3

Page 10 of 65

|    |    |    |            |   |                 |       |       |     |      |
|----|----|----|------------|---|-----------------|-------|-------|-----|------|
| n7 | 15 | 20 | DFT-16QAM  | M | Edge_1RB_Left   | 22.97 | 23.90 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | M | Inner_1RB_Left  | 23.85 | 24.78 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | M | Inner_1RB_Right | 23.85 | 24.78 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | M | Edge_1RB_Right  | 23.05 | 23.98 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | M | Inner_Full      | 24.02 | 24.95 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | M | Outer_Full      | 23.09 | 24.02 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | M | Edge_1RB_Left   | 22.74 | 23.67 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | M | Inner_1RB_Left  | 22.77 | 23.70 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | M | Inner_1RB_Right | 22.86 | 23.79 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | M | Edge_1RB_Right  | 22.81 | 23.74 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | M | Inner_Full      | 22.6  | 23.53 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | M | Outer_Full      | 22.54 | 23.47 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | M | Edge_1RB_Left   | 19.97 | 20.90 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | M | Inner_1RB_Left  | 19.97 | 20.90 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | M | Inner_1RB_Right | 20.07 | 21.00 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | M | Edge_1RB_Right  | 20.06 | 20.99 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | M | Inner_Full      | 20.5  | 21.43 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | M | Outer_Full      | 20.58 | 21.51 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | M | Edge_1RB_Left   | 22.17 | 23.10 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | M | Inner_1RB_Left  | 23.7  | 24.63 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | M | Inner_1RB_Right | 23.64 | 24.57 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | M | Edge_1RB_Right  | 22.16 | 23.09 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | M | Inner_Full      | 23.53 | 24.46 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | M | Outer_Full      | 22.05 | 22.98 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | H | Edge_1RB_Left   | 23.93 | 24.86 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | H | Inner_1RB_Left  | 23.98 | 24.91 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | H | Inner_1RB_Right | 24.28 | 25.21 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | H | Edge_1RB_Right  | 24.23 | 25.16 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | H | Inner_Full      | 24.1  | 25.03 | PC3 | PASS |
| n7 | 15 | 20 | DFT-BPSK   | H | Outer_Full      | 24.07 | 25.00 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | H | Edge_1RB_Left   | 23.98 | 24.91 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | H | Inner_1RB_Left  | 23.95 | 24.88 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | H | Inner_1RB_Right | 24.24 | 25.17 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | H | Edge_1RB_Right  | 24.18 | 25.11 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | H | Inner_Full      | 24.11 | 25.04 | PC3 | PASS |
| n7 | 15 | 20 | DFT-QPSK   | H | Outer_Full      | 24.07 | 25.00 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | H | Edge_1RB_Left   | 22.83 | 23.76 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | H | Inner_1RB_Left  | 23.76 | 24.69 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | H | Inner_1RB_Right | 23.97 | 24.90 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | H | Edge_1RB_Right  | 23.16 | 24.09 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | H | Inner_Full      | 24.12 | 25.05 | PC3 | PASS |
| n7 | 15 | 20 | DFT-16QAM  | H | Outer_Full      | 23.05 | 23.98 | PC3 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A3

Page 11 of 65

|    |    |    |            |   |                 |       |       |     |      |
|----|----|----|------------|---|-----------------|-------|-------|-----|------|
| n7 | 15 | 20 | DFT-64QAM  | H | Edge_1RB_Left   | 22.52 | 23.45 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | H | Inner_1RB_Left  | 22.54 | 23.47 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | H | Inner_1RB_Right | 22.88 | 23.81 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | H | Edge_1RB_Right  | 22.84 | 23.77 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | H | Inner_Full      | 22.57 | 23.50 | PC3 | PASS |
| n7 | 15 | 20 | DFT-64QAM  | H | Outer_Full      | 22.51 | 23.44 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | H | Edge_1RB_Left   | 19.87 | 20.80 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | H | Inner_1RB_Left  | 19.89 | 20.82 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | H | Inner_1RB_Right | 20.27 | 21.20 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | H | Edge_1RB_Right  | 20.26 | 21.19 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | H | Inner_Full      | 20.5  | 21.43 | PC3 | PASS |
| n7 | 15 | 20 | DFT-256QAM | H | Outer_Full      | 20.54 | 21.47 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | H | Edge_1RB_Left   | 21.96 | 22.89 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | H | Inner_1RB_Left  | 23.49 | 24.42 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | H | Inner_1RB_Right | 23.79 | 24.72 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | H | Edge_1RB_Right  | 22.4  | 23.33 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | H | Inner_Full      | 23.59 | 24.52 | PC3 | PASS |
| n7 | 15 | 20 | CP-QPSK    | H | Outer_Full      | 22.1  | 23.03 | PC3 | PASS |




## Appendix B: Peak-to-Average Ratio

### Test Result


| Band | SCS | Bandwidth | Modulation | Channel | RB Config  | Result(dB) | Limit(dB) | Verdict |
|------|-----|-----------|------------|---------|------------|------------|-----------|---------|
| n7   | 15  | 5         | DFT-BPSK   | L       | Outer_Full | 4.44       | ≤13dB     | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | L       | Outer_Full | 5.56       | ≤13dB     | PASS    |
| n7   | 15  | 5         | DFT-BPSK   | M       | Outer_Full | 4.54       | ≤13dB     | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | M       | Outer_Full | 5.62       | ≤13dB     | PASS    |
| n7   | 15  | 5         | DFT-BPSK   | H       | Outer_Full | 4.12       | ≤13dB     | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | H       | Outer_Full | 5.58       | ≤13dB     | PASS    |
| n7   | 15  | 10        | DFT-BPSK   | L       | Outer_Full | 4.5        | ≤13dB     | PASS    |
| n7   | 15  | 10        | DFT-QPSK   | L       | Outer_Full | 5.38       | ≤13dB     | PASS    |
| n7   | 15  | 10        | DFT-BPSK   | M       | Outer_Full | 4.7        | ≤13dB     | PASS    |
| n7   | 15  | 10        | DFT-QPSK   | M       | Outer_Full | 5.56       | ≤13dB     | PASS    |
| n7   | 15  | 10        | DFT-BPSK   | H       | Outer_Full | 4.56       | ≤13dB     | PASS    |
| n7   | 15  | 10        | DFT-QPSK   | H       | Outer_Full | 5.52       | ≤13dB     | PASS    |
| n7   | 15  | 15        | DFT-BPSK   | L       | Outer_Full | 4.44       | ≤13dB     | PASS    |
| n7   | 15  | 15        | DFT-QPSK   | L       | Outer_Full | 5.16       | ≤13dB     | PASS    |
| n7   | 15  | 15        | DFT-BPSK   | M       | Outer_Full | 4.56       | ≤13dB     | PASS    |
| n7   | 15  | 15        | DFT-QPSK   | M       | Outer_Full | 5.58       | ≤13dB     | PASS    |
| n7   | 15  | 15        | DFT-BPSK   | H       | Outer_Full | 4.44       | ≤13dB     | PASS    |
| n7   | 15  | 15        | DFT-QPSK   | H       | Outer_Full | 5.32       | ≤13dB     | PASS    |
| n7   | 15  | 20        | DFT-BPSK   | L       | Outer_Full | 4.58       | ≤13dB     | PASS    |
| n7   | 15  | 20        | DFT-QPSK   | L       | Outer_Full | 5.48       | ≤13dB     | PASS    |
| n7   | 15  | 20        | DFT-BPSK   | M       | Outer_Full | 4.3        | ≤13dB     | PASS    |
| n7   | 15  | 20        | DFT-QPSK   | M       | Outer_Full | 5.5        | ≤13dB     | PASS    |
| n7   | 15  | 20        | DFT-BPSK   | H       | Outer_Full | 4.58       | ≤13dB     | PASS    |
| n7   | 15  | 20        | DFT-QPSK   | H       | Outer_Full | 5.48       | ≤13dB     | PASS    |




## Test Graphs




NTNV-n7-PC3-15-5-L-DFT-BPSK-Outter\_Full-PASS




NTNV-n7-PC3-15-5-L-DFT-QPSK-Outter\_Full-PASS




NTNV-n7-PC3-15-5-M-DFT-BPSK-Outter\_Full-PASS




NTNV-n7-PC3-15-5-M-DFT-QPSK-Outter\_Full-PASS




NTNV-n7-PC3-15-5-H-DFT-BPSK-Outter\_Full-PASS




NTNV-n7-PC3-15-5-H-DFT-QPSK-Outter\_Full-PASS




NTNV-n7-PC3-15-10-L-DFT-BPSK-Outer\_Full-PASS




NTNV-n7-PC3-15-10-L-DFT-QPSK-Outer\_Full-PASS




NTNV-n7-PC3-15-10-M-DFT-BPSK-Outer\_Full-PASS



NTNV-n7-PC3-15-10-M-DFT-QPSK-Outer\_Full-PASS



NTNV-n7-PC3-15-10-H-DFT-BPSK-Outer\_Full-PASS




NTNV-n7-PC3-15-10-H-DFT-QPSK-Outer\_Full-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A3


Page 15 of 65




NTNV-n7-PC3-15-15-L-DFT-BPSK-Outer\_Full-PASS




NTNV-n7-PC3-15-15-L-DFT-QPSK-Outer\_Full-PASS




NTNV-n7-PC3-15-15-M-DFT-BPSK-Outer\_Full-PASS




NTNV-n7-PC3-15-15-M-DFT-QPSK-Outer\_Full-PASS




NTNV-n7-PC3-15-15-H-DFT-BPSK-Outer\_Full-PASS




NTNV-n7-PC3-15-15-H-DFT-QPSK-Outer\_Full-PASS




NTNV-n7-PC3-15-20-L-DFT-BPSK-Outer\_Full-PASS




NTNV-n7-PC3-15-20-L-DFT-QPSK-Outer\_Full-PASS




NTNV-n7-PC3-15-20-M-DFT-BPSK-Outer\_Full-PASS



NTNV-n7-PC3-15-20-M-DFT-QPSK-Outer\_Full-PASS



NTNV-n7-PC3-15-20-H-DFT-BPSK-Outer\_Full-PASS



NTNV-n7-PC3-15-20-H-DFT-QPSK-Outer\_Full-PASS



## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result

| Band | SCS | Bandwidth | Modulation | Channel | RB Config  | 99% OBW (MHz) | 26dB BW (MHz) | Verdict |
|------|-----|-----------|------------|---------|------------|---------------|---------------|---------|
| n7   | 15  | 5         | DFT-BPSK   | L       | Outer_Full | 4.477         | 4.970         | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | L       | Outer_Full | 4.479         | 4.910         | PASS    |
| n7   | 15  | 5         | DFT-16QAM  | L       | Outer_Full | 4.491         | 4.890         | PASS    |
| n7   | 15  | 5         | DFT-64QAM  | L       | Outer_Full | 4.476         | 4.980         | PASS    |
| n7   | 15  | 5         | DFT-256QAM | L       | Outer_Full | 4.494         | 5.050         | PASS    |
| n7   | 15  | 5         | DFT-BPSK   | M       | Outer_Full | 4.472         | 4.990         | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | M       | Outer_Full | 4.478         | 4.910         | PASS    |
| n7   | 15  | 5         | DFT-16QAM  | M       | Outer_Full | 4.486         | 4.960         | PASS    |
| n7   | 15  | 5         | DFT-64QAM  | M       | Outer_Full | 4.479         | 4.990         | PASS    |
| n7   | 15  | 5         | DFT-256QAM | M       | Outer_Full | 4.481         | 5.100         | PASS    |
| n7   | 15  | 5         | DFT-BPSK   | H       | Outer_Full | 4.47          | 4.890         | PASS    |
| n7   | 15  | 5         | DFT-QPSK   | H       | Outer_Full | 4.479         | 4.820         | PASS    |
| n7   | 15  | 5         | DFT-16QAM  | H       | Outer_Full | 4.477         | 4.950         | PASS    |
| n7   | 15  | 5         | DFT-64QAM  | H       | Outer_Full | 4.467         | 4.870         | PASS    |
| n7   | 15  | 5         | DFT-256QAM | H       | Outer_Full | 4.485         | 5.020         | PASS    |
| n7   | 15  | 10        | DFT-BPSK   | L       | Outer_Full | 8.917         | 9.480         | PASS    |
| n7   | 15  | 10        | DFT-QPSK   | L       | Outer_Full | 8.925         | 9.500         | PASS    |
| n7   | 15  | 10        | DFT-16QAM  | L       | Outer_Full | 8.963         | 9.640         | PASS    |
| n7   | 15  | 10        | DFT-64QAM  | L       | Outer_Full | 8.943         | 9.520         | PASS    |
| n7   | 15  | 10        | DFT-256QAM | L       | Outer_Full | 8.939         | 9.640         | PASS    |
| n7   | 15  | 10        | DFT-BPSK   | M       | Outer_Full | 8.925         | 9.560         | PASS    |
| n7   | 15  | 10        | DFT-QPSK   | M       | Outer_Full | 8.94          | 9.640         | PASS    |
| n7   | 15  | 10        | DFT-16QAM  | M       | Outer_Full | 8.968         | 9.680         | PASS    |
| n7   | 15  | 10        | DFT-64QAM  | M       | Outer_Full | 8.932         | 9.720         | PASS    |
| n7   | 15  | 10        | DFT-256QAM | M       | Outer_Full | 8.934         | 9.600         | PASS    |
| n7   | 15  | 10        | DFT-BPSK   | H       | Outer_Full | 8.908         | 9.680         | PASS    |
| n7   | 15  | 10        | DFT-QPSK   | H       | Outer_Full | 8.931         | 9.540         | PASS    |
| n7   | 15  | 10        | DFT-16QAM  | H       | Outer_Full | 8.952         | 9.540         | PASS    |
| n7   | 15  | 10        | DFT-64QAM  | H       | Outer_Full | 8.944         | 9.480         | PASS    |
| n7   | 15  | 10        | DFT-256QAM | H       | Outer_Full | 8.916         | 9.640         | PASS    |
| n7   | 15  | 15        | DFT-BPSK   | L       | Outer_Full | 13.44         | 14.430        | PASS    |
| n7   | 15  | 15        | DFT-QPSK   | L       | Outer_Full | 13.449        | 14.340        | PASS    |
| n7   | 15  | 15        | DFT-16QAM  | L       | Outer_Full | 13.454        | 14.400        | PASS    |
| n7   | 15  | 15        | DFT-64QAM  | L       | Outer_Full | 13.432        | 14.340        | PASS    |
| n7   | 15  | 15        | DFT-256QAM | L       | Outer_Full | 13.475        | 14.400        | PASS    |
| n7   | 15  | 15        | DFT-BPSK   | M       | Outer_Full | 13.444        | 14.430        | PASS    |
| n7   | 15  | 15        | DFT-QPSK   | M       | Outer_Full | 13.442        | 14.280        | PASS    |