



## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Conducted power (dBm) | ERP(dBm) or EIRP(dBm) | Limit | Verdict |
|-------|-----------|------------|---------|------------------|-----------------------|-----------------------|-------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 23.86                 | 25.51                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#2            | 23.88                 | 25.53                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | 23.82                 | 25.47                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#0            | 23.90                 | 25.55                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#1            | 23.87                 | 25.52                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#3            | 23.90                 | 25.55                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 22.90                 | 24.55                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 23.90                 | 25.55                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#2            | 23.87                 | 25.52                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#5            | 23.86                 | 25.51                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#0            | 23.90                 | 25.55                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#1            | 23.87                 | 25.52                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#3            | 23.81                 | 25.46                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 22.87                 | 24.52                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 23.63                 | 25.28                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#2            | 23.64                 | 25.29                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | 23.61                 | 25.26                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#0            | 23.63                 | 25.28                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#1            | 23.61                 | 25.26                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#3            | 23.59                 | 25.24                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 22.63                 | 24.28                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | 22.75                 | 24.40                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#2            | 22.85                 | 24.50                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#5            | 22.71                 | 24.36                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#0            | 22.85                 | 24.50                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#1            | 22.87                 | 24.52                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#3            | 22.93                 | 24.58                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | 21.89                 | 23.54                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | 22.86                 | 24.51                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#2            | 22.93                 | 24.58                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#5            | 22.79                 | 24.44                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#0            | 22.80                 | 24.45                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#1            | 22.88                 | 24.53                 | 33.01 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#3            | 22.81                 | 24.46                 | 33.01 | PASS    |



|       |        |       |       |        |       |       |       |      |
|-------|--------|-------|-------|--------|-------|-------|-------|------|
| Band2 | 1.4MHz | 16QAM | 18900 | 6RB#0  | 21.91 | 23.56 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#0  | 22.55 | 24.20 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#2  | 22.67 | 24.32 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#5  | 22.49 | 24.14 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#0  | 22.51 | 24.16 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#1  | 22.59 | 24.24 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#3  | 22.64 | 24.29 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0  | 21.61 | 23.26 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#0  | 23.90 | 25.55 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#8  | 23.94 | 25.59 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#14 | 23.85 | 25.50 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#0  | 22.92 | 24.57 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#4  | 22.92 | 24.57 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#7  | 22.88 | 24.53 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | 22.88 | 24.53 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#0  | 23.88 | 25.53 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#8  | 23.90 | 25.55 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#14 | 23.78 | 25.43 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#0  | 22.85 | 24.50 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#4  | 22.90 | 24.55 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#7  | 22.87 | 24.52 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | 22.86 | 24.51 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#0  | 23.49 | 25.14 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#8  | 23.67 | 25.32 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#14 | 23.58 | 25.23 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#0  | 22.62 | 24.27 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#4  | 22.61 | 24.26 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#7  | 22.65 | 24.30 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | 22.59 | 24.24 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#0  | 22.87 | 24.52 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#8  | 22.91 | 24.56 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#14 | 22.86 | 24.51 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 8RB#0  | 21.87 | 23.52 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 8RB#4  | 21.81 | 23.46 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 8RB#7  | 21.88 | 23.53 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | 21.88 | 23.53 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 1RB#0  | 22.70 | 24.35 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 1RB#8  | 22.93 | 24.58 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 1RB#14 | 22.85 | 24.50 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 8RB#0  | 21.95 | 23.60 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 8RB#4  | 21.89 | 23.54 | 33.01 | PASS |



|       |      |       |       |         |       |       |       |      |
|-------|------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 3MHz | 16QAM | 18900 | 8RB#7   | 21.87 | 23.52 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 15RB#0  | 21.84 | 23.49 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#0   | 22.37 | 24.02 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#8   | 22.63 | 24.28 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#14  | 22.62 | 24.27 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#0   | 21.51 | 23.16 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#4   | 21.57 | 23.22 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#7   | 21.63 | 23.28 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0  | 21.61 | 23.26 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#0   | 23.79 | 25.44 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#12  | 23.93 | 25.58 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#24  | 23.87 | 25.52 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#0  | 22.86 | 24.51 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#6  | 22.81 | 24.46 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#13 | 22.86 | 24.51 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0  | 22.88 | 24.53 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#0   | 23.79 | 25.44 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#12  | 23.84 | 25.49 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#24  | 23.75 | 25.40 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#0  | 22.84 | 24.49 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#6  | 22.84 | 24.49 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#13 | 22.84 | 24.49 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0  | 22.84 | 24.49 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#0   | 23.51 | 25.16 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#12  | 23.60 | 25.25 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#24  | 23.65 | 25.30 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#0  | 22.54 | 24.19 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#6  | 22.54 | 24.19 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#13 | 22.57 | 24.22 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0  | 22.61 | 24.26 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#0   | 23.10 | 24.75 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#12  | 22.93 | 24.58 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#24  | 22.99 | 24.64 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#0  | 21.81 | 23.46 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#6  | 21.86 | 23.51 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#13 | 21.84 | 23.49 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 25RB#0  | 21.88 | 23.53 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#0   | 22.75 | 24.40 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#12  | 22.71 | 24.36 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#24  | 22.93 | 24.58 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 12RB#0  | 21.86 | 23.51 | 33.01 | PASS |



|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 5MHz  | 16QAM | 18900 | 12RB#6  | 21.82 | 23.47 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 12RB#13 | 21.98 | 23.63 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0  | 21.82 | 23.47 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#0   | 22.68 | 24.33 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#12  | 22.71 | 24.36 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#24  | 22.82 | 24.47 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#0  | 21.54 | 23.19 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#6  | 21.57 | 23.22 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#13 | 21.60 | 23.25 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0  | 21.52 | 23.17 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0   | 23.89 | 25.54 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#24  | 23.94 | 25.59 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#49  | 23.86 | 25.51 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#0  | 22.84 | 24.49 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#12 | 22.89 | 24.54 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#25 | 22.85 | 24.50 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0  | 22.85 | 24.50 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0   | 23.82 | 25.47 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#24  | 23.94 | 25.59 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#49  | 23.79 | 25.44 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#0  | 22.86 | 24.51 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#12 | 22.85 | 24.50 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#25 | 22.85 | 24.50 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0  | 22.88 | 24.53 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0   | 23.61 | 25.26 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#24  | 23.64 | 25.29 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#49  | 23.67 | 25.32 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#0  | 22.48 | 24.13 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#12 | 22.50 | 24.15 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#25 | 22.62 | 24.27 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0  | 22.52 | 24.17 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0   | 22.68 | 24.33 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#24  | 22.89 | 24.54 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#49  | 22.79 | 24.44 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#0  | 21.87 | 23.52 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#12 | 21.88 | 23.53 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#25 | 21.81 | 23.46 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0  | 21.85 | 23.50 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0   | 22.89 | 24.54 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#24  | 22.89 | 24.54 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#49  | 22.74 | 24.39 | 33.01 | PASS |



|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 10MHz | 16QAM | 18900 | 25RB#0  | 21.90 | 23.55 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#12 | 21.88 | 23.53 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#25 | 21.89 | 23.54 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0  | 21.90 | 23.55 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0   | 22.53 | 24.18 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#24  | 22.45 | 24.10 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#49  | 22.52 | 24.17 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#0  | 21.51 | 23.16 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#12 | 21.53 | 23.18 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#25 | 21.62 | 23.27 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0  | 21.53 | 23.18 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0   | 23.66 | 25.31 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#38  | 23.64 | 25.29 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#74  | 23.74 | 25.39 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 38RB#0  | 22.70 | 24.35 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 38RB#18 | 22.72 | 24.37 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 38RB#37 | 22.67 | 24.32 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0  | 22.70 | 24.35 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0   | 23.68 | 25.33 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#38  | 23.68 | 25.33 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#74  | 23.57 | 25.22 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 38RB#0  | 22.72 | 24.37 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 38RB#18 | 22.71 | 24.36 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 38RB#37 | 22.75 | 24.40 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0  | 22.75 | 24.40 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0   | 23.45 | 25.10 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#38  | 23.45 | 25.10 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#74  | 23.42 | 25.07 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 38RB#0  | 22.40 | 24.05 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 38RB#18 | 22.39 | 24.04 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 38RB#37 | 22.45 | 24.10 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0  | 22.41 | 24.06 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0   | 22.69 | 24.34 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#38  | 22.56 | 24.21 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#74  | 22.71 | 24.36 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 38RB#0  | 22.72 | 24.37 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 38RB#18 | 22.70 | 24.35 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 38RB#37 | 22.71 | 24.36 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0  | 21.70 | 23.35 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0   | 22.68 | 24.33 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#38  | 22.73 | 24.38 | 33.01 | PASS |



|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 15MHz | 16QAM | 18900 | 1RB#74  | 22.57 | 24.22 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 38RB#0  | 22.73 | 24.38 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 38RB#18 | 22.73 | 24.38 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 38RB#37 | 22.73 | 24.38 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0  | 21.76 | 23.41 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0   | 22.29 | 23.94 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#38  | 22.31 | 23.96 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#74  | 22.41 | 24.06 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 38RB#0  | 22.39 | 24.04 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 38RB#18 | 22.40 | 24.05 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 38RB#37 | 22.38 | 24.03 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0  | 21.44 | 23.09 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0   | 23.63 | 25.28 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#49  | 23.69 | 25.34 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#99  | 23.68 | 25.33 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#0  | 22.72 | 24.37 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#25 | 22.76 | 24.41 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#50 | 22.69 | 24.34 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | 22.78 | 24.43 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0   | 23.71 | 25.36 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#49  | 23.67 | 25.32 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#99  | 23.52 | 25.17 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#0  | 22.75 | 24.40 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#25 | 22.71 | 24.36 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#50 | 22.68 | 24.33 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | 22.73 | 24.38 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0   | 23.62 | 25.27 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#49  | 23.48 | 25.13 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#99  | 23.40 | 25.05 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#0  | 22.47 | 24.12 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#25 | 22.45 | 24.10 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#50 | 22.49 | 24.14 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | 22.53 | 24.18 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0   | 22.69 | 24.34 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#49  | 22.56 | 24.21 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#99  | 22.69 | 24.34 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#0  | 21.78 | 23.43 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#25 | 21.71 | 23.36 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#50 | 21.68 | 23.33 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | 21.74 | 23.39 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0   | 22.70 | 24.35 | 33.01 | PASS |



|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 20MHz | 16QAM | 18900 | 1RB#49  | 22.66 | 24.31 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#99  | 22.60 | 24.25 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#0  | 21.69 | 23.34 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#25 | 21.69 | 23.34 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#50 | 21.72 | 23.37 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | 21.70 | 23.35 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0   | 22.40 | 24.05 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#49  | 22.15 | 23.80 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#99  | 22.15 | 23.80 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 50RB#0  | 21.51 | 23.16 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 50RB#25 | 21.47 | 23.12 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 50RB#50 | 21.49 | 23.14 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 100RB#0 | 21.54 | 23.19 | 33.01 | PASS |

$EIRP = PT + GT - LC$ ,  $ERP = EIRP - 2.15$ , where

PT = Conducted output power(dBm);

GT = gain of the transmitting antenna(dBi);



## Appendix B: Peak-to-Average Ratio(CCDF)

### Test Result


| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|-------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 4.84       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 5.24       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 5.02       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 5.30       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 4.48       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 4.70       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | 5.10       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 15RB#0           | 5.16       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 1RB#0            | 4.92       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 15RB#0           | 5.30       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 1RB#0            | 4.56       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 15RB#0           | 4.88       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 1RB#0            | 5.12       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 25RB#0           | 5.18       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18900   | 1RB#0            | 4.74       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18900   | 25RB#0           | 5.32       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 1RB#0            | 4.84       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 25RB#0           | 5.02       | 13        | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 1RB#0            | 4.72       | 13        | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 50RB#0           | 5.12       | 13        | PASS    |
| Band2 | 10MHz     | QPSK       | 18900   | 1RB#0            | 4.84       | 13        | PASS    |
| Band2 | 10MHz     | QPSK       | 18900   | 50RB#0           | 5.34       | 13        | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 1RB#0            | 4.78       | 13        | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 50RB#0           | 5.22       | 13        | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 1RB#0            | 4.88       | 13        | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 75RB#0           | 5.26       | 13        | PASS    |
| Band2 | 15MHz     | QPSK       | 18900   | 1RB#0            | 4.88       | 13        | PASS    |
| Band2 | 15MHz     | QPSK       | 18900   | 75RB#0           | 5.72       | 13        | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 1RB#0            | 4.36       | 13        | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 75RB#0           | 5.66       | 13        | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 1RB#0            | 4.82       | 13        | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 100RB#0          | 5.22       | 13        | PASS    |
| Band2 | 20MHz     | QPSK       | 18900   | 1RB#0            | 4.90       | 13        | PASS    |
| Band2 | 20MHz     | QPSK       | 18900   | 100RB#0          | 5.40       | 13        | PASS    |
| Band2 | 20MHz     | QPSK       | 19100   | 1RB#0            | 4.06       | 13        | PASS    |




|       |       |      |       |         |      |    |      |
|-------|-------|------|-------|---------|------|----|------|
| Band2 | 20MHz | QPSK | 19100 | 100RB#0 | 5.38 | 13 | PASS |
|-------|-------|------|-------|---------|------|----|------|




## Test Graphs




Band2-1.4MHz-QPSK-18607-1RB#0-PASS




Band2-1.4MHz-QPSK-18607-6RB#0-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-PASS




Band2-1.4MHz-QPSK-18900-6RB#0-PASS




Band2-1.4MHz-QPSK-19193-1RB#0-PASS




Band2-1.4MHz-QPSK-19193-6RB#0-PASS




Band2-3MHz-QPSK-18615-1RB#0-PASS




Band2-3MHz-QPSK-18615-15RB#0-PASS




Band2-3MHz-QPSK-18900-1RB#0-PASS




Band2-3MHz-QPSK-18900-15RB#0-PASS




Band2-3MHz-QPSK-19185-1RB#0-PASS




Band2-3MHz-QPSK-19185-15RB#0-PASS




Band2-5MHz-QPSK-18625-1RB#0-PASS




Band2-5MHz-QPSK-18625-25RB#0-PASS




Band2-5MHz-QPSK-18900-1RB#0-PASS




Band2-5MHz-QPSK-18900-25RB#0-PASS




Band2-5MHz-QPSK-19175-1RB#0-PASS




Band2-5MHz-QPSK-19175-25RB#0-PASS




Band2-10MHz-QPSK-18650-1RB#0-PASS




Band2-10MHz-QPSK-18650-50RB#0-PASS




Band2-10MHz-QPSK-18900-1RB#0-PASS




Band2-10MHz-QPSK-18900-50RB#0-PASS




Band2-10MHz-QPSK-19150-1RB#0-PASS




Band2-10MHz-QPSK-19150-50RB#0-PASS




Band2-15MHz-QPSK-18675-1RB#0-PASS




Band2-15MHz-QPSK-18675-75RB#0-PASS




Band2-15MHz-QPSK-18900-1RB#0-PASS




Band2-15MHz-QPSK-18900-75RB#0-PASS




Band2-15MHz-QPSK-19125-1RB#0-PASS




Band2-15MHz-QPSK-19125-75RB#0-PASS




Band2-20MHz-QPSK-18700-1RB#0-PASS




Band2-20MHz-QPSK-18700-100RB#0-PASS




Band2-20MHz-QPSK-18900-1RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS



Band2-20MHz-QPSK-19100-1RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS



## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result


| Band  | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|-------|-----------|------------|---------|------------------|--------------------------|----------------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 1.088                    | 1.32                 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 1.085                    | 1.28                 | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 1.084                    | 1.33                 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | 1.095                    | 1.33                 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | 1.095                    | 1.32                 | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 6RB#0            | 1.086                    | 1.32                 | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 15RB#0           | 2.689                    | 3.02                 | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 15RB#0           | 2.706                    | 2.97                 | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 15RB#0           | 2.7                      | 2.98                 | PASS    |
| Band2 | 3MHz      | 16QAM      | 18615   | 15RB#0           | 2.7                      | 2.98                 | PASS    |
| Band2 | 3MHz      | 16QAM      | 18900   | 15RB#0           | 2.712                    | 2.99                 | PASS    |
| Band2 | 3MHz      | 16QAM      | 19185   | 15RB#0           | 2.684                    | 3.02                 | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 25RB#0           | 4.488                    | 5.10                 | PASS    |
| Band2 | 5MHz      | QPSK       | 18900   | 25RB#0           | 4.516                    | 5.11                 | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 25RB#0           | 4.507                    | 5.20                 | PASS    |
| Band2 | 5MHz      | 16QAM      | 18625   | 25RB#0           | 4.506                    | 5.09                 | PASS    |
| Band2 | 5MHz      | 16QAM      | 18900   | 25RB#0           | 4.513                    | 5.09                 | PASS    |
| Band2 | 5MHz      | 16QAM      | 19175   | 25RB#0           | 4.517                    | 5.05                 | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 50RB#0           | 9.024                    | 9.80                 | PASS    |
| Band2 | 10MHz     | QPSK       | 18900   | 50RB#0           | 8.982                    | 9.90                 | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 50RB#0           | 9                        | 9.73                 | PASS    |
| Band2 | 10MHz     | 16QAM      | 18650   | 50RB#0           | 9.005                    | 9.87                 | PASS    |
| Band2 | 10MHz     | 16QAM      | 18900   | 50RB#0           | 9.011                    | 9.87                 | PASS    |
| Band2 | 10MHz     | 16QAM      | 19150   | 50RB#0           | 9.001                    | 9.93                 | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 75RB#0           | 13.46                    | 14.75                | PASS    |
| Band2 | 15MHz     | QPSK       | 18900   | 75RB#0           | 13.484                   | 15.00                | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 75RB#0           | 13.521                   | 14.75                | PASS    |
| Band2 | 15MHz     | 16QAM      | 18675   | 75RB#0           | 13.451                   | 14.70                | PASS    |
| Band2 | 15MHz     | 16QAM      | 18900   | 75RB#0           | 13.462                   | 14.70                | PASS    |
| Band2 | 15MHz     | 16QAM      | 19125   | 75RB#0           | 13.46                    | 14.60                | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 100RB#0          | 18.019                   | 19.40                | PASS    |
| Band2 | 20MHz     | QPSK       | 18900   | 100RB#0          | 18.036                   | 19.53                | PASS    |
| Band2 | 20MHz     | QPSK       | 19100   | 100RB#0          | 18.042                   | 19.73                | PASS    |
| Band2 | 20MHz     | 16QAM      | 18700   | 100RB#0          | 17.894                   | 19.67                | PASS    |




|       |       |       |       |         |        |       |      |
|-------|-------|-------|-------|---------|--------|-------|------|
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | 18.058 | 19.40 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 100RB#0 | 18.009 | 19.67 | PASS |




## Test Graphs



Band2-1.4MHz-QPSK-18607-6RB#0-PASS




Band2-1.4MHz-QPSK-18900-6RB#0-PASS




Band2-1.4MHz-QPSK-19193-6RB#0-PASS




Band2-1.4MHz-16QAM-18607-6RB#0-PASS




Band2-1.4MHz-16QAM-18900-6RB#0-PASS



Band2-1.4MHz-16QAM-19193-6RB#0-PASS



09:50:30 上午 05/26/2025



09:50:48 上午 05/26/2025

Band2-3MHz-QPSK-18615-15RB#0-PASS

Band2-3MHz-QPSK-18900-15RB#0-PASS




09:51:04 上午 05/26/2025




09:59:48 下午 03/28/2025

Band2-3MHz-QPSK-19185-15RB#0-PASS

Band2-3MHz-16QAM-18615-15RB#0-PASS




06:00:01 下午 03/28/2025




06:00:14 下午 03/28/2025

Band2-3MHz-16QAM-18900-15RB#0-PASS


Band2-3MHz-16QAM-19185-15RB#0-PASS




Band2-5MHz-QPSK-18625-25RB#0-PASS




Band2-5MHz-QPSK-18900-25RB#0-PASS



Band2-5MHz-QPSK-19175-25RB#0-PASS




Band2-5MHz-16QAM-18625-25RB#0-PASS




Band2-5MHz-16QAM-18900-25RB#0-PASS



Band2-5MHz-16QAM-19175-25RB#0-PASS




10:13:54 上午 05/26/2025




10:14:12 上午 05/26/2025

Band2-10MHz-QPSK-18650-50RB#0-PASS

Band2-10MHz-QPSK-18900-50RB#0-PASS




10:14:29 上午 05/26/2025




06:44:02 下午 03/28/2025

Band2-10MHz-QPSK-19150-50RB#0-PASS

Band2-10MHz-16QAM-18650-50RB#0-PASS




06:44:15 下午 03/28/2025




06:44:27 下午 03/28/2025

Band2-10MHz-16QAM-18900-50RB#0-PASS

Band2-10MHz-16QAM-19150-50RB#0-PASS



10:25:52 上午 05/26/2025




10:26:10 上午 05/26/2025

Band2-15MHz-QPSK-18675-75RB#0-PASS

Band2-15MHz-QPSK-18900-75RB#0-PASS




10:26:28 上午 05/26/2025




07:14:41 下午 03/28/2025

Band2-15MHz-QPSK-19125-75RB#0-PASS

Band2-15MHz-16QAM-18675-75RB#0-PASS




07:14:54 下午 03/28/2025




07:15:07 下午 03/28/2025

Band2-15MHz-16QAM-18900-75RB#0-PASS

Band2-15MHz-16QAM-19125-75RB#0-PASS




10:37:39 上午 05/26/2025



10:37:57 上午 05/26/2025

Band2-20MHz-QPSK-18700-100RB#0-PASS

Band2-20MHz-QPSK-18900-100RB#0-PASS




10:38:15 上午 05/26/2025




07:22:49 下午 03/28/2025

Band2-20MHz-QPSK-19100-100RB#0-PASS

Band2-20MHz-16QAM-18700-100RB#0-PASS



07:23:02 下午 03/28/2025



07:23:14 下午 03/28/2025

Band2-20MHz-16QAM-18900-100RB#0-PASS

Band2-20MHz-16QAM-19100-100RB#0-PASS



## Appendix D: Band Edge

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | Verdict |
|-------|-----------|------------|---------|------------------|-------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | -21.37      | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | -41.19      | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | -26.27      | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | -40.28      | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | -20.01      | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | -20.82      | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | -22.20      | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#14           | -41.79      | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 15RB#0           | -23.26      | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 1RB#0            | -40.74      | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 1RB#14           | -19.02      | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 15RB#0           | -18.38      | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 1RB#0            | -21.42      | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 1RB#24           | -42.01      | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 25RB#0           | -25.02      | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 1RB#0            | -39.73      | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 1RB#24           | -20.42      | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 25RB#0           | -21.98      | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 1RB#0            | -27.46      | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 1RB#49           | -42.88      | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 50RB#0           | -27.08      | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 1RB#0            | -41.05      | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 1RB#49           | -25.61      | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 50RB#0           | -26.08      | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 1RB#0            | -25.45      | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 1RB#74           | -42.78      | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 75RB#0           | -28.33      | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 1RB#0            | -40.79      | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 1RB#74           | -25.70      | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 75RB#0           | -26.81      | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 1RB#0            | -26.70      | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 1RB#99           | -37.59      | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 100RB#0          | -31.20      | PASS    |
| Band2 | 20MHz     | QPSK       | 19100   | 1RB#0            | -41.62      | PASS    |
| Band2 | 20MHz     | QPSK       | 19100   | 1RB#99           | -25.23      | PASS    |
| Band2 | 20MHz     | QPSK       | 19100   | 100RB#0          | -27.61      | PASS    |