



Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted power (dBm)	ERP(dBm) or EIRP(dBm)	Limit	Verdict
26(814-824)	1.4MHz	QPSK	26697	1RB#0	24.12	24.19	38.45	PASS
26(814-824)	1.4MHz	QPSK	26697	1RB#2	24.13	24.20	38.45	PASS
26(814-824)	1.4MHz	QPSK	26697	1RB#5	24.13	24.20	38.45	PASS
26(814-824)	1.4MHz	QPSK	26697	3RB#0	24.13	24.20	38.45	PASS
26(814-824)	1.4MHz	QPSK	26697	3RB#1	24.15	24.22	38.45	PASS
26(814-824)	1.4MHz	QPSK	26697	3RB#3	24.13	24.20	38.45	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	23.13	23.20	38.45	PASS
26(814-824)	1.4MHz	QPSK	26740	1RB#0	24.05	24.12	38.45	PASS
26(814-824)	1.4MHz	QPSK	26740	1RB#2	24.07	24.14	38.45	PASS
26(814-824)	1.4MHz	QPSK	26740	1RB#5	24.04	24.11	38.45	PASS
26(814-824)	1.4MHz	QPSK	26740	3RB#0	24.10	24.17	38.45	PASS
26(814-824)	1.4MHz	QPSK	26740	3RB#1	24.11	24.18	38.45	PASS
26(814-824)	1.4MHz	QPSK	26740	3RB#3	24.10	24.17	38.45	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	23.10	23.17	38.45	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#0	24.04	24.11	38.45	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#2	24.11	24.18	38.45	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#5	23.99	24.06	38.45	PASS
26(814-824)	1.4MHz	QPSK	26783	3RB#0	24.05	24.12	38.45	PASS
26(814-824)	1.4MHz	QPSK	26783	3RB#1	24.12	24.19	38.45	PASS
26(814-824)	1.4MHz	QPSK	26783	3RB#3	24.07	24.14	38.45	PASS
26(814-824)	1.4MHz	QPSK	26783	6RB#0	23.07	23.14	38.45	PASS
26(814-824)	1.4MHz	16QAM	26697	1RB#0	23.11	23.18	38.45	PASS
26(814-824)	1.4MHz	16QAM	26697	1RB#2	23.13	23.20	38.45	PASS
26(814-824)	1.4MHz	16QAM	26697	1RB#5	22.99	23.06	38.45	PASS
26(814-824)	1.4MHz	16QAM	26697	3RB#0	23.15	23.22	38.45	PASS
26(814-824)	1.4MHz	16QAM	26697	3RB#1	23.13	23.20	38.45	PASS
26(814-824)	1.4MHz	16QAM	26697	3RB#3	23.07	23.14	38.45	PASS
26(814-824)	1.4MHz	16QAM	26697	6RB#0	22.19	22.26	38.45	PASS
26(814-824)	1.4MHz	16QAM	26740	1RB#0	22.89	22.96	38.45	PASS
26(814-824)	1.4MHz	16QAM	26740	1RB#2	23.06	23.13	38.45	PASS
26(814-824)	1.4MHz	16QAM	26740	1RB#5	22.93	23.00	38.45	PASS
26(814-824)	1.4MHz	16QAM	26740	3RB#0	23.10	23.17	38.45	PASS
26(814-824)	1.4MHz	16QAM	26740	3RB#1	23.06	23.13	38.45	PASS
26(814-824)	1.4MHz	16QAM	26740	3RB#3	23.16	23.23	38.45	PASS



26(814-824)	1.4MHz	16QAM	26740	6RB#0	21.95	22.02	38.45	PASS
26(814-824)	1.4MHz	16QAM	26783	1RB#0	22.87	22.94	38.45	PASS
26(814-824)	1.4MHz	16QAM	26783	1RB#2	23.10	23.17	38.45	PASS
26(814-824)	1.4MHz	16QAM	26783	1RB#5	23.02	23.09	38.45	PASS
26(814-824)	1.4MHz	16QAM	26783	3RB#0	23.13	23.20	38.45	PASS
26(814-824)	1.4MHz	16QAM	26783	3RB#1	23.04	23.11	38.45	PASS
26(814-824)	1.4MHz	16QAM	26783	3RB#3	23.11	23.18	38.45	PASS
26(814-824)	1.4MHz	16QAM	26783	6RB#0	22.03	22.10	38.45	PASS
26(814-824)	3MHz	QPSK	26705	1RB#0	24.06	24.13	38.45	PASS
26(814-824)	3MHz	QPSK	26705	1RB#8	24.09	24.16	38.45	PASS
26(814-824)	3MHz	QPSK	26705	1RB#14	24.03	24.10	38.45	PASS
26(814-824)	3MHz	QPSK	26705	8RB#0	23.10	23.17	38.45	PASS
26(814-824)	3MHz	QPSK	26705	8RB#4	23.12	23.19	38.45	PASS
26(814-824)	3MHz	QPSK	26705	8RB#7	23.10	23.17	38.45	PASS
26(814-824)	3MHz	QPSK	26705	15RB#0	23.09	23.16	38.45	PASS
26(814-824)	3MHz	QPSK	26740	1RB#0	24.00	24.07	38.45	PASS
26(814-824)	3MHz	QPSK	26740	1RB#8	24.08	24.15	38.45	PASS
26(814-824)	3MHz	QPSK	26740	1RB#14	23.99	24.06	38.45	PASS
26(814-824)	3MHz	QPSK	26740	8RB#0	23.06	23.13	38.45	PASS
26(814-824)	3MHz	QPSK	26740	8RB#4	23.08	23.15	38.45	PASS
26(814-824)	3MHz	QPSK	26740	8RB#7	23.04	23.11	38.45	PASS
26(814-824)	3MHz	QPSK	26740	15RB#0	23.07	23.14	38.45	PASS
26(814-824)	3MHz	QPSK	26775	1RB#0	23.99	24.06	38.45	PASS
26(814-824)	3MHz	QPSK	26775	1RB#8	24.16	24.23	38.45	PASS
26(814-824)	3MHz	QPSK	26775	1RB#14	24.05	24.12	38.45	PASS
26(814-824)	3MHz	QPSK	26775	8RB#0	23.11	23.18	38.45	PASS
26(814-824)	3MHz	QPSK	26775	8RB#4	23.10	23.17	38.45	PASS
26(814-824)	3MHz	QPSK	26775	8RB#7	23.12	23.19	38.45	PASS
26(814-824)	3MHz	QPSK	26775	15RB#0	23.09	23.16	38.45	PASS
26(814-824)	3MHz	16QAM	26705	1RB#0	22.87	22.94	38.45	PASS
26(814-824)	3MHz	16QAM	26705	1RB#8	23.37	23.44	38.45	PASS
26(814-824)	3MHz	16QAM	26705	1RB#14	22.99	23.06	38.45	PASS
26(814-824)	3MHz	16QAM	26705	8RB#0	22.10	22.17	38.45	PASS
26(814-824)	3MHz	16QAM	26705	8RB#4	22.12	22.19	38.45	PASS
26(814-824)	3MHz	16QAM	26705	8RB#7	22.10	22.17	38.45	PASS
26(814-824)	3MHz	16QAM	26705	15RB#0	22.16	22.23	38.45	PASS
26(814-824)	3MHz	16QAM	26740	1RB#0	22.98	23.05	38.45	PASS
26(814-824)	3MHz	16QAM	26740	1RB#8	23.02	23.09	38.45	PASS
26(814-824)	3MHz	16QAM	26740	1RB#14	23.04	23.11	38.45	PASS
26(814-824)	3MHz	16QAM	26740	8RB#0	22.15	22.22	38.45	PASS
26(814-824)	3MHz	16QAM	26740	8RB#4	22.04	22.11	38.45	PASS



26(814-824)	3MHz	16QAM	26740	8RB#7	22.10	22.17	38.45	PASS
26(814-824)	3MHz	16QAM	26740	15RB#0	22.05	22.12	38.45	PASS
26(814-824)	3MHz	16QAM	26775	1RB#0	23.03	23.10	38.45	PASS
26(814-824)	3MHz	16QAM	26775	1RB#8	22.99	23.06	38.45	PASS
26(814-824)	3MHz	16QAM	26775	1RB#14	23.11	23.18	38.45	PASS
26(814-824)	3MHz	16QAM	26775	8RB#0	22.13	22.20	38.45	PASS
26(814-824)	3MHz	16QAM	26775	8RB#4	22.14	22.21	38.45	PASS
26(814-824)	3MHz	16QAM	26775	8RB#7	22.08	22.15	38.45	PASS
26(814-824)	3MHz	16QAM	26775	15RB#0	22.09	22.16	38.45	PASS
26(814-824)	5MHz	QPSK	26715	1RB#0	24.12	24.19	38.45	PASS
26(814-824)	5MHz	QPSK	26715	1RB#12	24.11	24.18	38.45	PASS
26(814-824)	5MHz	QPSK	26715	1RB#24	24.04	24.11	38.45	PASS
26(814-824)	5MHz	QPSK	26715	12RB#0	23.16	23.23	38.45	PASS
26(814-824)	5MHz	QPSK	26715	12RB#6	23.14	23.21	38.45	PASS
26(814-824)	5MHz	QPSK	26715	12RB#13	23.08	23.15	38.45	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	23.14	23.21	38.45	PASS
26(814-824)	5MHz	QPSK	26740	1RB#0	24.10	24.17	38.45	PASS
26(814-824)	5MHz	QPSK	26740	1RB#12	24.07	24.14	38.45	PASS
26(814-824)	5MHz	QPSK	26740	1RB#24	24.03	24.10	38.45	PASS
26(814-824)	5MHz	QPSK	26740	12RB#0	23.06	23.13	38.45	PASS
26(814-824)	5MHz	QPSK	26740	12RB#6	23.13	23.20	38.45	PASS
26(814-824)	5MHz	QPSK	26740	12RB#13	23.09	23.16	38.45	PASS
26(814-824)	5MHz	QPSK	26740	25RB#0	23.10	23.17	38.45	PASS
26(814-824)	5MHz	QPSK	26765	1RB#0	24.05	24.12	38.45	PASS
26(814-824)	5MHz	QPSK	26765	1RB#12	24.08	24.15	38.45	PASS
26(814-824)	5MHz	QPSK	26765	1RB#24	24.03	24.10	38.45	PASS
26(814-824)	5MHz	QPSK	26765	12RB#0	23.03	23.10	38.45	PASS
26(814-824)	5MHz	QPSK	26765	12RB#6	23.16	23.23	38.45	PASS
26(814-824)	5MHz	QPSK	26765	12RB#13	23.10	23.17	38.45	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	23.09	23.16	38.45	PASS
26(814-824)	5MHz	16QAM	26715	1RB#0	23.19	23.26	38.45	PASS
26(814-824)	5MHz	16QAM	26715	1RB#12	23.25	23.32	38.45	PASS
26(814-824)	5MHz	16QAM	26715	1RB#24	22.93	23.00	38.45	PASS
26(814-824)	5MHz	16QAM	26715	12RB#0	22.08	22.15	38.45	PASS
26(814-824)	5MHz	16QAM	26715	12RB#6	22.22	22.29	38.45	PASS
26(814-824)	5MHz	16QAM	26715	12RB#13	22.14	22.21	38.45	PASS
26(814-824)	5MHz	16QAM	26715	25RB#0	22.10	22.17	38.45	PASS
26(814-824)	5MHz	16QAM	26740	1RB#0	23.16	23.23	38.45	PASS
26(814-824)	5MHz	16QAM	26740	1RB#12	23.04	23.11	38.45	PASS
26(814-824)	5MHz	16QAM	26740	1RB#24	22.94	23.01	38.45	PASS
26(814-824)	5MHz	16QAM	26740	12RB#0	22.07	22.14	38.45	PASS



26(814-824)	5MHz	16QAM	26740	12RB#6	22.10	22.17	38.45	PASS
26(814-824)	5MHz	16QAM	26740	12RB#13	22.12	22.19	38.45	PASS
26(814-824)	5MHz	16QAM	26740	25RB#0	22.11	22.18	38.45	PASS
26(814-824)	5MHz	16QAM	26765	1RB#0	22.95	23.02	38.45	PASS
26(814-824)	5MHz	16QAM	26765	1RB#12	23.06	23.13	38.45	PASS
26(814-824)	5MHz	16QAM	26765	1RB#24	23.06	23.13	38.45	PASS
26(814-824)	5MHz	16QAM	26765	12RB#0	21.94	22.01	38.45	PASS
26(814-824)	5MHz	16QAM	26765	12RB#6	22.15	22.22	38.45	PASS
26(814-824)	5MHz	16QAM	26765	12RB#13	22.10	22.17	38.45	PASS
26(814-824)	5MHz	16QAM	26765	25RB#0	22.12	22.19	38.45	PASS
26(814-824)	10MHz	QPSK	26740	1RB#0	24.05	24.12	38.45	PASS
26(814-824)	10MHz	QPSK	26740	1RB#24	24.04	24.11	38.45	PASS
26(814-824)	10MHz	QPSK	26740	1RB#49	24.02	24.09	38.45	PASS
26(814-824)	10MHz	QPSK	26740	25RB#0	23.07	23.14	38.45	PASS
26(814-824)	10MHz	QPSK	26740	25RB#12	23.09	23.16	38.45	PASS
26(814-824)	10MHz	QPSK	26740	25RB#25	23.07	23.14	38.45	PASS
26(814-824)	10MHz	QPSK	26740	50RB#0	23.13	23.20	38.45	PASS
26(814-824)	10MHz	16QAM	26740	1RB#0	23.15	23.22	38.45	PASS
26(814-824)	10MHz	16QAM	26740	1RB#24	23.01	23.08	38.45	PASS
26(814-824)	10MHz	16QAM	26740	1RB#49	22.93	23.00	38.45	PASS
26(814-824)	10MHz	16QAM	26740	25RB#0	22.14	22.21	38.45	PASS
26(814-824)	10MHz	16QAM	26740	25RB#12	22.06	22.13	38.45	PASS
26(814-824)	10MHz	16QAM	26740	25RB#25	22.05	22.12	38.45	PASS
26(814-824)	10MHz	16QAM	26740	50RB#0	22.10	22.17	38.45	PASS

$EIRP = PT + GT - LC$, $ERP = EIRP - 2.15$, where

PT = Conducted output power(dBm);

GT = gain of the transmitting antenna(dBi);




Appendix B: Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
26(814-824)	1.4MHz	QPSK	26697	1RB#0	4.54	13	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	4.92	13	PASS
26(814-824)	1.4MHz	QPSK	26740	1RB#0	4.50	13	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	4.98	13	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#0	4.44	13	PASS
26(814-824)	1.4MHz	QPSK	26783	6RB#0	4.78	13	PASS
26(814-824)	3MHz	QPSK	26705	1RB#0	4.40	13	PASS
26(814-824)	3MHz	QPSK	26705	15RB#0	5.12	13	PASS
26(814-824)	3MHz	QPSK	26740	1RB#0	4.62	13	PASS
26(814-824)	3MHz	QPSK	26740	15RB#0	5.10	13	PASS
26(814-824)	3MHz	QPSK	26775	1RB#0	4.34	13	PASS
26(814-824)	3MHz	QPSK	26775	15RB#0	6.04	13	PASS
26(814-824)	5MHz	QPSK	26715	1RB#0	4.46	13	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	5.00	13	PASS
26(814-824)	5MHz	QPSK	26740	1RB#0	4.38	13	PASS
26(814-824)	5MHz	QPSK	26740	25RB#0	5.06	13	PASS
26(814-824)	5MHz	QPSK	26765	1RB#0	4.44	13	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	4.90	13	PASS
26(814-824)	10MHz	QPSK	26740	1RB#0	4.54	13	PASS
26(814-824)	10MHz	QPSK	26740	50RB#0	5.04	13	PASS




Test Graphs




26(814-824)-1.4MHz-QPSK-26697-1RB#0-PASS




26(814-824)-1.4MHz-QPSK-26697-6RB#0-PASS




26(814-824)-1.4MHz-QPSK-26740-1RB#0-PASS




26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS




26(814-824)-1.4MHz-QPSK-26783-1RB#0-PASS




26(814-824)-1.4MHz-QPSK-26783-6RB#0-PASS




26(814-824)-3MHz-QPSK-26705-1RB#0-PASS




26(814-824)-3MHz-QPSK-26705-15RB#0-PASS




26(814-824)-3MHz-QPSK-26740-1RB#0-PASS




26(814-824)-3MHz-QPSK-26740-15RB#0-PASS




26(814-824)-3MHz-QPSK-26775-1RB#0-PASS




26(814-824)-3MHz-QPSK-26775-15RB#0-PASS




26(814-824)-5MHz-QPSK-26715-1RB#0-PASS




26(814-824)-5MHz-QPSK-26715-25RB#0-PASS




26(814-824)-5MHz-QPSK-26740-1RB#0-PASS




26(814-824)-5MHz-QPSK-26740-25RB#0-PASS




26(814-824)-5MHz-QPSK-26765-1RB#0-PASS



26(814-824)-5MHz-QPSK-26765-25RB#0-PASS



26(814-824)-10MHz-QPSK-26740-1RB#0-PASS



26(814-824)-10MHz-QPSK-26740-50RB#0-PASS



Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
26(814-824)	1.4MHz	QPSK	26697	6RB#0	1.1	1.33	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	1.087	1.32	PASS
26(814-824)	1.4MHz	QPSK	26783	6RB#0	1.101	1.35	PASS
26(814-824)	1.4MHz	16QAM	26697	6RB#0	1.103	1.35	PASS
26(814-824)	1.4MHz	16QAM	26740	6RB#0	1.087	1.31	PASS
26(814-824)	1.4MHz	16QAM	26783	6RB#0	1.094	1.28	PASS
26(814-824)	3MHz	QPSK	26705	15RB#0	2.691	3.08	PASS
26(814-824)	3MHz	QPSK	26740	15RB#0	2.693	2.97	PASS
26(814-824)	3MHz	QPSK	26775	15RB#0	2.698	2.98	PASS
26(814-824)	3MHz	16QAM	26705	15RB#0	2.702	2.99	PASS
26(814-824)	3MHz	16QAM	26740	15RB#0	2.696	3.02	PASS
26(814-824)	3MHz	16QAM	26775	15RB#0	2.691	2.99	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	4.51	5.10	PASS
26(814-824)	5MHz	QPSK	26740	25RB#0	4.513	5.27	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	4.511	5.12	PASS
26(814-824)	5MHz	16QAM	26715	25RB#0	4.504	5.07	PASS
26(814-824)	5MHz	16QAM	26740	25RB#0	4.519	5.06	PASS
26(814-824)	5MHz	16QAM	26765	25RB#0	4.512	5.04	PASS
26(814-824)	10MHz	QPSK	26740	50RB#0	8.992	9.63	PASS
26(814-824)	10MHz	16QAM	26740	50RB#0	8.985	9.73	PASS



Test Graphs




12:03:01 下午 05/27/2025




12:03:24 下午 05/27/2025

26(814-824)-1.4MHz-QPSK-26697-6RB#0-PASS

26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS




12:03:48 下午 05/27/2025




06:05:41 下午 06/23/2025

26(814-824)-1.4MHz-QPSK-26783-6RB#0-PASS

26(814-824)-1.4MHz-16QAM-26697-6RB#0-PASS




06:05:56 下午 06/23/2025




06:06:11 下午 06/23/2025

26(814-824)-1.4MHz-16QAM-26740-6RB#0-PASS

26(814-824)-1.4MHz-16QAM-26783-6RB#0-PASS



05:41:40 下午 05/30/2025



05:41:56 下午 05/30/2025

26(814-824)-3MHz-QPSK-26705-15RB#0-PASS

26(814-824)-3MHz-QPSK-26740-15RB#0-PASS




05:42:14 下午 05/30/2025



06:04:27 下午 06/23/2025

26(814-824)-3MHz-QPSK-26775-15RB#0-PASS

26(814-824)-3MHz-16QAM-26705-15RB#0-PASS



06:04:40 下午 06/23/2025



06:04:55 下午 06/23/2025

26(814-824)-3MHz-16QAM-26740-15RB#0-PASS

26(814-824)-3MHz-16QAM-26775-15RB#0-PASS



05:49:14 下午 05/30/2025



05:49:24 下午 05/30/2025

26(814-824)-5MHz-QPSK-26715-25RB#0-PASS

26(814-824)-5MHz-QPSK-26740-25RB#0-PASS




05:49:32 下午 05/30/2025




06:07:09 下午 06/23/2025

26(814-824)-5MHz-QPSK-26765-25RB#0-PASS

26(814-824)-5MHz-16QAM-26715-25RB#0-PASS




06:07:22 下午 06/23/2025




06:07:35 下午 06/23/2025

26(814-824)-5MHz-16QAM-26740-25RB#0-PASS

26(814-824)-5MHz-16QAM-26765-25RB#0-PASS



26(814-824)-10MHz-QPSK-26740-50RB#0-PASS



26(814-824)-10MHz-16QAM-26740-50RB#0-PASS




Appendix D: Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
26(814-824)	1.4MHz	QPSK	26697	1RB#0	-15.05	PASS
26(814-824)	1.4MHz	QPSK	26697	1RB#5	-14.75	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	-17.97	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#0	-14.68	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#5	-21.62	PASS
26(814-824)	1.4MHz	QPSK	26783	6RB#0	-18.22	PASS
26(814-824)	3MHz	QPSK	26705	1RB#0	-17.65	PASS
26(814-824)	3MHz	QPSK	26705	1RB#14	-17.82	PASS
26(814-824)	3MHz	QPSK	26705	15RB#0	-21.19	PASS
26(814-824)	3MHz	QPSK	26775	1RB#0	-17.92	PASS
26(814-824)	3MHz	QPSK	26775	1RB#14	-17.81	PASS
26(814-824)	3MHz	QPSK	26775	15RB#0	-21.13	PASS
26(814-824)	5MHz	QPSK	26715	1RB#0	-22.09	PASS
26(814-824)	5MHz	QPSK	26715	1RB#24	-22.30	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	-23.65	PASS
26(814-824)	5MHz	QPSK	26765	1RB#0	-22.00	PASS
26(814-824)	5MHz	QPSK	26765	1RB#24	-22.25	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	-23.18	PASS
26(814-824)	10MHz	QPSK	26740	1RB#0	-33.36	PASS
26(814-824)	10MHz	QPSK	26740	1RB#49	-33.53	PASS
26(814-824)	10MHz	QPSK	26740	50RB#0	-30.21	PASS




Test Graphs




26(814-824)-1.4MHz-QPSK-26697-1RB#0-PASS




26(814-824)-1.4MHz-QPSK-26697-1RB#5-PASS




26(814-824)-1.4MHz-QPSK-26697-6RB#0-PASS





26(814-824)-1.4MHz-QPSK-26783-1RB#0-PASS



26(814-824)-1.4MHz-QPSK-26783-1RB#5-PASS





26(814-824)-1.4MHz-QPSK-26783-6RB#0-PASS





26(814-824)-3MHz-QPSK-26705-1RB#0-PASS

26(814-824)-3MHz-QPSK-26705-1RB#14-PASS




26(814-824)-3MHz-QPSK-26705-15RB#0-PASS

26(814-824)-3MHz-QPSK-26775-1RB#0-PASS




26(814-824)-3MHz-QPSK-26775-1RB#14-PASS

26(814-824)-3MHz-QPSK-26775-15RB#0-PASS



05:49:52 下午 05/30/2025




05:50:04 下午 05/30/2025

26(814-824)-5MHz-QPSK-26715-1RB#0-PASS

26(814-824)-5MHz-QPSK-26715-1RB#24-PASS




05:50:20 下午 05/30/2025



05:50:34 下午 05/30/2025

26(814-824)-5MHz-QPSK-26715-25RB#0-PASS

26(814-824)-5MHz-QPSK-26765-1RB#0-PASS




05:50:50 下午 05/30/2025



05:51:03 下午 05/30/2025


26(814-824)-5MHz-QPSK-26765-1RB#24-PASS

26(814-824)-5MHz-QPSK-26765-25RB#0-PASS




06:18:17 下午 05/30/2025

26(814-824)-10MHz-QPSK-26740-1RB#0-PASS



06:18:31 下午 05/30/2025

26(814-824)-10MHz-QPSK-26740-1RB#49-PASS



04:18:45 下午 05/30/2025

26(814-824)-10MHz-QPSK-26740-50RB#0-PASS




Appendix E: Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
26(814-824)	1.4MHz	QPSK	26697	1RB#0	30~1000	-57.09	PASS
26(814-824)	1.4MHz	QPSK	26697	1RB#0	1000~3000	-43.06	PASS
26(814-824)	1.4MHz	QPSK	26697	1RB#0	3000~10000	-41.08	PASS
26(814-824)	1.4MHz	QPSK	26740	1RB#0	30~1000	-57.97	PASS
26(814-824)	1.4MHz	QPSK	26740	1RB#0	1000~3000	-43.43	PASS
26(814-824)	1.4MHz	QPSK	26740	1RB#0	3000~10000	-41.07	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#0	30~1000	-57.16	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#0	1000~3000	-43.42	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#0	3000~10000	-41.16	PASS
26(814-824)	3MHz	QPSK	26705	1RB#0	30~1000	-57.13	PASS
26(814-824)	3MHz	QPSK	26705	1RB#0	1000~3000	-42.75	PASS
26(814-824)	3MHz	QPSK	26705	1RB#0	3000~10000	-40.87	PASS
26(814-824)	3MHz	QPSK	26740	1RB#0	30~1000	-57.18	PASS
26(814-824)	3MHz	QPSK	26740	1RB#0	1000~3000	-42.67	PASS
26(814-824)	3MHz	QPSK	26740	1RB#0	3000~10000	-41.00	PASS
26(814-824)	3MHz	QPSK	26775	1RB#0	30~1000	-57.02	PASS
26(814-824)	3MHz	QPSK	26775	1RB#0	1000~3000	-43.05	PASS
26(814-824)	3MHz	QPSK	26775	1RB#0	3000~10000	-40.91	PASS
26(814-824)	5MHz	QPSK	26715	1RB#0	30~1000	-39.64	PASS
26(814-824)	5MHz	QPSK	26715	1RB#0	1000~3000	-42.18	PASS
26(814-824)	5MHz	QPSK	26715	1RB#0	3000~10000	-40.86	PASS
26(814-824)	5MHz	QPSK	26740	1RB#0	30~1000	-57.75	PASS
26(814-824)	5MHz	QPSK	26740	1RB#0	1000~3000	-45.63	PASS
26(814-824)	5MHz	QPSK	26740	1RB#0	3000~10000	-41.21	PASS
26(814-824)	5MHz	QPSK	26765	1RB#0	30~1000	-58.14	PASS
26(814-824)	5MHz	QPSK	26765	1RB#0	1000~3000	-43.16	PASS
26(814-824)	5MHz	QPSK	26765	1RB#0	3000~10000	-40.81	PASS
26(814-824)	10MHz	QPSK	26740	1RB#0	30~1000	-57.42	PASS
26(814-824)	10MHz	QPSK	26740	1RB#0	1000~3000	-42.80	PASS
26(814-824)	10MHz	QPSK	26740	1RB#0	3000~10000	-41.27	PASS




Test Graphs




26(814-824)-1.4MHz-QPSK-26697-1RB#0-30~1000-PASS




26(814-824)-1.4MHz-QPSK-26697-1RB#0-1000~3000-PASS




26(814-824)-1.4MHz-QPSK-26697-1RB#0-3000~10000-PASS




26(814-824)-1.4MHz-QPSK-26740-1RB#0-30~1000-PASS




26(814-824)-1.4MHz-QPSK-26740-1RB#0-1000~3000-PASS




26(814-824)-1.4MHz-QPSK-26740-1RB#0-3000~10000-PASS




26(814-824)-1.4MHz-QPSK-26783-1RB#0-30~1000-PASS




26(814-824)-1.4MHz-QPSK-26783-1RB#0-1000~3000-PASS




26(814-824)-1.4MHz-QPSK-26783-1RB#0-3000~10000-PASS




26(814-824)-3MHz-QPSK-26705-1RB#0-30~1000-PASS




26(814-824)-3MHz-QPSK-26705-1RB#0-1000~3000-PASS




26(814-824)-3MHz-QPSK-26705-1RB#0-3000~10000-PASS




26(814-824)-3MHz-QPSK-26740-1RB#0-30~1000-PASS




26(814-824)-3MHz-QPSK-26740-1RB#0-1000~3000-PASS




26(814-824)-3MHz-QPSK-26740-1RB#0-3000~10000-PASS




26(814-824)-3MHz-QPSK-26775-1RB#0-30~1000-PASS




26(814-824)-3MHz-QPSK-26775-1RB#0-1000~3000-PASS




26(814-824)-3MHz-QPSK-26775-1RB#0-3000~10000-PASS




26(814-824)-5MHz-QPSK-26715-1RB#0-30~1000-PASS




26(814-824)-5MHz-QPSK-26715-1RB#0-1000~3000-PASS




26(814-824)-5MHz-QPSK-26715-1RB#0-3000~10000-PASS




26(814-824)-5MHz-QPSK-26740-1RB#0-30~1000-PASS




26(814-824)-5MHz-QPSK-26740-1RB#0-1000~3000-PASS




26(814-824)-5MHz-QPSK-26740-1RB#0-3000~10000-PASS




26(814-824)-5MHz-QPSK-26765-1RB#0-30~1000-PASS




26(814-824)-5MHz-QPSK-26765-1RB#0-1000~3000-PASS




26(814-824)-5MHz-QPSK-26765-1RB#0-3000~10000-PASS



26(814-824)-10MHz-QPSK-26740-1RB#0-30~1000-PASS



26(814-824)-10MHz-QPSK-26740-1RB#0-1000~3000-PASS



26(814-824)-10MHz-QPSK-26740-1RB#0-3000~10000-PASS



Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth h	Modulation n	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
26(814-8 24)	1.4MHz	QPSK	26697	6RB#0	VN	NT	16.22	0.019909	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26697	6RB#0	VL	NT	17.38	0.021333	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26697	6RB#0	VH	NT	14.20	0.017430	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26740	6RB#0	VL	NT	-6.65	-0.008120	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26740	6RB#0	VH	NT	-4.09	-0.004994	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26740	6RB#0	VN	NT	-8.25	-0.010073	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26783	6RB#0	VN	NT	-22.52	-0.027353	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26783	6RB#0	VL	NT	-19.45	-0.023624	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26783	6RB#0	VH	NT	-14.15	-0.017187	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	VN	NT	2.03	0.002489	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	VL	NT	2.60	0.003188	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	VH	NT	1.12	0.001373	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26740	15RB#0	VN	NT	1.96	0.002393	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26740	15RB#0	VL	NT	0.99	0.001209	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26740	15RB#0	VH	NT	1.82	0.002222	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	VN	NT	4.26	0.005179	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	VL	NT	2.19	0.002663	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	VH	NT	3.56	0.004328	±2.5	PASS



24)										
26(814-8 24)	5MHz	QPSK	26715	25RB#0	VN	NT	-2.47	-0.003025	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26715	25RB#0	VL	NT	-1.23	-0.001506	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26715	25RB#0	VH	NT	-1.73	-0.002119	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	VN	NT	-2.12	-0.002589	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	VL	NT	1.67	0.002039	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	VH	NT	-2.15	-0.002625	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26765	25RB#0	VN	NT	2.78	0.003384	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26765	25RB#0	VL	NT	2.85	0.003469	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26765	25RB#0	VH	NT	1.99	0.002422	±2.5	PASS
26(814-8 24)	10MHz	QPSK	26740	50RB#0	VN	NT	1.23	0.001502	±2.5	PASS
26(814-8 24)	10MHz	QPSK	26740	50RB#0	VL	NT	-2.13	-0.002601	±2.5	PASS
26(814-8 24)	10MHz	QPSK	26740	50RB#0	VH	NT	-3.63	-0.004432	±2.5	PASS



Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-30	9.36	0.011489	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-20	5.71	0.007009	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-10	7.12	0.008739	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	0	5.92	0.007266	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	10	3.88	0.004762	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	20	-2.76	-0.003388	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	30	3.56	0.004370	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	40	3.43	0.004210	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	50	2.39	0.002934	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-30	-3.63	-0.004432	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-20	-3.81	-0.004652	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-10	-4.81	-0.005873	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	0	-3.78	-0.004615	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	10	-6.18	-0.007546	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	20	-7.07	-0.008632	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	30	-9.10	-0.011111	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	40	-13.10	-0.015995	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	50	-16.99	-0.020745	±2.5	PASS
26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	-30	-8.73	-0.010604	±2.5	PASS



26(814-8 24)	1.4MHz	QPSK	26783	6RB#0	NV	-20	-5.99	-0.007276	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26783	6RB#0	NV	-10	-4.66	-0.005660	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26783	6RB#0	NV	0	-4.32	-0.005247	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26783	6RB#0	NV	10	-3.16	-0.003838	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26783	6RB#0	NV	20	-3.96	-0.004810	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26783	6RB#0	NV	30	-3.89	-0.004725	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26783	6RB#0	NV	40	-1.79	-0.002174	±2.5	PASS
26(814-8 24)	1.4MHz	QPSK	26783	6RB#0	NV	50	-2.45	-0.002976	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	NV	-30	1.79	0.002195	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	NV	-20	2.35	0.002882	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	NV	-10	2.42	0.002968	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	NV	0	-3.30	-0.004047	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	NV	10	-0.87	-0.001067	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	NV	20	2.36	0.002894	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	NV	30	-2.10	-0.002575	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	NV	40	-1.79	-0.002195	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26705	15RB#0	NV	50	1.37	0.001680	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26740	15RB#0	NV	-30	3.53	0.004310	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26740	15RB#0	NV	-20	2.98	0.003639	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26740	15RB#0	NV	-10	-1.26	-0.001538	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26740	15RB#0	NV	0	2.02	0.002466	±2.5	PASS



24)										
26(814-8 24)	3MHz	QPSK	26740	15RB#0	NV	10	1.96	0.002393	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26740	15RB#0	NV	20	1.92	0.002344	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26740	15RB#0	NV	30	-2.13	-0.002601	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26740	15RB#0	NV	40	3.96	0.004835	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26740	15RB#0	NV	50	2.92	0.003565	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	NV	-30	3.18	0.003866	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	NV	-20	1.85	0.002249	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	NV	-10	-1.92	-0.002334	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	NV	0	-2.57	-0.003125	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	NV	10	-1.67	-0.002030	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	NV	20	-2.50	-0.003040	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	NV	30	-2.36	-0.002869	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	NV	40	-2.60	-0.003161	±2.5	PASS
26(814-8 24)	3MHz	QPSK	26775	15RB#0	NV	50	-1.47	-0.001787	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26715	25RB#0	NV	-30	-1.50	-0.001837	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26715	25RB#0	NV	-20	-2.43	-0.002976	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26715	25RB#0	NV	-10	-1.93	-0.002364	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26715	25RB#0	NV	0	-2.68	-0.003282	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26715	25RB#0	NV	10	-2.45	-0.003001	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26715	25RB#0	NV	20	-2.92	-0.003576	±2.5	PASS



26(814-8 24)	5MHz	QPSK	26715	25RB#0	NV	30	-2.05	-0.002511	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26715	25RB#0	NV	40	-3.39	-0.004152	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26715	25RB#0	NV	50	1.66	0.002033	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	NV	-30	-2.06	-0.002515	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	NV	-20	3.30	0.004029	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	NV	-10	3.39	0.004139	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	NV	0	4.46	0.005446	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	NV	10	4.25	0.005189	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	NV	20	2.89	0.003529	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	NV	30	3.79	0.004628	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	NV	40	4.32	0.005275	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26740	25RB#0	NV	50	5.05	0.006166	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26765	25RB#0	NV	-30	3.58	0.004358	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26765	25RB#0	NV	-20	-1.95	-0.002374	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26765	25RB#0	NV	-10	3.78	0.004601	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26765	25RB#0	NV	0	2.85	0.003469	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26765	25RB#0	NV	10	1.92	0.002337	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26765	25RB#0	NV	20	2.06	0.002508	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26765	25RB#0	NV	30	2.22	0.002702	±2.5	PASS
26(814-8 24)	5MHz	QPSK	26765	25RB#0	NV	40	3.79	0.004614	±2.5	PASS
26(814-8	5MHz	QPSK	26765	25RB#0	NV	50	2.86	0.003481	±2.5	PASS



24)										
26(814-8 24)	10MHz	QPSK	26740	50RB#0	NV	-30	-2.02	-0.002466	±2.5	PASS
26(814-8 24)	10MHz	QPSK	26740	50RB#0	NV	-20	-2.55	-0.003114	±2.5	PASS
26(814-8 24)	10MHz	QPSK	26740	50RB#0	NV	-10	-2.16	-0.002637	±2.5	PASS
26(814-8 24)	10MHz	QPSK	26740	50RB#0	NV	0	-2.75	-0.003358	±2.5	PASS
26(814-8 24)	10MHz	QPSK	26740	50RB#0	NV	10	-1.37	-0.001673	±2.5	PASS
26(814-8 24)	10MHz	QPSK	26740	50RB#0	NV	20	2.78	0.003394	±2.5	PASS
26(814-8 24)	10MHz	QPSK	26740	50RB#0	NV	30	-3.49	-0.004261	±2.5	PASS
26(814-8 24)	10MHz	QPSK	26740	50RB#0	NV	40	2.42	0.002955	±2.5	PASS
26(814-8 24)	10MHz	QPSK	26740	50RB#0	NV	50	-2.62	-0.003199	±2.5	PASS

-----END-----