

## 1 Conducted output power for NR FR1

| Band | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Allocation | Modulation | Power<br>(dBm) | Unflip EIRP<br>(dBm) | Flip EIRP<br>(dBm) | EIRP<br>Limit<br>(dBm) | Verdict |
|------|--------------|--------------------|---------------|------------------|------------|----------------|----------------------|--------------------|------------------------|---------|
| n7   | 15           | 5                  | 500500        | 12@6             | DFT_BPSK   | 22.83          | 21.85                | 21.33              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@1              | DFT_BPSK   | 22.89          | 21.91                | 21.39              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@23             | DFT_BPSK   | 22.92          | 21.94                | 21.42              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 12@6             | DFT_QPSK   | 22.85          | 21.87                | 21.35              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@1              | DFT_QPSK   | 22.63          | 21.65                | 21.13              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@23             | DFT_QPSK   | 22.70          | 21.72                | 21.20              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 12@6             | DFT_QAM16  | 22.00          | 21.02                | 20.50              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@1              | DFT_QAM16  | 22.12          | 21.14                | 20.62              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@23             | DFT_QAM16  | 21.86          | 20.88                | 20.36              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 12@6             | DFT_QAM64  | 20.39          | 19.41                | 18.89              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@1              | DFT_QAM64  | 20.61          | 19.63                | 19.11              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@23             | DFT_QAM64  | 20.37          | 19.39                | 18.87              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 12@6             | DFT_QAM256 | 18.64          | 17.66                | 17.14              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@1              | DFT_QAM256 | 18.93          | 17.95                | 17.43              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@23             | DFT_QAM256 | 18.67          | 17.69                | 17.17              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 13@6             | CP_QPSK    | 21.33          | 20.35                | 19.83              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@1              | CP_QPSK    | 21.33          | 20.35                | 19.83              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@23             | CP_QPSK    | 21.40          | 20.42                | 19.90              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 13@6             | CP_QAM16   | 20.98          | 20.00                | 19.48              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@1              | CP_QAM16   | 21.10          | 20.12                | 19.60              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@23             | CP_QAM16   | 20.98          | 20.00                | 19.48              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 13@6             | CP_QAM64   | 19.30          | 18.32                | 17.80              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@1              | CP_QAM64   | 19.27          | 18.29                | 17.77              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@23             | CP_QAM64   | 19.17          | 18.19                | 17.67              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 13@6             | CP_QAM256  | 16.54          | 15.56                | 15.04              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@1              | CP_QAM256  | 16.73          | 15.75                | 15.23              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 500500        | 1@23             | CP_QAM256  | 16.78          | 15.80                | 15.28              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 507000        | 12@6             | DFT_BPSK   | 22.97          | 21.99                | 21.47              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 507000        | 1@1              | DFT_BPSK   | 22.90          | 21.92                | 21.40              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 507000        | 1@23             | DFT_BPSK   | 22.95          | 21.97                | 21.45              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 507000        | 12@6             | DFT_QPSK   | 22.90          | 21.92                | 21.40              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 507000        | 1@1              | DFT_QPSK   | 22.82          | 21.84                | 21.32              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 507000        | 1@23             | DFT_QPSK   | 22.80          | 21.82                | 21.30              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 507000        | 12@6             | DFT_QAM16  | 22.02          | 21.04                | 20.52              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 507000        | 1@1              | DFT_QAM16  | 21.86          | 20.88                | 20.36              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 507000        | 1@23             | DFT_QAM16  | 21.87          | 20.89                | 20.37              | 38.45                  | PASS    |
| n7   | 15           | 5                  | 507000        | 12@6             | DFT_QAM64  | 20.47          | 19.49                | 18.97              | 38.45                  | PASS    |

|    |    |   |        |      |            |       |       |       |       |      |
|----|----|---|--------|------|------------|-------|-------|-------|-------|------|
| n7 | 15 | 5 | 507000 | 1@1  | DFT_QAM64  | 20.60 | 19.62 | 19.10 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | DFT_QAM64  | 19.93 | 18.95 | 18.43 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 12@6 | DFT_QAM256 | 18.73 | 17.75 | 17.23 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 1@1  | DFT_QAM256 | 18.97 | 17.99 | 17.47 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | DFT_QAM256 | 18.94 | 17.96 | 17.44 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 13@6 | CP_QPSK    | 21.37 | 20.39 | 19.87 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 1@1  | CP_QPSK    | 21.35 | 20.37 | 19.85 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | CP_QPSK    | 21.36 | 20.38 | 19.86 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 13@6 | CP_QAM16   | 21.02 | 20.04 | 19.52 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 1@1  | CP_QAM16   | 21.12 | 20.14 | 19.62 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | CP_QAM16   | 21.15 | 20.17 | 19.65 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 13@6 | CP_QAM64   | 19.27 | 18.29 | 17.77 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 1@1  | CP_QAM64   | 19.37 | 18.39 | 17.87 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | CP_QAM64   | 19.33 | 18.35 | 17.83 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 13@6 | CP_QAM256  | 16.60 | 15.62 | 15.10 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 1@1  | CP_QAM256  | 16.81 | 15.83 | 15.31 | 38.45 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | CP_QAM256  | 16.83 | 15.85 | 15.33 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 12@6 | DFT_BPSK   | 22.94 | 21.96 | 21.44 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@1  | DFT_BPSK   | 22.93 | 21.95 | 21.43 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | DFT_BPSK   | 22.92 | 21.94 | 21.42 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 12@6 | DFT_QPSK   | 22.94 | 21.96 | 21.44 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@1  | DFT_QPSK   | 22.80 | 21.82 | 21.30 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | DFT_QPSK   | 22.78 | 21.80 | 21.28 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 12@6 | DFT_QAM16  | 22.09 | 21.11 | 20.59 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@1  | DFT_QAM16  | 21.87 | 20.89 | 20.37 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | DFT_QAM16  | 22.23 | 21.25 | 20.73 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 12@6 | DFT_QAM64  | 20.53 | 19.55 | 19.03 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@1  | DFT_QAM64  | 19.99 | 19.01 | 18.49 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | DFT_QAM64  | 20.56 | 19.58 | 19.06 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 12@6 | DFT_QAM256 | 18.64 | 17.66 | 17.14 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@1  | DFT_QAM256 | 18.90 | 17.92 | 17.40 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | DFT_QAM256 | 18.88 | 17.90 | 17.38 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 13@6 | CP_QPSK    | 21.42 | 20.44 | 19.92 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@1  | CP_QPSK    | 21.39 | 20.41 | 19.89 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | CP_QPSK    | 21.41 | 20.43 | 19.91 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 13@6 | CP_QAM16   | 20.95 | 19.97 | 19.45 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@1  | CP_QAM16   | 21.19 | 20.21 | 19.69 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | CP_QAM16   | 21.19 | 20.21 | 19.69 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 13@6 | CP_QAM64   | 19.36 | 18.38 | 17.86 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@1  | CP_QAM64   | 19.46 | 18.48 | 17.96 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | CP_QAM64   | 19.38 | 18.40 | 17.88 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 13@6 | CP_QAM256  | 16.66 | 15.68 | 15.16 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@1  | CP_QAM256  | 16.76 | 15.78 | 15.26 | 38.45 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | CP_QAM256  | 16.80 | 15.82 | 15.30 | 38.45 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n7 | 15 | 10 | 501000 | 25@12 | DFT_BPSK   | 22.92 | 21.94 | 21.42 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@1   | DFT_BPSK   | 22.77 | 21.79 | 21.27 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@50  | DFT_BPSK   | 22.92 | 21.94 | 21.42 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 25@12 | DFT_QPSK   | 22.92 | 21.94 | 21.42 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@1   | DFT_QPSK   | 22.63 | 21.65 | 21.13 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@50  | DFT_QPSK   | 22.77 | 21.79 | 21.27 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 25@12 | DFT_QAM16  | 22.00 | 21.02 | 20.50 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@1   | DFT_QAM16  | 21.73 | 20.75 | 20.23 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@50  | DFT_QAM16  | 22.10 | 21.12 | 20.60 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 25@12 | DFT_QAM64  | 20.39 | 19.41 | 18.89 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@1   | DFT_QAM64  | 19.88 | 18.90 | 18.38 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@50  | DFT_QAM64  | 19.91 | 18.93 | 18.41 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 25@12 | DFT_QAM256 | 18.41 | 17.43 | 16.91 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@1   | DFT_QAM256 | 18.83 | 17.85 | 17.33 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@50  | DFT_QAM256 | 18.87 | 17.89 | 17.37 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 26@13 | CP_QPSK    | 21.43 | 20.45 | 19.93 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@1   | CP_QPSK    | 21.32 | 20.34 | 19.82 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@50  | CP_QPSK    | 21.36 | 20.38 | 19.86 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 26@13 | CP_QAM16   | 20.89 | 19.91 | 19.39 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@1   | CP_QAM16   | 21.10 | 20.12 | 19.60 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@50  | CP_QAM16   | 21.10 | 20.12 | 19.60 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 26@13 | CP_QAM64   | 19.30 | 18.32 | 17.80 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@1   | CP_QAM64   | 19.32 | 18.34 | 17.82 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@50  | CP_QAM64   | 19.48 | 18.50 | 17.98 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 26@13 | CP_QAM256  | 16.48 | 15.50 | 14.98 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@1   | CP_QAM256  | 16.65 | 15.67 | 15.15 | 38.45 | PASS |
| n7 | 15 | 10 | 501000 | 1@50  | CP_QAM256  | 16.82 | 15.84 | 15.32 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 25@12 | DFT_BPSK   | 22.95 | 21.97 | 21.45 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@1   | DFT_BPSK   | 22.89 | 21.91 | 21.39 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@50  | DFT_BPSK   | 22.92 | 21.94 | 21.42 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 25@12 | DFT_QPSK   | 22.94 | 21.96 | 21.44 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@1   | DFT_QPSK   | 22.80 | 21.82 | 21.30 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@50  | DFT_QPSK   | 22.86 | 21.88 | 21.36 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 25@12 | DFT_QAM16  | 22.00 | 21.02 | 20.50 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@1   | DFT_QAM16  | 21.80 | 20.82 | 20.30 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@50  | DFT_QAM16  | 22.13 | 21.15 | 20.63 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 25@12 | DFT_QAM64  | 20.39 | 19.41 | 18.89 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@1   | DFT_QAM64  | 20.59 | 19.61 | 19.09 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@50  | DFT_QAM64  | 20.71 | 19.73 | 19.21 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 25@12 | DFT_QAM256 | 18.65 | 17.67 | 17.15 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@1   | DFT_QAM256 | 18.85 | 17.87 | 17.35 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@50  | DFT_QAM256 | 18.94 | 17.96 | 17.44 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 26@13 | CP_QPSK    | 21.41 | 20.43 | 19.91 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@1   | CP_QPSK    | 21.40 | 20.42 | 19.90 | 38.45 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n7 | 15 | 10 | 507000 | 1@50  | CP_QPSK    | 21.57 | 20.59 | 20.07 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 26@13 | CP_QAM16   | 20.90 | 19.92 | 19.40 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@1   | CP_QAM16   | 21.06 | 20.08 | 19.56 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@50  | CP_QAM16   | 21.14 | 20.16 | 19.64 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 26@13 | CP_QAM64   | 19.40 | 18.42 | 17.90 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@1   | CP_QAM64   | 19.52 | 18.54 | 18.02 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@50  | CP_QAM64   | 19.73 | 18.75 | 18.23 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 26@13 | CP_QAM256  | 16.62 | 15.64 | 15.12 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@1   | CP_QAM256  | 16.71 | 15.73 | 15.21 | 38.45 | PASS |
| n7 | 15 | 10 | 507000 | 1@50  | CP_QAM256  | 16.81 | 15.83 | 15.31 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 25@12 | DFT_BPSK   | 23.00 | 22.02 | 21.50 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@1   | DFT_BPSK   | 22.80 | 21.82 | 21.30 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@50  | DFT_BPSK   | 22.89 | 21.91 | 21.39 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 25@12 | DFT_QPSK   | 22.99 | 22.01 | 21.49 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@1   | DFT_QPSK   | 22.70 | 21.72 | 21.20 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@50  | DFT_QPSK   | 22.81 | 21.83 | 21.31 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 25@12 | DFT_QAM16  | 22.01 | 21.03 | 20.51 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@1   | DFT_QAM16  | 21.72 | 20.74 | 20.22 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@50  | DFT_QAM16  | 22.15 | 21.17 | 20.65 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 25@12 | DFT_QAM64  | 20.43 | 19.45 | 18.93 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@1   | DFT_QAM64  | 20.37 | 19.39 | 18.87 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@50  | DFT_QAM64  | 20.54 | 19.56 | 19.04 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 25@12 | DFT_QAM256 | 18.54 | 17.56 | 17.04 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@1   | DFT_QAM256 | 18.80 | 17.82 | 17.30 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@50  | DFT_QAM256 | 19.01 | 18.03 | 17.51 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 26@13 | CP_QPSK    | 21.39 | 20.41 | 19.89 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@1   | CP_QPSK    | 21.37 | 20.39 | 19.87 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@50  | CP_QPSK    | 21.47 | 20.49 | 19.97 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 26@13 | CP_QAM16   | 21.04 | 20.06 | 19.54 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@1   | CP_QAM16   | 21.03 | 20.05 | 19.53 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@50  | CP_QAM16   | 21.25 | 20.27 | 19.75 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 26@13 | CP_QAM64   | 19.41 | 18.43 | 17.91 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@1   | CP_QAM64   | 19.21 | 18.23 | 17.71 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@50  | CP_QAM64   | 19.65 | 18.67 | 18.15 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 26@13 | CP_QAM256  | 16.64 | 15.66 | 15.14 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@1   | CP_QAM256  | 16.69 | 15.71 | 15.19 | 38.45 | PASS |
| n7 | 15 | 10 | 513000 | 1@50  | CP_QAM256  | 16.83 | 15.85 | 15.33 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 36@18 | DFT_BPSK   | 22.97 | 21.99 | 21.47 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@1   | DFT_BPSK   | 22.66 | 21.68 | 21.16 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@77  | DFT_BPSK   | 22.88 | 21.90 | 21.38 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 36@18 | DFT_QPSK   | 22.99 | 22.01 | 21.49 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@1   | DFT_QPSK   | 22.61 | 21.63 | 21.11 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@77  | DFT_QPSK   | 22.75 | 21.77 | 21.25 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 36@18 | DFT_QAM16  | 21.95 | 20.97 | 20.45 | 38.45 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n7 | 15 | 15 | 501500 | 1@1   | DFT_QAM16  | 21.64 | 20.66 | 20.14 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@77  | DFT_QAM16  | 21.80 | 20.82 | 20.30 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 36@18 | DFT_QAM64  | 20.46 | 19.48 | 18.96 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@1   | DFT_QAM64  | 20.32 | 19.34 | 18.82 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@77  | DFT_QAM64  | 20.45 | 19.47 | 18.95 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 36@18 | DFT_QAM256 | 18.50 | 17.52 | 17.00 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@1   | DFT_QAM256 | 18.85 | 17.87 | 17.35 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@77  | DFT_QAM256 | 18.82 | 17.84 | 17.32 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 39@19 | CP_QPSK    | 21.37 | 20.39 | 19.87 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@1   | CP_QPSK    | 21.21 | 20.23 | 19.71 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@77  | CP_QPSK    | 21.43 | 20.45 | 19.93 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 39@19 | CP_QAM16   | 20.95 | 19.97 | 19.45 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@1   | CP_QAM16   | 20.88 | 19.90 | 19.38 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@77  | CP_QAM16   | 21.06 | 20.08 | 19.56 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 39@19 | CP_QAM64   | 19.41 | 18.43 | 17.91 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@1   | CP_QAM64   | 19.38 | 18.40 | 17.88 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@77  | CP_QAM64   | 19.22 | 18.24 | 17.72 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 39@19 | CP_QAM256  | 16.52 | 15.54 | 15.02 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@1   | CP_QAM256  | 16.54 | 15.56 | 15.04 | 38.45 | PASS |
| n7 | 15 | 15 | 501500 | 1@77  | CP_QAM256  | 16.70 | 15.72 | 15.20 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 36@18 | DFT_BPSK   | 22.89 | 21.91 | 21.39 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@1   | DFT_BPSK   | 22.84 | 21.86 | 21.34 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@77  | DFT_BPSK   | 22.83 | 21.85 | 21.33 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 36@18 | DFT_QPSK   | 22.98 | 22.00 | 21.48 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@1   | DFT_QPSK   | 22.61 | 21.63 | 21.11 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@77  | DFT_QPSK   | 22.70 | 21.72 | 21.20 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 36@18 | DFT_QAM16  | 21.98 | 21.00 | 20.48 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@1   | DFT_QAM16  | 22.10 | 21.12 | 20.60 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@77  | DFT_QAM16  | 21.78 | 20.80 | 20.28 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 36@18 | DFT_QAM64  | 20.44 | 19.46 | 18.94 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@1   | DFT_QAM64  | 20.30 | 19.32 | 18.80 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@77  | DFT_QAM64  | 20.56 | 19.58 | 19.06 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 36@18 | DFT_QAM256 | 18.53 | 17.55 | 17.03 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@1   | DFT_QAM256 | 18.78 | 17.80 | 17.28 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@77  | DFT_QAM256 | 18.73 | 17.75 | 17.23 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 39@19 | CP_QPSK    | 21.39 | 20.41 | 19.89 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@1   | CP_QPSK    | 21.29 | 20.31 | 19.79 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@77  | CP_QPSK    | 21.43 | 20.45 | 19.93 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 39@19 | CP_QAM16   | 20.88 | 19.90 | 19.38 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@1   | CP_QAM16   | 20.94 | 19.96 | 19.44 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@77  | CP_QAM16   | 21.12 | 20.14 | 19.62 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 39@19 | CP_QAM64   | 19.42 | 18.44 | 17.92 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@1   | CP_QAM64   | 19.56 | 18.58 | 18.06 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@77  | CP_QAM64   | 19.18 | 18.20 | 17.68 | 38.45 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n7 | 15 | 15 | 507000 | 39@19 | CP_QAM256  | 16.65 | 15.67 | 15.15 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@1   | CP_QAM256  | 16.66 | 15.68 | 15.16 | 38.45 | PASS |
| n7 | 15 | 15 | 507000 | 1@77  | CP_QAM256  | 16.79 | 15.81 | 15.29 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 36@18 | DFT_BPSK   | 22.96 | 21.98 | 21.46 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@1   | DFT_BPSK   | 22.68 | 21.70 | 21.18 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@77  | DFT_BPSK   | 22.90 | 21.92 | 21.40 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 36@18 | DFT_QPSK   | 22.95 | 21.97 | 21.45 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@1   | DFT_QPSK   | 22.66 | 21.68 | 21.16 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@77  | DFT_QPSK   | 22.71 | 21.73 | 21.21 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 36@18 | DFT_QAM16  | 21.89 | 20.91 | 20.39 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@1   | DFT_QAM16  | 21.66 | 20.68 | 20.16 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@77  | DFT_QAM16  | 21.78 | 20.80 | 20.28 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 36@18 | DFT_QAM64  | 20.46 | 19.48 | 18.96 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@1   | DFT_QAM64  | 19.85 | 18.87 | 18.35 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@77  | DFT_QAM64  | 19.92 | 18.94 | 18.42 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 36@18 | DFT_QAM256 | 18.55 | 17.57 | 17.05 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@1   | DFT_QAM256 | 18.76 | 17.78 | 17.26 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@77  | DFT_QAM256 | 18.87 | 17.89 | 17.37 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 39@19 | CP_QPSK    | 21.41 | 20.43 | 19.91 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@1   | CP_QPSK    | 21.28 | 20.30 | 19.78 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@77  | CP_QPSK    | 21.46 | 20.48 | 19.96 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 39@19 | CP_QAM16   | 20.91 | 19.93 | 19.41 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@1   | CP_QAM16   | 21.03 | 20.05 | 19.53 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@77  | CP_QAM16   | 21.15 | 20.17 | 19.65 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 39@19 | CP_QAM64   | 19.41 | 18.43 | 17.91 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@1   | CP_QAM64   | 19.36 | 18.38 | 17.86 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@77  | CP_QAM64   | 19.36 | 18.38 | 17.86 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 39@19 | CP_QAM256  | 16.56 | 15.58 | 15.06 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@1   | CP_QAM256  | 16.60 | 15.62 | 15.10 | 38.45 | PASS |
| n7 | 15 | 15 | 512500 | 1@77  | CP_QAM256  | 16.72 | 15.74 | 15.22 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 50@25 | DFT_BPSK   | 22.91 | 21.93 | 21.41 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@1   | DFT_BPSK   | 22.81 | 21.83 | 21.31 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | DFT_BPSK   | 22.95 | 21.97 | 21.45 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 50@25 | DFT_QPSK   | 22.99 | 22.01 | 21.49 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@1   | DFT_QPSK   | 22.70 | 21.72 | 21.20 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | DFT_QPSK   | 22.80 | 21.82 | 21.30 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 50@25 | DFT_QAM16  | 21.92 | 20.94 | 20.42 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@1   | DFT_QAM16  | 22.04 | 21.06 | 20.54 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | DFT_QAM16  | 21.90 | 20.92 | 20.40 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 50@25 | DFT_QAM64  | 20.44 | 19.46 | 18.94 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@1   | DFT_QAM64  | 20.42 | 19.44 | 18.92 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | DFT_QAM64  | 20.63 | 19.65 | 19.13 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 50@25 | DFT_QAM256 | 18.60 | 17.62 | 17.10 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@1   | DFT_QAM256 | 18.77 | 17.79 | 17.27 | 38.45 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n7 | 15 | 20 | 502000 | 1@104 | DFT_QAM256 | 18.97 | 17.99 | 17.47 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 53@26 | CP_QPSK    | 21.43 | 20.45 | 19.93 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@1   | CP_QPSK    | 21.26 | 20.28 | 19.76 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | CP_QPSK    | 21.44 | 20.46 | 19.94 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 53@26 | CP_QAM16   | 20.86 | 19.88 | 19.36 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@1   | CP_QAM16   | 20.98 | 20.00 | 19.48 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | CP_QAM16   | 21.26 | 20.28 | 19.76 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 53@26 | CP_QAM64   | 19.45 | 18.47 | 17.95 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@1   | CP_QAM64   | 19.22 | 18.24 | 17.72 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | CP_QAM64   | 19.61 | 18.63 | 18.11 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 53@26 | CP_QAM256  | 16.55 | 15.57 | 15.05 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@1   | CP_QAM256  | 16.65 | 15.67 | 15.15 | 38.45 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | CP_QAM256  | 16.92 | 15.94 | 15.42 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 50@25 | DFT_BPSK   | 22.98 | 22.00 | 21.48 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@1   | DFT_BPSK   | 22.91 | 21.93 | 21.41 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_BPSK   | 22.86 | 21.88 | 21.36 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 50@25 | DFT_QPSK   | 23.00 | 22.02 | 21.50 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@1   | DFT_QPSK   | 22.76 | 21.78 | 21.26 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_QPSK   | 22.76 | 21.78 | 21.26 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 50@25 | DFT_QAM16  | 21.85 | 20.87 | 20.35 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@1   | DFT_QAM16  | 21.94 | 20.96 | 20.44 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_QAM16  | 21.95 | 20.97 | 20.45 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 50@25 | DFT_QAM64  | 20.46 | 19.48 | 18.96 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@1   | DFT_QAM64  | 20.46 | 19.48 | 18.96 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_QAM64  | 20.55 | 19.57 | 19.05 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 50@25 | DFT_QAM256 | 18.59 | 17.61 | 17.09 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@1   | DFT_QAM256 | 18.85 | 17.87 | 17.35 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_QAM256 | 19.03 | 18.05 | 17.53 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 53@26 | CP_QPSK    | 21.45 | 20.47 | 19.95 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@1   | CP_QPSK    | 21.27 | 20.29 | 19.77 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | CP_QPSK    | 21.33 | 20.35 | 19.83 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 53@26 | CP_QAM16   | 20.96 | 19.98 | 19.46 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@1   | CP_QAM16   | 21.16 | 20.18 | 19.66 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | CP_QAM16   | 21.27 | 20.29 | 19.77 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 53@26 | CP_QAM64   | 19.40 | 18.42 | 17.90 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@1   | CP_QAM64   | 19.77 | 18.79 | 18.27 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | CP_QAM64   | 19.81 | 18.83 | 18.31 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 53@26 | CP_QAM256  | 16.53 | 15.55 | 15.03 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@1   | CP_QAM256  | 16.56 | 15.58 | 15.06 | 38.45 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | CP_QAM256  | 16.53 | 15.55 | 15.03 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 50@25 | DFT_BPSK   | 22.95 | 21.97 | 21.45 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@1   | DFT_BPSK   | 22.86 | 21.88 | 21.36 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | DFT_BPSK   | 22.85 | 21.87 | 21.35 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 50@25 | DFT_QPSK   | 23.00 | 22.02 | 21.50 | 38.45 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n7 | 15 | 20 | 512000 | 1@1   | DFT_QPSK   | 22.69 | 21.71 | 21.19 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | DFT_QPSK   | 22.74 | 21.76 | 21.24 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 50@25 | DFT_QAM16  | 21.88 | 20.90 | 20.38 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@1   | DFT_QAM16  | 21.79 | 20.81 | 20.29 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | DFT_QAM16  | 21.76 | 20.78 | 20.26 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 50@25 | DFT_QAM64  | 20.41 | 19.43 | 18.91 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@1   | DFT_QAM64  | 20.26 | 19.28 | 18.76 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | DFT_QAM64  | 20.62 | 19.64 | 19.12 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 50@25 | DFT_QAM256 | 18.58 | 17.60 | 17.08 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@1   | DFT_QAM256 | 18.81 | 17.83 | 17.31 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | DFT_QAM256 | 18.87 | 17.89 | 17.37 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 53@26 | CP_QPSK    | 21.44 | 20.46 | 19.94 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@1   | CP_QPSK    | 21.25 | 20.27 | 19.75 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | CP_QPSK    | 21.43 | 20.45 | 19.93 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 53@26 | CP_QAM16   | 20.88 | 19.90 | 19.38 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@1   | CP_QAM16   | 21.05 | 20.07 | 19.55 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | CP_QAM16   | 21.14 | 20.16 | 19.64 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 53@26 | CP_QAM64   | 19.47 | 18.49 | 17.97 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@1   | CP_QAM64   | 19.29 | 18.31 | 17.79 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | CP_QAM64   | 19.62 | 18.64 | 18.12 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 53@26 | CP_QAM256  | 16.59 | 15.61 | 15.09 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@1   | CP_QAM256  | 16.68 | 15.70 | 15.18 | 38.45 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | CP_QAM256  | 16.79 | 15.81 | 15.29 | 38.45 | PASS |

## 2 Frequency stability for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Voltage (Vdc) | Result(Hz) | Result (ppm) | Limit (ppm)                         | Verdict |
|------|-----------|-----------------|------------|---------------|------------|---------------|------------|--------------|-------------------------------------|---------|
| n7   | 15        | 20              | 507000     | 50@25         | DFT_BPSK   | 3.89          | -8.00      | 0.00         | Within authorized band for 5G NR n7 | PASS    |
| n7   | 15        | 20              | 507000     | 1@1           | DFT_BPSK   | 3.45          | -9.20      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 1@104         | DFT_BPSK   | 4.48          | -10.01     | -0.01        |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_QPSK   | 3.89          | -7.99      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 1@1           | DFT_QPSK   | 3.45          | -8.32      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 1@104         | DFT_QPSK   | 4.48          | -9.65      | 0.00         |                                     | PASS    |

### NV:


| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Temperature(°C) | Result(Hz) | Result (ppm) | Limit (ppm)                         | Verdict |
|------|-----------|-----------------|------------|---------------|------------|-----------------|------------|--------------|-------------------------------------|---------|
| n7   | 15        | 20              | 507000     | 50@25         | DFT_BPSK   | -30             | -7.45      | 0.00         | Within authorized band for 5G NR n7 | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_BPSK   | -20             | -9.39      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_BPSK   | -10             | -10.12     | -0.01        |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_BPSK   | 0               | -7.73      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_BPSK   | 10              | -7.84      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_BPSK   | 20              | -9.21      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_BPSK   | 30              | -7.73      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_BPSK   | 40              | -9.09      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_BPSK   | 50              | -10.35     | -0.01        |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_QPSK   | -30             | -7.9       | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_QPSK   | -20             | -7.77      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_QPSK   | -10             | -9.63      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_QPSK   | 0               | -7.61      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_QPSK   | 10              | -9.56      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_QPSK   | 20              | -10.61     | -0.01        |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_QPSK   | 30              | -8.06      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_QPSK   | 40              | -8.25      | 0.00         |                                     | PASS    |
| n7   | 15        | 20              | 507000     | 50@25         | DFT_QPSK   | 50              | -9.16      | 0.00         |                                     | PASS    |

Note: Only the worst case shown in the report.


### 3 Peak-to-Average Ratio for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Result (dB) | high Limit (dB) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|-------------|-----------------|---------|
| n7   | 15        | 5               | 507000     | 25@0          | DFT_BPSK   | 4.50        | 13              | PASS    |
| n7   | 15        | 5               | 507000     | 25@0          | DFT_QPSK   | 5.59        | 13              | PASS    |
| n7   | 15        | 5               | 507000     | 25@0          | DFT_QAM16  | 6.35        | 13              | PASS    |
| n7   | 15        | 5               | 507000     | 25@0          | DFT_QAM64  | 6.95        | 13              | PASS    |
| n7   | 15        | 5               | 507000     | 25@0          | DFT_QAM256 | 7.13        | 13              | PASS    |
| n7   | 15        | 10              | 507000     | 50@0          | DFT_BPSK   | 4.52        | 13              | PASS    |
| n7   | 15        | 10              | 507000     | 50@0          | DFT_QPSK   | 5.61        | 13              | PASS    |
| n7   | 15        | 10              | 507000     | 50@0          | DFT_QAM16  | 6.46        | 13              | PASS    |
| n7   | 15        | 10              | 507000     | 50@0          | DFT_QAM64  | 6.75        | 13              | PASS    |
| n7   | 15        | 10              | 507000     | 50@0          | DFT_QAM256 | 7.26        | 13              | PASS    |
| n7   | 15        | 15              | 507000     | 75@0          | DFT_BPSK   | 4.68        | 13              | PASS    |
| n7   | 15        | 15              | 507000     | 75@0          | DFT_QPSK   | 5.82        | 13              | PASS    |
| n7   | 15        | 15              | 507000     | 75@0          | DFT_QAM16  | 6.45        | 13              | PASS    |
| n7   | 15        | 15              | 507000     | 75@0          | DFT_QAM64  | 6.78        | 13              | PASS    |
| n7   | 15        | 15              | 507000     | 75@0          | DFT_QAM256 | 7.33        | 13              | PASS    |
| n7   | 15        | 20              | 507000     | 100@0         | DFT_BPSK   | 4.61        | 13              | PASS    |
| n7   | 15        | 20              | 507000     | 100@0         | DFT_QPSK   | 5.77        | 13              | PASS    |
| n7   | 15        | 20              | 507000     | 100@0         | DFT_QAM16  | 6.38        | 13              | PASS    |
| n7   | 15        | 20              | 507000     | 100@0         | DFT_QAM64  | 6.78        | 13              | PASS    |
| n7   | 15        | 20              | 507000     | 100@0         | DFT_QAM256 | 7.06        | 13              | PASS    |


n7 SCS=15kHz DFT\_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_BPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_BPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT\_QAM16 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT\_QAM64 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT\_QAM256 BW=20MHz Channel=507000 RB=100@0




## 4 Occupied bandwidth for NR FR1


| Band | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Allocation | Modulation | 99% OBW<br>(MHz) | -26dB EBW<br>(MHz) | Verdict |
|------|--------------|--------------------|---------------|------------------|------------|------------------|--------------------|---------|
| n7   | 15           | 5                  | 500500        | 25@0             | DFT_BPSK   | 4.480            | 4.760              | PASS    |
| n7   | 15           | 5                  | 500500        | 25@0             | DFT_QPSK   | 4.500            | 4.780              | PASS    |
| n7   | 15           | 5                  | 500500        | 25@0             | DFT_QAM16  | 4.490            | 4.760              | PASS    |
| n7   | 15           | 5                  | 500500        | 25@0             | DFT_QAM64  | 4.500            | 4.770              | PASS    |
| n7   | 15           | 5                  | 500500        | 25@0             | DFT_QAM256 | 4.500            | 4.790              | PASS    |
| n7   | 15           | 5                  | 500500        | 25@0             | CP_QPSK    | 4.490            | 4.800              | PASS    |
| n7   | 15           | 5                  | 507000        | 25@0             | DFT_BPSK   | 4.490            | 4.770              | PASS    |
| n7   | 15           | 5                  | 507000        | 25@0             | DFT_QPSK   | 4.490            | 4.780              | PASS    |
| n7   | 15           | 5                  | 507000        | 25@0             | DFT_QAM16  | 4.480            | 4.770              | PASS    |
| n7   | 15           | 5                  | 507000        | 25@0             | DFT_QAM64  | 4.500            | 4.790              | PASS    |
| n7   | 15           | 5                  | 507000        | 25@0             | DFT_QAM256 | 4.500            | 4.770              | PASS    |
| n7   | 15           | 5                  | 507000        | 25@0             | CP_QPSK    | 4.490            | 4.790              | PASS    |
| n7   | 15           | 5                  | 513500        | 25@0             | DFT_BPSK   | 4.490            | 4.770              | PASS    |
| n7   | 15           | 5                  | 513500        | 25@0             | DFT_QPSK   | 4.490            | 4.780              | PASS    |
| n7   | 15           | 5                  | 513500        | 25@0             | DFT_QAM16  | 4.480            | 4.770              | PASS    |
| n7   | 15           | 5                  | 513500        | 25@0             | DFT_QAM64  | 4.500            | 4.790              | PASS    |
| n7   | 15           | 5                  | 513500        | 25@0             | DFT_QAM256 | 4.500            | 4.790              | PASS    |
| n7   | 15           | 5                  | 513500        | 25@0             | CP_QPSK    | 4.490            | 4.790              | PASS    |
| n7   | 15           | 10                 | 501000        | 50@0             | DFT_BPSK   | 9.200            | 9.480              | PASS    |
| n7   | 15           | 10                 | 501000        | 50@0             | DFT_QPSK   | 9.210            | 9.470              | PASS    |
| n7   | 15           | 10                 | 501000        | 50@0             | DFT_QAM16  | 9.220            | 9.480              | PASS    |
| n7   | 15           | 10                 | 501000        | 50@0             | DFT_QAM64  | 9.250            | 9.480              | PASS    |
| n7   | 15           | 10                 | 501000        | 50@0             | DFT_QAM256 | 9.220            | 9.480              | PASS    |
| n7   | 15           | 10                 | 501000        | 52@0             | CP_QPSK    | 9.330            | 9.830              | PASS    |
| n7   | 15           | 10                 | 507000        | 50@0             | DFT_BPSK   | 9.240            | 9.490              | PASS    |
| n7   | 15           | 10                 | 507000        | 50@0             | DFT_QPSK   | 9.240            | 9.500              | PASS    |
| n7   | 15           | 10                 | 507000        | 50@0             | DFT_QAM16  | 9.220            | 9.480              | PASS    |
| n7   | 15           | 10                 | 507000        | 50@0             | DFT_QAM64  | 9.200            | 9.470              | PASS    |
| n7   | 15           | 10                 | 507000        | 50@0             | DFT_QAM256 | 9.180            | 9.470              | PASS    |
| n7   | 15           | 10                 | 507000        | 52@0             | CP_QPSK    | 9.330            | 9.840              | PASS    |
| n7   | 15           | 10                 | 513000        | 50@0             | DFT_BPSK   | 9.200            | 9.470              | PASS    |
| n7   | 15           | 10                 | 513000        | 50@0             | DFT_QPSK   | 9.210            | 9.470              | PASS    |
| n7   | 15           | 10                 | 513000        | 50@0             | DFT_QAM16  | 9.220            | 9.480              | PASS    |
| n7   | 15           | 10                 | 513000        | 50@0             | DFT_QAM64  | 9.200            | 9.470              | PASS    |
| n7   | 15           | 10                 | 513000        | 50@0             | DFT_QAM256 | 9.210            | 9.480              | PASS    |
| n7   | 15           | 10                 | 513000        | 52@0             | CP_QPSK    | 9.330            | 9.840              | PASS    |
| n7   | 15           | 15                 | 501500        | 75@0             | DFT_BPSK   | 13.990           | 14.200             | PASS    |
| n7   | 15           | 15                 | 501500        | 75@0             | DFT_QPSK   | 14.000           | 14.200             | PASS    |
| n7   | 15           | 15                 | 501500        | 75@0             | DFT_QAM16  | 14.010           | 14.190             | PASS    |

|    |    |    |        |       |            |        |        |      |
|----|----|----|--------|-------|------------|--------|--------|------|
| n7 | 15 | 15 | 501500 | 75@0  | DFT_QAM64  | 14.010 | 14.200 | PASS |
| n7 | 15 | 15 | 501500 | 75@0  | DFT_QAM256 | 13.990 | 14.190 | PASS |
| n7 | 15 | 15 | 501500 | 79@0  | CP_QPSK    | 14.170 | 14.930 | PASS |
| n7 | 15 | 15 | 507000 | 75@0  | DFT_BPSK   | 13.990 | 14.200 | PASS |
| n7 | 15 | 15 | 507000 | 75@0  | DFT_QPSK   | 13.990 | 14.200 | PASS |
| n7 | 15 | 15 | 507000 | 75@0  | DFT_QAM16  | 14.000 | 14.210 | PASS |
| n7 | 15 | 15 | 507000 | 75@0  | DFT_QAM64  | 14.000 | 14.200 | PASS |
| n7 | 15 | 15 | 507000 | 75@0  | DFT_QAM256 | 13.950 | 14.180 | PASS |
| n7 | 15 | 15 | 507000 | 79@0  | CP_QPSK    | 14.170 | 14.920 | PASS |
| n7 | 15 | 15 | 512500 | 75@0  | DFT_BPSK   | 13.990 | 14.200 | PASS |
| n7 | 15 | 15 | 512500 | 75@0  | DFT_QPSK   | 14.000 | 14.210 | PASS |
| n7 | 15 | 15 | 512500 | 75@0  | DFT_QAM16  | 14.000 | 14.210 | PASS |
| n7 | 15 | 15 | 512500 | 75@0  | DFT_QAM64  | 14.010 | 14.200 | PASS |
| n7 | 15 | 15 | 512500 | 75@0  | DFT_QAM256 | 14.040 | 14.210 | PASS |
| n7 | 15 | 15 | 512500 | 79@0  | CP_QPSK    | 14.170 | 14.920 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_BPSK   | 18.820 | 18.910 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_QPSK   | 18.740 | 18.910 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_QAM16  | 18.810 | 18.910 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_QAM64  | 18.760 | 18.900 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_QAM256 | 18.820 | 18.910 | PASS |
| n7 | 15 | 20 | 502000 | 106@0 | CP_QPSK    | 18.990 | 19.980 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_BPSK   | 18.750 | 18.900 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QPSK   | 18.740 | 18.910 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QAM16  | 18.740 | 18.910 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QAM64  | 18.750 | 18.900 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QAM256 | 18.810 | 18.910 | PASS |
| n7 | 15 | 20 | 507000 | 106@0 | CP_QPSK    | 18.990 | 19.990 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_BPSK   | 18.810 | 18.910 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_QPSK   | 18.750 | 18.910 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_QAM16  | 18.820 | 18.910 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_QAM64  | 18.800 | 18.910 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_QAM256 | 18.820 | 18.920 | PASS |
| n7 | 15 | 20 | 512000 | 106@0 | CP_QPSK    | 18.990 | 19.990 | PASS |


n7 SCS=15kHz DFT\_BPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=500500 RB=25@0



n7 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz CP\_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT\_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz CP\_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_BPSK BW=5MHz Channel=513500 RB=25@0



n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=513500 RB=25@0



n7 SCS=15kHz CP\_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT\_BPSK BW=10MHz Channel=501000 RB=50@0



n7 SCS=15kHz DFT\_QPSK BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=501000 RB=50@0



n7 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz CP\_QPSK BW=10MHz Channel=501000 RB=52@0




n7 SCS=15kHz DFT\_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=507000 RB=50@0



n7 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=507000 RB=50@0



n7 SCS=15kHz CP\_QPSK BW=10MHz Channel=507000 RB=52@0




n7 SCS=15kHz DFT\_BPSK BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT\_QPSK BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=513000 RB=50@0



n7 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=513000 RB=50@0



n7 SCS=15kHz CP\_QPSK BW=10MHz Channel=513000 RB=52@0



n7 SCS=15kHz DFT\_BPSK BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT\_QPSK BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=501500 RB=75@0



n7 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=501500 RB=75@0



n7 SCS=15kHz CP\_QPSK BW=15MHz Channel=501500 RB=79@0




n7 SCS=15kHz DFT\_BPSK BW=15MHz Channel=507000 RB=75@0



n7 SCS=15kHz DFT\_QPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=507000 RB=75@0



n7 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=507000 RB=75@0



n7 SCS=15kHz CP\_QPSK BW=15MHz Channel=507000 RB=79@0



n7 SCS=15kHz DFT\_BPSK BW=15MHz Channel=512500 RB=75@0



n7 SCS=15kHz DFT\_QPSK BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=512500 RB=75@0



n7 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=512500 RB=75@0



n7 SCS=15kHz CP\_QPSK BW=15MHz Channel=512500 RB=79@0




n7 SCS=15kHz DFT\_BPSK BW=20MHz Channel=502000 RB=100@0



n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT\_QAM16 BW=20MHz Channel=502000 RB=100@0



n7 SCS=15kHz DFT\_QAM64 BW=20MHz Channel=502000 RB=100@0



n7 SCS=15kHz DFT\_QAM256 BW=20MHz Channel=502000 RB=100@0



n7 SCS=15kHz CP\_QPSK BW=20MHz Channel=502000 RB=106@0




n7 SCS=15kHz DFT\_BPSK BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT\_QAM16 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT\_QAM64 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT\_QAM256 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz CP\_QPSK BW=20MHz Channel=507000 RB=106@0




n7 SCS=15kHz DFT\_BPSK BW=20MHz Channel=512000 RB=100@0



n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=512000 RB=100@0



n7 SCS=15kHz DFT\_QAM16 BW=20MHz Channel=512000 RB=100@0



n7 SCS=15kHz DFT\_QAM64 BW=20MHz Channel=512000 RB=100@0



n7 SCS=15kHz DFT\_QAM256 BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz CP\_QPSK BW=20MHz Channel=512000 RB=106@0




## 5 Band edge for NR FR1

| Band | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Allocation | Modulation | Spur Freq<br>(MHz) | Spur Level<br>(dBm) | Limit<br>(dBm) | Verdict |
|------|--------------|--------------------|---------------|------------------|------------|--------------------|---------------------|----------------|---------|
| n7   | 15           | 5                  | 500500        | 25@0             | DFT_QPSK   | 2490.37            | -36.35              | -25            | PASS    |
| n7   | 15           | 5                  | 500500        | 1@0              | DFT_QPSK   | 2498.79            | -16.86              | -10            | PASS    |
| n7   | 15           | 5                  | 513500        | 25@0             | DFT_QPSK   | 2576.72            | -37.23              | -25            | PASS    |
| n7   | 15           | 5                  | 513500        | 1@24             | DFT_QPSK   | 2576.09            | -31.77              | -25            | PASS    |
| n7   | 15           | 20                 | 502000        | 100@0            | DFT_QPSK   | 2475.00            | -40.85              | -25            | PASS    |
| n7   | 15           | 20                 | 502000        | 1@0              | DFT_QPSK   | 2498.85            | -19.74              | -10            | PASS    |
| n7   | 15           | 20                 | 512000        | 100@0            | DFT_QPSK   | 2591.27            | -40.72              | -25            | PASS    |
| n7   | 15           | 20                 | 512000        | 1@105            | DFT_QPSK   | 2571.19            | -19.63              | -10            | PASS    |


n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=500500 RB=1@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=513500 RB=1@24




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=502000 RB=1@0



n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=512000 RB=1@105




## 6 Out-of-band emissions for NR FR1

| Band | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Allocation | Modulation | Spur Freq<br>(MHz) | Spur Level<br>(dBm) | Limit<br>(dBm) | Verdict |
|------|--------------|--------------------|---------------|------------------|------------|--------------------|---------------------|----------------|---------|
| n7   | 15           | 5                  | 500500        | 25@0             | DFT_QPSK   | 26242.33           | -32.23              | -25            | PASS    |
| n7   | 15           | 5                  | 500500        | 1@0              | DFT_QPSK   | 26205.35           | -32.69              | -25            | PASS    |
| n7   | 15           | 5                  | 500500        | 1@24             | DFT_QPSK   | 25743.53           | -32.04              | -25            | PASS    |
| n7   | 15           | 5                  | 507000        | 25@0             | DFT_QPSK   | 26196.65           | -32.65              | -25            | PASS    |
| n7   | 15           | 5                  | 507000        | 1@0              | DFT_QPSK   | 26389.50           | -32.74              | -25            | PASS    |
| n7   | 15           | 5                  | 507000        | 1@24             | DFT_QPSK   | 26295.25           | -31.82              | -25            | PASS    |
| n7   | 15           | 5                  | 513500        | 25@0             | DFT_QPSK   | 26251.03           | -32.02              | -25            | PASS    |
| n7   | 15           | 5                  | 513500        | 1@0              | DFT_QPSK   | 26319.18           | -31.96              | -25            | PASS    |
| n7   | 15           | 5                  | 513500        | 1@24             | DFT_QPSK   | 26364.13           | -32.40              | -25            | PASS    |
| n7   | 15           | 20                 | 502000        | 100@0            | DFT_QPSK   | 26215.50           | -32.15              | -25            | PASS    |
| n7   | 15           | 20                 | 502000        | 1@0              | DFT_QPSK   | 26196.65           | -32.76              | -25            | PASS    |
| n7   | 15           | 20                 | 502000        | 1@105            | DFT_QPSK   | 26333.68           | -32.03              | -25            | PASS    |
| n7   | 15           | 20                 | 507000        | 100@0            | DFT_QPSK   | 26245.23           | -31.90              | -25            | PASS    |
| n7   | 15           | 20                 | 507000        | 1@0              | DFT_QPSK   | 25663.78           | -31.92              | -25            | PASS    |
| n7   | 15           | 20                 | 507000        | 1@105            | DFT_QPSK   | 25652.90           | -32.46              | -25            | PASS    |
| n7   | 15           | 20                 | 512000        | 100@0            | DFT_QPSK   | 26360.50           | -31.86              | -25            | PASS    |
| n7   | 15           | 20                 | 512000        | 1@0              | DFT_QPSK   | 26253.20           | -32.20              | -25            | PASS    |
| n7   | 15           | 20                 | 512000        | 1@105            | DFT_QPSK   | 26288.00           | -32.12              | -25            | PASS    |


n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=500500 RB=1@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=500500 RB=1@24




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=507000 RB=1@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=507000 RB=1@24




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=513500 RB=1@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=513500 RB=1@24




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=502000 RB=1@0




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=502000 RB=1@105




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=507000 RB=1@0




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=507000 RB=1@105



n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=512000 RB=100@0



n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=512000 RB=1@0



n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=512000 RB=1@105

