

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
Band38	5	37775	1	#0	QPSK	22.60	-2.20	20.40	33.01	PASS
Band38	5	37775	1	#Mid	QPSK	22.65	-2.20	20.45	33.01	PASS
Band38	5	37775	1	#Max	QPSK	22.54	-2.20	20.34	33.01	PASS
Band38	5	37775	12	#0	QPSK	21.54	-2.20	19.34	33.01	PASS
Band38	5	37775	12	#Mid	QPSK	21.59	-2.20	19.39	33.01	PASS
Band38	5	37775	12	#Max	QPSK	21.54	-2.20	19.34	33.01	PASS
Band38	5	37775	25	#0	QPSK	21.55	-2.20	19.35	33.01	PASS
Band38	5	37775	1	#0	QAM16	22.14	-2.20	19.94	33.01	PASS
Band38	5	37775	1	#Mid	QAM16	22.21	-2.20	20.01	33.01	PASS
Band38	5	37775	1	#Max	QAM16	22.14	-2.20	19.94	33.01	PASS
Band38	5	37775	12	#0	QAM16	20.60	-2.20	18.40	33.01	PASS
Band38	5	37775	12	#Mid	QAM16	20.63	-2.20	18.43	33.01	PASS
Band38	5	37775	12	#Max	QAM16	20.59	-2.20	18.39	33.01	PASS
Band38	5	37775	25	#0	QAM16	20.60	-2.20	18.40	33.01	PASS
Band38	5	38000	1	#0	QPSK	22.54	-2.20	20.34	33.01	PASS
Band38	5	38000	1	#Mid	QPSK	22.68	-2.20	20.48	33.01	PASS
Band38	5	38000	1	#Max	QPSK	22.55	-2.20	20.35	33.01	PASS
Band38	5	38000	12	#0	QPSK	21.52	-2.20	19.32	33.01	PASS
Band38	5	38000	12	#Mid	QPSK	21.56	-2.20	19.36	33.01	PASS
Band38	5	38000	12	#Max	QPSK	21.54	-2.20	19.34	33.01	PASS
Band38	5	38000	25	#0	QPSK	21.58	-2.20	19.38	33.01	PASS
Band38	5	38000	1	#0	QAM16	21.76	-2.20	19.56	33.01	PASS
Band38	5	38000	1	#Mid	QAM16	21.86	-2.20	19.66	33.01	PASS
Band38	5	38000	1	#Max	QAM16	21.74	-2.20	19.54	33.01	PASS
Band38	5	38000	12	#0	QAM16	20.53	-2.20	18.33	33.01	PASS
Band38	5	38000	12	#Mid	QAM16	20.62	-2.20	18.42	33.01	PASS
Band38	5	38000	12	#Max	QAM16	20.54	-2.20	18.34	33.01	PASS
Band38	5	38000	25	#0	QAM16	20.65	-2.20	18.45	33.01	PASS
Band38	5	38225	1	#0	QPSK	22.50	-2.20	20.30	33.01	PASS
Band38	5	38225	1	#Mid	QPSK	22.58	-2.20	20.38	33.01	PASS
Band38	5	38225	1	#Max	QPSK	22.51	-2.20	20.31	33.01	PASS
Band38	5	38225	12	#0	QPSK	21.54	-2.20	19.34	33.01	PASS
Band38	5	38225	12	#Mid	QPSK	21.62	-2.20	19.42	33.01	PASS
Band38	5	38225	12	#Max	QPSK	21.55	-2.20	19.35	33.01	PASS
Band38	5	38225	25	#0	QPSK	21.59	-2.20	19.39	33.01	PASS
Band38	5	38225	1	#0	QAM16	21.78	-2.20	19.58	33.01	PASS
Band38	5	38225	1	#Mid	QAM16	21.89	-2.20	19.69	33.01	PASS

Band38	5	38225	1	#Max	QAM16	21.79	-2.20	19.59	33.01	PASS
Band38	5	38225	12	#0	QAM16	20.62	-2.20	18.42	33.01	PASS
Band38	5	38225	12	#Mid	QAM16	20.68	-2.20	18.48	33.01	PASS
Band38	5	38225	12	#Max	QAM16	20.63	-2.20	18.43	33.01	PASS
Band38	5	38225	25	#0	QAM16	20.61	-2.20	18.41	33.01	PASS
Band38	10	37800	1	#0	QPSK	22.64	-2.20	20.44	33.01	PASS
Band38	10	37800	1	#Mid	QPSK	22.60	-2.20	20.40	33.01	PASS
Band38	10	37800	1	#Max	QPSK	22.61	-2.20	20.41	33.01	PASS
Band38	10	37800	25	#0	QPSK	21.57	-2.20	19.37	33.01	PASS
Band38	10	37800	25	#Mid	QPSK	21.58	-2.20	19.38	33.01	PASS
Band38	10	37800	25	#Max	QPSK	21.54	-2.20	19.34	33.01	PASS
Band38	10	37800	50	#0	QPSK	21.60	-2.20	19.40	33.01	PASS
Band38	10	37800	1	#0	QAM16	22.11	-2.20	19.91	33.01	PASS
Band38	10	37800	1	#Mid	QAM16	22.08	-2.20	19.88	33.01	PASS
Band38	10	37800	1	#Max	QAM16	22.05	-2.20	19.85	33.01	PASS
Band38	10	37800	25	#0	QAM16	20.67	-2.20	18.47	33.01	PASS
Band38	10	37800	25	#Mid	QAM16	20.71	-2.20	18.51	33.01	PASS
Band38	10	37800	25	#Max	QAM16	20.68	-2.20	18.48	33.01	PASS
Band38	10	37800	50	#0	QAM16	20.62	-2.20	18.42	33.01	PASS
Band38	10	38000	1	#0	QPSK	22.62	-2.20	20.42	33.01	PASS
Band38	10	38000	1	#Mid	QPSK	22.65	-2.20	20.45	33.01	PASS
Band38	10	38000	1	#Max	QPSK	22.60	-2.20	20.40	33.01	PASS
Band38	10	38000	25	#0	QPSK	21.56	-2.20	19.36	33.01	PASS
Band38	10	38000	25	#Mid	QPSK	21.60	-2.20	19.40	33.01	PASS
Band38	10	38000	25	#Max	QPSK	21.59	-2.20	19.39	33.01	PASS
Band38	10	38000	50	#0	QPSK	21.60	-2.20	19.40	33.01	PASS
Band38	10	38000	1	#0	QAM16	21.70	-2.20	19.50	33.01	PASS
Band38	10	38000	1	#Mid	QAM16	21.78	-2.20	19.58	33.01	PASS
Band38	10	38000	1	#Max	QAM16	21.69	-2.20	19.49	33.01	PASS
Band38	10	38000	25	#0	QAM16	20.63	-2.20	18.43	33.01	PASS
Band38	10	38000	25	#Mid	QAM16	20.68	-2.20	18.48	33.01	PASS
Band38	10	38000	25	#Max	QAM16	20.66	-2.20	18.46	33.01	PASS
Band38	10	38000	50	#0	QAM16	20.68	-2.20	18.48	33.01	PASS
Band38	10	38200	1	#0	QPSK	22.64	-2.20	20.44	33.01	PASS
Band38	10	38200	1	#Mid	QPSK	22.69	-2.20	20.49	33.01	PASS
Band38	10	38200	1	#Max	QPSK	22.72	-2.20	20.52	33.01	PASS
Band38	10	38200	25	#0	QPSK	21.60	-2.20	19.40	33.01	PASS
Band38	10	38200	25	#Mid	QPSK	21.61	-2.20	19.41	33.01	PASS
Band38	10	38200	25	#Max	QPSK	21.56	-2.20	19.36	33.01	PASS
Band38	10	38200	50	#0	QPSK	21.61	-2.20	19.41	33.01	PASS
Band38	10	38200	1	#0	QAM16	21.54	-2.20	19.34	33.01	PASS
Band38	10	38200	1	#Mid	QAM16	21.52	-2.20	19.32	33.01	PASS
Band38	10	38200	1	#Max	QAM16	21.54	-2.20	19.34	33.01	PASS
Band38	10	38200	25	#0	QAM16	20.69	-2.20	18.49	33.01	PASS

Band38	10	38200	25	#Mid	QAM16	20.67	-2.20	18.47	33.01	PASS
Band38	10	38200	25	#Max	QAM16	20.68	-2.20	18.48	33.01	PASS
Band38	10	38200	50	#0	QAM16	20.68	-2.20	18.48	33.01	PASS
Band38	15	37825	1	#0	QPSK	22.56	-2.20	20.36	33.01	PASS
Band38	15	37825	1	#Mid	QPSK	22.57	-2.20	20.37	33.01	PASS
Band38	15	37825	1	#Max	QPSK	22.49	-2.20	20.29	33.01	PASS
Band38	15	37825	36	#0	QPSK	21.57	-2.20	19.37	33.01	PASS
Band38	15	37825	36	#Mid	QPSK	21.58	-2.20	19.38	33.01	PASS
Band38	15	37825	36	#Max	QPSK	21.55	-2.20	19.35	33.01	PASS
Band38	15	37825	75	#0	QPSK	21.60	-2.20	19.40	33.01	PASS
Band38	15	37825	1	#0	QAM16	22.05	-2.20	19.85	33.01	PASS
Band38	15	37825	1	#Mid	QAM16	22.08	-2.20	19.88	33.01	PASS
Band38	15	37825	1	#Max	QAM16	21.96	-2.20	19.76	33.01	PASS
Band38	15	37825	36	#0	QAM16	20.62	-2.20	18.42	33.01	PASS
Band38	15	37825	36	#Mid	QAM16	20.65	-2.20	18.45	33.01	PASS
Band38	15	37825	36	#Max	QAM16	20.62	-2.20	18.42	33.01	PASS
Band38	15	37825	75	#0	QAM16	20.61	-2.20	18.41	33.01	PASS
Band38	15	38000	1	#0	QPSK	22.51	-2.20	20.31	33.01	PASS
Band38	15	38000	1	#Mid	QPSK	22.64	-2.20	20.44	33.01	PASS
Band38	15	38000	1	#Max	QPSK	22.51	-2.20	20.31	33.01	PASS
Band38	15	38000	36	#0	QPSK	21.57	-2.20	19.37	33.01	PASS
Band38	15	38000	36	#Mid	QPSK	21.63	-2.20	19.43	33.01	PASS
Band38	15	38000	36	#Max	QPSK	21.59	-2.20	19.39	33.01	PASS
Band38	15	38000	75	#0	QPSK	21.63	-2.20	19.43	33.01	PASS
Band38	15	38000	1	#0	QAM16	21.65	-2.20	19.45	33.01	PASS
Band38	15	38000	1	#Mid	QAM16	21.74	-2.20	19.54	33.01	PASS
Band38	15	38000	1	#Max	QAM16	21.64	-2.20	19.44	33.01	PASS
Band38	15	38000	36	#0	QAM16	20.67	-2.20	18.47	33.01	PASS
Band38	15	38000	36	#Mid	QAM16	20.74	-2.20	18.54	33.01	PASS
Band38	15	38000	36	#Max	QAM16	20.71	-2.20	18.51	33.01	PASS
Band38	15	38000	75	#0	QAM16	20.60	-2.20	18.40	33.01	PASS
Band38	15	38175	1	#0	QPSK	22.64	-2.20	20.44	33.01	PASS
Band38	15	38175	1	#Mid	QPSK	22.74	-2.20	20.54	33.01	PASS
Band38	15	38175	1	#Max	QPSK	22.66	-2.20	20.46	33.01	PASS
Band38	15	38175	36	#0	QPSK	21.59	-2.20	19.39	33.01	PASS
Band38	15	38175	36	#Mid	QPSK	21.63	-2.20	19.43	33.01	PASS
Band38	15	38175	36	#Max	QPSK	21.60	-2.20	19.40	33.01	PASS
Band38	15	38175	75	#0	QPSK	21.64	-2.20	19.44	33.01	PASS
Band38	15	38175	1	#0	QAM16	21.70	-2.20	19.50	33.01	PASS
Band38	15	38175	1	#Mid	QAM16	21.82	-2.20	19.62	33.01	PASS
Band38	15	38175	1	#Max	QAM16	21.75	-2.20	19.55	33.01	PASS
Band38	15	38175	36	#0	QAM16	20.52	-2.20	18.32	33.01	PASS
Band38	15	38175	36	#Mid	QAM16	20.62	-2.20	18.42	33.01	PASS
Band38	15	38175	36	#Max	QAM16	20.59	-2.20	18.39	33.01	PASS

Band38	15	38175	75	#0	QAM16	20.65	-2.20	18.45	33.01	PASS
Band38	20	37850	1	#0	QPSK	22.50	-2.20	20.30	33.01	PASS
Band38	20	37850	1	#Mid	QPSK	22.64	-2.20	20.44	33.01	PASS
Band38	20	37850	1	#Max	QPSK	22.49	-2.20	20.29	33.01	PASS
Band38	20	37850	50	#0	QPSK	21.55	-2.20	19.35	33.01	PASS
Band38	20	37850	50	#Mid	QPSK	21.62	-2.20	19.42	33.01	PASS
Band38	20	37850	50	#Max	QPSK	21.56	-2.20	19.36	33.01	PASS
Band38	20	37850	100	#0	QPSK	21.50	-2.20	19.30	33.01	PASS
Band38	20	37850	1	#0	QAM16	21.75	-2.20	19.55	33.01	PASS
Band38	20	37850	1	#Mid	QAM16	21.87	-2.20	19.67	33.01	PASS
Band38	20	37850	1	#Max	QAM16	21.69	-2.20	19.49	33.01	PASS
Band38	20	37850	50	#0	QAM16	20.68	-2.20	18.48	33.01	PASS
Band38	20	37850	50	#Mid	QAM16	20.73	-2.20	18.53	33.01	PASS
Band38	20	37850	50	#Max	QAM16	20.65	-2.20	18.45	33.01	PASS
Band38	20	37850	100	#0	QAM16	20.59	-2.20	18.39	33.01	PASS
Band38	20	38000	1	#0	QPSK	22.45	-2.20	20.25	33.01	PASS
Band38	20	38000	1	#Mid	QPSK	22.77	-2.20	20.57	33.01	PASS
Band38	20	38000	1	#Max	QPSK	22.52	-2.20	20.32	33.01	PASS
Band38	20	38000	50	#0	QPSK	21.52	-2.20	19.32	33.01	PASS
Band38	20	38000	50	#Mid	QPSK	21.60	-2.20	19.40	33.01	PASS
Band38	20	38000	50	#Max	QPSK	21.57	-2.20	19.37	33.01	PASS
Band38	20	38000	100	#0	QPSK	21.51	-2.20	19.31	33.01	PASS
Band38	20	38000	1	#0	QAM16	21.66	-2.20	19.46	33.01	PASS
Band38	20	38000	1	#Mid	QAM16	21.86	-2.20	19.66	33.01	PASS
Band38	20	38000	1	#Max	QAM16	21.62	-2.20	19.42	33.01	PASS
Band38	20	38000	50	#0	QAM16	20.56	-2.20	18.36	33.01	PASS
Band38	20	38000	50	#Mid	QAM16	20.68	-2.20	18.48	33.01	PASS
Band38	20	38000	50	#Max	QAM16	20.59	-2.20	18.39	33.01	PASS
Band38	20	38000	100	#0	QAM16	20.55	-2.20	18.35	33.01	PASS
Band38	20	38150	1	#0	QPSK	22.49	-2.20	20.29	33.01	PASS
Band38	20	38150	1	#Mid	QPSK	22.72	-2.20	20.52	33.01	PASS
Band38	20	38150	1	#Max	QPSK	22.55	-2.20	20.35	33.01	PASS
Band38	20	38150	50	#0	QPSK	21.54	-2.20	19.34	33.01	PASS
Band38	20	38150	50	#Mid	QPSK	21.59	-2.20	19.39	33.01	PASS
Band38	20	38150	50	#Max	QPSK	21.57	-2.20	19.37	33.01	PASS
Band38	20	38150	100	#0	QPSK	21.50	-2.20	19.30	33.01	PASS
Band38	20	38150	1	#0	QAM16	21.61	-2.20	19.41	33.01	PASS
Band38	20	38150	1	#Mid	QAM16	21.81	-2.20	19.61	33.01	PASS
Band38	20	38150	1	#Max	QAM16	21.64	-2.20	19.44	33.01	PASS
Band38	20	38150	50	#0	QAM16	20.63	-2.20	18.43	33.01	PASS
Band38	20	38150	50	#Mid	QAM16	20.72	-2.20	18.52	33.01	PASS
Band38	20	38150	50	#Max	QAM16	20.64	-2.20	18.44	33.01	PASS
Band38	20	38150	100	#0	QAM16	20.60	-2.20	18.40	33.01	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band38	20	37850	100	#0	QPSK	-6.27	-0.0024	-2.5	2.5	PASS
Band38	20	37850	100	#0	QAM16	-12.78	-0.0050	-2.5	2.5	PASS
Band38	20	38000	100	#0	QPSK	-2.98	-0.0011	-2.5	2.5	PASS
Band38	20	38000	100	#0	QAM16	0.42	0.0002	-2.5	2.5	PASS
Band38	20	38150	100	#0	QPSK	-5.55	-0.0021	-2.5	2.5	PASS
Band38	20	38150	100	#0	QAM16	-4.52	-0.0017	-2.5	2.5	PASS

3 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band38	5	38000	1	#0	QPSK	8.47	13	PASS
Band38	5	38000	1	#0	QAM16	9.16	13	PASS
Band38	10	38000	1	#0	QPSK	7.68	13	PASS
Band38	10	38000	1	#0	QAM16	9.85	13	PASS
Band38	15	38000	1	#0	QPSK	7.48	13	PASS
Band38	15	38000	1	#0	QAM16	9.13	13	PASS
Band38	20	38000	1	#0	QPSK	8.20	13	PASS
Band38	20	38000	1	#0	QAM16	9.15	13	PASS

Band38 QAM16 BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 QAM16 BW=15MHz Channel=38000 RB Size=1 Position=#0

**Band38 QAM16 BW=20MHz Channel=38000 RB Size=1 Position=#0****Band38 QAM16 BW=5MHz Channel=38000 RB Size=1 Position=#0**

**Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0****Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0**


**Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0****Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band38	5	37775	25	#0	QPSK	4.496	4.910	PASS
Band38	5	37775	25	#0	QAM16	4.511	4.861	PASS
Band38	5	38000	25	#0	QPSK	4.503	4.758	PASS
Band38	5	38000	25	#0	QAM16	4.513	4.815	PASS
Band38	5	38225	25	#0	QPSK	4.499	4.821	PASS
Band38	5	38225	25	#0	QAM16	4.518	4.879	PASS
Band38	10	37800	50	#0	QPSK	9.006	9.630	PASS
Band38	10	37800	50	#0	QAM16	9.020	10.561	PASS
Band38	10	38000	50	#0	QPSK	8.980	9.641	PASS
Band38	10	38000	50	#0	QAM16	8.991	9.681	PASS
Band38	10	38200	50	#0	QPSK	9.016	9.651	PASS
Band38	10	38200	50	#0	QAM16	8.980	9.609	PASS
Band38	15	37825	75	#0	QPSK	13.367	14.295	PASS
Band38	15	37825	75	#0	QAM16	13.483	14.293	PASS
Band38	15	38000	75	#0	QPSK	13.448	14.267	PASS
Band38	15	38000	75	#0	QAM16	13.461	15.740	PASS
Band38	15	38175	75	#0	QPSK	13.443	14.244	PASS
Band38	15	38175	75	#0	QAM16	13.491	14.265	PASS
Band38	20	37850	100	#0	QPSK	17.937	18.971	PASS
Band38	20	37850	100	#0	QAM16	17.842	19.194	PASS
Band38	20	38000	100	#0	QPSK	17.944	19.121	PASS
Band38	20	38000	100	#0	QAM16	17.904	19.389	PASS
Band38	20	38150	100	#0	QPSK	17.898	19.068	PASS
Band38	20	38150	100	#0	QAM16	17.934	19.158	PASS


Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0





Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0






Band38 QAM16 BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0

**Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0****Band38 QAM16 BW=5MHz Channel=38000 RB Size=25 Position=#0**


**Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0****Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0**




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0





Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0


**Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0****Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0**




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0



Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0





5 Band edge



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	2562.96	-29.90	-25	PASS
Band38	5	37775	25	#0	QAM16	2563.87	-26.76	-25	PASS
Band38	5	38225	25	#0	QPSK	2628.20	-27.75	-25	PASS
Band38	5	38225	25	#0	QAM16	2626.10	-28.43	-25	PASS
Band38	10	37800	50	#0	QPSK	2559.45	-33.06	-25	PASS
Band38	10	37800	50	#0	QAM16	2559.87	-32.96	-25	PASS
Band38	10	38200	50	#0	QPSK	2630.06	-32.62	-25	PASS
Band38	10	38200	50	#0	QAM16	2630.04	-32.26	-25	PASS
Band38	15	37825	75	#0	QPSK	2554.86	-34.25	-25	PASS
Band38	15	37825	75	#0	QAM16	2554.94	-34.06	-25	PASS
Band38	15	38175	75	#0	QPSK	2635.23	-32.54	-25	PASS
Band38	15	38175	75	#0	QAM16	2635.43	-32.60	-25	PASS
Band38	20	37850	100	#0	QPSK	2549.96	-37.08	-25	PASS
Band38	20	37850	100	#0	QAM16	2549.70	-36.28	-25	PASS
Band38	20	38150	100	#0	QPSK	2640.17	-34.38	-25	PASS
Band38	20	38150	100	#0	QAM16	2640.28	-35.49	-25	PASS



Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0







Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0



**Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0****Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0**



**Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0****Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0**


**Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0****Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0**

**Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0****Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0**

**Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0****Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0**

**Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0****Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0**


**Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0****Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0**





6 Out-of-band emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	3760.08	-37.52	-25	PASS
Band38	5	37775	25	#0	QAM16	5099.28	-37.52	-25	PASS
Band38	5	38225	25	#0	QPSK	3748.15	-36.62	-25	PASS
Band38	5	38225	25	#0	QAM16	3794.95	-36.92	-25	PASS
Band38	10	37800	50	#0	QPSK	3810.03	-37.59	-25	PASS
Band38	10	37800	50	#0	QAM16	3825.55	-37.58	-25	PASS
Band38	10	38200	50	#0	QPSK	3811.15	-37.80	-25	PASS
Band38	10	38200	50	#0	QAM16	3783.48	-36.06	-25	PASS
Band38	15	37825	75	#0	QPSK	3728.58	-36.82	-25	PASS
Band38	15	37825	75	#0	QAM16	3855.25	-37.82	-25	PASS
Band38	15	38175	75	#0	QPSK	3848.28	-37.11	-25	PASS
Band38	15	38175	75	#0	QAM16	3858.40	-35.14	-25	PASS
Band38	20	37850	100	#0	QPSK	3832.75	-37.61	-25	PASS
Band38	20	37850	100	#0	QAM16	3790.68	-38.12	-25	PASS
Band38	20	38150	100	#0	QPSK	4193.43	-36.99	-25	PASS
Band38	20	38150	100	#0	QAM16	4741.53	-37.64	-25	PASS



Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0







Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0



**Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0****Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0**



**Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0****Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0**

**Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0****Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0**

**Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0****Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0**

**Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0****Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0**

**Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0****Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0**

**Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0****Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0**

