

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
n7	30	10	501000	12@6	DFT_BPSK	23.05	-1.3	21.75	33.01	PASS
n7	30	10	501000	1@1	DFT_BPSK	22.98	-1.3	21.68	33.01	PASS
n7	30	10	501000	1@22	DFT_BPSK	22.85	-1.3	21.55	33.01	PASS
n7	30	10	501000	24@0	DFT_BPSK	22.59	-1.3	21.29	33.01	PASS
n7	30	10	501000	12@6	DFT_QPSK	23.09	-1.3	21.79	33.01	PASS
n7	30	10	501000	1@1	DFT_QPSK	23.02	-1.3	21.72	33.01	PASS
n7	30	10	501000	1@22	DFT_QPSK	22.97	-1.3	21.67	33.01	PASS
n7	30	10	501000	24@0	DFT_QPSK	22.06	-1.3	20.76	33.01	PASS
n7	30	10	501000	12@6	DFT_QAM16	22.05	-1.3	20.75	33.01	PASS
n7	30	10	501000	1@1	DFT_QAM16	21.94	-1.3	20.64	33.01	PASS
n7	30	10	501000	1@22	DFT_QAM16	21.86	-1.3	20.56	33.01	PASS
n7	30	10	501000	24@0	DFT_QAM16	21.18	-1.3	19.88	33.01	PASS
n7	30	10	501000	12@6	DFT_QAM64	20.78	-1.3	19.48	33.01	PASS
n7	30	10	501000	1@1	DFT_QAM64	20.64	-1.3	19.34	33.01	PASS
n7	30	10	501000	1@22	DFT_QAM64	20.68	-1.3	19.38	33.01	PASS
n7	30	10	501000	24@0	DFT_QAM64	20.54	-1.3	19.24	33.01	PASS
n7	30	10	501000	12@6	DFT_QAM256	18.53	-1.3	17.23	33.01	PASS
n7	30	10	501000	1@1	DFT_QAM256	18.70	-1.3	17.40	33.01	PASS
n7	30	10	501000	1@22	DFT_QAM256	18.60	-1.3	17.30	33.01	PASS
n7	30	10	501000	24@0	DFT_QAM256	18.66	-1.3	17.36	33.01	PASS
n7	30	10	501000	12@6	CP_QPSK	21.45	-1.3	20.15	33.01	PASS
n7	30	10	501000	1@1	CP_QPSK	21.51	-1.3	20.21	33.01	PASS
n7	30	10	501000	1@22	CP_QPSK	21.31	-1.3	20.01	33.01	PASS
n7	30	10	501000	24@0	CP_QPSK	20.17	-1.3	18.87	33.01	PASS
n7	30	10	501000	12@6	CP_QAM16	21.03	-1.3	19.73	33.01	PASS
n7	30	10	501000	1@1	CP_QAM16	21.19	-1.3	19.89	33.01	PASS
n7	30	10	501000	1@22	CP_QAM16	21.27	-1.3	19.97	33.01	PASS
n7	30	10	501000	24@0	CP_QAM16	20.13	-1.3	18.83	33.01	PASS
n7	30	10	501000	12@6	CP_QAM64	19.71	-1.3	18.41	33.01	PASS
n7	30	10	501000	1@1	CP_QAM64	19.73	-1.3	18.43	33.01	PASS
n7	30	10	501000	1@22	CP_QAM64	19.65	-1.3	18.35	33.01	PASS
n7	30	10	501000	24@0	CP_QAM64	19.76	-1.3	18.46	33.01	PASS
n7	30	10	501000	12@6	CP_QAM256	16.73	-1.3	15.43	33.01	PASS
n7	30	10	501000	1@1	CP_QAM256	16.77	-1.3	15.47	33.01	PASS
n7	30	10	501000	1@22	CP_QAM256	16.65	-1.3	15.35	33.01	PASS
n7	30	10	501000	24@0	CP_QAM256	16.56	-1.3	15.26	33.01	PASS
n7	30	10	507000	12@6	DFT_BPSK	22.98	-1.3	21.68	33.01	PASS
n7	30	10	507000	1@1	DFT_BPSK	22.90	-1.3	21.60	33.01	PASS

n7	30	10	507000	1@22	DFT_BPSK	22.90	-1.3	21.60	33.01	PASS
n7	30	10	507000	24@0	DFT_BPSK	22.46	-1.3	21.16	33.01	PASS
n7	30	10	507000	12@6	DFT_QPSK	22.94	-1.3	21.64	33.01	PASS
n7	30	10	507000	1@1	DFT_QPSK	22.94	-1.3	21.64	33.01	PASS
n7	30	10	507000	1@22	DFT_QPSK	22.89	-1.3	21.59	33.01	PASS
n7	30	10	507000	24@0	DFT_QPSK	22.02	-1.3	20.72	33.01	PASS
n7	30	10	507000	12@6	DFT_QAM16	21.96	-1.3	20.66	33.01	PASS
n7	30	10	507000	1@1	DFT_QAM16	22.40	-1.3	21.10	33.01	PASS
n7	30	10	507000	1@22	DFT_QAM16	21.89	-1.3	20.59	33.01	PASS
n7	30	10	507000	24@0	DFT_QAM16	21.14	-1.3	19.84	33.01	PASS
n7	30	10	507000	12@6	DFT_QAM64	20.67	-1.3	19.37	33.01	PASS
n7	30	10	507000	1@1	DFT_QAM64	20.49	-1.3	19.19	33.01	PASS
n7	30	10	507000	1@22	DFT_QAM64	20.54	-1.3	19.24	33.01	PASS
n7	30	10	507000	24@0	DFT_QAM64	20.57	-1.3	19.27	33.01	PASS
n7	30	10	507000	12@6	DFT_QAM256	18.51	-1.3	17.21	33.01	PASS
n7	30	10	507000	1@1	DFT_QAM256	18.49	-1.3	17.19	33.01	PASS
n7	30	10	507000	1@22	DFT_QAM256	18.56	-1.3	17.26	33.01	PASS
n7	30	10	507000	24@0	DFT_QAM256	18.55	-1.3	17.25	33.01	PASS
n7	30	10	507000	12@6	CP_QPSK	21.44	-1.3	20.14	33.01	PASS
n7	30	10	507000	1@1	CP_QPSK	21.37	-1.3	20.07	33.01	PASS
n7	30	10	507000	1@22	CP_QPSK	21.36	-1.3	20.06	33.01	PASS
n7	30	10	507000	24@0	CP_QPSK	20.07	-1.3	18.77	33.01	PASS
n7	30	10	507000	12@6	CP_QAM16	21.00	-1.3	19.70	33.01	PASS
n7	30	10	507000	1@1	CP_QAM16	20.89	-1.3	19.59	33.01	PASS
n7	30	10	507000	1@22	CP_QAM16	21.38	-1.3	20.08	33.01	PASS
n7	30	10	507000	24@0	CP_QAM16	20.05	-1.3	18.75	33.01	PASS
n7	30	10	507000	12@6	CP_QAM64	19.54	-1.3	18.24	33.01	PASS
n7	30	10	507000	1@1	CP_QAM64	19.66	-1.3	18.36	33.01	PASS
n7	30	10	507000	1@22	CP_QAM64	20.08	-1.3	18.78	33.01	PASS
n7	30	10	507000	24@0	CP_QAM64	19.61	-1.3	18.31	33.01	PASS
n7	30	10	507000	12@6	CP_QAM256	16.62	-1.3	15.32	33.01	PASS
n7	30	10	507000	1@1	CP_QAM256	16.66	-1.3	15.36	33.01	PASS
n7	30	10	507000	1@22	CP_QAM256	16.64	-1.3	15.34	33.01	PASS
n7	30	10	507000	24@0	CP_QAM256	16.59	-1.3	15.29	33.01	PASS
n7	30	10	513000	12@6	DFT_BPSK	23.06	-1.3	21.76	33.01	PASS
n7	30	10	513000	1@1	DFT_BPSK	22.88	-1.3	21.58	33.01	PASS
n7	30	10	513000	1@22	DFT_BPSK	22.97	-1.3	21.67	33.01	PASS
n7	30	10	513000	24@0	DFT_BPSK	22.49	-1.3	21.19	33.01	PASS
n7	30	10	513000	12@6	DFT_QPSK	23.05	-1.3	21.75	33.01	PASS
n7	30	10	513000	1@1	DFT_QPSK	22.80	-1.3	21.50	33.01	PASS
n7	30	10	513000	1@22	DFT_QPSK	22.86	-1.3	21.56	33.01	PASS
n7	30	10	513000	24@0	DFT_QPSK	22.03	-1.3	20.73	33.01	PASS
n7	30	10	513000	12@6	DFT_QAM16	22.02	-1.3	20.72	33.01	PASS

n7	30	10	513000	1@1	DFT_QAM16	21.81	-1.3	20.51	33.01	PASS
n7	30	10	513000	1@22	DFT_QAM16	21.96	-1.3	20.66	33.01	PASS
n7	30	10	513000	24@0	DFT_QAM16	21.08	-1.3	19.78	33.01	PASS
n7	30	10	513000	12@6	DFT_QAM64	20.74	-1.3	19.44	33.01	PASS
n7	30	10	513000	1@1	DFT_QAM64	20.62	-1.3	19.32	33.01	PASS
n7	30	10	513000	1@22	DFT_QAM64	20.77	-1.3	19.47	33.01	PASS
n7	30	10	513000	24@0	DFT_QAM64	20.59	-1.3	19.29	33.01	PASS
n7	30	10	513000	12@6	DFT_QAM256	18.59	-1.3	17.29	33.01	PASS
n7	30	10	513000	1@1	DFT_QAM256	18.56	-1.3	17.26	33.01	PASS
n7	30	10	513000	1@22	DFT_QAM256	18.52	-1.3	17.22	33.01	PASS
n7	30	10	513000	24@0	DFT_QAM256	18.66	-1.3	17.36	33.01	PASS
n7	30	10	513000	12@6	CP_QPSK	21.56	-1.3	20.26	33.01	PASS
n7	30	10	513000	1@1	CP_QPSK	21.41	-1.3	20.11	33.01	PASS
n7	30	10	513000	1@22	CP_QPSK	21.37	-1.3	20.07	33.01	PASS
n7	30	10	513000	24@0	CP_QPSK	20.08	-1.3	18.78	33.01	PASS
n7	30	10	513000	12@6	CP_QAM16	20.98	-1.3	19.68	33.01	PASS
n7	30	10	513000	1@1	CP_QAM16	21.13	-1.3	19.83	33.01	PASS
n7	30	10	513000	1@22	CP_QAM16	21.60	-1.3	20.30	33.01	PASS
n7	30	10	513000	24@0	CP_QAM16	20.10	-1.3	18.80	33.01	PASS
n7	30	10	513000	12@6	CP_QAM64	19.54	-1.3	18.24	33.01	PASS
n7	30	10	513000	1@1	CP_QAM64	19.57	-1.3	18.27	33.01	PASS
n7	30	10	513000	1@22	CP_QAM64	19.73	-1.3	18.43	33.01	PASS
n7	30	10	513000	24@0	CP_QAM64	19.71	-1.3	18.41	33.01	PASS
n7	30	10	513000	12@6	CP_QAM256	16.52	-1.3	15.22	33.01	PASS
n7	30	10	513000	1@1	CP_QAM256	16.53	-1.3	15.23	33.01	PASS
n7	30	10	513000	1@22	CP_QAM256	16.89	-1.3	15.59	33.01	PASS
n7	30	10	513000	24@0	CP_QAM256	16.59	-1.3	15.29	33.01	PASS
n7	30	15	501500	18@9	DFT_BPSK	22.96	-1.3	21.66	33.01	PASS
n7	30	15	501500	1@1	DFT_BPSK	23.02	-1.3	21.72	33.01	PASS
n7	30	15	501500	1@36	DFT_BPSK	22.87	-1.3	21.57	33.01	PASS
n7	30	15	501500	36@0	DFT_BPSK	22.62	-1.3	21.32	33.01	PASS
n7	30	15	501500	18@9	DFT_QPSK	23.01	-1.3	21.71	33.01	PASS
n7	30	15	501500	1@1	DFT_QPSK	23.01	-1.3	21.71	33.01	PASS
n7	30	15	501500	1@36	DFT_QPSK	22.81	-1.3	21.51	33.01	PASS
n7	30	15	501500	36@0	DFT_QPSK	22.08	-1.3	20.78	33.01	PASS
n7	30	15	501500	18@9	DFT_QAM16	22.11	-1.3	20.81	33.01	PASS
n7	30	15	501500	1@1	DFT_QAM16	22.48	-1.3	21.18	33.01	PASS
n7	30	15	501500	1@36	DFT_QAM16	22.30	-1.3	21.00	33.01	PASS
n7	30	15	501500	36@0	DFT_QAM16	21.07	-1.3	19.77	33.01	PASS
n7	30	15	501500	18@9	DFT_QAM64	20.66	-1.3	19.36	33.01	PASS
n7	30	15	501500	1@1	DFT_QAM64	20.40	-1.3	19.10	33.01	PASS
n7	30	15	501500	1@36	DFT_QAM64	20.51	-1.3	19.21	33.01	PASS
n7	30	15	501500	36@0	DFT_QAM64	20.66	-1.3	19.36	33.01	PASS

n7	30	15	501500	18@9	DFT_QAM256	18.61	-1.3	17.31	33.01	PASS
n7	30	15	501500	1@1	DFT_QAM256	18.67	-1.3	17.37	33.01	PASS
n7	30	15	501500	1@36	DFT_QAM256	18.54	-1.3	17.24	33.01	PASS
n7	30	15	501500	36@0	DFT_QAM256	18.59	-1.3	17.29	33.01	PASS
n7	30	15	501500	19@9	CP_QPSK	21.62	-1.3	20.32	33.01	PASS
n7	30	15	501500	1@1	CP_QPSK	21.50	-1.3	20.20	33.01	PASS
n7	30	15	501500	1@36	CP_QPSK	21.29	-1.3	19.99	33.01	PASS
n7	30	15	501500	38@0	CP_QPSK	20.11	-1.3	18.81	33.01	PASS
n7	30	15	501500	19@9	CP_QAM16	21.14	-1.3	19.84	33.01	PASS
n7	30	15	501500	1@1	CP_QAM16	20.93	-1.3	19.63	33.01	PASS
n7	30	15	501500	1@36	CP_QAM16	21.03	-1.3	19.73	33.01	PASS
n7	30	15	501500	38@0	CP_QAM16	20.17	-1.3	18.87	33.01	PASS
n7	30	15	501500	19@9	CP_QAM64	19.82	-1.3	18.52	33.01	PASS
n7	30	15	501500	1@1	CP_QAM64	19.62	-1.3	18.32	33.01	PASS
n7	30	15	501500	1@36	CP_QAM64	19.52	-1.3	18.22	33.01	PASS
n7	30	15	501500	38@0	CP_QAM64	19.70	-1.3	18.40	33.01	PASS
n7	30	15	501500	19@9	CP_QAM256	16.63	-1.3	15.33	33.01	PASS
n7	30	15	501500	1@1	CP_QAM256	16.66	-1.3	15.36	33.01	PASS
n7	30	15	501500	1@36	CP_QAM256	16.53	-1.3	15.23	33.01	PASS
n7	30	15	501500	38@0	CP_QAM256	16.54	-1.3	15.24	33.01	PASS
n7	30	15	507000	18@9	DFT_BPSK	22.95	-1.3	21.65	33.01	PASS
n7	30	15	507000	1@1	DFT_BPSK	22.80	-1.3	21.50	33.01	PASS
n7	30	15	507000	1@36	DFT_BPSK	22.86	-1.3	21.56	33.01	PASS
n7	30	15	507000	36@0	DFT_BPSK	22.50	-1.3	21.20	33.01	PASS
n7	30	15	507000	18@9	DFT_QPSK	23.01	-1.3	21.71	33.01	PASS
n7	30	15	507000	1@1	DFT_QPSK	22.69	-1.3	21.39	33.01	PASS
n7	30	15	507000	1@36	DFT_QPSK	22.69	-1.3	21.39	33.01	PASS
n7	30	15	507000	36@0	DFT_QPSK	22.03	-1.3	20.73	33.01	PASS
n7	30	15	507000	18@9	DFT_QAM16	22.16	-1.3	20.86	33.01	PASS
n7	30	15	507000	1@1	DFT_QAM16	21.96	-1.3	20.66	33.01	PASS
n7	30	15	507000	1@36	DFT_QAM16	21.87	-1.3	20.57	33.01	PASS
n7	30	15	507000	36@0	DFT_QAM16	21.01	-1.3	19.71	33.01	PASS
n7	30	15	507000	18@9	DFT_QAM64	20.74	-1.3	19.44	33.01	PASS
n7	30	15	507000	1@1	DFT_QAM64	20.87	-1.3	19.57	33.01	PASS
n7	30	15	507000	1@36	DFT_QAM64	20.35	-1.3	19.05	33.01	PASS
n7	30	15	507000	36@0	DFT_QAM64	20.60	-1.3	19.30	33.01	PASS
n7	30	15	507000	18@9	DFT_QAM256	18.57	-1.3	17.27	33.01	PASS
n7	30	15	507000	1@1	DFT_QAM256	18.36	-1.3	17.06	33.01	PASS
n7	30	15	507000	1@36	DFT_QAM256	18.52	-1.3	17.22	33.01	PASS
n7	30	15	507000	36@0	DFT_QAM256	18.50	-1.3	17.20	33.01	PASS
n7	30	15	507000	19@9	CP_QPSK	21.57	-1.3	20.27	33.01	PASS
n7	30	15	507000	1@1	CP_QPSK	21.36	-1.3	20.06	33.01	PASS
n7	30	15	507000	1@36	CP_QPSK	21.21	-1.3	19.91	33.01	PASS

n7	30	15	507000	38@0	CP_QPSK	20.04	-1.3	18.74	33.01	PASS
n7	30	15	507000	19@9	CP_QAM16	21.07	-1.3	19.77	33.01	PASS
n7	30	15	507000	1@1	CP_QAM16	20.83	-1.3	19.53	33.01	PASS
n7	30	15	507000	1@36	CP_QAM16	20.76	-1.3	19.46	33.01	PASS
n7	30	15	507000	38@0	CP_QAM16	20.06	-1.3	18.76	33.01	PASS
n7	30	15	507000	19@9	CP_QAM64	19.82	-1.3	18.52	33.01	PASS
n7	30	15	507000	1@1	CP_QAM64	19.71	-1.3	18.41	33.01	PASS
n7	30	15	507000	1@36	CP_QAM64	19.78	-1.3	18.48	33.01	PASS
n7	30	15	507000	38@0	CP_QAM64	19.63	-1.3	18.33	33.01	PASS
n7	30	15	507000	19@9	CP_QAM256	16.54	-1.3	15.24	33.01	PASS
n7	30	15	507000	1@1	CP_QAM256	16.42	-1.3	15.12	33.01	PASS
n7	30	15	507000	1@36	CP_QAM256	16.58	-1.3	15.28	33.01	PASS
n7	30	15	507000	38@0	CP_QAM256	16.54	-1.3	15.24	33.01	PASS
n7	30	15	512500	18@9	DFT_BPSK	22.92	-1.3	21.62	33.01	PASS
n7	30	15	512500	1@1	DFT_BPSK	22.73	-1.3	21.43	33.01	PASS
n7	30	15	512500	1@36	DFT_BPSK	22.89	-1.3	21.59	33.01	PASS
n7	30	15	512500	36@0	DFT_BPSK	22.48	-1.3	21.18	33.01	PASS
n7	30	15	512500	18@9	DFT_QPSK	22.94	-1.3	21.64	33.01	PASS
n7	30	15	512500	1@1	DFT_QPSK	22.74	-1.3	21.44	33.01	PASS
n7	30	15	512500	1@36	DFT_QPSK	22.71	-1.3	21.41	33.01	PASS
n7	30	15	512500	36@0	DFT_QPSK	21.97	-1.3	20.67	33.01	PASS
n7	30	15	512500	18@9	DFT_QAM16	22.07	-1.3	20.77	33.01	PASS
n7	30	15	512500	1@1	DFT_QAM16	21.90	-1.3	20.60	33.01	PASS
n7	30	15	512500	1@36	DFT_QAM16	21.98	-1.3	20.68	33.01	PASS
n7	30	15	512500	36@0	DFT_QAM16	21.13	-1.3	19.83	33.01	PASS
n7	30	15	512500	18@9	DFT_QAM64	20.66	-1.3	19.36	33.01	PASS
n7	30	15	512500	1@1	DFT_QAM64	20.63	-1.3	19.33	33.01	PASS
n7	30	15	512500	1@36	DFT_QAM64	20.97	-1.3	19.67	33.01	PASS
n7	30	15	512500	36@0	DFT_QAM64	20.57	-1.3	19.27	33.01	PASS
n7	30	15	512500	18@9	DFT_QAM256	18.49	-1.3	17.19	33.01	PASS
n7	30	15	512500	1@1	DFT_QAM256	18.38	-1.3	17.08	33.01	PASS
n7	30	15	512500	1@36	DFT_QAM256	18.46	-1.3	17.16	33.01	PASS
n7	30	15	512500	36@0	DFT_QAM256	18.43	-1.3	17.13	33.01	PASS
n7	30	15	512500	19@9	CP_QPSK	21.50	-1.3	20.20	33.01	PASS
n7	30	15	512500	1@1	CP_QPSK	21.19	-1.3	19.89	33.01	PASS
n7	30	15	512500	1@36	CP_QPSK	21.29	-1.3	19.99	33.01	PASS
n7	30	15	512500	38@0	CP_QPSK	20.05	-1.3	18.75	33.01	PASS
n7	30	15	512500	19@9	CP_QAM16	21.07	-1.3	19.77	33.01	PASS
n7	30	15	512500	1@1	CP_QAM16	21.08	-1.3	19.78	33.01	PASS
n7	30	15	512500	1@36	CP_QAM16	20.76	-1.3	19.46	33.01	PASS
n7	30	15	512500	38@0	CP_QAM16	20.04	-1.3	18.74	33.01	PASS
n7	30	15	512500	19@9	CP_QAM64	19.74	-1.3	18.44	33.01	PASS
n7	30	15	512500	1@1	CP_QAM64	19.53	-1.3	18.23	33.01	PASS

n7	30	15	512500	1@36	CP_QAM64	19.48	-1.3	18.18	33.01	PASS
n7	30	15	512500	38@0	CP_QAM64	19.50	-1.3	18.20	33.01	PASS
n7	30	15	512500	19@9	CP_QAM256	16.48	-1.3	15.18	33.01	PASS
n7	30	15	512500	1@1	CP_QAM256	16.42	-1.3	15.12	33.01	PASS
n7	30	15	512500	1@36	CP_QAM256	16.65	-1.3	15.35	33.01	PASS
n7	30	15	512500	38@0	CP_QAM256	16.49	-1.3	15.19	33.01	PASS
n7	30	20	502000	25@12	DFT_BPSK	23.04	-1.3	21.74	33.01	PASS
n7	30	20	502000	1@1	DFT_BPSK	22.93	-1.3	21.63	33.01	PASS
n7	30	20	502000	1@49	DFT_BPSK	22.86	-1.3	21.56	33.01	PASS
n7	30	20	502000	50@0	DFT_BPSK	22.54	-1.3	21.24	33.01	PASS
n7	30	20	502000	25@12	DFT_QPSK	23.08	-1.3	21.78	33.01	PASS
n7	30	20	502000	1@1	DFT_QPSK	22.86	-1.3	21.56	33.01	PASS
n7	30	20	502000	1@49	DFT_QPSK	22.84	-1.3	21.54	33.01	PASS
n7	30	20	502000	50@0	DFT_QPSK	22.04	-1.3	20.74	33.01	PASS
n7	30	20	502000	25@12	DFT_QAM16	22.09	-1.3	20.79	33.01	PASS
n7	30	20	502000	1@1	DFT_QAM16	22.05	-1.3	20.75	33.01	PASS
n7	30	20	502000	1@49	DFT_QAM16	21.86	-1.3	20.56	33.01	PASS
n7	30	20	502000	50@0	DFT_QAM16	21.02	-1.3	19.72	33.01	PASS
n7	30	20	502000	25@12	DFT_QAM64	20.60	-1.3	19.30	33.01	PASS
n7	30	20	502000	1@1	DFT_QAM64	20.63	-1.3	19.33	33.01	PASS
n7	30	20	502000	1@49	DFT_QAM64	20.55	-1.3	19.25	33.01	PASS
n7	30	20	502000	50@0	DFT_QAM64	20.58	-1.3	19.28	33.01	PASS
n7	30	20	502000	25@12	DFT_QAM256	18.61	-1.3	17.31	33.01	PASS
n7	30	20	502000	1@1	DFT_QAM256	18.51	-1.3	17.21	33.01	PASS
n7	30	20	502000	1@49	DFT_QAM256	18.36	-1.3	17.06	33.01	PASS
n7	30	20	502000	50@0	DFT_QAM256	18.52	-1.3	17.22	33.01	PASS
n7	30	20	502000	25@12	CP_QPSK	21.57	-1.3	20.27	33.01	PASS
n7	30	20	502000	1@1	CP_QPSK	21.37	-1.3	20.07	33.01	PASS
n7	30	20	502000	1@49	CP_QPSK	21.31	-1.3	20.01	33.01	PASS
n7	30	20	502000	51@0	CP_QPSK	20.05	-1.3	18.75	33.01	PASS
n7	30	20	502000	25@12	CP_QAM16	21.10	-1.3	19.80	33.01	PASS
n7	30	20	502000	1@1	CP_QAM16	21.28	-1.3	19.98	33.01	PASS
n7	30	20	502000	1@49	CP_QAM16	20.50	-1.3	19.20	33.01	PASS
n7	30	20	502000	51@0	CP_QAM16	20.11	-1.3	18.81	33.01	PASS
n7	30	20	502000	25@12	CP_QAM64	19.67	-1.3	18.37	33.01	PASS
n7	30	20	502000	1@1	CP_QAM64	19.53	-1.3	18.23	33.01	PASS
n7	30	20	502000	1@49	CP_QAM64	19.74	-1.3	18.44	33.01	PASS
n7	30	20	502000	51@0	CP_QAM64	19.60	-1.3	18.30	33.01	PASS
n7	30	20	502000	25@12	CP_QAM256	16.59	-1.3	15.29	33.01	PASS
n7	30	20	502000	1@1	CP_QAM256	16.65	-1.3	15.35	33.01	PASS
n7	30	20	502000	1@49	CP_QAM256	16.49	-1.3	15.19	33.01	PASS
n7	30	20	502000	51@0	CP_QAM256	16.54	-1.3	15.24	33.01	PASS
n7	30	20	507000	25@12	DFT_BPSK	23.07	-1.3	21.77	33.01	PASS

n7	30	20	507000	1@1	DFT_BPSK	22.72	-1.3	21.42	33.01	PASS
n7	30	20	507000	1@49	DFT_BPSK	22.73	-1.3	21.43	33.01	PASS
n7	30	20	507000	50@0	DFT_BPSK	22.50	-1.3	21.20	33.01	PASS
n7	30	20	507000	25@12	DFT_QPSK	23.09	-1.3	21.79	33.01	PASS
n7	30	20	507000	1@1	DFT_QPSK	22.80	-1.3	21.50	33.01	PASS
n7	30	20	507000	1@49	DFT_QPSK	22.75	-1.3	21.45	33.01	PASS
n7	30	20	507000	50@0	DFT_QPSK	21.99	-1.3	20.69	33.01	PASS
n7	30	20	507000	25@12	DFT_QAM16	22.07	-1.3	20.77	33.01	PASS
n7	30	20	507000	1@1	DFT_QAM16	21.90	-1.3	20.60	33.01	PASS
n7	30	20	507000	1@49	DFT_QAM16	21.94	-1.3	20.64	33.01	PASS
n7	30	20	507000	50@0	DFT_QAM16	20.99	-1.3	19.69	33.01	PASS
n7	30	20	507000	25@12	DFT_QAM64	20.63	-1.3	19.33	33.01	PASS
n7	30	20	507000	1@1	DFT_QAM64	20.66	-1.3	19.36	33.01	PASS
n7	30	20	507000	1@49	DFT_QAM64	20.64	-1.3	19.34	33.01	PASS
n7	30	20	507000	50@0	DFT_QAM64	20.59	-1.3	19.29	33.01	PASS
n7	30	20	507000	25@12	DFT_QAM256	18.49	-1.3	17.19	33.01	PASS
n7	30	20	507000	1@1	DFT_QAM256	18.37	-1.3	17.07	33.01	PASS
n7	30	20	507000	1@49	DFT_QAM256	18.34	-1.3	17.04	33.01	PASS
n7	30	20	507000	50@0	DFT_QAM256	18.47	-1.3	17.17	33.01	PASS
n7	30	20	507000	25@12	CP_QPSK	21.74	-1.3	20.44	33.01	PASS
n7	30	20	507000	1@1	CP_QPSK	21.28	-1.3	19.98	33.01	PASS
n7	30	20	507000	1@49	CP_QPSK	21.31	-1.3	20.01	33.01	PASS
n7	30	20	507000	51@0	CP_QPSK	20.03	-1.3	18.73	33.01	PASS
n7	30	20	507000	25@12	CP_QAM16	21.14	-1.3	19.84	33.01	PASS
n7	30	20	507000	1@1	CP_QAM16	21.17	-1.3	19.87	33.01	PASS
n7	30	20	507000	1@49	CP_QAM16	20.75	-1.3	19.45	33.01	PASS
n7	30	20	507000	51@0	CP_QAM16	20.09	-1.3	18.79	33.01	PASS
n7	30	20	507000	25@12	CP_QAM64	19.75	-1.3	18.45	33.01	PASS
n7	30	20	507000	1@1	CP_QAM64	19.66	-1.3	18.36	33.01	PASS
n7	30	20	507000	1@49	CP_QAM64	19.44	-1.3	18.14	33.01	PASS
n7	30	20	507000	51@0	CP_QAM64	19.58	-1.3	18.28	33.01	PASS
n7	30	20	507000	25@12	CP_QAM256	16.57	-1.3	15.27	33.01	PASS
n7	30	20	507000	1@1	CP_QAM256	16.45	-1.3	15.15	33.01	PASS
n7	30	20	507000	1@49	CP_QAM256	16.44	-1.3	15.14	33.01	PASS
n7	30	20	507000	51@0	CP_QAM256	16.46	-1.3	15.16	33.01	PASS
n7	30	20	512000	25@12	DFT_BPSK	23.02	-1.3	21.72	33.01	PASS
n7	30	20	512000	1@1	DFT_BPSK	22.68	-1.3	21.38	33.01	PASS
n7	30	20	512000	1@49	DFT_BPSK	22.84	-1.3	21.54	33.01	PASS
n7	30	20	512000	50@0	DFT_BPSK	22.47	-1.3	21.17	33.01	PASS
n7	30	20	512000	25@12	DFT_QPSK	22.98	-1.3	21.68	33.01	PASS
n7	30	20	512000	1@1	DFT_QPSK	22.65	-1.3	21.35	33.01	PASS
n7	30	20	512000	1@49	DFT_QPSK	22.73	-1.3	21.43	33.01	PASS
n7	30	20	512000	50@0	DFT_QPSK	21.95	-1.3	20.65	33.01	PASS

n7	30	20	512000	25@12	DFT_QAM16	22.02	-1.3	20.72	33.01	PASS
n7	30	20	512000	1@1	DFT_QAM16	22.08	-1.3	20.78	33.01	PASS
n7	30	20	512000	1@49	DFT_QAM16	21.91	-1.3	20.61	33.01	PASS
n7	30	20	512000	50@0	DFT_QAM16	21.00	-1.3	19.70	33.01	PASS
n7	30	20	512000	25@12	DFT_QAM64	20.62	-1.3	19.32	33.01	PASS
n7	30	20	512000	1@1	DFT_QAM64	20.07	-1.3	18.77	33.01	PASS
n7	30	20	512000	1@49	DFT_QAM64	20.52	-1.3	19.22	33.01	PASS
n7	30	20	512000	50@0	DFT_QAM64	20.48	-1.3	19.18	33.01	PASS
n7	30	20	512000	25@12	DFT_QAM256	18.62	-1.3	17.32	33.01	PASS
n7	30	20	512000	1@1	DFT_QAM256	18.48	-1.3	17.18	33.01	PASS
n7	30	20	512000	1@49	DFT_QAM256	18.67	-1.3	17.37	33.01	PASS
n7	30	20	512000	50@0	DFT_QAM256	18.56	-1.3	17.26	33.01	PASS
n7	30	20	512000	25@12	CP_QPSK	21.63	-1.3	20.33	33.01	PASS
n7	30	20	512000	1@1	CP_QPSK	21.13	-1.3	19.83	33.01	PASS
n7	30	20	512000	1@49	CP_QPSK	21.52	-1.3	20.22	33.01	PASS
n7	30	20	512000	51@0	CP_QPSK	20.10	-1.3	18.80	33.01	PASS
n7	30	20	512000	25@12	CP_QAM16	21.20	-1.3	19.90	33.01	PASS
n7	30	20	512000	1@1	CP_QAM16	21.08	-1.3	19.78	33.01	PASS
n7	30	20	512000	1@49	CP_QAM16	21.70	-1.3	20.40	33.01	PASS
n7	30	20	512000	51@0	CP_QAM16	20.06	-1.3	18.76	33.01	PASS
n7	30	20	512000	25@12	CP_QAM64	19.72	-1.3	18.42	33.01	PASS
n7	30	20	512000	1@1	CP_QAM64	19.53	-1.3	18.23	33.01	PASS
n7	30	20	512000	1@49	CP_QAM64	20.09	-1.3	18.79	33.01	PASS
n7	30	20	512000	51@0	CP_QAM64	19.63	-1.3	18.33	33.01	PASS
n7	30	20	512000	25@12	CP_QAM256	16.62	-1.3	15.32	33.01	PASS
n7	30	20	512000	1@1	CP_QAM256	16.33	-1.3	15.03	33.01	PASS
n7	30	20	512000	1@49	CP_QAM256	16.67	-1.3	15.37	33.01	PASS
n7	30	20	512000	51@0	CP_QAM256	16.53	-1.3	15.23	33.01	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n7	30	20	507000	25@12	DFT_BPSK	3.82	1.73	0.00	Within authorized band for 5G NR n7	PASS
n7	30	20	507000	25@12	DFT_BPSK	3.45	-1.07	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	4.53	7.72	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	3.82	1.65	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	3.45	4.34	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	4.53	-10.63	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n7	30	20	507000	25@12	DFT_BPSK	-30	-2.29	0.00	Within authorized band for 5G NR n7	PASS
n7	30	20	507000	25@12	DFT_BPSK	-20	-1.84	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	-10	-4.77	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	0	-3.95	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	10	-4.76	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	20	-3.89	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	30	-6.2	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	40	-4.03	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	50	-4.98	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	-30	-4.24	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	-20	-2.58	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	-10	-3.75	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	0	-3.6	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	10	-2.44	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	20	-2.41	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	30	-1.53	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	40	-5.31	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	50	-2.88	0.00		PASS

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n7	30	10	507000	24@0	DFT_BPSK	4.39	13	PASS
n7	30	10	507000	24@0	DFT_QPSK	5.44	13	PASS
n7	30	10	507000	24@0	DFT_QAM16	5.97	13	PASS
n7	30	10	507000	24@0	DFT_QAM64	6.41	13	PASS
n7	30	10	507000	24@0	DFT_QAM256	6.93	13	PASS
n7	30	15	507000	36@0	DFT_BPSK	4.27	13	PASS
n7	30	15	507000	36@0	DFT_QPSK	5.31	13	PASS
n7	30	15	507000	36@0	DFT_QAM16	6.06	13	PASS
n7	30	15	507000	36@0	DFT_QAM64	6.29	13	PASS
n7	30	15	507000	36@0	DFT_QAM256	6.82	13	PASS
n7	30	20	507000	50@0	DFT_BPSK	4.28	13	PASS
n7	30	20	507000	50@0	DFT_QPSK	5.35	13	PASS
n7	30	20	507000	50@0	DFT_QAM16	5.99	13	PASS
n7	30	20	507000	50@0	DFT_QAM64	6.37	13	PASS
n7	30	20	507000	50@0	DFT_QAM256	6.76	13	PASS

n7 SCS=30kHz DFT_BPSK BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=507000 RB=24@0



n7 SCS=30kHz DFT_QAM16 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM64 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM256 BW=10MHz Channel=507000 RB=24@0



n7 SCS=30kHz DFT_BPSK BW=15MHz Channel=507000 RB=36@0



n7 SCS=30kHz DFT_QPSK BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QAM16 BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QAM64 BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QAM256 BW=15MHz Channel=507000 RB=36@0



n7 SCS=30kHz DFT_BPSK BW=20MHz Channel=507000 RB=50@0



n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=507000 RB=50@0



n7 SCS=30kHz DFT_QAM16 BW=20MHz Channel=507000 RB=50@0



n7 SCS=30kHz DFT_QAM64 BW=20MHz Channel=507000 RB=50@0



n7 SCS=30kHz DFT_QAM256 BW=20MHz Channel=507000 RB=50@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n7	30	10	501000	24@0	DFT_BPSK	8.577	9.234	PASS
n7	30	10	501000	24@0	DFT_QPSK	8.591	9.460	PASS
n7	30	10	501000	24@0	DFT_QAM16	8.567	9.195	PASS
n7	30	10	501000	24@0	DFT_QAM64	8.571	9.237	PASS
n7	30	10	501000	24@0	DFT_QAM256	8.632	9.378	PASS
n7	30	10	501000	24@0	CP_QPSK	8.609	9.143	PASS
n7	30	10	507000	24@0	DFT_BPSK	8.629	9.403	PASS
n7	30	10	507000	24@0	DFT_QPSK	8.542	9.084	PASS
n7	30	10	507000	24@0	DFT_QAM16	8.583	9.169	PASS
n7	30	10	507000	24@0	DFT_QAM64	8.652	9.214	PASS
n7	30	10	507000	24@0	DFT_QAM256	8.527	9.199	PASS
n7	30	10	507000	24@0	CP_QPSK	8.589	9.262	PASS
n7	30	10	513000	24@0	DFT_BPSK	8.580	9.193	PASS
n7	30	10	513000	24@0	DFT_QPSK	8.632	9.144	PASS
n7	30	10	513000	24@0	DFT_QAM16	8.621	9.128	PASS
n7	30	10	513000	24@0	DFT_QAM64	8.613	9.143	PASS
n7	30	10	513000	24@0	DFT_QAM256	8.590	9.223	PASS
n7	30	10	513000	24@0	CP_QPSK	8.565	9.154	PASS
n7	30	15	501500	36@0	DFT_BPSK	12.913	13.725	PASS
n7	30	15	501500	36@0	DFT_QPSK	12.934	13.638	PASS
n7	30	15	501500	36@0	DFT_QAM16	12.934	13.828	PASS
n7	30	15	501500	36@0	DFT_QAM64	12.947	13.817	PASS
n7	30	15	501500	36@0	DFT_QAM256	12.900	13.901	PASS
n7	30	15	501500	38@0	CP_QPSK	13.608	14.326	PASS
n7	30	15	507000	36@0	DFT_BPSK	12.912	13.625	PASS
n7	30	15	507000	36@0	DFT_QPSK	12.931	13.668	PASS
n7	30	15	507000	36@0	DFT_QAM16	12.897	13.738	PASS
n7	30	15	507000	36@0	DFT_QAM64	12.898	13.576	PASS
n7	30	15	507000	36@0	DFT_QAM256	12.812	13.699	PASS
n7	30	15	507000	38@0	CP_QPSK	13.609	14.534	PASS
n7	30	15	512500	36@0	DFT_BPSK	12.888	13.684	PASS
n7	30	15	512500	36@0	DFT_QPSK	12.954	13.827	PASS
n7	30	15	512500	36@0	DFT_QAM16	12.916	13.608	PASS
n7	30	15	512500	36@0	DFT_QAM64	12.881	13.582	PASS
n7	30	15	512500	36@0	DFT_QAM256	12.965	13.811	PASS
n7	30	15	512500	38@0	CP_QPSK	13.640	14.444	PASS
n7	30	20	502000	50@0	DFT_BPSK	17.951	18.961	PASS
n7	30	20	502000	50@0	DFT_QPSK	17.999	18.974	PASS
n7	30	20	502000	50@0	DFT_QAM16	17.903	19.104	PASS

n7	30	20	502000	50@0	DFT_QAM64	17.996	19.062	PASS
n7	30	20	502000	50@0	DFT_QAM256	17.983	18.901	PASS
n7	30	20	502000	51@0	CP_QPSK	18.328	19.385	PASS
n7	30	20	507000	50@0	DFT_BPSK	18.014	18.969	PASS
n7	30	20	507000	50@0	DFT_QPSK	17.923	18.880	PASS
n7	30	20	507000	50@0	DFT_QAM16	17.969	18.951	PASS
n7	30	20	507000	50@0	DFT_QAM64	17.971	18.916	PASS
n7	30	20	507000	50@0	DFT_QAM256	17.958	18.927	PASS
n7	30	20	507000	51@0	CP_QPSK	18.287	19.230	PASS
n7	30	20	512000	50@0	DFT_BPSK	18.012	18.912	PASS
n7	30	20	512000	50@0	DFT_QPSK	17.987	18.710	PASS
n7	30	20	512000	50@0	DFT_QAM16	17.991	18.911	PASS
n7	30	20	512000	50@0	DFT_QAM64	17.929	18.856	PASS
n7	30	20	512000	50@0	DFT_QAM256	17.945	18.852	PASS
n7	30	20	512000	51@0	CP_QPSK	18.310	19.261	PASS


n7 SCS=30kHz CP_QPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz CP_QPSK BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz CP_QPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz CP_QPSK BW=15MHz Channel=501500 RB=38@0




n7 SCS=30kHz CP_QPSK BW=15MHz Channel=507000 RB=38@0




n7 SCS=30kHz CP_QPSK BW=15MHz Channel=512500 RB=38@0




n7 SCS=30kHz CP_QPSK BW=20MHz Channel=502000 RB=51@0




n7 SCS=30kHz CP_QPSK BW=20MHz Channel=507000 RB=51@0




n7 SCS=30kHz CP_QPSK BW=20MHz Channel=512000 RB=51@0




n7 SCS=30kHz DFT_BPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_BPSK BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_BPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_BPSK BW=15MHz Channel=501500 RB=36@0




n7 SCS=30kHz DFT_BPSK BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_BPSK BW=15MHz Channel=512500 RB=36@0




n7 SCS=30kHz DFT_BPSK BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_BPSK BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_BPSK BW=20MHz Channel=512000 RB=50@0




n7 SCS=30kHz DFT_QAM16 BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QAM16 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM16 BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QAM16 BW=15MHz Channel=501500 RB=36@0




n7 SCS=30kHz DFT_QAM16 BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QAM16 BW=15MHz Channel=512500 RB=36@0




n7 SCS=30kHz DFT_QAM16 BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_QAM16 BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QAM16 BW=20MHz Channel=512000 RB=50@0




n7 SCS=30kHz DFT_QAM256 BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QAM256 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM256 BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QAM256 BW=15MHz Channel=501500 RB=36@0




n7 SCS=30kHz DFT_QAM256 BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QAM256 BW=15MHz Channel=512500 RB=36@0




n7 SCS=30kHz DFT_QAM256 BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_QAM256 BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QAM256 BW=20MHz Channel=512000 RB=50@0




n7 SCS=30kHz DFT_QAM64 BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QAM64 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM64 BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QAM64 BW=15MHz Channel=501500 RB=36@0




n7 SCS=30kHz DFT_QAM64 BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QAM64 BW=15MHz Channel=512500 RB=36@0




n7 SCS=30kHz DFT_QAM64 BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_QAM64 BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QAM64 BW=20MHz Channel=512000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=15MHz Channel=501500 RB=36@0




n7 SCS=30kHz DFT_QPSK BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QPSK BW=15MHz Channel=512500 RB=36@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=50@0



n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=50@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n7	30	10	501000	24@0	DFT_QPSK	2488.77	-38.83	-25	PASS
n7	30	10	501000	1@0	DFT_QPSK	2478.71	-40.91	-25	PASS
n7	30	10	513000	24@0	DFT_QPSK	2581.73	-38.54	-25	PASS
n7	30	10	513000	1@23	DFT_QPSK	2591.88	-40.96	-25	PASS
n7	30	20	502000	50@0	DFT_QPSK	2477.76	-40.69	-25	PASS
n7	30	20	502000	1@0	DFT_QPSK	2475.00	-40.76	-25	PASS
n7	30	20	512000	50@0	DFT_QPSK	2592.45	-40.83	-25	PASS
n7	30	20	512000	1@50	DFT_QPSK	2593.27	-41.01	-25	PASS


n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=1@23




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=1@0



n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@50




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n7	30	10	501000	24@0	DFT_QPSK	24081.83	-32.02	-25	PASS
n7	30	10	501000	1@0	DFT_QPSK	26308.30	-31.30	-25	PASS
n7	30	10	501000	1@23	DFT_QPSK	25715.98	-32.14	-25	PASS
n7	30	10	507000	24@0	DFT_QPSK	26147.35	-32.59	-25	PASS
n7	30	10	507000	1@0	DFT_QPSK	25632.60	-31.75	-25	PASS
n7	30	10	507000	1@23	DFT_QPSK	26171.28	-31.91	-25	PASS
n7	30	10	513000	24@0	DFT_QPSK	26211.88	-32.14	-25	PASS
n7	30	10	513000	1@0	DFT_QPSK	26230.00	-32.09	-25	PASS
n7	30	10	513000	1@23	DFT_QPSK	26230.00	-31.91	-25	PASS
n7	30	20	502000	50@0	DFT_QPSK	26236.53	-32.14	-25	PASS
n7	30	20	502000	1@0	DFT_QPSK	26278.58	-32.02	-25	PASS
n7	30	20	502000	1@50	DFT_QPSK	26335.85	-32.08	-25	PASS
n7	30	20	507000	50@0	DFT_QPSK	25438.30	-31.45	-25	PASS
n7	30	20	507000	1@0	DFT_QPSK	26308.30	-32.19	-25	PASS
n7	30	20	507000	1@50	DFT_QPSK	23706.28	-31.79	-25	PASS
n7	30	20	512000	50@0	DFT_QPSK	26275.68	-32.52	-25	PASS
n7	30	20	512000	1@0	DFT_QPSK	25755.13	-32.70	-25	PASS
n7	30	20	512000	1@50	DFT_QPSK	26232.90	-32.00	-25	PASS


n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=1@23




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=507000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=507000 RB=1@23




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=1@23




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=1@50




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=507000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=507000 RB=1@50



n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=50@0



n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@0



n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@50

