

TABLE OF CONTENTS

1 Conducted output power 2

2 Frequency stability 8

3 Peak-to-Average Ratio 9

4 Occupied bandwidth 16

5 Band edge 35

6 Out-of-band emissions 48

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	22.26	-3.09	19.17	33.01	PASS
Band2	1.4	18607	1	#Mid	QPSK	22.33	-3.09	19.24	33.01	PASS
Band2	1.4	18607	1	#Max	QPSK	22.3	-3.09	19.21	33.01	PASS
Band2	1.4	18607	3	#0	QPSK	22.45	-3.09	19.36	33.01	PASS
Band2	1.4	18607	3	#Mid	QPSK	22.41	-3.09	19.32	33.01	PASS
Band2	1.4	18607	3	#Max	QPSK	22.46	-3.09	19.37	33.01	PASS
Band2	1.4	18607	6	#0	QPSK	21.56	-3.09	18.47	33.01	PASS
Band2	1.4	18607	1	#0	QAM16	21.62	-3.09	18.53	33.01	PASS
Band2	1.4	18607	1	#Mid	QAM16	21.58	-3.09	18.49	33.01	PASS
Band2	1.4	18607	1	#Max	QAM16	21.6	-3.09	18.51	33.01	PASS
Band2	1.4	18607	3	#0	QAM16	21.89	-3.09	18.8	33.01	PASS
Band2	1.4	18607	3	#Mid	QAM16	21.85	-3.09	18.76	33.01	PASS
Band2	1.4	18607	3	#Max	QAM16	21.87	-3.09	18.78	33.01	PASS
Band2	1.4	18607	6	#0	QAM16	20.94	-3.09	17.85	33.01	PASS
Band2	1.4	18900	1	#0	QPSK	21.94	-3.09	18.85	33.01	PASS
Band2	1.4	18900	1	#Mid	QPSK	21.95	-3.09	18.86	33.01	PASS
Band2	1.4	18900	1	#Max	QPSK	21.91	-3.09	18.82	33.01	PASS
Band2	1.4	18900	3	#0	QPSK	22.2	-3.09	19.11	33.01	PASS
Band2	1.4	18900	3	#Mid	QPSK	22.16	-3.09	19.07	33.01	PASS
Band2	1.4	18900	3	#Max	QPSK	22.16	-3.09	19.07	33.01	PASS
Band2	1.4	18900	6	#0	QPSK	21.24	-3.09	18.15	33.01	PASS
Band2	1.4	18900	1	#0	QAM16	21.42	-3.09	18.33	33.01	PASS
Band2	1.4	18900	1	#Mid	QAM16	21.35	-3.09	18.26	33.01	PASS
Band2	1.4	18900	1	#Max	QAM16	21.4	-3.09	18.31	33.01	PASS
Band2	1.4	18900	3	#0	QAM16	21.69	-3.09	18.6	33.01	PASS
Band2	1.4	18900	3	#Mid	QAM16	21.7	-3.09	18.61	33.01	PASS
Band2	1.4	18900	3	#Max	QAM16	21.72	-3.09	18.63	33.01	PASS
Band2	1.4	18900	6	#0	QAM16	20.69	-3.09	17.6	33.01	PASS
Band2	1.4	19193	1	#0	QPSK	22.08	-3.09	18.99	33.01	PASS
Band2	1.4	19193	1	#Mid	QPSK	22.05	-3.09	18.96	33.01	PASS
Band2	1.4	19193	1	#Max	QPSK	22.04	-3.09	18.95	33.01	PASS
Band2	1.4	19193	3	#0	QPSK	22.24	-3.09	19.15	33.01	PASS
Band2	1.4	19193	3	#Mid	QPSK	22.17	-3.09	19.08	33.01	PASS
Band2	1.4	19193	3	#Max	QPSK	22.19	-3.09	19.1	33.01	PASS
Band2	1.4	19193	6	#0	QPSK	21.32	-3.09	18.23	33.01	PASS
Band2	1.4	19193	1	#0	QAM16	21.1	-3.09	18.01	33.01	PASS
Band2	1.4	19193	1	#Mid	QAM16	21.1	-3.09	18.01	33.01	PASS

Band2	1.4	19193	1	#Max	QAM16	21.07	-3.09	17.98	33.01	PASS
Band2	1.4	19193	3	#0	QAM16	21.61	-3.09	18.52	33.01	PASS
Band2	1.4	19193	3	#Mid	QAM16	21.56	-3.09	18.47	33.01	PASS
Band2	1.4	19193	3	#Max	QAM16	21.63	-3.09	18.54	33.01	PASS
Band2	1.4	19193	6	#0	QAM16	20.79	-3.09	17.7	33.01	PASS
Band2	3	18615	1	#0	QPSK	22.22	-3.09	19.13	33.01	PASS
Band2	3	18615	1	#Mid	QPSK	22.13	-3.09	19.04	33.01	PASS
Band2	3	18615	1	#Max	QPSK	22.17	-3.09	19.08	33.01	PASS
Band2	3	18615	8	#0	QPSK	21.74	-3.09	18.65	33.01	PASS
Band2	3	18615	8	#Mid	QPSK	21.72	-3.09	18.63	33.01	PASS
Band2	3	18615	8	#Max	QPSK	21.73	-3.09	18.64	33.01	PASS
Band2	3	18615	15	#0	QPSK	21.75	-3.09	18.66	33.01	PASS
Band2	3	18615	1	#0	QAM16	21.88	-3.09	18.79	33.01	PASS
Band2	3	18615	1	#Mid	QAM16	21.78	-3.09	18.69	33.01	PASS
Band2	3	18615	1	#Max	QAM16	21.8	-3.09	18.71	33.01	PASS
Band2	3	18615	8	#0	QAM16	21.01	-3.09	17.92	33.01	PASS
Band2	3	18615	8	#Mid	QAM16	21.01	-3.09	17.92	33.01	PASS
Band2	3	18615	8	#Max	QAM16	20.99	-3.09	17.9	33.01	PASS
Band2	3	18615	15	#0	QAM16	21.06	-3.09	17.97	33.01	PASS
Band2	3	18900	1	#0	QPSK	21.96	-3.09	18.87	33.01	PASS
Band2	3	18900	1	#Mid	QPSK	21.9	-3.09	18.81	33.01	PASS
Band2	3	18900	1	#Max	QPSK	21.9	-3.09	18.81	33.01	PASS
Band2	3	18900	8	#0	QPSK	21.45	-3.09	18.36	33.01	PASS
Band2	3	18900	8	#Mid	QPSK	21.45	-3.09	18.36	33.01	PASS
Band2	3	18900	8	#Max	QPSK	21.44	-3.09	18.35	33.01	PASS
Band2	3	18900	15	#0	QPSK	21.5	-3.09	18.41	33.01	PASS
Band2	3	18900	1	#0	QAM16	21.47	-3.09	18.38	33.01	PASS
Band2	3	18900	1	#Mid	QAM16	21.4	-3.09	18.31	33.01	PASS
Band2	3	18900	1	#Max	QAM16	21.41	-3.09	18.32	33.01	PASS
Band2	3	18900	8	#0	QAM16	20.8	-3.09	17.71	33.01	PASS
Band2	3	18900	8	#Mid	QAM16	20.8	-3.09	17.71	33.01	PASS
Band2	3	18900	8	#Max	QAM16	20.73	-3.09	17.64	33.01	PASS
Band2	3	18900	15	#0	QAM16	20.82	-3.09	17.73	33.01	PASS
Band2	3	19185	1	#0	QPSK	22.08	-3.09	18.99	33.01	PASS
Band2	3	19185	1	#Mid	QPSK	22.05	-3.09	18.96	33.01	PASS
Band2	3	19185	1	#Max	QPSK	22.11	-3.09	19.02	33.01	PASS
Band2	3	19185	8	#0	QPSK	21.55	-3.09	18.46	33.01	PASS
Band2	3	19185	8	#Mid	QPSK	21.53	-3.09	18.44	33.01	PASS
Band2	3	19185	8	#Max	QPSK	21.52	-3.09	18.43	33.01	PASS
Band2	3	19185	15	#0	QPSK	21.57	-3.09	18.48	33.01	PASS
Band2	3	19185	1	#0	QAM16	21.19	-3.09	18.1	33.01	PASS
Band2	3	19185	1	#Mid	QAM16	21.11	-3.09	18.02	33.01	PASS
Band2	3	19185	1	#Max	QAM16	21.09	-3.09	18	33.01	PASS
Band2	3	19185	8	#0	QAM16	20.78	-3.09	17.69	33.01	PASS

Band2	3	19185	8	#Mid	QAM16	20.78	-3.09	17.69	33.01	PASS
Band2	3	19185	8	#Max	QAM16	20.79	-3.09	17.7	33.01	PASS
Band2	3	19185	15	#0	QAM16	20.91	-3.09	17.82	33.01	PASS
Band2	5	18625	1	#0	QPSK	22.49	-3.09	19.4	33.01	PASS
Band2	5	18625	1	#Mid	QPSK	22.39	-3.09	19.3	33.01	PASS
Band2	5	18625	1	#Max	QPSK	22.43	-3.09	19.34	33.01	PASS
Band2	5	18625	12	#0	QPSK	21.82	-3.09	18.73	33.01	PASS
Band2	5	18625	12	#Mid	QPSK	21.8	-3.09	18.71	33.01	PASS
Band2	5	18625	12	#Max	QPSK	21.85	-3.09	18.76	33.01	PASS
Band2	5	18625	25	#0	QPSK	21.83	-3.09	18.74	33.01	PASS
Band2	5	18625	1	#0	QAM16	22.15	-3.09	19.06	33.01	PASS
Band2	5	18625	1	#Mid	QAM16	22.02	-3.09	18.93	33.01	PASS
Band2	5	18625	1	#Max	QAM16	22.1	-3.09	19.01	33.01	PASS
Band2	5	18625	12	#0	QAM16	21.08	-3.09	17.99	33.01	PASS
Band2	5	18625	12	#Mid	QAM16	21.09	-3.09	18	33.01	PASS
Band2	5	18625	12	#Max	QAM16	21.11	-3.09	18.02	33.01	PASS
Band2	5	18625	25	#0	QAM16	21.1	-3.09	18.01	33.01	PASS
Band2	5	18900	1	#0	QPSK	22.2	-3.09	19.11	33.01	PASS
Band2	5	18900	1	#Mid	QPSK	22.13	-3.09	19.04	33.01	PASS
Band2	5	18900	1	#Max	QPSK	22.19	-3.09	19.1	33.01	PASS
Band2	5	18900	12	#0	QPSK	21.59	-3.09	18.5	33.01	PASS
Band2	5	18900	12	#Mid	QPSK	21.61	-3.09	18.52	33.01	PASS
Band2	5	18900	12	#Max	QPSK	21.61	-3.09	18.52	33.01	PASS
Band2	5	18900	25	#0	QPSK	21.62	-3.09	18.53	33.01	PASS
Band2	5	18900	1	#0	QAM16	21.81	-3.09	18.72	33.01	PASS
Band2	5	18900	1	#Mid	QAM16	21.78	-3.09	18.69	33.01	PASS
Band2	5	18900	1	#Max	QAM16	21.75	-3.09	18.66	33.01	PASS
Band2	5	18900	12	#0	QAM16	20.92	-3.09	17.83	33.01	PASS
Band2	5	18900	12	#Mid	QAM16	20.87	-3.09	17.78	33.01	PASS
Band2	5	18900	12	#Max	QAM16	20.86	-3.09	17.77	33.01	PASS
Band2	5	18900	25	#0	QAM16	20.99	-3.09	17.9	33.01	PASS
Band2	5	19175	1	#0	QPSK	22.22	-3.09	19.13	33.01	PASS
Band2	5	19175	1	#Mid	QPSK	22.14	-3.09	19.05	33.01	PASS
Band2	5	19175	1	#Max	QPSK	22.14	-3.09	19.05	33.01	PASS
Band2	5	19175	12	#0	QPSK	21.7	-3.09	18.61	33.01	PASS
Band2	5	19175	12	#Mid	QPSK	21.65	-3.09	18.56	33.01	PASS
Band2	5	19175	12	#Max	QPSK	21.65	-3.09	18.56	33.01	PASS
Band2	5	19175	25	#0	QPSK	21.64	-3.09	18.55	33.01	PASS
Band2	5	19175	1	#0	QAM16	21.83	-3.09	18.74	33.01	PASS
Band2	5	19175	1	#Mid	QAM16	21.72	-3.09	18.63	33.01	PASS
Band2	5	19175	1	#Max	QAM16	21.7	-3.09	18.61	33.01	PASS
Band2	5	19175	12	#0	QAM16	21.02	-3.09	17.93	33.01	PASS
Band2	5	19175	12	#Mid	QAM16	20.96	-3.09	17.87	33.01	PASS
Band2	5	19175	12	#Max	QAM16	20.96	-3.09	17.87	33.01	PASS

Band2	5	19175	25	#0	QAM16	20.96	-3.09	17.87	33.01	PASS
Band2	10	18650	1	#0	QPSK	22.55	-3.09	19.46	33.01	PASS
Band2	10	18650	1	#Mid	QPSK	22.39	-3.09	19.3	33.01	PASS
Band2	10	18650	1	#Max	QPSK	22.41	-3.09	19.32	33.01	PASS
Band2	10	18650	25	#0	QPSK	21.81	-3.09	18.72	33.01	PASS
Band2	10	18650	25	#Mid	QPSK	21.85	-3.09	18.76	33.01	PASS
Band2	10	18650	25	#Max	QPSK	21.87	-3.09	18.78	33.01	PASS
Band2	10	18650	50	#0	QPSK	21.85	-3.09	18.76	33.01	PASS
Band2	10	18650	1	#0	QAM16	22.13	-3.09	19.04	33.01	PASS
Band2	10	18650	1	#Mid	QAM16	21.98	-3.09	18.89	33.01	PASS
Band2	10	18650	1	#Max	QAM16	22.05	-3.09	18.96	33.01	PASS
Band2	10	18650	25	#0	QAM16	21.13	-3.09	18.04	33.01	PASS
Band2	10	18650	25	#Mid	QAM16	21.16	-3.09	18.07	33.01	PASS
Band2	10	18650	25	#Max	QAM16	21.18	-3.09	18.09	33.01	PASS
Band2	10	18650	50	#0	QAM16	21.16	-3.09	18.07	33.01	PASS
Band2	10	18900	1	#0	QPSK	22.31	-3.09	19.22	33.01	PASS
Band2	10	18900	1	#Mid	QPSK	22.19	-3.09	19.1	33.01	PASS
Band2	10	18900	1	#Max	QPSK	22.22	-3.09	19.13	33.01	PASS
Band2	10	18900	25	#0	QPSK	21.66	-3.09	18.57	33.01	PASS
Band2	10	18900	25	#Mid	QPSK	21.64	-3.09	18.55	33.01	PASS
Band2	10	18900	25	#Max	QPSK	21.65	-3.09	18.56	33.01	PASS
Band2	10	18900	50	#0	QPSK	21.72	-3.09	18.63	33.01	PASS
Band2	10	18900	1	#0	QAM16	21.78	-3.09	18.69	33.01	PASS
Band2	10	18900	1	#Mid	QAM16	21.66	-3.09	18.57	33.01	PASS
Band2	10	18900	1	#Max	QAM16	21.66	-3.09	18.57	33.01	PASS
Band2	10	18900	25	#0	QAM16	21.01	-3.09	17.92	33.01	PASS
Band2	10	18900	25	#Mid	QAM16	20.98	-3.09	17.89	33.01	PASS
Band2	10	18900	25	#Max	QAM16	20.97	-3.09	17.88	33.01	PASS
Band2	10	18900	50	#0	QAM16	21.07	-3.09	17.98	33.01	PASS
Band2	10	19150	1	#0	QPSK	22.45	-3.09	19.36	33.01	PASS
Band2	10	19150	1	#Mid	QPSK	22.38	-3.09	19.29	33.01	PASS
Band2	10	19150	1	#Max	QPSK	22.41	-3.09	19.32	33.01	PASS
Band2	10	19150	25	#0	QPSK	21.74	-3.09	18.65	33.01	PASS
Band2	10	19150	25	#Mid	QPSK	21.71	-3.09	18.62	33.01	PASS
Band2	10	19150	25	#Max	QPSK	21.66	-3.09	18.57	33.01	PASS
Band2	10	19150	50	#0	QPSK	21.74	-3.09	18.65	33.01	PASS
Band2	10	19150	1	#0	QAM16	21.54	-3.09	18.45	33.01	PASS
Band2	10	19150	1	#Mid	QAM16	21.4	-3.09	18.31	33.01	PASS
Band2	10	19150	1	#Max	QAM16	21.37	-3.09	18.28	33.01	PASS
Band2	10	19150	25	#0	QAM16	21.08	-3.09	17.99	33.01	PASS
Band2	10	19150	25	#Mid	QAM16	21.03	-3.09	17.94	33.01	PASS
Band2	10	19150	25	#Max	QAM16	20.99	-3.09	17.9	33.01	PASS
Band2	10	19150	50	#0	QAM16	21.06	-3.09	17.97	33.01	PASS
Band2	15	18675	1	#0	QPSK	22.57	-3.09	19.48	33.01	PASS

Band2	15	18675	1	#Mid	QPSK	22.37	-3.09	19.28	33.01	PASS
Band2	15	18675	1	#Max	QPSK	22.38	-3.09	19.29	33.01	PASS
Band2	15	18675	36	#0	QPSK	21.79	-3.09	18.7	33.01	PASS
Band2	15	18675	36	#Mid	QPSK	21.72	-3.09	18.63	33.01	PASS
Band2	15	18675	36	#Max	QPSK	21.73	-3.09	18.64	33.01	PASS
Band2	15	18675	75	#0	QPSK	21.81	-3.09	18.72	33.01	PASS
Band2	15	18675	1	#0	QAM16	22.11	-3.09	19.02	33.01	PASS
Band2	15	18675	1	#Mid	QAM16	21.92	-3.09	18.83	33.01	PASS
Band2	15	18675	1	#Max	QAM16	22.02	-3.09	18.93	33.01	PASS
Band2	15	18675	36	#0	QAM16	21.05	-3.09	17.96	33.01	PASS
Band2	15	18675	36	#Mid	QAM16	21.03	-3.09	17.94	33.01	PASS
Band2	15	18675	36	#Max	QAM16	21.04	-3.09	17.95	33.01	PASS
Band2	15	18675	75	#0	QAM16	21.04	-3.09	17.95	33.01	PASS
Band2	15	18900	1	#0	QPSK	22.4	-3.09	19.31	33.01	PASS
Band2	15	18900	1	#Mid	QPSK	22.22	-3.09	19.13	33.01	PASS
Band2	15	18900	1	#Max	QPSK	22.3	-3.09	19.21	33.01	PASS
Band2	15	18900	36	#0	QPSK	21.58	-3.09	18.49	33.01	PASS
Band2	15	18900	36	#Mid	QPSK	21.54	-3.09	18.45	33.01	PASS
Band2	15	18900	36	#Max	QPSK	21.58	-3.09	18.49	33.01	PASS
Band2	15	18900	75	#0	QPSK	21.58	-3.09	18.49	33.01	PASS
Band2	15	18900	1	#0	QAM16	21.81	-3.09	18.72	33.01	PASS
Band2	15	18900	1	#Mid	QAM16	21.62	-3.09	18.53	33.01	PASS
Band2	15	18900	1	#Max	QAM16	21.61	-3.09	18.52	33.01	PASS
Band2	15	18900	36	#0	QAM16	20.98	-3.09	17.89	33.01	PASS
Band2	15	18900	36	#Mid	QAM16	20.81	-3.09	17.72	33.01	PASS
Band2	15	18900	36	#Max	QAM16	20.88	-3.09	17.79	33.01	PASS
Band2	15	18900	75	#0	QAM16	20.89	-3.09	17.8	33.01	PASS
Band2	15	19125	1	#0	QPSK	22.4	-3.09	19.31	33.01	PASS
Band2	15	19125	1	#Mid	QPSK	22.34	-3.09	19.25	33.01	PASS
Band2	15	19125	1	#Max	QPSK	22.32	-3.09	19.23	33.01	PASS
Band2	15	19125	36	#0	QPSK	21.68	-3.09	18.59	33.01	PASS
Band2	15	19125	36	#Mid	QPSK	21.63	-3.09	18.54	33.01	PASS
Band2	15	19125	36	#Max	QPSK	21.67	-3.09	18.58	33.01	PASS
Band2	15	19125	75	#0	QPSK	21.7	-3.09	18.61	33.01	PASS
Band2	15	19125	1	#0	QAM16	21.78	-3.09	18.69	33.01	PASS
Band2	15	19125	1	#Mid	QAM16	21.69	-3.09	18.6	33.01	PASS
Band2	15	19125	1	#Max	QAM16	21.68	-3.09	18.59	33.01	PASS
Band2	15	19125	36	#0	QAM16	21.03	-3.09	17.94	33.01	PASS
Band2	15	19125	36	#Mid	QAM16	20.99	-3.09	17.9	33.01	PASS
Band2	15	19125	36	#Max	QAM16	20.98	-3.09	17.89	33.01	PASS
Band2	15	19125	75	#0	QAM16	20.98	-3.09	17.89	33.01	PASS
Band2	20	18700	1	#0	QPSK	23.02	-3.09	19.93	33.01	PASS
Band2	20	18700	1	#Mid	QPSK	22.44	-3.09	19.35	33.01	PASS
Band2	20	18700	1	#Max	QPSK	22.36	-3.09	19.27	33.01	PASS

Band2	20	18700	50	#0	QPSK	21.79	-3.09	18.7	33.01	PASS
Band2	20	18700	50	#Mid	QPSK	21.88	-3.09	18.79	33.01	PASS
Band2	20	18700	50	#Max	QPSK	21.89	-3.09	18.8	33.01	PASS
Band2	20	18700	100	#0	QPSK	21.82	-3.09	18.73	33.01	PASS
Band2	20	18700	1	#0	QAM16	22.38	-3.09	19.29	33.01	PASS
Band2	20	18700	1	#Mid	QAM16	21.92	-3.09	18.83	33.01	PASS
Band2	20	18700	1	#Max	QAM16	21.93	-3.09	18.84	33.01	PASS
Band2	20	18700	50	#0	QAM16	21.18	-3.09	18.09	33.01	PASS
Band2	20	18700	50	#Mid	QAM16	21.25	-3.09	18.16	33.01	PASS
Band2	20	18700	50	#Max	QAM16	21.27	-3.09	18.18	33.01	PASS
Band2	20	18700	100	#0	QAM16	21.11	-3.09	18.02	33.01	PASS
Band2	20	18900	1	#0	QPSK	22.64	-3.09	19.55	33.01	PASS
Band2	20	18900	1	#Mid	QPSK	22.18	-3.09	19.09	33.01	PASS
Band2	20	18900	1	#Max	QPSK	22.18	-3.09	19.09	33.01	PASS
Band2	20	18900	50	#0	QPSK	21.78	-3.09	18.69	33.01	PASS
Band2	20	18900	50	#Mid	QPSK	21.72	-3.09	18.63	33.01	PASS
Band2	20	18900	50	#Max	QPSK	21.72	-3.09	18.63	33.01	PASS
Band2	20	18900	100	#0	QPSK	21.73	-3.09	18.64	33.01	PASS
Band2	20	18900	1	#0	QAM16	22.29	-3.09	19.2	33.01	PASS
Band2	20	18900	1	#Mid	QAM16	21.79	-3.09	18.7	33.01	PASS
Band2	20	18900	1	#Max	QAM16	21.75	-3.09	18.66	33.01	PASS
Band2	20	18900	50	#0	QAM16	21.17	-3.09	18.08	33.01	PASS
Band2	20	18900	50	#Mid	QAM16	21.13	-3.09	18.04	33.01	PASS
Band2	20	18900	50	#Max	QAM16	21.09	-3.09	18	33.01	PASS
Band2	20	18900	100	#0	QAM16	21.06	-3.09	17.97	33.01	PASS
Band2	20	19100	1	#0	QPSK	22.83	-3.09	19.74	33.01	PASS
Band2	20	19100	1	#Mid	QPSK	22.47	-3.09	19.38	33.01	PASS
Band2	20	19100	1	#Max	QPSK	22.42	-3.09	19.33	33.01	PASS
Band2	20	19100	50	#0	QPSK	21.77	-3.09	18.68	33.01	PASS
Band2	20	19100	50	#Mid	QPSK	21.8	-3.09	18.71	33.01	PASS
Band2	20	19100	50	#Max	QPSK	21.76	-3.09	18.67	33.01	PASS
Band2	20	19100	100	#0	QPSK	21.77	-3.09	18.68	33.01	PASS
Band2	20	19100	1	#0	QAM16	22.01	-3.09	18.92	33.01	PASS
Band2	20	19100	1	#Mid	QAM16	21.76	-3.09	18.67	33.01	PASS
Band2	20	19100	1	#Max	QAM16	21.7	-3.09	18.61	33.01	PASS
Band2	20	19100	50	#0	QAM16	21.09	-3.09	18	33.01	PASS
Band2	20	19100	50	#Mid	QAM16	21.13	-3.09	18.04	33.01	PASS
Band2	20	19100	50	#Max	QAM16	21.06	-3.09	17.97	33.01	PASS
Band2	20	19100	100	#0	QAM16	21.1	-3.09	18.01	33.01	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band2	20	18700	100	#0	QPSK	9.42	0.005	-2.5	2.5	PASS
Band2	20	18700	100	#0	QAM16	-19.48	-0.010	-2.5	2.5	PASS
Band2	20	18900	100	#0	QPSK	2.13	0.001	-2.5	2.5	PASS
Band2	20	18900	100	#0	QAM16	-7.45	-0.004	-2.5	2.5	PASS
Band2	20	19100	100	#0	QPSK	-5.20	-0.003	-2.5	2.5	PASS
Band2	20	19100	100	#0	QAM16	8.94	0.005	-2.5	2.5	PASS


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18900	1	#0	QPSK	4.70	13	PASS
Band2	1.4	18900	1	#0	QAM16	5.51	13	PASS
Band2	3	18900	1	#0	QPSK	4.83	13	PASS
Band2	3	18900	1	#0	QAM16	5.54	13	PASS
Band2	5	18900	1	#0	QPSK	4.99	13	PASS
Band2	5	18900	1	#0	QAM16	5.34	13	PASS
Band2	10	18900	1	#0	QPSK	4.98	13	PASS
Band2	10	18900	1	#0	QAM16	5.66	13	PASS
Band2	15	18900	1	#0	QPSK	5.11	13	PASS
Band2	15	18900	1	#0	QAM16	5.81	13	PASS
Band2	20	18900	1	#0	QPSK	4.90	13	PASS
Band2	20	18900	1	#0	QAM16	5.37	13	PASS


Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0





Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0







Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0






Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0

**Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0****Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0**

**Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0****Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0**

**Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0****Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0**



**Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0****Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0**




4 Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18607	6	#0	QPSK	1.099	1.269	PASS
Band2	1.4	18607	6	#0	QAM16	1.096	1.274	PASS
Band2	1.4	18900	6	#0	QPSK	1.091	1.285	PASS
Band2	1.4	18900	6	#0	QAM16	1.097	1.281	PASS
Band2	1.4	19193	6	#0	QPSK	1.100	1.261	PASS
Band2	1.4	19193	6	#0	QAM16	1.099	1.273	PASS
Band2	3	18615	15	#0	QPSK	2.685	2.975	PASS
Band2	3	18615	15	#0	QAM16	2.681	2.996	PASS
Band2	3	18900	15	#0	QPSK	2.692	2.974	PASS
Band2	3	18900	15	#0	QAM16	2.684	2.983	PASS
Band2	3	19185	15	#0	QPSK	2.690	2.955	PASS
Band2	3	19185	15	#0	QAM16	2.686	2.953	PASS
Band2	5	18625	25	#0	QPSK	4.518	4.904	PASS
Band2	5	18625	25	#0	QAM16	4.493	4.945	PASS
Band2	5	18900	25	#0	QPSK	4.509	4.912	PASS
Band2	5	18900	25	#0	QAM16	4.527	4.893	PASS
Band2	5	19175	25	#0	QPSK	4.513	4.940	PASS
Band2	5	19175	25	#0	QAM16	4.514	4.950	PASS
Band2	10	18650	50	#0	QPSK	8.990	9.765	PASS
Band2	10	18650	50	#0	QAM16	8.957	9.575	PASS
Band2	10	18900	50	#0	QPSK	8.979	9.721	PASS
Band2	10	18900	50	#0	QAM16	8.961	9.670	PASS
Band2	10	19150	50	#0	QPSK	9.011	9.709	PASS
Band2	10	19150	50	#0	QAM16	8.976	9.694	PASS
Band2	15	18675	75	#0	QPSK	13.432	14.413	PASS
Band2	15	18675	75	#0	QAM16	13.436	14.415	PASS
Band2	15	18900	75	#0	QPSK	13.444	14.498	PASS
Band2	15	18900	75	#0	QAM16	13.449	14.499	PASS
Band2	15	19125	75	#0	QPSK	13.417	14.448	PASS
Band2	15	19125	75	#0	QAM16	13.454	14.563	PASS
Band2	20	18700	100	#0	QPSK	17.964	19.134	PASS
Band2	20	18700	100	#0	QAM16	17.920	19.317	PASS
Band2	20	18900	100	#0	QPSK	17.902	19.308	PASS
Band2	20	18900	100	#0	QAM16	17.920	19.256	PASS
Band2	20	19100	100	#0	QPSK	17.882	19.336	PASS
Band2	20	19100	100	#0	QAM16	17.925	19.230	PASS

Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0


**Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0****Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0**




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0





Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0


**Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0****Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0**




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0





Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0



**Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0****Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0**




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0


**Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0****Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0**




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0





Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0







Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0


**Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0****Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0**

**Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0****Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0**

**Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0****Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0**




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band2	1.4	18607	6	#0	QPSK	1850.00	-32.47	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1850.00	-32.04	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.00	-31.94	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.00	-33.37	-13	PASS
Band2	3	18615	15	#0	QPSK	1850.00	-28.35	-13	PASS
Band2	3	18615	15	#0	QAM16	1849.99	-29.08	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-29.45	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.00	-29.38	-13	PASS
Band2	5	18625	25	#0	QPSK	1849.77	-30.87	-13	PASS
Band2	5	18625	25	#0	QAM16	1849.95	-31.41	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.00	-32.19	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.00	-33.04	-13	PASS
Band2	10	18650	50	#0	QPSK	1850.00	-31.98	-13	PASS
Band2	10	18650	50	#0	QAM16	1849.74	-32.73	-13	PASS
Band2	10	19150	50	#0	QPSK	1911.74	-35.47	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.22	-35.27	-13	PASS
Band2	15	18675	75	#0	QPSK	1849.73	-32.28	-13	PASS
Band2	15	18675	75	#0	QAM16	1849.79	-34.74	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.30	-32.70	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.42	-35.10	-13	PASS
Band2	20	18700	100	#0	QPSK	1849.44	-37.68	-13	PASS
Band2	20	18700	100	#0	QAM16	1848.84	-36.70	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.08	-33.25	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.08	-34.94	-13	PASS


Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




6 Out-of-band emissions

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band2	1.4	18607	6	#0	QPSK	3702.03	-36.48	-13	PASS
Band2	1.4	18607	6	#0	QAM16	3701.58	-35.49	-13	PASS
Band2	1.4	19193	6	#0	QPSK	3818.58	-33.21	-13	PASS
Band2	1.4	19193	6	#0	QAM16	3818.80	-34.93	-13	PASS
Band2	3	18615	15	#0	QPSK	3702.03	-36.25	-13	PASS
Band2	3	18615	15	#0	QAM16	3702.03	-36.44	-13	PASS
Band2	3	19185	15	#0	QPSK	3818.13	-37.19	-13	PASS
Band2	3	19185	15	#0	QAM16	3797.20	-37.87	-13	PASS
Band2	5	18625	25	#0	QPSK	3704.73	-38.11	-13	PASS
Band2	5	18625	25	#0	QAM16	3704.05	-36.61	-13	PASS
Band2	5	19175	25	#0	QPSK	3817.68	-36.83	-13	PASS
Band2	5	19175	25	#0	QAM16	3723.18	-38.03	-13	PASS
Band2	10	18650	50	#0	QPSK	3713.73	-37.09	-13	PASS
Band2	10	18650	50	#0	QAM16	3712.60	-37.86	-13	PASS
Band2	10	19150	50	#0	QPSK	3841.75	-37.23	-13	PASS
Band2	10	19150	50	#0	QAM16	3716.43	-37.95	-13	PASS
Band2	15	18675	75	#0	QPSK	3778.30	-38.82	-13	PASS
Band2	15	18675	75	#0	QAM16	3713.05	-37.61	-13	PASS
Band2	15	19125	75	#0	QPSK	3805.08	-38.32	-13	PASS
Band2	15	19125	75	#0	QAM16	3849.63	-38.39	-13	PASS
Band2	20	18700	100	#0	QPSK	3713.28	-38.27	-13	PASS
Band2	20	18700	100	#0	QAM16	3725.43	-37.91	-13	PASS
Band2	20	19100	100	#0	QPSK	3790.68	-38.21	-13	PASS
Band2	20	19100	100	#0	QAM16	3790.90	-37.69	-13	PASS


Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0

