

Appendix A

Test Information:

|             |           |              |                       |
|-------------|-----------|--------------|-----------------------|
| Serial No.: | 2N75-2    | Test Date:   | 2024/07/17~2024/07/21 |
| Test Site:  | RF        | Test Mode:   | Transmitting          |
| Tester:     | Arthur Su | Test Result: | Pass                  |

Environmental Conditions:

|                       |           |                           |       |                        |             |
|-----------------------|-----------|---------------------------|-------|------------------------|-------------|
| Temperature:<br>(°C): | 26.1-26.4 | Relative Humidity:<br>(%) | 57-60 | ATM Pressure:<br>(kPa) | 100.2-100.8 |
|-----------------------|-----------|---------------------------|-------|------------------------|-------------|

Test Equipment List and Details:

| Manufacturer | Description                         | Model         | Serial Number   | Calibration Date | Calibration Due Date |
|--------------|-------------------------------------|---------------|-----------------|------------------|----------------------|
| R&S          | Spectrum Analyzer                   | FSV40         | 101591          | 2024/04/01       | 2025/03/31           |
| R&S          | Spectrum Analyzer                   | FSU26         | 200256          | 2024/04/01       | 2025/03/31           |
| zhuoxiang    | Coaxial Cable                       | SMA-178       | 211001          | Each time        | N/A                  |
| YINSAIGE     | Coaxial Cable                       | SS402         | SJ0100001       | Each time        | N/A                  |
| eastsheep    | Coaxial Attenuator                  | 2W-SMA-JK-18G | 21060301        | Each time        | N/A                  |
| Unknown      | Coaxial tee connector               | Unknown       | 2204004         | Each time        | N/A                  |
| R&S          | Wideband Radio Communication Tester | CMW500        | 143458          | 2024/04/01       | 2025/03/31           |
| BACL         | TEMP&HUMI Test Chamber              | BTH-150-40    | 30174           | 2024/04/01       | 2025/03/31           |
| UNI-T        | Multimeter                          | UT39A+        | C210582554      | 2023/09/28       | 2024/09/27           |
| ZHAOXIN      | DC Power Supply                     | RXN-6010D     | 21R6010D0912386 | N/A              | N/A                  |

\* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Frequency stability

FCC Part 22H

B5 , TN/VN

| Mode                    | Frequency Error<br>(Hz) | Frequency Error<br>(ppm) | Limit<br>(ppm) | Result |
|-------------------------|-------------------------|--------------------------|----------------|--------|
| 10MHz_Middle_QPSK_50@0  | -1.7                    | -0.002                   | ±2.5           | Pass   |
| 10MHz_Middle_16QAM_50@0 | -9.1                    | -0.011                   | ±2.5           | Pass   |

B5 , T1/VN

| Mode                    | Frequency Error<br>(Hz) | Frequency Error<br>(ppm) | Limit<br>(ppm) | Result |
|-------------------------|-------------------------|--------------------------|----------------|--------|
| 10MHz_Middle_QPSK_50@0  | -2.0                    | -0.002                   | ±2.5           | Pass   |
| 10MHz_Middle_16QAM_50@0 | -6.0                    | -0.007                   | ±2.5           | Pass   |

B5 , T2/VN

| Mode                    | Frequency Error<br>(Hz) | Frequency Error<br>(ppm) | Limit<br>(ppm) | Result |
|-------------------------|-------------------------|--------------------------|----------------|--------|
| 10MHz_Middle_QPSK_50@0  | -1.1                    | -0.001                   | ±2.5           | Pass   |
| 10MHz_Middle_16QAM_50@0 | -1.1                    | -0.001                   | ±2.5           | Pass   |

B5 , T3/VN

| Mode                    | Frequency Error<br>(Hz) | Frequency Error<br>(ppm) | Limit<br>(ppm) | Result |
|-------------------------|-------------------------|--------------------------|----------------|--------|
| 10MHz_Middle_QPSK_50@0  | -1.6                    | -0.002                   | ±2.5           | Pass   |
| 10MHz_Middle_16QAM_50@0 | -2.0                    | -0.002                   | ±2.5           | Pass   |

B5 , T4/VN

| Mode                    | Frequency Error<br>(Hz) | Frequency Error<br>(ppm) | Limit<br>(ppm) | Result |
|-------------------------|-------------------------|--------------------------|----------------|--------|
| 10MHz_Middle_QPSK_50@0  | -2.5                    | -0.003                   | ±2.5           | Pass   |
| 10MHz_Middle_16QAM_50@0 | -2.0                    | -0.002                   | ±2.5           | Pass   |

B5 , T5/VN

| Mode                    | Frequency Error<br>(Hz) | Frequency Error<br>(ppm) | Limit<br>(ppm) | Result |
|-------------------------|-------------------------|--------------------------|----------------|--------|
| 10MHz_Middle_QPSK_50@0  | -1.1                    | -0.001                   | ±2.5           | Pass   |
| 10MHz_Middle_16QAM_50@0 | -2.1                    | -0.003                   | ±2.5           | Pass   |

B5 , T6/VN

| Mode | Frequency Error<br>(Hz) | Frequency Error<br>(ppm) | Limit<br>(ppm) | Result |
|------|-------------------------|--------------------------|----------------|--------|
|------|-------------------------|--------------------------|----------------|--------|

| Mode                    | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) | Result |
|-------------------------|----------------------|-----------------------|-------------|--------|
| 10MHz_Middle_QPSK_50@0  | -3.5                 | -0.004                | ±2.5        | Pass   |
| 10MHz_Middle_16QAM_50@0 | -1.4                 | -0.002                | ±2.5        | Pass   |

**B5 , T7/VN**

| Mode                    | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) | Result |
|-------------------------|----------------------|-----------------------|-------------|--------|
| 10MHz_Middle_QPSK_50@0  | -2.0                 | -0.002                | ±2.5        | Pass   |
| 10MHz_Middle_16QAM_50@0 | -3.0                 | -0.004                | ±2.5        | Pass   |

**B5 , T8/VN**

| Mode                    | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) | Result |
|-------------------------|----------------------|-----------------------|-------------|--------|
| 10MHz_Middle_QPSK_50@0  | -3.5                 | -0.004                | ±2.5        | Pass   |
| 10MHz_Middle_16QAM_50@0 | -4.3                 | -0.005                | ±2.5        | Pass   |

**B5 , TN/VH**

| Mode                    | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) | Result |
|-------------------------|----------------------|-----------------------|-------------|--------|
| 10MHz_Middle_QPSK_50@0  | -3.7                 | -0.004                | ±2.5        | Pass   |
| 10MHz_Middle_16QAM_50@0 | -3.8                 | -0.005                | ±2.5        | Pass   |

**B5 , TN/VL**

| Mode                    | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) | Result |
|-------------------------|----------------------|-----------------------|-------------|--------|
| 10MHz_Middle_QPSK_50@0  | -4.9                 | -0.006                | ±2.5        | Pass   |
| 10MHz_Middle_16QAM_50@0 | -3.2                 | -0.004                | ±2.5        | Pass   |

**Note:**

**Frequency Error (ppm)=Frequency Error (Hz)/Test Channel(MHz)**

**TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.**

**VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.**

FCC Part 24E

B2 , TN/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1851.13      | 1868.931     | 1850 ~ 1910    | Pass   |
| 20MHz_High_QPSK_100@0  | 1891.13      | 1908.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_16QAM_100@0 | 1891.07      | 1908.931     | 1850 ~ 1910    | Pass   |

B2 , T1/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_QPSK_100@0  | 1891.07      | 1908.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_16QAM_100@0 | 1891.07      | 1908.991     | 1850 ~ 1910    | Pass   |

B2 , T2/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_QPSK_100@0  | 1891.07      | 1908.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_16QAM_100@0 | 1891.07      | 1908.991     | 1850 ~ 1910    | Pass   |

B2 , T3/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1851.07      | 1868.931     | 1850 ~ 1910    | Pass   |
| 20MHz_High_QPSK_100@0  | 1891.13      | 1908.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_16QAM_100@0 | 1891.07      | 1908.991     | 1850 ~ 1910    | Pass   |

B2 , T4/VN

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0  | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_Low_16QAM_100@0 | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_QPSK_100@0 | 1891.13      | 1908.931     | 1850 ~ 1910    | Pass   |

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_High_16QAM_100@0 | 1891.07      | 1908.991     | 1850 ~ 1910    | Pass   |

B2 , T5/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1851.07      | 1868.931     | 1850 ~ 1910    | Pass   |
| 20MHz_High_QPSK_100@0  | 1891.07      | 1908.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_16QAM_100@0 | 1891.13      | 1908.991     | 1850 ~ 1910    | Pass   |

B2 , T6/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1851.13      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_QPSK_100@0  | 1891.13      | 1908.931     | 1850 ~ 1910    | Pass   |
| 20MHz_High_16QAM_100@0 | 1891.13      | 1908.991     | 1850 ~ 1910    | Pass   |

B2 , T7/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_QPSK_100@0  | 1891.07      | 1908.931     | 1850 ~ 1910    | Pass   |
| 20MHz_High_16QAM_100@0 | 1891.13      | 1908.931     | 1850 ~ 1910    | Pass   |

B2 , T8/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1851.07      | 1868.931     | 1850 ~ 1910    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_QPSK_100@0  | 1891.13      | 1908.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_16QAM_100@0 | 1891.07      | 1908.991     | 1850 ~ 1910    | Pass   |

B2 , TN/VH

| Mode                 | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|----------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0 | 1851.07      | 1868.931     | 1850 ~ 1910    | Pass   |

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_16QAM_100@0  | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_QPSK_100@0  | 1891.13      | 1908.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_16QAM_100@0 | 1891.07      | 1908.931     | 1850 ~ 1910    | Pass   |

**B2 , TN/VL**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1851.07      | 1868.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_QPSK_100@0  | 1891.07      | 1908.991     | 1850 ~ 1910    | Pass   |
| 20MHz_High_16QAM_100@0 | 1891.07      | 1908.991     | 1850 ~ 1910    | Pass   |

**Note:**

**TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.**

**VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.**

**FCC Part 27****B4 , TN/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.07      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_QPSK_100@0  | 1736.07      | 1753.931     | 1710 ~ 1755    | Pass   |
| 20MHz_High_16QAM_100@0 | 1736.13      | 1753.991     | 1710 ~ 1755    | Pass   |

**B4 , T1/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_QPSK_100@0  | 1736.13      | 1753.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_16QAM_100@0 | 1736.13      | 1753.991     | 1710 ~ 1755    | Pass   |

**B4 , T2/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_QPSK_100@0  | 1736.13      | 1753.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_16QAM_100@0 | 1736.07      | 1753.991     | 1710 ~ 1755    | Pass   |

**B4 , T3/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_QPSK_100@0  | 1736.07      | 1753.931     | 1710 ~ 1755    | Pass   |
| 20MHz_High_16QAM_100@0 | 1736.07      | 1753.991     | 1710 ~ 1755    | Pass   |

**B4 , T4/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0  | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_Low_16QAM_100@0 | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_QPSK_100@0 | 1736.13      | 1753.931     | 1710 ~ 1755    | Pass   |

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_High_16QAM_100@0 | 1736.07      | 1753.931     | 1710 ~ 1755    | Pass   |

B4 , T5/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.07      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_QPSK_100@0  | 1736.13      | 1753.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_16QAM_100@0 | 1736.13      | 1753.991     | 1710 ~ 1755    | Pass   |

B4 , T6/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_QPSK_100@0  | 1736.07      | 1753.931     | 1710 ~ 1755    | Pass   |
| 20MHz_High_16QAM_100@0 | 1736.07      | 1753.991     | 1710 ~ 1755    | Pass   |

B4 , T7/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_QPSK_100@0  | 1736.13      | 1753.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_16QAM_100@0 | 1736.13      | 1753.931     | 1710 ~ 1755    | Pass   |

B4 , T8/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.07      | 1728.931     | 1710 ~ 1755    | Pass   |
| 20MHz_High_QPSK_100@0  | 1736.13      | 1753.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_16QAM_100@0 | 1736.07      | 1753.991     | 1710 ~ 1755    | Pass   |

B4 , TN/VH

| Mode                 | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|----------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0 | 1711.07      | 1728.991     | 1710 ~ 1755    | Pass   |

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_QPSK_100@0  | 1736.07      | 1753.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_16QAM_100@0 | 1736.07      | 1753.991     | 1710 ~ 1755    | Pass   |

B4 , TN/VL

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_QPSK_100@0  | 1736.13      | 1753.991     | 1710 ~ 1755    | Pass   |
| 20MHz_High_16QAM_100@0 | 1736.07      | 1753.931     | 1710 ~ 1755    | Pass   |

B7 , TN/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2501.07      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_QPSK_100@0  | 2551.13      | 2568.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_16QAM_100@0 | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |

B7 , T1/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2501.07      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_QPSK_100@0  | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_16QAM_100@0 | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |

B7 , T2/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2501.07      | 2518.931     | 2500 ~ 2570    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2501.07      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_QPSK_100@0  | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_16QAM_100@0 | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |

B7 , T3/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2501.07      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_QPSK_100@0  | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_16QAM_100@0 | 2551.13      | 2568.991     | 2500 ~ 2570    | Pass   |

**B7 , T4/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2501.07      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_QPSK_100@0  | 2551.13      | 2568.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_16QAM_100@0 | 2551.07      | 2568.931     | 2500 ~ 2570    | Pass   |

**B7 , T5/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2501.07      | 2518.931     | 2500 ~ 2570    | Pass   |
| 20MHz_High_QPSK_100@0  | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_16QAM_100@0 | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |

**B7 , T6/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2501.07      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2501.07      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_QPSK_100@0  | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_16QAM_100@0 | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |

**B7 , T7/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_QPSK_100@0  | 2551.13      | 2568.931     | 2500 ~ 2570    | Pass   |
| 20MHz_High_16QAM_100@0 | 2551.07      | 2568.931     | 2500 ~ 2570    | Pass   |

**B7 , T8/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_QPSK_100@0  | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_16QAM_100@0 | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |

**B7 , TN/VH**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2501.13      | 2518.931     | 2500 ~ 2570    | Pass   |
| 20MHz_High_QPSK_100@0  | 2551.13      | 2568.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_16QAM_100@0 | 2551.07      | 2568.991     | 2500 ~ 2570    | Pass   |

**B7 , TN/VL**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2501.13      | 2518.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_QPSK_100@0  | 2551.13      | 2568.991     | 2500 ~ 2570    | Pass   |
| 20MHz_High_16QAM_100@0 | 2551.13      | 2568.991     | 2500 ~ 2570    | Pass   |

**B12 , TN/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 699 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 699 ~ 716      | Pass   |

**B12 , T1/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 699 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 699 ~ 716      | Pass   |

**B12 , T2/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.50       | 715.466      | 699 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 699 ~ 716      | Pass   |

**B12 , T3/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 699 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 699 ~ 716      | Pass   |

**B12 , T4/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.50       | 715.466      | 699 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.50       | 715.466      | 699 ~ 716      | Pass   |

**B12 , T5/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 699 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.50       | 715.466      | 699 ~ 716      | Pass   |

**B12 , T6/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 699 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.50       | 715.466      | 699 ~ 716      | Pass   |

**B12 , T7/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 699 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.50       | 715.466      | 699 ~ 716      | Pass   |

**B12 , T8/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.50       | 715.466      | 699 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.436      | 699 ~ 716      | Pass   |

**B12 , TN/VH**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.50       | 715.466      | 699 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 699 ~ 716      | Pass   |

**B12 , TN/VL**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 699.53       | 708.496      | 699 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 699.53       | 708.466      | 699 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.50       | 715.466      | 699 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 699 ~ 716      | Pass   |

**B17 , TN/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 704 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.50       | 715.466      | 704 ~ 716      | Pass   |

**B17 , T1/VN**

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 704 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 704 ~ 716      | Pass   |

B17 , T2/VN

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 704 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.50       | 715.436      | 704 ~ 716      | Pass   |

B17 , T3/VN

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 704 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.50       | 715.466      | 704 ~ 716      | Pass   |

B17 , T4/VN

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 704.56       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 704 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 704 ~ 716      | Pass   |

B17 , T5/VN

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 704.50       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 704 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.50       | 715.466      | 704 ~ 716      | Pass   |

B17 , T6/VN

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 704 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 704 ~ 716      | Pass   |

B17 , T7/VN

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 704 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 704 ~ 716      | Pass   |

B17 , T8/VN

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 704 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 704 ~ 716      | Pass   |

B17 , TN/VH

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.50       | 715.466      | 704 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 704 ~ 716      | Pass   |

B17 , TN/VL

| Mode                  | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|-----------------------|--------------|--------------|----------------|--------|
| 10MHz_Low_QPSK_50@0   | 704.53       | 713.436      | 704 ~ 716      | Pass   |
| 10MHz_Low_16QAM_50@0  | 704.53       | 713.466      | 704 ~ 716      | Pass   |
| 10MHz_High_QPSK_50@0  | 706.53       | 715.466      | 704 ~ 716      | Pass   |
| 10MHz_High_16QAM_50@0 | 706.53       | 715.466      | 704 ~ 716      | Pass   |

B38 , TN/VN

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2571.13      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2571.07      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_QPSK_100@0  | 2601.07      | 2618.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_16QAM_100@0 | 2601.07      | 2618.991     | 2570 ~ 2620    | Pass   |

**B38 , T1/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2571.13      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2571.13      | 2588.931     | 2570 ~ 2620    | Pass   |
| 20MHz_High_QPSK_100@0  | 2601.07      | 2618.931     | 2570 ~ 2620    | Pass   |
| 20MHz_High_16QAM_100@0 | 2601.07      | 2618.991     | 2570 ~ 2620    | Pass   |

**B38 , T2/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2571.13      | 2588.931     | 2570 ~ 2620    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2571.07      | 2588.931     | 2570 ~ 2620    | Pass   |
| 20MHz_High_QPSK_100@0  | 2601.07      | 2618.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_16QAM_100@0 | 2601.13      | 2618.991     | 2570 ~ 2620    | Pass   |

**B38 , T3/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2571.07      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2571.13      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_QPSK_100@0  | 2601.13      | 2618.931     | 2570 ~ 2620    | Pass   |
| 20MHz_High_16QAM_100@0 | 2601.07      | 2618.991     | 2570 ~ 2620    | Pass   |

**B38 , T4/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2571.07      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2571.07      | 2588.931     | 2570 ~ 2620    | Pass   |
| 20MHz_High_QPSK_100@0  | 2601.07      | 2618.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_16QAM_100@0 | 2601.13      | 2618.991     | 2570 ~ 2620    | Pass   |

**B38 , T5/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2571.07      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2571.07      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_QPSK_100@0  | 2601.07      | 2618.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_16QAM_100@0 | 2601.13      | 2618.991     | 2570 ~ 2620    | Pass   |

**B38 , T6/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2571.13      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2571.13      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_QPSK_100@0  | 2601.13      | 2618.931     | 2570 ~ 2620    | Pass   |
| 20MHz_High_16QAM_100@0 | 2601.07      | 2618.991     | 2570 ~ 2620    | Pass   |

**B38 , T7/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2571.07      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2571.13      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_QPSK_100@0  | 2601.13      | 2618.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_16QAM_100@0 | 2601.13      | 2618.991     | 2570 ~ 2620    | Pass   |

**B38 , T8/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2571.07      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2571.13      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_QPSK_100@0  | 2601.13      | 2618.931     | 2570 ~ 2620    | Pass   |
| 20MHz_High_16QAM_100@0 | 2601.13      | 2618.991     | 2570 ~ 2620    | Pass   |

**B38 , TN/VH**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2571.13      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2571.13      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_QPSK_100@0  | 2601.13      | 2618.931     | 2570 ~ 2620    | Pass   |
| 20MHz_High_16QAM_100@0 | 2601.07      | 2618.991     | 2570 ~ 2620    | Pass   |

**B38 , TN/VL**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2571.13      | 2588.991     | 2570 ~ 2620    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2571.19      | 2589.051     | 2570 ~ 2620    | Pass   |
| 20MHz_High_QPSK_100@0  | 2601.13      | 2618.991     | 2570 ~ 2620    | Pass   |
| 20MHz_High_16QAM_100@0 | 2601.07      | 2618.931     | 2570 ~ 2620    | Pass   |

**B41 , TN/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2497.13      | 2514.931     | 2496 ~ 2690    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2497.13      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_QPSK_100@0  | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_16QAM_100@0 | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |

**B41 , T1/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2497.13      | 2515.051     | 2496 ~ 2690    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2497.07      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_QPSK_100@0  | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_16QAM_100@0 | 2671.13      | 2689.051     | 2496 ~ 2690    | Pass   |

**B41 , T2/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2497.13      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2497.13      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_QPSK_100@0  | 2671.07      | 2688.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_16QAM_100@0 | 2671.13      | 2689.051     | 2496 ~ 2690    | Pass   |

**B41 , T3/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2497.13      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2497.07      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_QPSK_100@0  | 2671.13      | 2689.051     | 2496 ~ 2690    | Pass   |
| 20MHz_High_16QAM_100@0 | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |

**B41 , T4/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2497.13      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2497.07      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_QPSK_100@0  | 2671.07      | 2688.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_16QAM_100@0 | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |

**B41 , T5/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2497.07      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2497.13      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_QPSK_100@0  | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_16QAM_100@0 | 2671.07      | 2688.991     | 2496 ~ 2690    | Pass   |

**B41 , T6/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2497.07      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2497.13      | 2515.051     | 2496 ~ 2690    | Pass   |
| 20MHz_High_QPSK_100@0  | 2681.68      | 2689.051     | 2496 ~ 2690    | Pass   |
| 20MHz_High_16QAM_100@0 | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |

**B41 , T7/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2497.13      | 2514.931     | 2496 ~ 2690    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2497.07      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_QPSK_100@0  | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_16QAM_100@0 | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |

**B41 , T8/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2497.07      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2497.07      | 2514.931     | 2496 ~ 2690    | Pass   |
| 20MHz_High_QPSK_100@0  | 2671.19      | 2689.051     | 2496 ~ 2690    | Pass   |
| 20MHz_High_16QAM_100@0 | 2687.43      | 2689.171     | 2496 ~ 2690    | Pass   |

**B41 , TN/VH**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2497.13      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2497.13      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_QPSK_100@0  | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_16QAM_100@0 | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |

**B41 , TN/VL**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 2497.07      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_Low_16QAM_100@0  | 2497.13      | 2514.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_QPSK_100@0  | 2671.19      | 2688.991     | 2496 ~ 2690    | Pass   |
| 20MHz_High_16QAM_100@0 | 2671.13      | 2688.991     | 2496 ~ 2690    | Pass   |

**B66 , TN/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.07      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_QPSK_100@0  | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_16QAM_100@0 | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |

**B66 , T1/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.07      | 1728.931     | 1710 ~ 1780    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_QPSK_100@0  | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_16QAM_100@0 | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |

**B66 , T2/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_QPSK_100@0  | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_16QAM_100@0 | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |

**B66 , T3/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1729.051     | 1710 ~ 1780    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_QPSK_100@0  | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_16QAM_100@0 | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |

**B66 , T4/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_QPSK_100@0  | 1761.13      | 1778.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_16QAM_100@0 | 1761.13      | 1778.991     | 1710 ~ 1780    | Pass   |

**B66 , T5/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.07      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_QPSK_100@0  | 1761.13      | 1778.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_16QAM_100@0 | 1761.13      | 1778.991     | 1710 ~ 1780    | Pass   |

**B66 , T6/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_QPSK_100@0  | 1761.13      | 1778.931     | 1710 ~ 1780    | Pass   |
| 20MHz_High_16QAM_100@0 | 1761.13      | 1778.991     | 1710 ~ 1780    | Pass   |

**B66 , T7/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.07      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_QPSK_100@0  | 1761.13      | 1778.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_16QAM_100@0 | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |

**B66 , T8/VN**

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.07      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_QPSK_100@0  | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_16QAM_100@0 | 1761.07      | 1778.931     | 1710 ~ 1780    | Pass   |

B66 , TN/VH

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.13      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_QPSK_100@0  | 1761.07      | 1778.931     | 1710 ~ 1780    | Pass   |
| 20MHz_High_16QAM_100@0 | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |

B66 , TN/VL

| Mode                   | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|------------------------|--------------|--------------|----------------|--------|
| 20MHz_Low_QPSK_100@0   | 1711.07      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_Low_16QAM_100@0  | 1711.07      | 1728.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_QPSK_100@0  | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |
| 20MHz_High_16QAM_100@0 | 1761.07      | 1778.991     | 1710 ~ 1780    | Pass   |

B42\_1 , TN/VN

| Mode                     | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|--------------------------|--------------|--------------|----------------|--------|
| 1_20MHz_Low_QPSK_100@0   | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_Low_16QAM_100@0  | 3451.10      | 3469.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_QPSK_100@0  | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_16QAM_100@0 | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |

B42\_1 , T1/VN

| Mode                     | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|--------------------------|--------------|--------------|----------------|--------|
| 1_20MHz_Low_QPSK_100@0   | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_Low_16QAM_100@0  | 3451.10      | 3469.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_QPSK_100@0  | 3531.05      | 3549.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_16QAM_100@0 | 3531.10      | 3549.000     | 3450 ~ 3550    | Pass   |

B42\_1 , T2/VN

| Mode                     | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|--------------------------|--------------|--------------|----------------|--------|
| 1_20MHz_Low_QPSK_100@0   | 3451.10      | 3469.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_Low_16QAM_100@0  | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_QPSK_100@0  | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_16QAM_100@0 | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |

B42\_1 , T3/VN

| Mode                     | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|--------------------------|--------------|--------------|----------------|--------|
| 1_20MHz_Low_QPSK_100@0   | 3451.10      | 3469.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_Low_16QAM_100@0  | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_QPSK_100@0  | 3531.10      | 3549.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_16QAM_100@0 | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |

B42\_1 , T4/VN

| Mode                     | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|--------------------------|--------------|--------------|----------------|--------|
| 1_20MHz_Low_QPSK_100@0   | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_Low_16QAM_100@0  | 3451.10      | 3469.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_QPSK_100@0  | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_16QAM_100@0 | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |

B42\_1 , T5/VN

| Mode                     | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|--------------------------|--------------|--------------|----------------|--------|
| 1_20MHz_Low_QPSK_100@0   | 3451.10      | 3469.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_Low_16QAM_100@0  | 3451.10      | 3469.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_QPSK_100@0  | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_16QAM_100@0 | 3531.10      | 3549.000     | 3450 ~ 3550    | Pass   |

B42\_1 , T6/VN

| Mode                     | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|--------------------------|--------------|--------------|----------------|--------|
| 1_20MHz_Low_QPSK_100@0   | 3451.10      | 3469.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_Low_16QAM_100@0  | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_QPSK_100@0  | 3531.15      | 3549.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_16QAM_100@0 | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |

B42\_1 , T7/VN

| Mode                     | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|--------------------------|--------------|--------------|----------------|--------|
| 1_20MHz_Low_QPSK_100@0   | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_Low_16QAM_100@0  | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_QPSK_100@0  | 3531.10      | 3549.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_16QAM_100@0 | 3531.05      | 3548.950     | 3450 ~ 3550    | Pass   |

**B42\_1 , T8/VN**

| Mode                     | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|--------------------------|--------------|--------------|----------------|--------|
| 1_20MHz_Low_QPSK_100@0   | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_Low_16QAM_100@0  | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_QPSK_100@0  | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_16QAM_100@0 | 3531.05      | 3549.000     | 3450 ~ 3550    | Pass   |

**B42\_1 , TN/VH**

| Mode                     | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|--------------------------|--------------|--------------|----------------|--------|
| 1_20MHz_Low_QPSK_100@0   | 3451.10      | 3469.000     | 3450 ~ 3550    | Pass   |
| 1_20MHz_Low_16QAM_100@0  | 3451.05      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_QPSK_100@0  | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_16QAM_100@0 | 3531.10      | 3549.000     | 3450 ~ 3550    | Pass   |

**B42\_1 , TN/VL**

| Mode                     | F_L<br>(MHz) | F_H<br>(MHz) | Limit<br>(MHz) | Result |
|--------------------------|--------------|--------------|----------------|--------|
| 1_20MHz_Low_QPSK_100@0   | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_Low_16QAM_100@0  | 3451.10      | 3468.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_QPSK_100@0  | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |
| 1_20MHz_High_16QAM_100@0 | 3531.10      | 3548.950     | 3450 ~ 3550    | Pass   |

**Note:**

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

**Occupied Bandwidth****FCC Part 22H****B5 , Normal**


| Mode                    | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|-------------------------|------------------|--------------|
| 1.4MHz_Low_QPSK_6@0     | 1.089            | 1.268        |
| 1.4MHz_Low_16QAM_6@0    | 1.084            | 1.282        |
| 1.4MHz_Middle_QPSK_6@0  | 1.078            | 1.266        |
| 1.4MHz_Middle_16QAM_6@0 | 1.086            | 1.285        |
| 1.4MHz_High_QPSK_6@0    | 1.081            | 1.254        |
| 1.4MHz_High_16QAM_6@0   | 1.095            | 1.302        |
| 3MHz_Low_QPSK_15@0      | 2.682            | 2.922        |
| 3MHz_Low_16QAM_15@0     | 2.682            | 2.940        |
| 3MHz_Middle_QPSK_15@0   | 2.688            | 2.916        |
| 3MHz_Middle_16QAM_15@0  | 2.682            | 2.928        |
| 3MHz_High_QPSK_15@0     | 2.688            | 2.898        |
| 3MHz_High_16QAM_15@0    | 2.682            | 2.916        |
| 5MHz_Low_QPSK_25@0      | 4.460            | 4.850        |
| 5MHz_Low_16QAM_25@0     | 4.470            | 4.880        |
| 5MHz_Middle_QPSK_25@0   | 4.470            | 4.830        |
| 5MHz_Middle_16QAM_25@0  | 4.460            | 4.880        |
| 5MHz_High_QPSK_25@0     | 4.480            | 4.840        |
| 5MHz_High_16QAM_25@0    | 4.460            | 4.910        |
| 10MHz_Low_QPSK_50@0     | 8.940            | 9.660        |
| 10MHz_Low_16QAM_50@0    | 8.960            | 9.560        |
| 10MHz_Middle_QPSK_50@0  | 8.940            | 9.520        |
| 10MHz_Middle_16QAM_50@0 | 8.940            | 9.660        |
| 10MHz_High_QPSK_50@0    | 8.940            | 9.720        |
| 10MHz_High_16QAM_50@0   | 8.940            | 9.640        |




1.4MHz\_Middle\_16QAM\_6@0

Occupied Bandwidth 1.086MHz

26dB Bandwidth 1.285MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:39:25




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:40:06


1.4MHz\_High\_QPSK\_6@0

Occupied Bandwidth 1.081MHz

26dB Bandwidth 1.254MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:41:34




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:42:10


1.4MHz\_High\_16QAM\_6@0

Occupied Bandwidth 1.095MHz

26dB Bandwidth 1.302MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:43:29





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:44:05

3MHz\_Low\_QPSK\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.922MHz





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:45:28

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:46:05

3MHz\_Low\_16QAM\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.940MHz





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:46:55

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:47:34

3MHz\_Middle\_QPSK\_15@0

Occupied Bandwidth 2.688MHz

26dB Bandwidth 2.916MHz




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:48:29

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:49:11


3MHz\_Middle\_16QAM\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.928MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:50:07




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:50:49


3MHz\_High\_QPSK\_15@0

Occupied Bandwidth 2.688MHz

26dB Bandwidth 2.898MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:51:48




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:52:25


3MHz\_High\_16QAM\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.916MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:53:16




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:53:54


5MHz\_Low\_QPSK\_25@0

Occupied Bandwidth 4.460MHz

26dB Bandwidth 4.850MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:55:15




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:55:45


5MHz\_Low\_16QAM\_25@0

Occupied Bandwidth 4.470MHz

26dB Bandwidth 4.880MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:56:30




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:57:01


5MHz\_Middle\_QPSK\_25@0

Occupied Bandwidth 4.470MHz

26dB Bandwidth 4.830MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:57:57





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:58:38

5MHz\_Middle\_16QAM\_25@0

Occupied Bandwidth 4.460MHz

26dB Bandwidth 4.880MHz





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:59:33

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:00:14

5MHz\_High\_QPSK\_25@0

Occupied Bandwidth 4.480MHz

26dB Bandwidth 4.840MHz





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:01:03

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:01:36

5MHz\_High\_16QAM\_25@0

Occupied Bandwidth 4.460MHz

26dB Bandwidth 4.910MHz




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:02:26

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:02:59


10MHz\_Low\_QPSK\_50@0

Occupied Bandwidth 8.940MHz

26dB Bandwidth 9.660MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:04:27




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:05:09


10MHz\_Low\_16QAM\_50@0

Occupied Bandwidth 8.960MHz

26dB Bandwidth 9.560MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:06:06




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:06:48


10MHz\_Middle\_QPSK\_50@0

Occupied Bandwidth 8.940MHz

26dB Bandwidth 9.520MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:07:47




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:08:31


10MHz\_Middle\_16QAM\_50@0

Occupied Bandwidth 8.940MHz

26dB Bandwidth 9.660MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:09:30




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:10:14


10MHz\_High\_QPSK\_50@0

Occupied Bandwidth 8.940MHz

26dB Bandwidth 9.720MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:11:23




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:12:09


10MHz\_High\_16QAM\_50@0

Occupied Bandwidth 8.940MHz

26dB Bandwidth 9.640MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:13:10



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 04:13:56

## FCC Part 24E

## B2 , Normal

| Mode                    | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|-------------------------|------------------|--------------|
| 1.4MHz_Low_QPSK_6@0     | 1.089            | 1.282        |
| 1.4MHz_Low_16QAM_6@0    | 1.084            | 1.294        |
| 1.4MHz_Middle_QPSK_6@0  | 1.081            | 1.260        |
| 1.4MHz_Middle_16QAM_6@0 | 1.084            | 1.285        |
| 1.4MHz_High_QPSK_6@0    | 1.092            | 1.280        |
| 1.4MHz_High_16QAM_6@0   | 1.084            | 1.291        |
| 3MHz_Low_QPSK_15@0      | 2.682            | 2.922        |
| 3MHz_Low_16QAM_15@0     | 2.682            | 2.910        |
| 3MHz_Middle_QPSK_15@0   | 2.688            | 2.928        |
| 3MHz_Middle_16QAM_15@0  | 2.688            | 2.928        |
| 3MHz_High_QPSK_15@0     | 2.688            | 2.922        |
| 3MHz_High_16QAM_15@0    | 2.682            | 2.910        |
| 5MHz_Low_QPSK_25@0      | 4.470            | 4.870        |
| 5MHz_Low_16QAM_25@0     | 4.460            | 4.850        |
| 5MHz_Middle_QPSK_25@0   | 4.470            | 4.830        |
| 5MHz_Middle_16QAM_25@0  | 4.470            | 4.850        |
| 5MHz_High_QPSK_25@0     | 4.480            | 4.850        |
| 5MHz_High_16QAM_25@0    | 4.460            | 4.890        |
| 10MHz_Low_QPSK_50@0     | 8.940            | 9.640        |
| 10MHz_Low_16QAM_50@0    | 8.940            | 9.640        |
| 10MHz_Middle_QPSK_50@0  | 8.940            | 9.620        |
| 10MHz_Middle_16QAM_50@0 | 8.940            | 9.640        |
| 10MHz_High_QPSK_50@0    | 8.940            | 9.680        |
| 10MHz_High_16QAM_50@0   | 8.920            | 9.820        |
| 15MHz_Low_QPSK_75@0     | 13.440           | 14.490       |
| 15MHz_Low_16QAM_75@0    | 13.470           | 14.640       |
| 15MHz_Middle_QPSK_75@0  | 13.410           | 14.460       |
| 15MHz_Middle_16QAM_75@0 | 13.440           | 14.550       |
| 15MHz_High_QPSK_75@0    | 13.380           | 14.490       |
| 15MHz_High_16QAM_75@0   | 13.410           | 14.460       |
| 20MHz_Low_QPSK_100@0    | 17.920           | 19.240       |



| Mode                     | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|--------------------------|------------------|--------------|
| 20MHz_Low_16QAM_100@0    | 17.920           | 19.200       |
| 20MHz_Middle_QPSK_100@0  | 17.800           | 19.120       |
| 20MHz_Middle_16QAM_100@0 | 17.880           | 19.120       |
| 20MHz_High_QPSK_100@0    | 17.840           | 19.000       |
| 20MHz_High_16QAM_100@0   | 17.840           | 19.200       |

B2 , Normal

1.4MHz\_Low\_QPSK\_6@0

Occupied Bandwidth 1.089MHz

26dB Bandwidth 1.282MHz





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:34:33

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:35:06

1.4MHz\_Low\_16QAM\_6@0

Occupied Bandwidth 1.084MHz

26dB Bandwidth 1.294MHz





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:36:43

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:37:18

1.4MHz\_Middle\_QPSK\_6@0

Occupied Bandwidth 1.081MHz

26dB Bandwidth 1.260MHz




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:39:01

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:39:36


1.4MHz\_Middle\_16QAM\_6@0

Occupied Bandwidth 1.084MHz

26dB Bandwidth 1.285MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:41:14




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:41:49


1.4MHz\_High\_QPSK\_6@0

Occupied Bandwidth 1.092MHz

26dB Bandwidth 1.280MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:43:34




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:44:12


1.4MHz\_High\_16QAM\_6@0

Occupied Bandwidth 1.084MHz

26dB Bandwidth 1.291MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:45:49




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:46:27


3MHz\_Low\_QPSK\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.922MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:47:37




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:48:13


3MHz\_Low\_16QAM\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.910MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:49:22




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:49:58


3MHz\_Middle\_QPSK\_15@0

Occupied Bandwidth 2.688MHz

26dB Bandwidth 2.928MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:51:10




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:51:44


3MHz\_Middle\_16QAM\_15@0

Occupied Bandwidth 2.688MHz

26dB Bandwidth 2.928MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:52:56




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:53:31


3MHz\_High\_QPSK\_15@0

Occupied Bandwidth 2.688MHz

26dB Bandwidth 2.922MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:54:48




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:55:27


3MHz\_High\_16QAM\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.910MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:56:36




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:57:14


5MHz\_Low\_QPSK\_25@0

Occupied Bandwidth 4.470MHz

26dB Bandwidth 4.870MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:58:12




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:58:37


5MHz\_Low\_16QAM\_25@0

Occupied Bandwidth 4.460MHz

26dB Bandwidth 4.850MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 19:59:35




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:00:00


5MHz\_Middle\_QPSK\_25@0

Occupied Bandwidth 4.470MHz

26dB Bandwidth 4.830MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:00:58




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:01:22


5MHz\_Middle\_16QAM\_25@0

Occupied Bandwidth 4.470MHz

26dB Bandwidth 4.850MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:02:17




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:02:42


5MHz\_High\_QPSK\_25@0

Occupied Bandwidth 4.480MHz

26dB Bandwidth 4.850MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:03:53




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:04:25


5MHz\_High\_16QAM\_25@0

Occupied Bandwidth 4.460MHz

26dB Bandwidth 4.890MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:05:29




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:06:02


10MHz\_Low\_QPSK\_50@0

Occupied Bandwidth 8.940MHz

26dB Bandwidth 9.640MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:07:07




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:07:41


10MHz\_Low\_16QAM\_50@0

Occupied Bandwidth 8.940MHz

26dB Bandwidth 9.640MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:08:47




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:09:21


10MHz\_Middle\_QPSK\_50@0

Occupied Bandwidth 8.940MHz

26dB Bandwidth 9.620MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:10:21




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:10:49


10MHz\_Middle\_16QAM\_50@0

Occupied Bandwidth 8.940MHz

26dB Bandwidth 9.640MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:11:50




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:12:18


10MHz\_High\_QPSK\_50@0

Occupied Bandwidth 8.940MHz

26dB Bandwidth 9.680MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:13:33




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:14:10


10MHz\_High\_16QAM\_50@0

Occupied Bandwidth 8.920MHz

26dB Bandwidth 9.820MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:15:17




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:15:54


15MHz\_Low\_QPSK\_75@0

Occupied Bandwidth 13.440MHz

26dB Bandwidth 14.490MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:17:02




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:17:39


15MHz\_Low\_16QAM\_75@0

Occupied Bandwidth 13.470MHz

26dB Bandwidth 14.640MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:18:46




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:19:24


15MHz\_Middle\_QPSK\_75@0

Occupied Bandwidth 13.410MHz

26dB Bandwidth 14.460MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:20:22





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:20:48

15MHz\_Middle\_16QAM\_75@0

Occupied Bandwidth 13.440MHz

26dB Bandwidth 14.550MHz





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:21:45

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:22:11

15MHz\_High\_QPSK\_75@0

Occupied Bandwidth 13.380MHz

26dB Bandwidth 14.490MHz





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:23:18

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:23:54

15MHz\_High\_16QAM\_75@0

Occupied Bandwidth 13.410MHz

26dB Bandwidth 14.460MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:25:02


ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:25:38




20MHz\_Middle\_16QAM\_100@0

Occupied Bandwidth 17.880MHz

26dB Bandwidth 19.120MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:32:05




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:32:38


20MHz\_High\_QPSK\_100@0

Occupied Bandwidth 17.840MHz

26dB Bandwidth 19.000MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:33:57




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:34:34


20MHz\_High\_16QAM\_100@0

Occupied Bandwidth 17.840MHz

26dB Bandwidth 19.200MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:35:42



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 20:36:18

## FCC Part 27

## B4 , Normal

| Mode                    | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|-------------------------|------------------|--------------|
| 1.4MHz_Low_QPSK_6@0     | 1.089            | 1.280        |
| 1.4MHz_Low_16QAM_6@0    | 1.084            | 1.285        |
| 1.4MHz_Middle_QPSK_6@0  | 1.078            | 1.257        |
| 1.4MHz_Middle_16QAM_6@0 | 1.086            | 1.291        |
| 1.4MHz_High_QPSK_6@0    | 1.089            | 1.277        |
| 1.4MHz_High_16QAM_6@0   | 1.084            | 1.285        |
| 3MHz_Low_QPSK_15@0      | 2.682            | 2.916        |
| 3MHz_Low_16QAM_15@0     | 2.682            | 2.940        |
| 3MHz_Middle_QPSK_15@0   | 2.688            | 2.910        |
| 3MHz_Middle_16QAM_15@0  | 2.682            | 2.922        |
| 3MHz_High_QPSK_15@0     | 2.682            | 2.928        |
| 3MHz_High_16QAM_15@0    | 2.682            | 2.910        |
| 5MHz_Low_QPSK_25@0      | 4.460            | 4.840        |
| 5MHz_Low_16QAM_25@0     | 4.460            | 4.880        |
| 5MHz_Middle_QPSK_25@0   | 4.470            | 4.860        |
| 5MHz_Middle_16QAM_25@0  | 4.480            | 4.900        |
| 5MHz_High_QPSK_25@0     | 4.480            | 4.820        |
| 5MHz_High_16QAM_25@0    | 4.460            | 4.850        |
| 10MHz_Low_QPSK_50@0     | 8.920            | 9.620        |
| 10MHz_Low_16QAM_50@0    | 8.960            | 9.700        |
| 10MHz_Middle_QPSK_50@0  | 8.960            | 9.740        |
| 10MHz_Middle_16QAM_50@0 | 8.960            | 9.580        |
| 10MHz_High_QPSK_50@0    | 8.940            | 9.660        |
| 10MHz_High_16QAM_50@0   | 8.960            | 9.600        |
| 15MHz_Low_QPSK_75@0     | 13.410           | 14.580       |
| 15MHz_Low_16QAM_75@0    | 13.410           | 14.490       |
| 15MHz_Middle_QPSK_75@0  | 13.440           | 14.610       |
| 15MHz_Middle_16QAM_75@0 | 13.440           | 14.520       |
| 15MHz_High_QPSK_75@0    | 13.440           | 14.490       |
| 15MHz_High_16QAM_75@0   | 13.440           | 14.520       |
| 20MHz_Low_QPSK_100@0    | 17.880           | 19.360       |

| Mode                     | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|--------------------------|------------------|--------------|
| 20MHz_Low_16QAM_100@0    | 17.880           | 19.160       |
| 20MHz_Middle_QPSK_100@0  | 17.920           | 19.200       |
| 20MHz_Middle_16QAM_100@0 | 17.920           | 19.200       |
| 20MHz_High_QPSK_100@0    | 17.880           | 18.960       |
| 20MHz_High_16QAM_100@0   | 17.920           | 19.240       |

B7 , Normal

| Mode                     | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|--------------------------|------------------|--------------|
| 5MHz_Low_QPSK_25@0       | 4.480            | 4.840        |
| 5MHz_Low_16QAM_25@0      | 4.470            | 4.870        |
| 5MHz_Middle_QPSK_25@0    | 4.460            | 4.890        |
| 5MHz_Middle_16QAM_25@0   | 4.470            | 4.880        |
| 5MHz_High_QPSK_25@0      | 4.470            | 4.840        |
| 5MHz_High_16QAM_25@0     | 4.480            | 4.860        |
| 10MHz_Low_QPSK_50@0      | 8.940            | 9.700        |
| 10MHz_Low_16QAM_50@0     | 8.960            | 9.680        |
| 10MHz_Middle_QPSK_50@0   | 8.960            | 9.640        |
| 10MHz_Middle_16QAM_50@0  | 8.960            | 9.680        |
| 10MHz_High_QPSK_50@0     | 8.960            | 9.660        |
| 10MHz_High_16QAM_50@0    | 8.940            | 9.660        |
| 15MHz_Low_QPSK_75@0      | 13.440           | 14.580       |
| 15MHz_Low_16QAM_75@0     | 13.440           | 14.700       |
| 15MHz_Middle_QPSK_75@0   | 13.440           | 14.550       |
| 15MHz_Middle_16QAM_75@0  | 13.470           | 14.670       |
| 15MHz_High_QPSK_75@0     | 13.440           | 14.550       |
| 15MHz_High_16QAM_75@0    | 13.410           | 14.580       |
| 20MHz_Low_QPSK_100@0     | 17.920           | 19.120       |
| 20MHz_Low_16QAM_100@0    | 17.920           | 19.040       |
| 20MHz_Middle_QPSK_100@0  | 17.840           | 19.160       |
| 20MHz_Middle_16QAM_100@0 | 17.920           | 19.200       |
| 20MHz_High_QPSK_100@0    | 17.880           | 19.200       |
| 20MHz_High_16QAM_100@0   | 17.880           | 19.080       |

B12 , Normal

| Mode                    | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|-------------------------|------------------|--------------|
| 1.4MHz_Low_QPSK_6@0     | 1.078            | 1.254        |
| 1.4MHz_Low_16QAM_6@0    | 1.084            | 1.296        |
| 1.4MHz_Middle_QPSK_6@0  | 1.084            | 1.291        |
| 1.4MHz_Middle_16QAM_6@0 | 1.092            | 1.327        |
| 1.4MHz_High_QPSK_6@0    | 1.084            | 1.280        |
| 1.4MHz_High_16QAM_6@0   | 1.089            | 1.352        |
| 3MHz_Low_QPSK_15@0      | 2.682            | 2.916        |
| 3MHz_Low_16QAM_15@0     | 2.682            | 3.030        |
| 3MHz_Middle_QPSK_15@0   | 2.682            | 2.922        |
| 3MHz_Middle_16QAM_15@0  | 2.688            | 2.916        |
| 3MHz_High_QPSK_15@0     | 2.682            | 2.934        |
| 3MHz_High_16QAM_15@0    | 2.682            | 2.916        |
| 5MHz_Low_QPSK_25@0      | 4.470            | 4.840        |
| 5MHz_Low_16QAM_25@0     | 4.470            | 4.850        |
| 5MHz_Middle_QPSK_25@0   | 4.460            | 4.850        |
| 5MHz_Middle_16QAM_25@0  | 4.480            | 4.910        |
| 5MHz_High_QPSK_25@0     | 4.480            | 4.870        |
| 5MHz_High_16QAM_25@0    | 4.470            | 4.880        |
| 10MHz_Low_QPSK_50@0     | 8.940            | 9.720        |
| 10MHz_Low_16QAM_50@0    | 8.940            | 9.660        |
| 10MHz_Middle_QPSK_50@0  | 8.940            | 9.640        |
| 10MHz_Middle_16QAM_50@0 | 8.920            | 9.600        |
| 10MHz_High_QPSK_50@0    | 8.940            | 9.680        |
| 10MHz_High_16QAM_50@0   | 8.980            | 9.680        |

**B17 , Normal**

| Mode                   | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|------------------------|------------------|--------------|
| 5MHz_Low_QPSK_25@0     | 4.480            | 4.880        |
| 5MHz_Low_16QAM_25@0    | 4.460            | 4.890        |
| 5MHz_Middle_QPSK_25@0  | 4.470            | 4.870        |
| 5MHz_Middle_16QAM_25@0 | 4.470            | 4.820        |
| 5MHz_High_QPSK_25@0    | 4.470            | 4.850        |
| 5MHz_High_16QAM_25@0   | 4.470            | 4.880        |

| Mode                    | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|-------------------------|------------------|--------------|
| 10MHz_Low_QPSK_50@0     | 8.940            | 9.580        |
| 10MHz_Low_16QAM_50@0    | 8.960            | 9.580        |
| 10MHz_Middle_QPSK_50@0  | 8.940            | 9.620        |
| 10MHz_Middle_16QAM_50@0 | 8.960            | 9.680        |
| 10MHz_High_QPSK_50@0    | 8.960            | 9.660        |
| 10MHz_High_16QAM_50@0   | 8.940            | 9.660        |

**B38 , Normal**

| Mode                     | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|--------------------------|------------------|--------------|
| 5MHz_Low_QPSK_25@0       | 4.470            | 4.940        |
| 5MHz_Low_16QAM_25@0      | 4.460            | 6.270        |
| 5MHz_Middle_QPSK_25@0    | 4.460            | 4.760        |
| 5MHz_Middle_16QAM_25@0   | 4.460            | 6.150        |
| 5MHz_High_QPSK_25@0      | 4.480            | 4.840        |
| 5MHz_High_16QAM_25@0     | 4.460            | 6.060        |
| 10MHz_Low_QPSK_50@0      | 8.960            | 11.240       |
| 10MHz_Low_16QAM_50@0     | 8.960            | 11.940       |
| 10MHz_Middle_QPSK_50@0   | 8.940            | 11.200       |
| 10MHz_Middle_16QAM_50@0  | 8.940            | 11.120       |
| 10MHz_High_QPSK_50@0     | 8.960            | 11.320       |
| 10MHz_High_16QAM_50@0    | 8.940            | 12.060       |
| 15MHz_Low_QPSK_75@0      | 13.440           | 15.360       |
| 15MHz_Low_16QAM_75@0     | 13.440           | 15.360       |
| 15MHz_Middle_QPSK_75@0   | 13.440           | 15.270       |
| 15MHz_Middle_16QAM_75@0  | 13.440           | 15.480       |
| 15MHz_High_QPSK_75@0     | 13.440           | 14.880       |
| 15MHz_High_16QAM_75@0    | 13.470           | 15.390       |
| 20MHz_Low_QPSK_100@0     | 17.880           | 21.000       |
| 20MHz_Low_16QAM_100@0    | 17.880           | 19.520       |
| 20MHz_Middle_QPSK_100@0  | 17.880           | 22.080       |
| 20MHz_Middle_16QAM_100@0 | 17.880           | 19.240       |
| 20MHz_High_QPSK_100@0    | 17.920           | 21.480       |
| 20MHz_High_16QAM_100@0   | 17.880           | 19.520       |

**B41 , Normal**

| Mode                     | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|--------------------------|------------------|--------------|
| 5MHz_Low_QPSK_25@0       | 4.470            | 4.980        |
| 5MHz_Low_16QAM_25@0      | 4.470            | 5.940        |
| 5MHz_Middle_QPSK_25@0    | 4.470            | 4.810        |
| 5MHz_Middle_16QAM_25@0   | 4.460            | 6.260        |
| 5MHz_High_QPSK_25@0      | 4.470            | 4.920        |
| 5MHz_High_16QAM_25@0     | 4.460            | 6.120        |
| 10MHz_Low_QPSK_50@0      | 8.960            | 11.480       |
| 10MHz_Low_16QAM_50@0     | 8.940            | 12.260       |
| 10MHz_Middle_QPSK_50@0   | 8.960            | 11.220       |
| 10MHz_Middle_16QAM_50@0  | 8.960            | 11.440       |
| 10MHz_High_QPSK_50@0     | 8.960            | 11.480       |
| 10MHz_High_16QAM_50@0    | 8.940            | 11.480       |
| 15MHz_Low_QPSK_75@0      | 13.440           | 15.150       |
| 15MHz_Low_16QAM_75@0     | 13.470           | 15.690       |
| 15MHz_Middle_QPSK_75@0   | 13.440           | 15.120       |
| 15MHz_Middle_16QAM_75@0  | 13.470           | 15.030       |
| 15MHz_High_QPSK_75@0     | 13.440           | 15.300       |
| 15MHz_High_16QAM_75@0    | 13.470           | 15.060       |
| 20MHz_Low_QPSK_100@0     | 17.880           | 20.960       |
| 20MHz_Low_16QAM_100@0    | 17.880           | 20.400       |
| 20MHz_Middle_QPSK_100@0  | 17.880           | 22.680       |
| 20MHz_Middle_16QAM_100@0 | 17.880           | 19.480       |
| 20MHz_High_QPSK_100@0    | 17.880           | 21.160       |
| 20MHz_High_16QAM_100@0   | 17.920           | 19.160       |

**B66 , Normal**

| Mode                    | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|-------------------------|------------------|--------------|
| 1.4MHz_Low_QPSK_6@0     | 1.086            | 1.285        |
| 1.4MHz_Low_16QAM_6@0    | 1.084            | 1.280        |
| 1.4MHz_Middle_QPSK_6@0  | 1.078            | 1.257        |
| 1.4MHz_Middle_16QAM_6@0 | 1.084            | 1.285        |
| 1.4MHz_High_QPSK_6@0    | 1.081            | 1.271        |

| Mode                     | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|--------------------------|------------------|--------------|
| 1.4MHz_High_16QAM_6@0    | 1.092            | 1.294        |
| 3MHz_Low_QPSK_15@0       | 2.682            | 2.916        |
| 3MHz_Low_16QAM_15@0      | 2.688            | 2.934        |
| 3MHz_Middle_QPSK_15@0    | 2.688            | 2.910        |
| 3MHz_Middle_16QAM_15@0   | 2.688            | 2.940        |
| 3MHz_High_QPSK_15@0      | 2.676            | 2.934        |
| 3MHz_High_16QAM_15@0     | 2.682            | 2.928        |
| 5MHz_Low_QPSK_25@0       | 4.470            | 4.830        |
| 5MHz_Low_16QAM_25@0      | 4.470            | 4.910        |
| 5MHz_Middle_QPSK_25@0    | 4.470            | 4.850        |
| 5MHz_Middle_16QAM_25@0   | 4.480            | 4.900        |
| 5MHz_High_QPSK_25@0      | 4.470            | 4.850        |
| 5MHz_High_16QAM_25@0     | 4.470            | 4.880        |
| 10MHz_Low_QPSK_50@0      | 8.940            | 9.680        |
| 10MHz_Low_16QAM_50@0     | 8.960            | 9.600        |
| 10MHz_Middle_QPSK_50@0   | 8.940            | 9.720        |
| 10MHz_Middle_16QAM_50@0  | 8.960            | 9.700        |
| 10MHz_High_QPSK_50@0     | 8.960            | 9.680        |
| 10MHz_High_16QAM_50@0    | 8.940            | 9.660        |
| 15MHz_Low_QPSK_75@0      | 13.440           | 14.580       |
| 15MHz_Low_16QAM_75@0     | 13.440           | 14.490       |
| 15MHz_Middle_QPSK_75@0   | 13.470           | 14.670       |
| 15MHz_Middle_16QAM_75@0  | 13.410           | 14.490       |
| 15MHz_High_QPSK_75@0     | 13.470           | 14.490       |
| 15MHz_High_16QAM_75@0    | 13.470           | 14.490       |
| 20MHz_Low_QPSK_100@0     | 17.880           | 19.080       |
| 20MHz_Low_16QAM_100@0    | 17.880           | 19.080       |
| 20MHz_Middle_QPSK_100@0  | 17.920           | 19.040       |
| 20MHz_Middle_16QAM_100@0 | 17.880           | 19.240       |
| 20MHz_High_QPSK_100@0    | 17.920           | 19.160       |
| 20MHz_High_16QAM_100@0   | 17.920           | 19.280       |

B42\_1 , Normal


| Mode                       | 99% OBW<br>(MHz) | EBW<br>(MHz) |
|----------------------------|------------------|--------------|
| 1_5MHz_Low_QPSK_25@0       | 4.460            | 4.810        |
| 1_5MHz_Low_16QAM_25@0      | 4.450            | 4.940        |
| 1_5MHz_Middle_QPSK_25@0    | 4.470            | 4.750        |
| 1_5MHz_Middle_16QAM_25@0   | 4.460            | 4.920        |
| 1_5MHz_High_QPSK_25@0      | 4.470            | 4.800        |
| 1_5MHz_High_16QAM_25@0     | 4.450            | 5.300        |
| 1_10MHz_Low_QPSK_50@0      | 8.960            | 9.660        |
| 1_10MHz_Low_16QAM_50@0     | 8.940            | 9.540        |
| 1_10MHz_Middle_QPSK_50@0   | 8.960            | 9.520        |
| 1_10MHz_Middle_16QAM_50@0  | 8.960            | 9.600        |
| 1_10MHz_High_QPSK_50@0     | 8.960            | 9.780        |
| 1_10MHz_High_16QAM_50@0    | 8.960            | 9.760        |
| 1_15MHz_Low_QPSK_75@0      | 13.440           | 14.460       |
| 1_15MHz_Low_16QAM_75@0     | 13.410           | 14.820       |
| 1_15MHz_Middle_QPSK_75@0   | 13.440           | 14.430       |
| 1_15MHz_Middle_16QAM_75@0  | 13.440           | 14.610       |
| 1_15MHz_High_QPSK_75@0     | 13.410           | 14.370       |
| 1_15MHz_High_16QAM_75@0    | 13.470           | 14.550       |
| 1_20MHz_Low_QPSK_100@0     | 17.880           | 19.200       |
| 1_20MHz_Low_16QAM_100@0    | 17.880           | 19.200       |
| 1_20MHz_Middle_QPSK_100@0  | 17.920           | 19.440       |
| 1_20MHz_Middle_16QAM_100@0 | 17.880           | 19.080       |
| 1_20MHz_High_QPSK_100@0    | 17.840           | 19.880       |
| 1_20MHz_High_16QAM_100@0   | 17.880           | 19.160       |




1.4MHz\_Middle\_16QAM\_6@0

Occupied Bandwidth 1.086MHz

26dB Bandwidth 1.291MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:42:09




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:42:44


1.4MHz\_High\_QPSK\_6@0

Occupied Bandwidth 1.089MHz

26dB Bandwidth 1.277MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:44:05




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:44:40


1.4MHz\_High\_16QAM\_6@0

Occupied Bandwidth 1.084MHz

26dB Bandwidth 1.285MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:45:08




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:46:33


3MHz\_Low\_QPSK\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.916MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:47:58




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:48:35


3MHz\_Low\_16QAM\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.940MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:49:26




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:50:03


3MHz\_Middle\_QPSK\_15@0

Occupied Bandwidth 2.688MHz

26dB Bandwidth 2.910MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:50:54




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:51:34


3MHz\_Middle\_16QAM\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.922MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:52:23




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:52:59


3MHz\_High\_QPSK\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.928MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:53:49




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:54:24


3MHz\_High\_16QAM\_15@0

Occupied Bandwidth 2.682MHz

26dB Bandwidth 2.910MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:55:13




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:55:48


5MHz\_Low\_QPSK\_25@0

Occupied Bandwidth 4.460MHz

26dB Bandwidth 4.840MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:57:12




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:57:45


5MHz\_Low\_16QAM\_25@0

Occupied Bandwidth 4.460MHz

26dB Bandwidth 4.880MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:58:34




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:59:08


5MHz\_Middle\_QPSK\_25@0

Occupied Bandwidth 4.470MHz

26dB Bandwidth 4.860MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 02:59:51




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:00:19


5MHz\_Middle\_16QAM\_25@0

Occupied Bandwidth 4.480MHz

26dB Bandwidth 4.900MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:01:09




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:01:37


5MHz\_High\_QPSK\_25@0

Occupied Bandwidth 4.480MHz

26dB Bandwidth 4.820MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:02:21




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:02:48


5MHz\_High\_16QAM\_25@0

Occupied Bandwidth 4.460MHz

26dB Bandwidth 4.850MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:03:32





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:03:59

10MHz\_Low\_QPSK\_50@0

Occupied Bandwidth 8.920MHz

26dB Bandwidth 9.620MHz





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:05:18

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:05:55

10MHz\_Low\_16QAM\_50@0

Occupied Bandwidth 8.960MHz

26dB Bandwidth 9.700MHz





ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:06:47

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:07:24

10MHz\_Middle\_QPSK\_50@0

Occupied Bandwidth 8.960MHz

26dB Bandwidth 9.740MHz




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:08:09

ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:08:38


10MHz\_Middle\_16QAM\_50@0

Occupied Bandwidth 8.960MHz

26dB Bandwidth 9.580MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:09:23




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:09:52


10MHz\_High\_QPSK\_50@0

Occupied Bandwidth 8.940MHz

26dB Bandwidth 9.660MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:10:44




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:11:21


10MHz\_High\_16QAM\_50@0

Occupied Bandwidth 8.960MHz

26dB Bandwidth 9.600MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:12:13




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:12:50


15MHz\_Low\_QPSK\_75@0

Occupied Bandwidth 13.410MHz

26dB Bandwidth 14.580MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:14:23




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:15:00


15MHz\_Low\_16QAM\_75@0

Occupied Bandwidth 13.410MHz

26dB Bandwidth 14.490MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:15:51




ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:16:27


15MHz\_Middle\_QPSK\_75@0

Occupied Bandwidth 13.440MHz

26dB Bandwidth 14.610MHz



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:17:14



ProjectNo.:2403U81808E-RF Tester:Arthur Su  
Date: 18.JUL.2024 03:17:45

