

RF Output Power FCC Part 22H

n5

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.35	12.520	0.018	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.20	12.370	0.017	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.28	12.450	0.018	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	19.84	12.010	0.016	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB12@6	20.40	12.570	0.018	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB1@1	20.21	12.380	0.017	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB1@23	20.27	12.440	0.018	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB25@0	19.35	11.520	0.014	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 16 QAM_RB25@0	18.31	10.480	0.011	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 64 QAM_RB25@0	17.84	10.010	0.010	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 256 QAM_RB25@0	14.35	6.520	0.004	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB13@6	17.75	9.920	0.010	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@1	17.69	9.860	0.010	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@23	17.79	9.960	0.010	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB25@0	16.34	8.510	0.007	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM 16 QAM_RB25@0	17.39	9.560	0.009	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM 64 QAM_RB25@0	15.92	8.090	0.006	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_5MHz_15kHz_826.5MHz_CP-OFDM 256 QAM_RB25@0	13.93	6.100	0.004	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	18.92	11.090	0.013	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.85	11.020	0.013	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	18.95	11.120	0.013	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	18.40	10.570	0.011	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB12@6	18.92	11.090	0.013	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	18.81	10.980	0.013	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@23	18.82	10.990	0.013	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	17.88	10.050	0.010	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB25@0	16.96	9.130	0.008	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB25@0	16.39	8.560	0.007	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB25@0	14.34	6.510	0.004	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB13@6	17.30	9.470	0.009	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	17.39	9.560	0.009	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@23	17.45	9.620	0.009	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB25@0	15.87	8.040	0.006	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB25@0	15.82	7.990	0.006	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB25@0	15.49	7.660	0.006	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB25@0	13.86	6.030	0.004	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	18.86	11.030	0.013	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.77	10.940	0.012	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	18.90	11.070	0.013	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	18.34	10.510	0.011	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB12@6	18.87	11.040	0.013	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@1	18.75	10.920	0.012	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@23	18.78	10.950	0.012	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB25@0	17.85	10.020	0.010	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 16 QAM_RB25@0	16.96	9.130	0.008	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 64 QAM_RB25@0	16.35	8.520	0.007	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 256 QAM_RB25@0	14.27	6.440	0.004	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB13@6	17.27	9.440	0.009	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@1	17.27	9.440	0.009	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@23	17.30	9.470	0.009	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB25@0	15.87	8.040	0.006	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 16 QAM_RB25@0	15.74	7.910	0.006	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 64 QAM_RB25@0	15.39	7.560	0.006	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 256 QAM_RB25@0	13.93	6.100	0.004	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.92	11.090	0.013	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	18.96	11.130	0.013	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	18.86	11.030	0.013	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.37	10.540	0.011	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@1	18.85	11.020	0.013	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@50	18.83	11.000	0.013	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB25@12	18.86	11.030	0.013	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB50@0	17.87	10.040	0.010	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 16 QAM_RB50@0	16.88	9.050	0.008	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 64 QAM_RB50@0	16.32	8.490	0.007	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 256 QAM_RB50@0	14.22	6.390	0.004	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@1	17.31	9.480	0.009	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@50	17.37	9.540	0.009	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB26@13	17.29	9.460	0.009	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB52@0	15.88	8.050	0.006	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 16 QAM_RB52@0	15.84	8.010	0.006	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 64 QAM_RB52@0	15.35	7.520	0.006	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 256 QAM_RB52@0	13.82	5.990	0.004	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.94	11.110	0.013	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	18.83	11.000	0.013	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	18.84	11.010	0.013	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.39	10.560	0.011	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	18.78	10.950	0.012	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@50	18.73	10.900	0.012	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@12	18.81	10.980	0.013	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	17.84	10.010	0.010	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB50@0	16.89	9.060	0.008	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB50@0	16.37	8.540	0.007	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB50@0	14.29	6.460	0.004	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	17.32	9.490	0.009	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@50	17.26	9.430	0.009	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB26@13	17.29	9.460	0.009	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB52@0	15.83	8.000	0.006	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB52@0	15.85	8.020	0.006	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB52@0	15.29	7.460	0.006	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB52@0	13.86	6.030	0.004	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.84	11.010	0.013	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	18.84	11.010	0.013	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	18.82	10.990	0.013	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.30	10.470	0.011	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@1	18.79	10.960	0.012	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@50	18.81	10.980	0.013	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB25@12	18.76	10.930	0.012	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB50@0	17.73	9.900	0.010	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 16 QAM_RB50@0	16.79	8.960	0.008	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 64 QAM_RB50@0	16.30	8.470	0.007	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 256 QAM_RB50@0	14.24	6.410	0.004	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@1	17.30	9.470	0.009	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@50	17.39	9.560	0.009	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB26@13	17.32	9.490	0.009	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB52@0	15.82	7.990	0.006	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 16 QAM_RB52@0	15.82	7.990	0.006	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 64 QAM_RB52@0	15.30	7.470	0.006	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 256 QAM_RB52@0	13.87	6.040	0.004	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.71	9.880	0.010	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	18.84	11.010	0.013	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.89	11.060	0.013	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.35	10.520	0.011	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@1	18.80	10.970	0.013	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@77	18.78	10.950	0.012	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB36@18	18.85	11.020	0.013	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB75@0	17.82	9.990	0.010	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 16 QAM_RB75@0	16.83	9.000	0.008	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 64 QAM_RB75@0	16.35	8.520	0.007	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 256 QAM_RB75@0	14.31	6.480	0.004	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@1	17.44	9.610	0.009	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@77	17.26	9.430	0.009	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB39@19	17.37	9.540	0.009	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB79@0	15.86	8.030	0.006	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 16 QAM_RB79@0	15.88	8.050	0.006	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 64 QAM_RB79@0	15.34	7.510	0.006	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 256 QAM_RB79@0	13.84	6.010	0.004	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.74	9.910	0.010	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	18.87	11.040	0.013	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.83	11.000	0.013	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.37	10.540	0.011	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	18.81	10.980	0.013	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@77	18.75	10.920	0.012	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB36@18	18.83	11.000	0.013	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	17.82	9.990	0.010	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB75@0	16.85	9.020	0.008	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB75@0	16.31	8.480	0.007	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB75@0	14.29	6.460	0.004	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	17.29	9.460	0.009	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@77	17.26	9.430	0.009	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB39@19	17.36	9.530	0.009	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB79@0	15.86	8.030	0.006	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB79@0	15.89	8.060	0.006	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB79@0	15.33	7.500	0.006	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB79@0	13.91	6.080	0.004	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.72	9.890	0.010	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	18.80	10.970	0.013	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.67	9.840	0.010	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.31	10.480	0.011	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@1	18.77	10.940	0.012	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@77	18.73	10.900	0.012	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB36@18	18.78	10.950	0.012	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB75@0	17.80	9.970	0.010	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 16 QAM_RB75@0	16.84	9.010	0.008	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 64 QAM_RB75@0	16.30	8.470	0.007	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 256 QAM_RB75@0	14.26	6.430	0.004	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@1	17.25	9.420	0.009	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@77	17.19	9.360	0.009	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB39@19	17.34	9.510	0.009	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB79@0	15.84	8.010	0.006	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 16 QAM_RB79@0	15.80	7.970	0.006	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 64 QAM_RB79@0	15.30	7.470	0.006	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 256 QAM_RB79@0	13.85	6.020	0.004	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.72	10.890	0.012	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.27	11.440	0.014	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	19.20	11.370	0.014	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	19.25	11.420	0.014	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB100@0	18.22	10.390	0.011	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@1	19.23	11.400	0.014	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@104	19.14	11.310	0.014	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB50@25	19.25	11.420	0.014	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 16 QAM_RB100@0	17.20	9.370	0.009	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 64 QAM_RB100@0	16.68	8.850	0.008	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 256 QAM_RB100@0	14.68	6.850	0.005	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB106@0	16.25	8.420	0.007	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@1	17.70	9.870	0.010	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@104	17.66	9.830	0.010	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB53@26	17.72	9.890	0.010	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM 16 QAM_RB106@0	16.22	8.390	0.007	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM 64 QAM_RB106@0	15.73	7.900	0.006	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM 256 QAM_RB106@0	14.22	6.390	0.004	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.78	10.950	0.012	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.25	11.420	0.014	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	19.24	11.410	0.014	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	19.27	11.440	0.014	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	18.23	10.400	0.011	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	19.16	11.330	0.014	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@104	19.09	11.260	0.013	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@25	19.24	11.410	0.014	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB100@0	17.20	9.370	0.009	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB100@0	16.73	8.900	0.008	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB100@0	14.73	6.900	0.005	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB106@0	16.25	8.420	0.007	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	17.74	9.910	0.010	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@104	17.64	9.810	0.010	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB53@26	17.73	9.900	0.010	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB106@0	16.20	8.370	0.007	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB106@0	15.72	7.890	0.006	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB106@0	14.12	6.290	0.004	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.76	10.930	0.012	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.20	11.370	0.014	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	19.24	11.410	0.014	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	19.23	11.400	0.014	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB100@0	18.20	10.370	0.011	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@1	19.17	11.340	0.014	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@104	19.05	11.220	0.013	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB50@25	19.16	11.330	0.014	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 16 QAM_RB100@0	17.18	9.350	0.009	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 64 QAM_RB100@0	16.67	8.840	0.008	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 256 QAM_RB100@0	14.69	6.860	0.005	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB106@0	16.25	8.420	0.007	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@1	17.66	9.830	0.010	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@104	17.58	9.750	0.009	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB53@26	17.72	9.890	0.010	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 16 QAM_RB106@0	16.14	8.310	0.007	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 64 QAM_RB106@0	15.71	7.880	0.006	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 256 QAM_RB106@0	14.16	6.330	0.004	7	Pass

Note:

ERP = Conducted Power(dBm) - LC(dB) + GT(dBd)

GT(dBd) = GT(dBi) - 2.15

n5:

1.Ant Gain = -5.68dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

FCC Part 27

n7

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.40	12.310	0.017	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.43	12.340	0.017	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	15.40	12.310	0.017	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	14.88	11.790	0.015	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB12@6	15.44	12.350	0.017	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@1	15.30	12.210	0.017	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@23	15.25	12.160	0.016	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB25@0	14.43	11.340	0.014	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 16 QAM_RB25@0	13.38	10.290	0.011	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 64 QAM_RB25@0	12.96	9.870	0.010	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 256 QAM_RB25@0	11.89	8.80	0.008	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB13@6	13.88	10.790	0.012	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@1	13.90	10.810	0.012	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@23	13.87	10.780	0.012	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB25@0	12.43	9.340	0.009	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 16 QAM_RB25@0	12.37	9.280	0.008	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 64 QAM_RB25@0	12.01	8.920	0.008	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 256 QAM_RB25@0	11.84	8.75	0.007	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.42	12.330	0.017	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.33	12.240	0.017	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	15.41	12.320	0.017	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	14.83	11.740	0.015	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB12@6	15.37	12.280	0.017	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	15.29	12.200	0.017	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@23	15.37	12.280	0.017	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@0	14.37	11.280	0.013	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB25@0	13.49	10.400	0.011	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB25@0	12.91	9.820	0.010	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB25@0	11.82	8.73	0.007	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB13@6	13.81	10.720	0.012	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	13.84	10.750	0.012	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@23	13.91	10.820	0.012	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB25@0	12.34	9.250	0.008	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB25@0	12.26	9.170	0.008	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB25@0	11.91	8.820	0.008	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB25@0	11.78	8.69	0.007	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.38	12.290	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.38	12.290	0.017	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	15.30	12.210	0.017	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	14.87	11.780	0.015	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB12@6	15.41	12.320	0.017	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@1	15.31	12.220	0.017	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@23	15.22	12.130	0.016	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB25@0	14.37	11.280	0.013	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 16 QAM_RB25@0	13.35	10.260	0.011	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 64 QAM_RB25@0	12.92	9.830	0.010	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 256 QAM_RB25@0	11.54	8.45	0.007	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB13@6	13.86	10.770	0.012	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@1	13.82	10.730	0.012	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@23	13.76	10.670	0.012	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB25@0	12.39	9.300	0.009	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 16 QAM_RB25@0	12.28	9.190	0.008	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 64 QAM_RB25@0	11.92	8.830	0.008	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 256 QAM_RB25@0	10.82	7.73	0.006	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.43	12.340	0.017	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	15.40	12.310	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.40	12.310	0.017	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	14.94	11.850	0.015	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@1	15.42	12.330	0.017	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@50	15.37	12.280	0.017	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB25@12	15.41	12.320	0.017	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB50@0	14.41	11.320	0.014	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 16 QAM_RB50@0	13.42	10.330	0.011	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 64 QAM_RB50@0	12.95	9.860	0.010	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 256 QAM_RB50@0	10.83	7.740	0.006	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@1	13.86	10.770	0.012	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@50	13.86	10.770	0.012	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB26@13	13.81	10.720	0.012	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB52@0	12.40	9.310	0.009	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 16 QAM_RB52@0	12.36	9.270	0.008	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 64 QAM_RB52@0	11.91	8.820	0.008	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 256 QAM_RB52@0	10.79	7.70	0.006	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.32	12.230	0.017	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	15.45	12.360	0.017	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.38	12.290	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	14.87	11.780	0.015	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	15.26	12.170	0.016	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@50	15.36	12.270	0.017	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@12	15.39	12.300	0.017	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@0	14.34	11.250	0.013	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB50@0	13.42	10.330	0.011	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB50@0	12.88	9.790	0.010	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB50@0	10.82	7.730	0.006	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	13.96	10.870	0.012	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@50	13.91	10.820	0.012	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB26@13	13.83	10.740	0.012	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB52@0	12.34	9.250	0.008	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB52@0	12.33	9.240	0.008	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB52@0	11.84	8.750	0.007	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB52@0	10.75	7.66	0.006	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.24	12.150	0.016	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	15.22	12.130	0.016	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.35	12.260	0.017	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	14.87	11.780	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@1	15.19	12.100	0.016	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@50	15.12	12.030	0.016	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB25@12	15.37	12.280	0.017	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB50@0	14.32	11.230	0.013	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 16 QAM_RB50@0	13.37	10.280	0.011	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 64 QAM_RB50@0	12.84	9.750	0.009	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 256 QAM_RB50@0	10.73	7.640	0.006	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@1	13.87	10.780	0.012	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@50	13.74	10.650	0.012	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB26@13	13.77	10.680	0.012	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB52@0	12.26	9.170	0.008	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 16 QAM_RB52@0	12.26	9.170	0.008	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 64 QAM_RB52@0	11.80	8.710	0.007	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 256 QAM_RB52@0	10.71	7.62	0.006	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	12.66	9.570	0.009	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	15.29	12.200	0.017	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.43	12.340	0.017	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	14.94	11.850	0.015	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@1	15.30	12.210	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@77	15.24	12.150	0.016	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB36@18	15.39	12.300	0.017	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB75@0	14.41	11.320	0.014	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 16 QAM_RB75@0	13.43	10.340	0.011	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 64 QAM_RB75@0	12.92	9.830	0.010	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 256 QAM_RB75@0	10.87	7.780	0.006	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@1	13.81	10.720	0.012	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@77	13.81	10.720	0.012	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB39@19	13.92	10.830	0.012	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB79@0	12.43	9.340	0.009	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 16 QAM_RB79@0	12.41	9.320	0.009	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 64 QAM_RB79@0	11.88	8.790	0.008	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 256 QAM_RB79@0	10.69	7.60	0.006	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.81	11.720	0.015	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	15.26	12.170	0.016	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.40	12.310	0.017	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	14.90	11.810	0.015	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	15.24	12.150	0.016	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@77	15.26	12.170	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB36@18	15.37	12.280	0.017	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB75@0	14.37	11.280	0.013	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB75@0	13.37	10.280	0.011	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB75@0	12.87	9.780	0.010	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB75@0	10.80	7.710	0.006	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	13.90	10.810	0.012	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@77	13.91	10.820	0.012	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB39@19	13.87	10.780	0.012	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB79@0	12.36	9.270	0.008	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB79@0	12.34	9.250	0.008	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB79@0	11.86	8.770	0.008	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB79@0	10.73	7.64	0.006	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.04	11.950	0.016	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	15.20	12.110	0.016	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.33	12.240	0.017	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	14.85	11.760	0.015	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@1	15.11	12.020	0.016	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@77	15.13	12.040	0.016	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB36@18	15.34	12.250	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB75@0	14.33	11.240	0.013	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 16 QAM_RB75@0	13.31	10.220	0.011	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 64 QAM_RB75@0	12.80	9.710	0.009	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 256 QAM_RB75@0	10.71	7.620	0.006	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@1	13.83	10.740	0.012	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@77	13.80	10.710	0.012	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB39@19	13.85	10.760	0.012	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB79@0	12.34	9.250	0.008	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 16 QAM_RB79@0	12.30	9.210	0.008	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 64 QAM_RB79@0	11.82	8.730	0.007	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 256 QAM_RB79@0	10.68	7.59	0.006	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	14.92	11.830	0.015	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.24	12.150	0.016	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.28	12.190	0.017	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.46	12.370	0.017	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB100@0	14.37	11.280	0.013	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@1	15.35	12.260	0.017	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@104	15.22	12.130	0.016	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB50@25	15.47	12.380	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 16 QAM_RB100@0	13.31	10.220	0.011	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 64 QAM_RB100@0	12.82	9.730	0.009	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 256 QAM_RB100@0	10.85	7.760	0.006	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB106@0	12.38	9.290	0.008	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@1	13.97	10.880	0.012	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@104	13.76	10.670	0.012	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB53@26	13.92	10.830	0.012	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 16 QAM_RB106@0	12.30	9.210	0.008	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 64 QAM_RB106@0	11.85	8.760	0.008	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 256 QAM_RB106@0	10.29	7.20	0.005	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	14.84	11.750	0.015	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.22	12.130	0.016	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.23	12.140	0.016	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.41	12.320	0.017	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB100@0	14.33	11.240	0.013	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	15.21	12.120	0.016	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@104	15.20	12.110	0.016	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@25	15.40	12.310	0.017	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB100@0	13.31	10.220	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB100@0	12.84	9.750	0.009	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB100@0	10.80	7.710	0.006	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB106@0	12.28	9.190	0.008	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	13.69	10.600	0.011	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@104	13.88	10.790	0.012	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB53@26	13.86	10.770	0.012	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB106@0	12.23	9.140	0.008	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB106@0	11.79	8.700	0.007	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB106@0	10.67	7.58	0.006	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	14.79	11.700	0.015	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.11	12.020	0.016	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.15	12.060	0.016	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.31	12.220	0.017	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB100@0	14.35	11.260	0.013	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@1	15.14	12.050	0.016	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@104	15.17	12.080	0.016	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB50@25	15.33	12.240	0.017	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 16 QAM_RB100@0	13.37	10.280	0.011	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 64 QAM_RB100@0	12.93	9.840	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 256 QAM_RB100@0	10.86	7.770	0.006	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB106@0	12.34	9.250	0.008	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@1	13.77	10.680	0.012	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@104	13.72	10.630	0.012	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB53@26	13.86	10.770	0.012	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 16 QAM_RB106@0	12.26	9.170	0.008	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 64 QAM_RB106@0	11.80	8.710	0.007	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 256 QAM_RB106@0	10.71	7.62	0.006	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n7:

1.Ant Gain = -3.09dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n12

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.57	14.360	0.027	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.47	14.260	0.027	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.52	14.310	0.027	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.04	13.830	0.024	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB12@6	23.56	14.350	0.027	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@1	23.42	14.210	0.026	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@23	23.49	14.280	0.027	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB25@0	22.53	13.320	0.021	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.63	12.420	0.017	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.05	11.840	0.015	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.05	9.840	0.010	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB13@6	22	12.790	0.019	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@1	21.93	12.720	0.019	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@23	22.04	12.830	0.019	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB25@0	20.51	11.300	0.013	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 16 QAM_RB25@0	20.46	11.250	0.013	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 64 QAM_RB25@0	20.08	10.870	0.012	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 256 QAM_RB25@0	17.06	7.850	0.006	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.58	14.370	0.027	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.52	14.310	0.027	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.46	14.250	0.027	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.03	13.820	0.024	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB12@6	23.49	14.280	0.027	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.43	14.220	0.026	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@23	23.34	14.130	0.026	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@0	22.53	13.320	0.021	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.52	12.310	0.017	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.06	11.850	0.015	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.99	9.780	0.010	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB13@6	22	12.790	0.019	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.86	12.650	0.018	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@23	21.86	12.650	0.018	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB25@0	20.52	11.310	0.014	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB25@0	20.47	11.260	0.013	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB25@0	20.08	10.870	0.012	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB25@0	17.07	7.860	0.006	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.46	14.250	0.027	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.46	14.250	0.027	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.44	14.230	0.026	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	22.95	13.740	0.024	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB12@6	23.48	14.270	0.027	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@1	23.36	14.150	0.026	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@23	23.34	14.130	0.026	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0	22.44	13.230	0.021	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.61	12.400	0.017	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.01	11.800	0.015	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.99	9.780	0.010	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB13@6	21.97	12.760	0.019	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@1	21.90	12.690	0.019	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@23	21.74	12.530	0.018	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB25@0	20.52	11.310	0.014	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 16 QAM_RB25@0	20.43	11.220	0.013	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 64 QAM_RB25@0	20.10	10.890	0.012	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 256 QAM_RB25@0	16.99	7.780	0.006	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.50	14.290	0.027	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.46	14.250	0.027	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.53	14.320	0.027	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.07	13.860	0.024	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@1	23.45	14.240	0.027	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@50	23.38	14.170	0.026	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB25@12	23.48	14.270	0.027	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0	22.51	13.300	0.021	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 16 QAM_RB50@0	21.56	12.350	0.017	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 64 QAM_RB50@0	21.04	11.830	0.015	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 256 QAM_RB50@0	18.97	9.760	0.009	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@1	21.99	12.780	0.019	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@50	21.77	12.560	0.018	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB26@13	21.98	12.770	0.019	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB52@0	20.56	11.350	0.014	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 16 QAM_RB52@0	20.55	11.340	0.014	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 64 QAM_RB52@0	20.03	10.820	0.012	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 256 QAM_RB52@0	16.98	7.770	0.006	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.56	14.350	0.027	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.44	14.230	0.026	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.49	14.280	0.027	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.98	13.770	0.024	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.44	14.230	0.026	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@50	23.41	14.200	0.026	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@12	23.48	14.270	0.027	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB50@0	22.45	13.240	0.021	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB50@0	21.47	12.260	0.017	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB50@0	20.95	11.740	0.015	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB50@0	18.92	9.710	0.009	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.86	12.650	0.018	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@50	21.86	12.650	0.018	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB26@13	21.93	12.720	0.019	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB52@0	20.48	11.270	0.013	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB52@0	20.48	11.270	0.013	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB52@0	19.89	10.680	0.012	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB52@0	16.90	7.690	0.006	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.46	14.250	0.027	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.44	14.230	0.026	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.43	14.220	0.026	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.90	13.690	0.023	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@1	23.35	14.140	0.026	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@50	23.34	14.130	0.026	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB25@12	23.39	14.180	0.026	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB50@0	22.45	13.240	0.021	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 16 QAM_RB50@0	21.41	12.200	0.017	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 64 QAM_RB50@0	20.94	11.730	0.015	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 256 QAM_RB50@0	18.87	9.660	0.009	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@1	21.78	12.570	0.018	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@50	21.84	12.630	0.018	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB26@13	21.83	12.620	0.018	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB52@0	20.42	11.210	0.013	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 16 QAM_RB52@0	20.44	11.230	0.013	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 64 QAM_RB52@0	19.95	10.740	0.012	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 256 QAM_RB52@0	16.87	7.660	0.006	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.46	14.250	0.027	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.39	14.180	0.026	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.48	14.270	0.027	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.01	13.800	0.024	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@1	23.37	14.160	0.026	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@77	23.32	14.110	0.026	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB36@18	23.46	14.250	0.027	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0	22.50	13.290	0.021	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.51	12.300	0.017	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.01	11.800	0.015	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.98	9.770	0.009	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@1	21.75	12.540	0.018	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@77	21.79	12.580	0.018	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB39@19	21.98	12.770	0.019	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB79@0	20.49	11.280	0.013	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 16 QAM_RB79@0	20.49	11.280	0.013	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 64 QAM_RB79@0	20	10.790	0.012	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 256 QAM_RB79@0	17	7.790	0.006	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.50	14.290	0.027	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.39	14.180	0.026	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.47	14.260	0.027	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23	13.790	0.024	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.38	14.170	0.026	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.29	14.080	0.026	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB36@18	23.44	14.230	0.026	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB75@0	22.52	13.310	0.021	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.50	12.290	0.017	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.01	11.800	0.015	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.96	9.750	0.009	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.81	12.600	0.018	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@77	21.70	12.490	0.018	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB39@19	22	12.790	0.019	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB79@0	20.49	11.280	0.013	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB79@0	20.53	11.320	0.014	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB79@0	20.03	10.820	0.012	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB79@0	16.99	7.780	0.006	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.52	14.310	0.027	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.39	14.180	0.026	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.46	14.250	0.027	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.98	13.770	0.024	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@1	23.36	14.150	0.026	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@77	23.25	14.040	0.025	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB36@18	23.44	14.230	0.026	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB75@0	22.50	13.290	0.021	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.46	12.250	0.017	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.98	11.770	0.015	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.96	9.750	0.009	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@1	21.82	12.610	0.018	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@77	21.64	12.430	0.017	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB39@19	21.98	12.770	0.019	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB79@0	20.52	11.310	0.014	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 16 QAM_RB79@0	20.46	11.250	0.013	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 64 QAM_RB79@0	20.03	10.820	0.012	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 256 QAM_RB79@0	16.93	7.720	0.006	3	Pass

Note:

$$\text{ERP} = \text{Conducted Power(dBm)} - L_c(\text{dB}) + G_T(\text{dBd})$$

$$G_T(\text{dBd}) = G_T(\text{dBi}) - 2.15$$
n12:

1.Ant Gain = -7.06dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n38

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.57	14.480	0.028	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.57	14.480	0.028	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.46	14.370	0.027	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.08	13.990	0.025	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB12@6	17.58	14.490	0.028	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@1	17.42	14.330	0.027	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@23	17.43	14.340	0.027	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB25@0	16.61	13.520	0.022	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 16 QAM_RB25@0	15.53	12.440	0.018	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 64 QAM_RB25@0	15.11	12.020	0.016	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 256 QAM_RB25@0	13.05	9.960	0.010	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB13@6	16.14	13.050	0.020	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@1	16	12.910	0.020	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@23	16.08	12.990	0.020	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB25@0	14.61	11.520	0.014	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 16 QAM_RB25@0	14.53	11.440	0.014	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 64 QAM_RB25@0	14.16	11.070	0.013	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 256 QAM_RB25@0	11.12	8.030	0.006	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.54	14.450	0.028	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.51	14.420	0.028	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.47	14.380	0.027	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.04	13.950	0.025	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	17.55	14.460	0.028	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	17.46	14.370	0.027	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@23	17.47	14.380	0.027	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB25@0	16.58	13.490	0.022	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 16 QAM_RB25@0	15.61	12.520	0.018	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 64 QAM_RB25@0	15.12	12.030	0.016	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 256 QAM_RB25@0	13.05	9.960	0.010	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB13@6	16.06	12.970	0.020	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@1	16.02	12.930	0.020	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@23	16.14	13.050	0.020	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB25@0	14.64	11.550	0.014	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 16 QAM_RB25@0	14.50	11.410	0.014	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 64 QAM_RB25@0	14.13	11.040	0.013	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 256 QAM_RB25@0	11.06	7.970	0.006	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.61	14.520	0.028	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.59	14.500	0.028	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.51	14.420	0.028	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.08	13.990	0.025	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB12@6	17.54	14.450	0.028	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@1	17.51	14.420	0.028	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@23	17.39	14.300	0.027	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB25@0	16.59	13.500	0.022	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 16 QAM_RB25@0	15.70	12.610	0.018	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 64 QAM_RB25@0	15.13	12.040	0.016	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 256 QAM_RB25@0	13.04	9.950	0.010	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB13@6	16.15	13.060	0.020	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@1	16.19	13.100	0.020	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@23	16.22	13.130	0.021	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB25@0	14.62	11.530	0.014	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 16 QAM_RB25@0	14.53	11.440	0.014	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 64 QAM_RB25@0	14.18	11.090	0.013	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 256 QAM_RB25@0	11.11	8.020	0.006	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.59	14.500	0.028	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.76	14.670	0.029	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.78	14.690	0.029	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	17.14	14.050	0.025	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB12@6	17.82	14.730	0.030	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@1	17.82	14.730	0.030	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@22	17.61	14.520	0.028	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB24@0	16.67	13.580	0.023	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 16 QAM_RB24@0	15.74	12.650	0.018	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 64 QAM_RB24@0	15.27	12.180	0.017	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 256 QAM_RB24@0	13.15	10.060	0.010	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB12@6	16.34	13.250	0.021	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@1	16.05	12.960	0.020	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@22	16.13	13.040	0.020	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB24@0	14.77	11.680	0.015	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 16 QAM_RB24@0	14.64	11.550	0.014	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 64 QAM_RB24@0	14.38	11.290	0.013	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 256 QAM_RB24@0	11.11	8.020	0.006	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.71	14.620	0.029	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.66	14.570	0.029	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.78	14.690	0.029	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	17.08	13.990	0.025	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	17.77	14.680	0.029	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	17.61	14.520	0.028	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@22	17.59	14.500	0.028	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB24@0	16.65	13.560	0.023	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB24@0	15.66	12.570	0.018	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB24@0	15.27	12.180	0.017	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB24@0	13.12	10.030	0.010	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB12@6	16.12	13.030	0.020	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	16.42	13.330	0.022	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@22	16.50	13.410	0.022	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB24@0	14.71	11.620	0.015	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB24@0	14.60	11.510	0.014	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB24@0	14.37	11.280	0.013	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB24@0	11.04	7.950	0.006	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.68	14.590	0.029	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.64	14.550	0.029	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.63	14.540	0.028	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	17.12	14.030	0.025	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB12@6	17.69	14.600	0.029	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@1	17.68	14.590	0.029	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@22	17.63	14.540	0.028	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB24@0	16.65	13.560	0.023	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 16 QAM_RB24@0	15.70	12.610	0.018	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 64 QAM_RB24@0	15.25	12.160	0.016	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 256 QAM_RB24@0	13.15	10.060	0.010	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB12@6	16.15	13.060	0.020	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@1	16.46	13.370	0.022	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@22	16.03	12.940	0.020	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB24@0	14.69	11.600	0.014	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 16 QAM_RB24@0	14.62	11.530	0.014	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 64 QAM_RB24@0	14.30	11.210	0.013	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 256 QAM_RB24@0	11.08	7.990	0.006	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.60	14.510	0.028	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.63	14.540	0.028	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.75	14.660	0.029	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	17.16	14.070	0.026	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB18@9	17.58	14.490	0.028	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@1	17.62	14.530	0.028	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@36	17.54	14.450	0.028	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB36@0	16.68	13.590	0.023	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.61	12.520	0.018	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 64 QAM_RB36@0	15.19	12.100	0.016	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 256 QAM_RB36@0	13.05	9.960	0.010	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB19@9	16.14	13.050	0.020	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@1	16	12.910	0.020	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@36	16.01	12.920	0.020	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB38@0	14.64	11.550	0.014	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 16 QAM_RB38@0	14.62	11.530	0.014	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 64 QAM_RB38@0	14.23	11.140	0.013	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 256 QAM_RB38@0	11	7.910	0.006	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.66	14.570	0.029	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.67	14.580	0.029	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.52	14.430	0.028	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	17.11	14.020	0.025	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB18@9	17.64	14.550	0.029	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	17.48	14.390	0.027	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@36	17.46	14.370	0.027	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@0	16.64	13.550	0.023	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB36@0	15.58	12.490	0.018	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB36@0	15.15	12.060	0.016	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB36@0	13.03	9.940	0.010	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB19@9	16.14	13.050	0.020	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	16.31	13.220	0.021	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@36	16.14	13.050	0.020	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB38@0	14.64	11.550	0.014	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB38@0	14.54	11.450	0.014	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB38@0	14.19	11.100	0.013	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB38@0	11.01	7.920	0.006	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.58	14.490	0.028	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.48	14.390	0.027	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.40	14.310	0.027	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	17.16	14.070	0.026	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB18@9	17.71	14.620	0.029	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@1	17.54	14.450	0.028	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@36	17.50	14.410	0.028	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB36@0	16.73	13.640	0.023	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.62	12.530	0.018	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 64 QAM_RB36@0	15.19	12.100	0.016	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 256 QAM_RB36@0	13.05	9.960	0.010	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB19@9	16.16	13.070	0.020	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@1	16.15	13.060	0.020	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@36	16.31	13.220	0.021	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB38@0	14.68	11.590	0.014	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 16 QAM_RB38@0	14.69	11.600	0.014	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 64 QAM_RB38@0	14.11	11.020	0.013	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 256 QAM_RB38@0	10.99	7.900	0.006	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.53	14.440	0.028	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.52	14.430	0.028	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.82	14.730	0.030	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.15	14.060	0.025	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@1	17.64	14.550	0.029	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@49	17.61	14.520	0.028	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB25@12	17.58	14.490	0.028	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB50@0	16.67	13.580	0.023	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 16 QAM_RB50@0	15.67	12.580	0.018	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 64 QAM_RB50@0	15.13	12.040	0.016	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 256 QAM_RB50@0	13.05	9.960	0.010	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@1	16.16	13.070	0.020	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@49	16.05	12.960	0.020	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB25@12	16.15	13.060	0.020	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB51@0	14.61	11.520	0.014	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 16 QAM_RB51@0	14.66	11.570	0.014	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 64 QAM_RB51@0	14.13	11.040	0.013	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 256 QAM_RB51@0	11	7.910	0.006	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.60	14.510	0.028	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.65	14.560	0.029	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.80	14.710	0.030	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.16	14.070	0.026	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	17.39	14.300	0.027	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@49	17.58	14.490	0.028	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB25@12	17.56	14.470	0.028	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@0	16.66	13.570	0.023	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB50@0	15.62	12.530	0.018	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB50@0	15.07	11.980	0.016	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB50@0	13.05	9.960	0.010	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	16.32	13.230	0.021	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@49	16.18	13.090	0.020	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB25@12	16.20	13.110	0.020	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB51@0	14.64	11.550	0.014	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB51@0	14.67	11.580	0.014	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB51@0	14.13	11.040	0.013	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB51@0	11	7.910	0.006	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.47	14.380	0.027	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.62	14.530	0.028	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.78	14.690	0.029	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.21	14.120	0.026	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@1	17.44	14.350	0.027	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@49	17.55	14.460	0.028	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB25@12	17.67	14.580	0.029	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB50@0	16.68	13.590	0.023	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 16 QAM_RB50@0	15.66	12.570	0.018	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 64 QAM_RB50@0	15.05	11.960	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 256 QAM_RB50@0	13.13	10.040	0.010	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@1	16.41	13.320	0.021	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@49	16.06	12.970	0.020	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB25@12	16.19	13.100	0.020	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB51@0	14.63	11.540	0.014	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 16 QAM_RB51@0	14.72	11.630	0.015	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 64 QAM_RB51@0	14.19	11.100	0.013	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 256 QAM_RB51@0	11	7.910	0.006	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.53	15.440	0.035	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	18.60	15.510	0.036	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	18.74	15.650	0.037	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	18.15	15.060	0.032	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@1	18.60	15.510	0.036	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@63	18.72	15.630	0.037	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB32@16	18.71	15.620	0.036	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB64@0	17.70	14.610	0.029	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 16 QAM_RB64@0	16.62	13.530	0.023	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 64 QAM_RB64@0	16.03	12.940	0.020	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 256 QAM_RB64@0	14.02	10.930	0.012	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@1	17.13	14.040	0.025	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@63	17.21	14.120	0.026	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB33@16	16.98	13.890	0.024	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB65@0	15.51	12.420	0.017	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 16 QAM_RB65@0	15.60	12.510	0.018	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 64 QAM_RB65@0	14.98	11.890	0.015	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 256 QAM_RB65@0	12.02	8.930	0.008	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.53	15.440	0.035	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	18.81	15.720	0.037	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	18.60	15.510	0.036	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	18.14	15.050	0.032	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	18.48	15.390	0.035	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@63	18.64	15.550	0.036	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB32@16	18.53	15.440	0.035	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB64@0	17.67	14.580	0.029	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB64@0	16.61	13.520	0.022	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB64@0	16.02	12.930	0.020	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB64@0	14.03	10.940	0.012	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	16.94	13.850	0.024	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@63	17.37	14.280	0.027	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB33@16	17.07	13.980	0.025	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB65@0	15.56	12.470	0.018	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB65@0	15.56	12.470	0.018	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB65@0	15.02	11.930	0.016	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB65@0	12.03	8.940	0.008	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.50	15.410	0.035	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	18.62	15.530	0.036	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	18.59	15.500	0.035	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	18.16	15.070	0.032	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@1	18.58	15.490	0.035	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@63	18.55	15.460	0.035	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB32@16	18.62	15.530	0.036	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB64@0	17.71	14.620	0.029	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 16 QAM_RB64@0	16.58	13.490	0.022	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 64 QAM_RB64@0	16.02	12.930	0.020	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 256 QAM_RB64@0	14.04	10.950	0.012	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@1	16.99	13.900	0.025	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@63	17.03	13.940	0.025	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB33@16	17.11	14.020	0.025	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB65@0	15.60	12.510	0.018	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 16 QAM_RB65@0	15.58	12.490	0.018	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 64 QAM_RB65@0	15	11.910	0.016	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 256 QAM_RB65@0	12.06	8.970	0.008	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.49	15.400	0.035	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	18.63	15.540	0.036	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.62	15.530	0.036	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.05	14.960	0.031	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@1	18.54	15.450	0.035	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@76	18.70	15.610	0.036	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB36@18	18.57	15.480	0.035	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB75@0	17.59	14.500	0.028	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 16 QAM_RB75@0	16.48	13.390	0.022	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 64 QAM_RB75@0	16.03	12.940	0.020	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 256 QAM_RB75@0	14.01	10.920	0.012	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@1	17.02	13.930	0.025	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@76	17.08	13.990	0.025	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB39@19	17.03	13.940	0.025	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB78@0	15.52	12.430	0.017	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 16 QAM_RB78@0	15.50	12.410	0.017	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 64 QAM_RB78@0	15.02	11.930	0.016	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 256 QAM_RB78@0	12.06	8.970	0.008	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.63	15.540	0.036	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	18.56	15.470	0.035	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.57	15.480	0.035	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.03	14.940	0.031	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	18.49	15.400	0.035	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@76	18.55	15.460	0.035	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@18	18.53	15.440	0.035	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB75@0	17.53	14.440	0.028	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB75@0	16.49	13.400	0.022	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB75@0	15.98	12.890	0.019	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB75@0	14.02	10.930	0.012	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	17.17	14.080	0.026	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@76	17.32	14.230	0.026	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB39@19	16.93	13.840	0.024	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB78@0	15.55	12.460	0.018	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_30MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB78@0	15.52	12.430	0.017	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB78@0	15.04	11.950	0.016	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB78@0	12.01	8.920	0.008	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.43	15.340	0.034	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	18.64	15.550	0.036	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.63	15.540	0.036	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.07	14.980	0.031	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@1	18.45	15.360	0.034	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@76	18.52	15.430	0.035	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB36@18	18.58	15.490	0.035	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB75@0	17.56	14.470	0.028	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 16 QAM_RB75@0	16.49	13.400	0.022	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 64 QAM_RB75@0	15.97	12.880	0.019	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 256 QAM_RB75@0	14.03	10.940	0.012	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@1	17.26	14.170	0.026	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@76	17.04	13.950	0.025	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB39@19	17.13	14.040	0.025	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB78@0	15.57	12.480	0.018	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 16 QAM_RB78@0	15.57	12.480	0.018	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_30MHz_30kHz_2605MHz_CP-OFDM 64 QAM_RB78@0	15.04	11.950	0.016	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 256 QAM_RB78@0	12.09	9.000	0.008	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.05	14.960	0.031	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.51	15.420	0.035	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	18.59	15.500	0.035	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.59	15.500	0.035	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB100@0	17.54	14.450	0.028	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@1	18.49	15.400	0.035	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@104	18.64	15.550	0.036	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB50@25	18.60	15.510	0.036	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 16 QAM_RB100@0	16.49	13.400	0.022	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 64 QAM_RB100@0	16.01	12.920	0.020	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 256 QAM_RB100@0	13.95	10.860	0.012	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB106@0	15.46	12.370	0.017	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@1	16.84	13.750	0.024	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@104	17.18	14.090	0.026	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB53@26	17.03	13.940	0.025	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 16 QAM_RB106@0	15.50	12.410	0.017	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 64 QAM_RB106@0	15.03	11.940	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_40MHz_30kHz_2590MHz_CP-OFDM 256 QAM_RB106@0	11.96	8.870	0.008	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.13	15.040	0.032	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.42	15.330	0.034	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	18.72	15.630	0.037	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.57	15.480	0.035	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB100@0	17.50	14.410	0.028	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	18.52	15.430	0.035	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@104	18.63	15.540	0.036	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@25	18.51	15.420	0.035	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB100@0	16.47	13.380	0.022	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB100@0	16.05	12.960	0.020	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB100@0	14.01	10.920	0.012	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB106@0	15.51	12.420	0.017	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	17.18	14.090	0.026	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@104	17.03	13.940	0.025	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB53@26	17.01	13.920	0.025	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB106@0	15.47	12.380	0.017	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB106@0	15.01	11.920	0.016	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB106@0	11.97	8.880	0.008	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.18	15.090	0.032	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.49	15.400	0.035	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	18.60	15.510	0.036	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.61	15.520	0.036	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB100@0	17.60	14.510	0.028	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@1	18.52	15.430	0.035	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@104	18.61	15.520	0.036	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB50@25	18.60	15.510	0.036	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 16 QAM_RB100@0	16.50	13.410	0.022	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 64 QAM_RB100@0	16.06	12.970	0.020	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 256 QAM_RB100@0	13.99	10.900	0.012	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB106@0	15.55	12.460	0.018	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@1	17.03	13.940	0.025	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@104	17.14	14.050	0.025	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB53@26	17.07	13.980	0.025	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 16 QAM_RB106@0	15.51	12.420	0.017	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 64 QAM_RB106@0	15	11.910	0.016	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 256 QAM_RB106@0	12.01	8.920	0.008	2	Pass

Note:

$$\text{EIRP} = \text{Conducted Power(dBm)} - L_c(\text{dB}) + G_T(\text{dBi})$$

- n38:**
- 1.Ant Gain = -3.09dBi;**
 - 2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB**

n41

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	21.71	18.620	0.073	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.68	18.590	0.072	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	21.71	18.620	0.073	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	21.28	18.190	0.066	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	21.72	18.630	0.073	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	21.69	18.600	0.072	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	21.71	18.620	0.073	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	20.70	17.610	0.058	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	19.84	16.750	0.047	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	19.26	16.170	0.041	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	17.19	14.100	0.026	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB12@6	20.16	17.070	0.051	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	19.97	16.880	0.049	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@22	20.04	16.950	0.050	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	18.70	15.610	0.036	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 16 QAM_RB24@0	18.71	15.620	0.036	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 64 QAM_RB24@0	18.29	15.200	0.033	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 256 QAM_RB24@0	15.22	12.130	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	21.60	18.510	0.071	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.57	18.480	0.070	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	21.48	18.390	0.069	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	21.10	18.010	0.063	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	21.53	18.440	0.070	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.45	18.360	0.069	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	21.50	18.410	0.069	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	20.58	17.490	0.056	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	19.54	16.450	0.044	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	19.12	16.030	0.040	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	16.98	13.890	0.024	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	20.11	17.020	0.050	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.17	17.080	0.051	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	19.89	16.800	0.048	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	18.71	15.620	0.036	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	18.59	15.500	0.035	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	18.26	15.170	0.033	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	15.04	11.950	0.016	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	21.47	18.380	0.069	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.48	18.390	0.069	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	21.65	18.560	0.072	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	20.97	17.880	0.061	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	21.46	18.370	0.069	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	21.36	18.270	0.067	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	21.43	18.340	0.068	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	20.56	17.470	0.056	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	19.46	16.370	0.043	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	18.91	15.820	0.038	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	17.01	13.920	0.025	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	19.87	16.780	0.048	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	19.74	16.650	0.046	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	19.93	16.840	0.048	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	18.49	15.400	0.035	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	18.53	15.440	0.035	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	18.18	15.090	0.032	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	14.98	11.890	0.015	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	21.71	18.620	0.073	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.52	18.430	0.070	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	21.62	18.530	0.071	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	21.16	18.070	0.064	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	21.70	18.610	0.073	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	21.61	18.520	0.071	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	21.55	18.460	0.070	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	20.68	17.590	0.057	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	19.73	16.640	0.046	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	19.20	16.110	0.041	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	17.07	13.980	0.025	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	20.22	17.130	0.052	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	19.99	16.900	0.049	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	20.18	17.090	0.051	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	18.72	15.630	0.037	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	18.65	15.560	0.036	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	18.26	15.170	0.033	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	15.16	12.070	0.016	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	21.53	18.440	0.070	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.49	18.400	0.069	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	21.41	18.320	0.068	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	21.05	17.960	0.063	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	21.52	18.430	0.070	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.42	18.330	0.068	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	21.42	18.330	0.068	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	20.57	17.480	0.056	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	19.54	16.450	0.044	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	19.12	16.030	0.040	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	16.94	13.850	0.024	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	20.04	16.950	0.050	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.18	17.090	0.051	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	20.34	17.250	0.053	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	18.60	15.510	0.036	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	18.44	15.350	0.034	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	18.10	15.010	0.032	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	15.03	11.940	0.016	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	21.45	18.360	0.069	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.33	18.240	0.067	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	21.58	18.490	0.071	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	20.95	17.860	0.061	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	21.44	18.350	0.068	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	21.23	18.140	0.065	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	21.43	18.340	0.068	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	20.44	17.350	0.054	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	19.57	16.480	0.044	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	19.04	15.950	0.039	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	16.88	13.790	0.024	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	19.98	16.890	0.049	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	19.99	16.900	0.049	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	20.26	17.170	0.052	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	18.46	15.370	0.034	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	18.41	15.320	0.034	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	18.02	14.930	0.031	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	14.99	11.900	0.015	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.60	18.510	0.071	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	21.64	18.550	0.072	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	21.72	18.630	0.073	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	21.20	18.110	0.065	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	21.57	18.480	0.070	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	21.65	18.560	0.072	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	21.71	18.620	0.073	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	20.66	17.570	0.057	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	19.71	16.620	0.046	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	19.15	16.060	0.040	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	17.15	14.060	0.025	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	19.97	16.880	0.049	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	20.04	16.950	0.050	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	20.33	17.240	0.053	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	18.73	15.640	0.037	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	18.76	15.670	0.037	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	18.28	15.190	0.033	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	15.12	12.030	0.016	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.49	18.400	0.069	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	21.44	18.350	0.068	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	21.60	18.510	0.071	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	21.13	18.040	0.064	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.42	18.330	0.068	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	21.46	18.370	0.069	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	21.53	18.440	0.070	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	20.55	17.460	0.056	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	19.67	16.580	0.045	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	19.07	15.980	0.040	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	16.99	13.900	0.025	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.19	17.100	0.051	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	19.97	16.880	0.049	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	20.12	17.030	0.050	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	18.67	15.580	0.036	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	18.54	15.450	0.035	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	18.14	15.050	0.032	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	14.98	11.890	0.015	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.25	18.160	0.065	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	21.52	18.430	0.070	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	21.50	18.410	0.069	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.94	17.850	0.061	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	21.30	18.210	0.066	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	21.45	18.360	0.069	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	21.40	18.310	0.068	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	20.42	17.330	0.054	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	19.41	16.320	0.043	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	18.98	15.890	0.039	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	16.92	13.830	0.024	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	19.81	16.720	0.047	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	20.11	17.020	0.050	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	19.96	16.870	0.049	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	18.49	15.400	0.035	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	18.49	15.400	0.035	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	18.04	14.950	0.031	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	14.93	11.840	0.015	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.53	18.440	0.070	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	21.45	18.360	0.069	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	21.64	18.550	0.072	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	21.12	18.030	0.064	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@1	21.64	18.550	0.072	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@76	21.45	18.360	0.069	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB36@18	21.62	18.530	0.071	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB75@0	20.54	17.450	0.056	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 16 QAM_RB75@0	19.54	16.450	0.044	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 64 QAM_RB75@0	19.11	16.020	0.040	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 256 QAM_RB75@0	17.10	14.010	0.025	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@1	20.15	17.060	0.051	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@76	20	16.910	0.049	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB39@19	20.11	17.020	0.050	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB78@0	18.67	15.580	0.036	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 16 QAM_RB78@0	18.53	15.440	0.035	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 64 QAM_RB78@0	18.16	15.070	0.032	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 256 QAM_RB78@0	15.13	12.040	0.016	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.46	18.370	0.069	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	21.60	18.510	0.071	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	21.60	18.510	0.071	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	21.09	18.000	0.063	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.39	18.300	0.068	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@76	21.51	18.420	0.070	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@18	21.59	18.500	0.071	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB75@0	20.56	17.470	0.056	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB75@0	19.51	16.420	0.044	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB75@0	18.99	15.900	0.039	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB75@0	17.10	14.010	0.025	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.08	16.990	0.050	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@76	20.33	17.240	0.053	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB39@19	20.10	17.010	0.050	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB78@0	18.59	15.500	0.035	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB78@0	18.63	15.540	0.036	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB78@0	18.11	15.020	0.032	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB78@0	15.11	12.020	0.016	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.19	18.100	0.065	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	21.62	18.530	0.071	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	21.34	18.250	0.067	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.84	17.750	0.060	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@1	21.19	18.100	0.065	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@76	21.58	18.490	0.071	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB36@18	21.30	18.210	0.066	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB75@0	20.39	17.300	0.054	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 16 QAM_RB75@0	19.40	16.310	0.043	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 64 QAM_RB75@0	18.81	15.720	0.037	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 256 QAM_RB75@0	17.03	13.940	0.025	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@1	20.03	16.940	0.049	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@76	20.38	17.290	0.054	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB39@19	19.93	16.840	0.048	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB78@0	18.39	15.300	0.034	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 16 QAM_RB78@0	18.38	15.290	0.034	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 64 QAM_RB78@0	18.04	14.950	0.031	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 256 QAM_RB78@0	15.09	12.000	0.016	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	21.11	18.020	0.063	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.40	18.310	0.068	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	21.43	18.340	0.068	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	21.59	18.500	0.071	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	20.62	17.530	0.057	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	21.59	18.500	0.071	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	21.39	18.300	0.068	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	21.61	18.520	0.071	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	19.58	16.490	0.045	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	19.11	16.020	0.040	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	17.08	13.990	0.025	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	18.57	15.480	0.035	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	19.97	16.880	0.049	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	19.87	16.780	0.048	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	20.05	16.960	0.050	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	18.59	15.500	0.035	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	18.08	14.990	0.032	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	15.08	11.990	0.016	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	21.10	18.010	0.063	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.34	18.250	0.067	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	21.55	18.460	0.070	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	21.56	18.470	0.070	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	20.62	17.530	0.057	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.35	18.260	0.067	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	21.49	18.400	0.069	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	21.58	18.490	0.071	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	19.58	16.490	0.045	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	19.11	16.020	0.040	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	17.12	14.030	0.025	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	18.54	15.450	0.035	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.16	17.070	0.051	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	20.35	17.260	0.053	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB53@26	20.03	16.940	0.049	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	18.56	15.470	0.035	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	18.10	15.010	0.032	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	15.05	11.960	0.016	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	20.96	17.870	0.061	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.30	18.210	0.066	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	21.64	18.550	0.072	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	21.38	18.290	0.067	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	20.38	17.290	0.054	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	21.22	18.130	0.065	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	21.58	18.490	0.071	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	21.35	18.260	0.067	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	19.34	16.250	0.042	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	18.85	15.760	0.038	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	17.03	13.940	0.025	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	18.45	15.360	0.034	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	20	16.910	0.049	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	20.30	17.210	0.053	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	19.79	16.700	0.047	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	18.48	15.390	0.035	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	17.94	14.850	0.031	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	15.03	11.940	0.016	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	21.13	18.040	0.064	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.44	18.350	0.068	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	21.49	18.400	0.069	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	21.65	18.560	0.072	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	20.56	17.470	0.056	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	21.57	18.480	0.070	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	21.39	18.300	0.068	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	21.62	18.530	0.071	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	19.59	16.500	0.045	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	19.18	16.090	0.041	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	17.10	14.010	0.025	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	18.53	15.440	0.035	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	19.96	16.870	0.049	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	19.87	16.780	0.048	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	20.08	16.990	0.050	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	18.52	15.430	0.035	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	18	14.910	0.031	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	15.04	11.950	0.016	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	21.09	18.000	0.063	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.46	18.370	0.069	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	21.62	18.530	0.071	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	21.62	18.530	0.071	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	20.58	17.490	0.056	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.38	18.290	0.067	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	21.55	18.460	0.070	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	21.59	18.500	0.071	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	19.56	16.470	0.044	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	19.17	16.080	0.041	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	17.12	14.030	0.025	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	18.57	15.480	0.035	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	19.92	16.830	0.048	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	20	16.910	0.049	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	20.05	16.960	0.050	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	18.52	15.430	0.035	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	18	14.910	0.031	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	15.03	11.940	0.016	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	21.04	17.950	0.062	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.46	18.370	0.069	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	21.59	18.500	0.071	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	21.35	18.260	0.067	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	20.44	17.350	0.054	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	21.36	18.270	0.067	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	21.58	18.490	0.071	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	21.35	18.260	0.067	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	19.38	16.290	0.043	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	18.95	15.860	0.039	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	17.10	14.010	0.025	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	18.55	15.460	0.035	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	19.83	16.740	0.047	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	20.37	17.280	0.053	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	19.91	16.820	0.048	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	18.41	15.320	0.034	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	18.11	15.020	0.032	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	15.04	11.950	0.016	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	20.97	17.880	0.061	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.49	18.400	0.069	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	21.39	18.300	0.068	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	21.58	18.490	0.071	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	20.44	17.350	0.054	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	21.41	18.320	0.068	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	21.30	18.210	0.066	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	21.52	18.430	0.070	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	19.41	16.320	0.043	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	19.01	15.920	0.039	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	16.96	13.870	0.024	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	18.47	15.380	0.035	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	19.96	16.870	0.049	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	19.72	16.630	0.046	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	20	16.910	0.049	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	18.52	15.430	0.035	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	17.92	14.830	0.030	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	14.97	11.880	0.015	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	21.03	17.940	0.062	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.39	18.300	0.068	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	21.44	18.350	0.068	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	21.56	18.470	0.070	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	20.46	17.370	0.055	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.31	18.220	0.066	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	21.34	18.250	0.067	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	21.52	18.430	0.070	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	19.48	16.390	0.044	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	19	15.910	0.039	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	17	13.910	0.025	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	18.41	15.320	0.034	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	19.85	16.760	0.047	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	19.96	16.870	0.049	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	19.97	16.880	0.049	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	18.54	15.450	0.035	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	18.02	14.930	0.031	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	14.99	11.900	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	20.83	17.740	0.059	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.35	18.260	0.067	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	21.55	18.460	0.070	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	21.33	18.240	0.067	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	20.30	17.210	0.053	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	21.36	18.270	0.067	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	21.43	18.340	0.068	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	21.35	18.260	0.067	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	19.27	16.180	0.041	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	18.84	15.750	0.038	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	16.98	13.890	0.024	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	18.36	15.270	0.034	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	20.17	17.080	0.051	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	20.13	17.040	0.051	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	19.82	16.730	0.047	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	18.42	15.330	0.034	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	17.91	14.820	0.030	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	14.94	11.850	0.015	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	21.57	18.480	0.070	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.76	18.670	0.074	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	21.51	18.420	0.070	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	21.09	18.000	0.063	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	21.55	18.460	0.070	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	21.73	18.640	0.073	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	21.50	18.410	0.069	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	20.57	17.480	0.056	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	19.56	16.470	0.044	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	19.10	16.010	0.040	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	17.15	14.060	0.025	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	20.03	16.940	0.049	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	20.39	17.300	0.054	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	20.20	17.110	0.051	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	18.61	15.520	0.036	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	18.57	15.480	0.035	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	18.01	14.920	0.031	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	15.07	11.980	0.016	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	21.67	18.580	0.072	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.49	18.400	0.069	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	21.57	18.480	0.070	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	21.13	18.040	0.064	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	21.63	18.540	0.071	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.47	18.380	0.069	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	21.51	18.420	0.070	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	20.60	17.510	0.056	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	19.55	16.460	0.044	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	19.14	16.050	0.040	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	17.18	14.090	0.026	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	20.09	17.000	0.050	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	19.94	16.850	0.048	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	20.03	16.940	0.049	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	18.56	15.470	0.035	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	18.54	15.450	0.035	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	18.14	15.050	0.032	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	15.12	12.030	0.016	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	21.59	18.500	0.071	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.65	18.560	0.072	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	21.63	18.540	0.071	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	21.04	17.950	0.062	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	21.63	18.540	0.071	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	21.56	18.470	0.070	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	21.64	18.550	0.072	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	20.63	17.540	0.057	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM_RB216@0	19.53	16.440	0.044	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM_RB216@0	19.06	15.970	0.040	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM_RB216@0	17.08	13.990	0.025	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	20.09	17.000	0.050	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	20.28	17.190	0.052	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	20.08	16.990	0.050	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB217@0	18.60	15.510	0.036	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	18.53	15.440	0.035	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	18.06	14.970	0.031	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	15	11.910	0.016	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	21.58	18.490	0.071	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.79	18.700	0.074	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	21.64	18.550	0.072	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	21.11	18.020	0.063	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	21.60	18.510	0.071	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	21.75	18.660	0.073	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	21.51	18.420	0.070	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	20.58	17.490	0.056	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	19.52	16.430	0.044	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	19.04	15.950	0.039	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	17.13	14.040	0.025	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	20.01	16.920	0.049	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	20.27	17.180	0.052	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	20.10	17.010	0.050	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	18.55	15.460	0.035	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	18.61	15.520	0.036	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	18.02	14.930	0.031	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	15.06	11.970	0.016	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	21.67	18.580	0.072	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.47	18.380	0.069	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	21.52	18.430	0.070	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	21.10	18.010	0.063	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	21.65	18.560	0.072	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.37	18.280	0.067	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	21.48	18.390	0.069	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	20.65	17.560	0.057	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	19.57	16.480	0.044	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	19.09	16.000	0.040	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	17.14	14.050	0.025	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	20.13	17.040	0.051	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	19.72	16.630	0.046	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	19.98	16.890	0.049	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	18.63	15.540	0.036	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	18.52	15.430	0.035	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	17.99	14.900	0.031	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	15.15	12.060	0.016	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	21.63	18.540	0.071	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.59	18.500	0.071	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	21.59	18.500	0.071	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	21.04	17.950	0.062	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	21.64	18.550	0.072	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	21.51	18.420	0.070	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	21.61	18.520	0.071	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	20.56	17.470	0.056	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	19.50	16.410	0.044	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	18.96	15.870	0.039	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	17.13	14.040	0.025	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	20	16.910	0.049	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	20.28	17.190	0.052	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	20.21	17.120	0.052	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	18.58	15.490	0.035	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	18.54	15.450	0.035	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	17.95	14.860	0.031	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	15.08	11.990	0.016	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	21.55	18.460	0.070	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.71	18.620	0.073	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	21.48	18.390	0.069	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	21.09	18.000	0.063	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	21.54	18.450	0.070	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	21.68	18.590	0.072	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	21.47	18.380	0.069	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	20.55	17.460	0.056	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	19.47	16.380	0.043	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	18.97	15.880	0.039	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	17.04	13.950	0.025	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	19.93	16.840	0.048	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	20.09	17.000	0.050	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	20	16.910	0.049	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	18.57	15.480	0.035	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	18.49	15.400	0.035	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	17.93	14.840	0.030	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	15.10	12.010	0.016	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	21.69	18.600	0.072	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.38	18.290	0.067	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	21.56	18.470	0.070	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	21.12	18.030	0.064	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	21.65	18.560	0.072	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.32	18.230	0.067	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	21.44	18.350	0.068	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	20.58	17.490	0.056	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	19.55	16.460	0.044	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	19.04	15.950	0.039	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	17.17	14.080	0.026	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	20.13	17.040	0.051	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	19.83	16.740	0.047	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	19.88	16.790	0.048	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	18.54	15.450	0.035	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	18.42	15.330	0.034	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	17.99	14.900	0.031	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	15.16	12.070	0.016	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	21.70	18.610	0.073	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.53	18.440	0.070	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	21.66	18.570	0.072	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	21.08	17.990	0.063	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	21.59	18.500	0.071	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	21.42	18.330	0.068	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	21.55	18.460	0.070	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	20.48	17.390	0.055	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	19.57	16.480	0.044	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	19.09	16.000	0.040	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	17.08	13.990	0.025	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	20.12	17.030	0.050	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	20.06	16.970	0.050	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	20.28	17.190	0.052	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	18.44	15.350	0.034	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	18.45	15.360	0.034	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	17.95	14.860	0.031	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	15.03	11.940	0.016	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n41:

1.Ant Gain = -3.09dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.37	13.330	0.022	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.26	13.220	0.021	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.35	13.310	0.021	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.82	12.780	0.019	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	16.39	13.350	0.022	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	16.28	13.240	0.021	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	16.18	13.140	0.021	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	15.37	12.330	0.017	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	14.45	11.410	0.014	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	13.99	10.950	0.012	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	11.90	8.860	0.008	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	14.94	11.900	0.015	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	14.89	11.850	0.015	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	14.86	11.820	0.015	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	13.44	10.400	0.011	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	13.36	10.320	0.011	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	13	9.960	0.010	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	10.98	7.94	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.44	13.400	0.022	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.41	13.370	0.022	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.40	13.360	0.022	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.90	12.860	0.019	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	16.45	13.410	0.022	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	16.37	13.330	0.022	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	16.26	13.220	0.021	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	15.37	12.330	0.017	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	14.39	11.350	0.014	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	14.07	11.030	0.013	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	12.02	8.980	0.008	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	14.93	11.890	0.015	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.10	12.060	0.016	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	15	11.960	0.016	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	13.53	10.490	0.011	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	13.49	10.450	0.011	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	13.13	10.090	0.010	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	11.00	7.96	0.006	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.33	13.290	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.37	13.330	0.022	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.23	13.190	0.021	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.85	12.810	0.019	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	16.38	13.340	0.022	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	16.25	13.210	0.021	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	16.24	13.200	0.021	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	15.31	12.270	0.017	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	14.41	11.370	0.014	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	13.97	10.930	0.012	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	11.91	8.870	0.008	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	14.82	11.780	0.015	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	14.97	11.930	0.016	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	14.77	11.730	0.015	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	13.44	10.400	0.011	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	13.41	10.370	0.011	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	12.99	9.950	0.010	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	10.96	7.92	0.006	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.45	13.410	0.022	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	16.36	13.320	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.34	13.300	0.021	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.89	12.850	0.019	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	16.31	13.270	0.021	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	16.33	13.290	0.021	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	16.30	13.260	0.021	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	15.38	12.340	0.017	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	14.46	11.420	0.014	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	13.88	10.840	0.012	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	11.94	8.900	0.008	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	14.89	11.850	0.015	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	14.88	11.840	0.015	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	14.83	11.790	0.015	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	13.49	10.450	0.011	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	13.42	10.380	0.011	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	12.97	9.930	0.010	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	10.93	7.89	0.006	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.47	13.430	0.022	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	16.38	13.340	0.022	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.42	13.380	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.94	12.900	0.019	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	16.38	13.340	0.022	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	16.27	13.230	0.021	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	16.42	13.380	0.022	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	15.43	12.390	0.017	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	14.53	11.490	0.014	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	14.02	10.980	0.013	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	11.92	8.880	0.008	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	14.96	11.920	0.016	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	14.91	11.870	0.015	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	14.90	11.860	0.015	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	13.51	10.470	0.011	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	13.50	10.460	0.011	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	13	9.960	0.010	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	9.99	6.950	0.005	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.32	13.280	0.021	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	16.30	13.260	0.021	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.37	13.330	0.022	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.82	12.780	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	16.22	13.180	0.021	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	16.19	13.150	0.021	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	16.35	13.310	0.021	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	15.34	12.300	0.017	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	14.40	11.360	0.014	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	13.90	10.860	0.012	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	11.86	8.820	0.008	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	14.94	11.900	0.015	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	14.89	11.850	0.015	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	14.84	11.800	0.015	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	13.40	10.360	0.011	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	13.40	10.360	0.011	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	12.93	9.890	0.010	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	9.89	6.850	0.005	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.38	13.340	0.022	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	16.39	13.350	0.022	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.30	13.260	0.021	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.78	12.740	0.019	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	16.23	13.190	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	16.27	13.230	0.021	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	16.26	13.220	0.021	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	15.33	12.290	0.017	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	14.38	11.340	0.014	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	13.89	10.850	0.012	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	11.87	8.830	0.008	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	14.74	11.700	0.015	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	14.88	11.840	0.015	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	14.85	11.810	0.015	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	13.42	10.380	0.011	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	13.41	10.370	0.011	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	12.91	9.870	0.010	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	9.93	6.890	0.005	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.49	13.450	0.022	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	16.33	13.290	0.021	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.36	13.320	0.021	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.87	12.830	0.019	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	16.37	13.330	0.022	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	16.28	13.240	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	16.38	13.340	0.022	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	15.35	12.310	0.017	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	14.39	11.350	0.014	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	13.96	10.920	0.012	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	11.95	8.910	0.008	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.11	12.070	0.016	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	14.96	11.920	0.016	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	14.93	11.890	0.015	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	13.51	10.470	0.011	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	13.45	10.410	0.011	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	12.98	9.940	0.010	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	10.02	6.980	0.005	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.35	13.310	0.021	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	16.32	13.280	0.021	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.35	13.310	0.021	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.85	12.810	0.019	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	16.28	13.240	0.021	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	16.23	13.190	0.021	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	16.32	13.280	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	15.38	12.340	0.017	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	14.37	11.330	0.014	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	13.84	10.800	0.012	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	11.88	8.840	0.008	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	14.84	11.800	0.015	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	14.77	11.730	0.015	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	14.89	11.850	0.015	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	13.45	10.410	0.011	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	13.43	10.390	0.011	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	12.90	9.860	0.010	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	9.92	6.880	0.005	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.87	12.830	0.019	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.42	13.380	0.022	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.44	13.400	0.022	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.38	13.340	0.022	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	15.41	12.370	0.017	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	16.26	13.220	0.021	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	16.38	13.340	0.022	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	16.37	13.330	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	14.40	11.360	0.014	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	13.93	10.890	0.012	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	11.95	8.910	0.008	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	13.43	10.390	0.011	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	14.79	11.750	0.015	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	14.93	11.890	0.015	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	14.95	11.910	0.016	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	13.39	10.350	0.011	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	12.97	9.930	0.010	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	9.95	6.910	0.005	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.95	12.910	0.020	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.45	13.410	0.022	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.37	13.330	0.022	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.46	13.420	0.022	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	15.49	12.450	0.018	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	16.46	13.420	0.022	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	16.34	13.300	0.021	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	16.45	13.410	0.022	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	14.43	11.390	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	13.97	10.930	0.012	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	11.99	8.950	0.008	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	13.52	10.480	0.011	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.01	11.970	0.016	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	14.86	11.820	0.015	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	14.95	11.910	0.016	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	13.45	10.410	0.011	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	13	9.960	0.010	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	10	6.960	0.005	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.86	12.820	0.019	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.36	13.320	0.021	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.36	13.320	0.021	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.39	13.350	0.022	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	15.40	12.360	0.017	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	16.30	13.260	0.021	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	16.23	13.190	0.021	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	16.37	13.330	0.022	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	14.36	11.320	0.014	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	13.88	10.840	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	11.91	8.870	0.008	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	13.43	10.390	0.011	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	14.95	11.910	0.016	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	14.97	11.930	0.016	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	14.89	11.850	0.015	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	13.36	10.320	0.011	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	12.92	9.880	0.010	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	9.88	6.840	0.005	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	14.97	11.930	0.016	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.42	12.380	0.017	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.46	12.420	0.017	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.42	12.380	0.017	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	14.45	11.410	0.014	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	15.33	12.290	0.017	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	15.44	12.400	0.017	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	15.41	12.370	0.017	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	13.44	10.400	0.011	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	12.95	9.910	0.010	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	10.94	7.900	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	12.43	9.390	0.009	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	13.78	10.740	0.012	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	14.06	11.020	0.013	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	13.95	10.910	0.012	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	12.40	9.360	0.009	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	11.94	8.900	0.008	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	9.92	6.880	0.005	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	14.95	11.910	0.016	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.56	12.520	0.018	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.46	12.420	0.017	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.49	12.450	0.018	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	14.51	11.470	0.014	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	15.46	12.420	0.017	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	15.39	12.350	0.017	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	15.45	12.410	0.017	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	13.50	10.460	0.011	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	13.05	10.010	0.010	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	11.07	8.030	0.006	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	12.54	9.500	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	14.13	11.090	0.013	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	14.04	11.000	0.013	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	14	10.960	0.012	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	12.51	9.470	0.009	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	11.96	8.920	0.008	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	9.99	6.950	0.005	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	14.93	11.890	0.015	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.36	12.320	0.017	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.32	12.280	0.017	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.40	12.360	0.017	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	14.41	11.370	0.014	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	15.38	12.340	0.017	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	15.25	12.210	0.017	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	15.42	12.380	0.017	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	13.40	10.360	0.011	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	12.95	9.910	0.010	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	10.92	7.880	0.006	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	12.38	9.340	0.009	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	13.94	10.900	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	13.76	10.720	0.012	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	13.97	10.930	0.012	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	12.36	9.320	0.009	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	11.89	8.850	0.008	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	9.91	6.870	0.005	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	14.91	11.870	0.015	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.36	12.320	0.017	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	15.49	12.450	0.018	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	15.44	12.400	0.017	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	14.45	11.410	0.014	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	15.27	12.230	0.017	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	15.36	12.320	0.017	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	15.39	12.350	0.017	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	13.36	10.320	0.011	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	12.89	9.850	0.010	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	10.93	7.890	0.006	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	12.43	9.390	0.009	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	13.74	10.700	0.012	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	13.99	10.950	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	13.90	10.860	0.012	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	12.41	9.370	0.009	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	11.89	8.850	0.008	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	9.96	6.920	0.005	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	14.98	11.940	0.016	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.18	12.140	0.016	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	15.48	12.440	0.018	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	15.48	12.440	0.018	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	14.49	11.450	0.014	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	15.45	12.410	0.017	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	15.39	12.350	0.017	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	15.43	12.390	0.017	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	13.47	10.430	0.011	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	13.03	9.990	0.010	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	10.97	7.930	0.006	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	12.53	9.490	0.009	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	14.08	11.040	0.013	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	14	10.960	0.012	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	13.95	10.910	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	12.51	9.470	0.009	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	12	8.960	0.008	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	10.02	6.980	0.005	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	14.94	11.900	0.015	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.45	12.410	0.017	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	15.36	12.320	0.017	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	15.41	12.370	0.017	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	14.39	11.350	0.014	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	15.38	12.340	0.017	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	15.28	12.240	0.017	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	15.39	12.350	0.017	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	13.35	10.310	0.011	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	12.91	9.870	0.010	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	10.92	7.880	0.006	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	12.39	9.350	0.009	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	13.87	10.830	0.012	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	13.95	10.910	0.012	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	13.90	10.860	0.012	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	12.38	9.340	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	11.88	8.840	0.008	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	9.94	6.900	0.005	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.44	12.400	0.017	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.57	12.530	0.018	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	15.41	12.370	0.017	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	14.94	11.900	0.015	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	15.45	12.410	0.017	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	15.36	12.320	0.017	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	15.39	12.350	0.017	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	14.39	11.350	0.014	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	13.38	10.340	0.011	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	12.92	9.880	0.010	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	10.96	7.920	0.006	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	13.95	10.910	0.012	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	13.75	10.710	0.012	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	13.91	10.870	0.012	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	12.44	9.400	0.009	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	12.43	9.390	0.009	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	11.90	8.860	0.008	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	9.95	6.910	0.005	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.44	12.400	0.017	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.14	13.100	0.020	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	15.41	12.370	0.017	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	14.96	11.920	0.016	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	15.46	12.420	0.017	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	15.34	12.300	0.017	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	15.38	12.340	0.017	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	14.45	11.410	0.014	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	13.43	10.390	0.011	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	12.95	9.910	0.010	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	10.99	7.950	0.006	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	13.94	10.900	0.012	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	14.07	11.030	0.013	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	14.02	10.980	0.013	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	12.49	9.450	0.009	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	12.44	9.400	0.009	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	11.97	8.930	0.008	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	9.96	6.920	0.005	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.42	12.380	0.017	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.42	12.380	0.017	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	15.36	12.320	0.017	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	14.87	11.830	0.015	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	15.42	12.380	0.017	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	15.41	12.370	0.017	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	15.32	12.280	0.017	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	14.39	11.350	0.014	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	13.42	10.380	0.011	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	12.93	9.890	0.010	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	10.95	7.910	0.006	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	13.90	10.860	0.012	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	14.09	11.050	0.013	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	13.92	10.880	0.012	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	12.42	9.380	0.009	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	12.45	9.410	0.009	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	11.92	8.880	0.008	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	9.96	6.920	0.005	1	Pass

Note:

$$\text{EIRP} = \text{Conducted Power(dBm)} - L_c(\text{dB}) + G_T(\text{dBi})$$

n66:

1.Ant Gain = -3.04dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.97	15.050	0.032	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.92	15.000	0.032	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.89	13.970	0.025	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.80	13.880	0.024	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	17.48	14.560	0.029	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	17.32	14.400	0.028	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	17.26	14.340	0.027	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	16.36	13.440	0.022	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	15.46	12.540	0.018	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	14.74	11.820	0.015	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	12.69	9.770	0.009	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	16	13.080	0.020	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	15.80	12.880	0.019	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	15.76	12.840	0.019	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	14.50	11.580	0.014	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	14.51	11.590	0.014	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	14.19	11.270	0.013	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	11.03	8.110	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.03	14.110	0.026	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.09	14.170	0.026	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.02	14.100	0.026	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.49	13.570	0.023	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	17.05	14.130	0.026	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.05	14.130	0.026	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	17.03	14.110	0.026	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	16.07	13.150	0.021	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	15.16	12.240	0.017	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	14.66	11.740	0.015	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	12.63	9.710	0.009	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	15.65	12.730	0.019	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.50	12.580	0.018	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	15.67	12.750	0.019	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	14.18	11.260	0.013	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	14.07	11.150	0.013	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	13.73	10.810	0.012	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	10.69	7.770	0.006	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.90	13.980	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.88	13.960	0.025	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.94	14.020	0.025	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.36	13.440	0.022	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	16.96	14.040	0.025	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	16.84	13.920	0.025	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	16.87	13.950	0.025	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	15.88	12.960	0.020	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	14.91	11.990	0.016	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	14.54	11.620	0.015	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	12.39	9.470	0.009	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	15.63	12.710	0.019	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	15.47	12.550	0.018	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	15.35	12.430	0.017	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	14.06	11.140	0.013	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	13.92	11.000	0.013	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	13.58	10.660	0.012	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	10.51	7.590	0.006	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.57	14.650	0.029	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.59	14.670	0.029	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.44	14.520	0.028	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	17.07	14.150	0.026	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	17.60	14.680	0.029	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	17.51	14.590	0.029	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	17.44	14.520	0.028	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	16.58	13.660	0.023	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.53	12.610	0.018	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	15.12	12.200	0.017	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.93	10.010	0.010	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	16.09	13.170	0.021	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	16.03	13.110	0.020	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	15.92	13.000	0.020	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	14.52	11.600	0.014	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	14.64	11.720	0.015	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	14.18	11.260	0.013	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	11.01	8.090	0.006	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.04	14.120	0.026	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.13	14.210	0.026	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.96	14.040	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.61	13.690	0.023	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	17.07	14.150	0.026	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.13	14.210	0.026	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	17.02	14.100	0.026	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	16.14	13.220	0.021	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	15.01	12.090	0.016	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	14.68	11.760	0.015	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	12.47	9.550	0.009	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	15.57	12.650	0.018	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.65	12.730	0.019	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	15.59	12.670	0.018	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	14.16	11.240	0.013	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	14.06	11.140	0.013	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	13.68	10.760	0.012	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	10.56	7.640	0.006	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.86	13.940	0.025	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.84	13.920	0.025	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.89	13.970	0.025	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.40	13.480	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	16.87	13.950	0.025	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	16.82	13.900	0.025	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	16.90	13.980	0.025	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	15.92	13.000	0.020	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15	12.080	0.016	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.43	11.510	0.014	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.32	9.400	0.009	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	15.42	12.500	0.018	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	15.45	12.530	0.018	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	15.44	12.520	0.018	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	13.93	11.010	0.013	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	13.95	11.030	0.013	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	13.51	10.590	0.011	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	10.39	7.470	0.006	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.58	14.660	0.029	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.39	14.470	0.028	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.65	14.730	0.030	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.11	14.190	0.026	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	17.58	14.660	0.029	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	17.44	14.520	0.028	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	17.63	14.710	0.030	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	16.63	13.710	0.023	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	15.67	12.750	0.019	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	15.10	12.180	0.017	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	13.06	10.140	0.010	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	16.06	13.140	0.021	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	16.04	13.120	0.021	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	16.13	13.210	0.021	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	14.62	11.700	0.015	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	14.69	11.770	0.015	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	14.11	11.190	0.013	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	10.98	8.060	0.006	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.24	14.320	0.027	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.98	14.060	0.025	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.19	14.270	0.027	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.67	13.750	0.024	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.19	14.270	0.027	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	17.03	14.110	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	17.11	14.190	0.026	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	16.12	13.200	0.021	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	15.12	12.200	0.017	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	14.60	11.680	0.015	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	12.58	9.660	0.009	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.69	12.770	0.019	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	15.54	12.620	0.018	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	15.68	12.760	0.019	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	14.10	11.180	0.013	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	14.07	11.150	0.013	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	13.65	10.730	0.012	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	10.50	7.580	0.006	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.74	13.820	0.024	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.89	13.970	0.025	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.94	14.020	0.025	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.35	13.430	0.022	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	16.80	13.880	0.024	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	16.93	14.010	0.025	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	16.90	13.980	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	15.88	12.960	0.020	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	14.95	12.030	0.016	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	14.34	11.420	0.014	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	12.27	9.350	0.009	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	15.39	12.470	0.018	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	15.38	12.460	0.018	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	15.55	12.630	0.018	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	13.95	11.030	0.013	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	13.97	11.050	0.013	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	13.40	10.480	0.011	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	10.26	7.340	0.005	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.59	14.670	0.029	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.42	14.500	0.028	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.64	14.720	0.030	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.05	14.130	0.026	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	17.61	14.690	0.029	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	17.41	14.490	0.028	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	17.59	14.670	0.029	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	16.61	13.690	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	15.59	12.670	0.018	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	15.09	12.170	0.016	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	13.01	10.090	0.010	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	16.09	13.170	0.021	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	15.90	12.980	0.020	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	16.16	13.240	0.021	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	14.61	11.690	0.015	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	14.63	11.710	0.015	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	14.12	11.200	0.013	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	11.11	8.190	0.007	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.22	14.300	0.027	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.93	14.010	0.025	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.25	14.330	0.027	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.66	13.740	0.024	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.32	14.400	0.028	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	16.97	14.050	0.025	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	17.17	14.250	0.027	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	16.13	13.210	0.021	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	15.17	12.250	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	14.72	11.800	0.015	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	12.57	9.650	0.009	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.84	12.920	0.020	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	15.55	12.630	0.018	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	15.70	12.780	0.019	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	14.20	11.280	0.013	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	14.20	11.280	0.013	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	13.68	10.760	0.012	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	10.66	7.740	0.006	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	13.930	0.025	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.90	13.980	0.025	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.94	14.020	0.025	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.41	13.490	0.022	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	16.85	13.930	0.025	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	16.93	14.010	0.025	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	16.89	13.970	0.025	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	15.91	12.990	0.020	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	14.90	11.980	0.016	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	14.40	11.480	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	12.40	9.480	0.009	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	15.37	12.450	0.018	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	15.50	12.580	0.018	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	15.45	12.530	0.018	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	13.93	11.010	0.013	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	13.91	10.990	0.013	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	13.47	10.550	0.011	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	10.36	7.440	0.006	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.99	14.070	0.026	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.60	14.680	0.029	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.25	14.330	0.027	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.53	14.610	0.029	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	16.64	13.720	0.024	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	18.57	15.650	0.037	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	17.32	14.400	0.028	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	16.98	14.060	0.025	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	15.61	12.690	0.019	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	15.16	12.240	0.017	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	13.18	10.260	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	14.70	11.780	0.015	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	16.27	13.350	0.022	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	15.88	12.960	0.020	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	16.15	13.230	0.021	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	14.66	11.740	0.015	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	14.19	11.270	0.013	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	11.13	8.210	0.007	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.87	13.950	0.025	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.49	14.570	0.029	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.09	14.170	0.026	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.34	14.420	0.028	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	16.37	13.450	0.022	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.44	14.520	0.028	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	17.05	14.130	0.026	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	17.34	14.420	0.028	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	15.33	12.410	0.017	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	14.86	11.940	0.016	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	12.80	9.880	0.010	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	14.34	11.420	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.94	13.020	0.020	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	15.56	12.640	0.018	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	15.81	12.890	0.019	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	14.30	11.380	0.014	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	13.83	10.910	0.012	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	10.83	7.910	0.006	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.56	13.640	0.023	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.03	14.110	0.026	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.09	14.170	0.026	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.07	14.150	0.026	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	16.05	13.130	0.021	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	16.97	14.050	0.025	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	17.04	14.120	0.026	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	17.06	14.140	0.026	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	15.07	12.150	0.016	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	14.59	11.670	0.015	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	12.53	9.610	0.009	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	14.08	11.160	0.013	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	15.56	12.640	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	15.62	12.700	0.019	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	15.62	12.700	0.019	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	14.02	11.100	0.013	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	13.57	10.650	0.012	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	10.57	7.650	0.006	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	17.13	14.210	0.026	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.67	14.750	0.030	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.24	14.320	0.027	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.68	14.760	0.030	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	16.57	13.650	0.023	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	17.73	14.810	0.030	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	17.23	14.310	0.027	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	17.66	14.740	0.030	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	15.53	12.610	0.018	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	15.11	12.190	0.017	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	13.10	10.180	0.010	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	14.55	11.630	0.015	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	16.12	13.200	0.021	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	15.75	12.830	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	16.15	13.230	0.021	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	14.51	11.590	0.014	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	14.03	11.110	0.013	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	11.07	8.150	0.007	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.80	13.880	0.024	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.44	14.520	0.028	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17	14.080	0.026	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.31	14.390	0.027	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	16.44	13.520	0.022	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.56	14.640	0.029	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	17.11	14.190	0.026	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	17.50	14.580	0.029	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	15.45	12.530	0.018	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	15	12.080	0.016	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	13.02	10.100	0.010	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	14.42	11.500	0.014	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.99	13.070	0.020	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	15.63	12.710	0.019	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	15.98	13.060	0.020	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	15.68	12.760	0.019	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	15.15	12.230	0.017	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	12.25	9.330	0.009	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	18.29	15.370	0.034	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.59	15.670	0.037	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	18.80	15.880	0.039	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	18.81	15.890	0.039	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	17.76	14.840	0.030	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	18.53	15.610	0.036	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	18.79	15.870	0.039	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	18.82	15.900	0.039	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	16.72	13.800	0.024	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	16.30	13.380	0.022	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	14.23	11.310	0.014	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	15.77	12.850	0.019	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	17.09	14.170	0.026	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	17.26	14.340	0.027	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	17.37	14.450	0.028	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	15.74	12.820	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	15.25	12.330	0.017	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	12.25	9.330	0.009	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	18.20	15.280	0.034	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.62	15.700	0.037	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	18.62	15.700	0.037	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	18.73	15.810	0.038	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	17.71	14.790	0.030	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	18.55	15.630	0.037	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	18.65	15.730	0.037	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	18.75	15.830	0.038	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	16.67	13.750	0.024	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	16.21	13.290	0.021	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	14.17	11.250	0.013	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	15.69	12.770	0.019	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	17.12	14.200	0.026	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	17.17	14.250	0.027	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	17.20	14.280	0.027	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	15.68	12.760	0.019	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	15.19	12.270	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	12.23	9.310	0.009	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	18.20	15.280	0.034	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.54	15.620	0.036	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	18.65	15.730	0.037	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	18.72	15.800	0.038	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	17.70	14.780	0.030	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	18.55	15.630	0.037	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	18.69	15.770	0.038	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	18.76	15.840	0.038	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	16.67	13.750	0.024	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	16.21	13.290	0.021	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	14.22	11.300	0.013	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	15.71	12.790	0.019	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	16.12	13.200	0.021	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	17.22	14.300	0.027	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	17.20	14.280	0.027	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	15.74	12.820	0.019	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	15.17	12.250	0.017	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	12.22	9.300	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	18.21	15.290	0.034	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.78	14.860	0.031	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	18.75	15.830	0.038	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	18.76	15.840	0.038	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	17.69	14.770	0.030	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	17.65	14.730	0.030	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	18.70	15.780	0.038	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	18.74	15.820	0.038	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	16.74	13.820	0.024	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	16.22	13.300	0.021	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	14.24	11.320	0.014	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	15.77	12.850	0.019	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	17.01	14.090	0.026	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	17.18	14.260	0.027	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	17.26	14.340	0.027	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	15.71	12.790	0.019	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	15.22	12.300	0.017	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	12.18	9.260	0.008	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	17.90	14.980	0.031	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.82	13.900	0.025	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.74	13.820	0.024	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	18.79	15.870	0.039	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	17.40	14.480	0.028	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	16.78	13.860	0.024	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	16.79	13.870	0.024	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	18.76	15.840	0.038	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	16.37	13.450	0.022	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	15.90	12.980	0.020	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	13.93	11.010	0.013	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	15.22	12.300	0.017	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	15.49	12.570	0.018	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	15.35	12.430	0.017	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	17.27	14.350	0.027	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	15.23	12.310	0.017	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	14.71	11.790	0.015	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	11.74	8.820	0.008	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	17.93	15.010	0.032	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.84	13.920	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.66	13.740	0.024	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	18.79	15.870	0.039	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	17.43	14.510	0.028	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.81	13.890	0.024	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	16.71	13.790	0.024	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	18.76	15.840	0.038	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	16.37	13.450	0.022	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	15.91	12.990	0.020	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	13.92	11.000	0.013	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	15.23	12.310	0.017	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.50	12.580	0.018	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	15.39	12.470	0.018	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	17.26	14.340	0.027	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	15.22	12.300	0.017	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	14.67	11.750	0.015	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	11.71	8.790	0.008	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	17.91	14.990	0.032	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	13.930	0.025	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.62	13.700	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	18.80	15.880	0.039	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	17.39	14.470	0.028	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	16.84	13.920	0.025	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	16.55	13.630	0.023	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	18.80	15.880	0.039	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	16.41	13.490	0.022	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	15.94	13.020	0.020	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	13.92	11.000	0.013	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	15.27	12.350	0.017	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	15.60	12.680	0.019	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	15.33	12.410	0.017	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	17.30	14.380	0.027	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	15.26	12.340	0.017	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	14.71	11.790	0.015	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	11.69	8.770	0.008	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	18.79	15.870	0.039	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.69	15.770	0.038	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	18.83	15.910	0.039	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	18.28	15.360	0.034	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	18.81	15.890	0.039	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	18.66	15.740	0.037	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	18.74	15.820	0.038	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	17.77	14.850	0.031	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	16.79	13.870	0.024	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	16.23	13.310	0.021	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	14.22	11.300	0.013	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	17.24	14.320	0.027	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	17.26	14.340	0.027	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	17.33	14.410	0.028	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	15.75	12.830	0.019	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	15.72	12.800	0.019	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	15.22	12.300	0.017	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	12.19	9.270	0.008	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	18.84	15.920	0.039	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.66	15.740	0.037	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	18.85	15.930	0.039	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	18.24	15.320	0.034	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	18.80	15.880	0.039	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	18.68	15.760	0.038	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	18.78	15.860	0.039	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	17.73	14.810	0.030	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	16.75	13.830	0.024	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	16.25	13.330	0.022	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	14.28	11.360	0.014	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	17.31	14.390	0.027	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	17.17	14.250	0.027	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	17.40	14.480	0.028	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	15.76	12.840	0.019	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	15.71	12.790	0.019	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	15.22	12.300	0.017	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	12.17	9.250	0.008	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	18.80	15.880	0.039	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.70	15.780	0.038	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	18.81	15.890	0.039	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	18.21	15.290	0.034	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	18.82	15.900	0.039	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	18.65	15.730	0.037	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	18.77	15.850	0.038	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	17.74	14.820	0.030	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	16.70	13.780	0.024	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	16.20	13.280	0.021	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	14.21	11.290	0.013	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	17.32	14.400	0.028	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	17.14	14.220	0.026	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	17.33	14.410	0.028	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	15.72	12.800	0.019	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	15.71	12.790	0.019	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	15.21	12.290	0.017	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	12.14	9.220	0.008	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	18.80	15.880	0.039	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.74	15.820	0.038	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	18.80	15.880	0.039	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	18.28	15.360	0.034	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	18.79	15.870	0.039	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	18.66	15.740	0.037	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	18.78	15.860	0.039	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	17.80	14.880	0.031	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	16.77	13.850	0.024	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	16.26	13.340	0.022	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	14.29	11.370	0.014	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	17.28	14.360	0.027	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	17.12	14.200	0.026	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	17.33	14.410	0.028	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	15.79	12.870	0.019	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	15.77	12.850	0.019	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	15.20	12.280	0.017	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	12.25	9.330	0.009	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	18.79	15.870	0.039	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.64	15.720	0.037	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	18.86	15.940	0.039	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	18.26	15.340	0.034	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	18.86	15.940	0.039	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	18.62	15.700	0.037	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	18.83	15.910	0.039	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	17.78	14.860	0.031	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	16.73	13.810	0.024	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	16.27	13.350	0.022	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	14.21	11.290	0.013	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	17.37	14.450	0.028	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	17.13	14.210	0.026	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	17.30	14.380	0.027	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	15.70	12.780	0.019	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	15.68	12.760	0.019	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	15.16	12.240	0.017	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	12.14	9.220	0.008	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	18.79	15.870	0.039	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.65	15.730	0.037	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	18.75	15.830	0.038	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	18.20	15.280	0.034	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	18.75	15.830	0.038	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	18.61	15.690	0.037	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	18.73	15.810	0.038	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	17.70	14.780	0.030	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	16.71	13.790	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	16.24	13.320	0.021	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	14.22	11.300	0.013	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	17.28	14.360	0.027	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	17.21	14.290	0.027	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	17.38	14.460	0.028	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	15.68	12.760	0.019	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	15.71	12.790	0.019	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	15.15	12.230	0.017	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	12.14	9.220	0.008	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	18.75	15.830	0.038	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.58	15.660	0.037	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	18.75	15.830	0.038	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	18.21	15.290	0.034	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	18.77	15.850	0.038	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	18.58	15.660	0.037	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	18.70	15.780	0.038	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	17.70	14.780	0.030	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	16.72	13.800	0.024	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	16.17	13.250	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	14.17	11.250	0.013	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	17.21	14.290	0.027	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	17.07	14.150	0.026	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	17.22	14.300	0.027	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	15.69	12.770	0.019	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	15.60	12.680	0.019	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	15.21	12.290	0.017	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	12.21	9.290	0.008	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n77_1:

1.Ant Gain = -2.92dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_3

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.56	13.640	0.023	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.55	13.630	0.023	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.58	13.660	0.023	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.04	13.120	0.021	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	16.66	13.740	0.024	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	16.53	13.610	0.023	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	16.52	13.600	0.023	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	15.57	12.650	0.018	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	14.53	11.610	0.014	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	14.14	11.220	0.013	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	12.02	9.100	0.008	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	15.06	12.140	0.016	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	15.11	12.190	0.017	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	15.18	12.260	0.017	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	13.65	10.730	0.012	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	13.46	10.540	0.011	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	13.09	10.170	0.010	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	9.90	6.980	0.005	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.06	14.140	0.026	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.06	14.140	0.026	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17	14.080	0.026	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.54	13.620	0.023	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB12@6	17.17	14.250	0.027	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.98	14.060	0.025	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@22	17	14.080	0.026	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB24@0	16.03	13.110	0.020	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB24@0	15.06	12.140	0.016	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB24@0	14.67	11.750	0.015	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB24@0	12.59	9.670	0.009	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB12@6	15.68	12.760	0.019	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.41	12.490	0.018	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@22	15.48	12.560	0.018	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB24@0	14.14	11.220	0.013	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB24@0	13.96	11.040	0.013	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB24@0	13.70	10.780	0.012	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB24@0	10.52	7.600	0.006	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.06	14.140	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.96	14.040	0.025	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.04	14.120	0.026	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.53	13.610	0.023	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB12@6	17.06	14.140	0.026	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	16.91	13.990	0.025	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@22	17.02	14.100	0.026	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB24@0	16	13.080	0.020	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 16 QAM_RB24@0	15.07	12.150	0.016	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 64 QAM_RB24@0	14.61	11.690	0.015	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 256 QAM_RB24@0	12.56	9.640	0.009	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB12@6	15.49	12.570	0.018	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@1	15.57	12.650	0.018	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@22	15.64	12.720	0.019	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB24@0	14	11.080	0.013	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 16 QAM_RB24@0	14.01	11.090	0.013	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 64 QAM_RB24@0	13.78	10.860	0.012	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 256 QAM_RB24@0	10.52	7.600	0.006	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.48	13.560	0.023	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.40	13.480	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.49	13.570	0.023	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.95	13.030	0.020	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	16.50	13.580	0.023	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	16.48	13.560	0.023	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	16.43	13.510	0.022	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	15.50	12.580	0.018	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.50	11.580	0.014	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.04	11.120	0.013	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.87	8.950	0.008	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	14.95	12.030	0.016	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	14.90	11.980	0.016	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	14.95	12.030	0.016	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	13.51	10.590	0.011	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	13.47	10.550	0.011	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	13.06	10.140	0.010	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	9.90	6.980	0.005	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.97	14.050	0.025	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	13.970	0.025	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.90	13.980	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.43	13.510	0.022	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB18@9	16.97	14.050	0.025	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.89	13.970	0.025	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@36	16.93	14.010	0.025	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@0	16.01	13.090	0.020	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB36@0	15.03	12.110	0.016	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB36@0	14.55	11.630	0.015	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB36@0	12.37	9.450	0.009	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB19@9	15.45	12.530	0.018	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.54	12.620	0.018	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@36	15.55	12.630	0.018	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB38@0	14	11.080	0.013	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB38@0	13.99	11.070	0.013	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB38@0	13.55	10.630	0.012	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB38@0	10.39	7.470	0.006	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.90	13.980	0.025	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.77	13.850	0.024	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.91	13.990	0.025	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.39	13.470	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB18@9	16.88	13.960	0.025	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	16.79	13.870	0.024	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@36	16.94	14.020	0.025	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@0	15.95	13.030	0.020	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.94	12.020	0.016	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.45	11.530	0.014	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.39	9.470	0.009	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB19@9	15.45	12.530	0.018	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	15.26	12.340	0.017	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@36	15.38	12.460	0.018	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB38@0	13.93	11.010	0.013	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 16 QAM_RB38@0	13.99	11.070	0.013	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 64 QAM_RB38@0	13.35	10.430	0.011	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 256 QAM_RB38@0	10.39	7.470	0.006	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.37	13.450	0.022	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.47	13.550	0.023	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.52	13.600	0.023	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.97	13.050	0.020	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	16.46	13.540	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	16.49	13.570	0.023	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	16.47	13.550	0.023	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	15.45	12.530	0.018	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	14.49	11.570	0.014	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	13.95	11.030	0.013	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	11.89	8.970	0.008	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	14.89	11.970	0.016	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	15.07	12.150	0.016	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	15.03	12.110	0.016	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	13.48	10.560	0.011	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	13.47	10.550	0.011	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	13.02	10.100	0.010	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	9.94	7.020	0.005	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.88	13.960	0.025	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.92	14.000	0.025	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17	14.080	0.026	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.51	13.590	0.023	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.91	13.990	0.025	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@49	16.90	13.980	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB25@12	16.95	14.030	0.025	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@0	15.94	13.020	0.020	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB50@0	14.95	12.030	0.016	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB50@0	14.51	11.590	0.014	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB50@0	12.46	9.540	0.009	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.36	12.440	0.018	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@49	15.39	12.470	0.018	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB25@12	15.48	12.560	0.018	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB51@0	14.03	11.110	0.013	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB51@0	14	11.080	0.013	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB51@0	13.51	10.590	0.011	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB51@0	10.38	7.460	0.006	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.73	13.810	0.024	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.87	13.950	0.025	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.93	14.010	0.025	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.38	13.460	0.022	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	16.68	13.760	0.024	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@49	16.94	14.020	0.025	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB25@12	16.85	13.930	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB50@0	15.83	12.910	0.020	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 16 QAM_RB50@0	14.87	11.950	0.016	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 64 QAM_RB50@0	14.31	11.390	0.014	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 256 QAM_RB50@0	12.32	9.400	0.009	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@1	15.37	12.450	0.018	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@49	15.51	12.590	0.018	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB25@12	15.40	12.480	0.018	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB51@0	13.81	10.890	0.012	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 16 QAM_RB51@0	13.89	10.970	0.013	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 64 QAM_RB51@0	13.43	10.510	0.011	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 256 QAM_RB51@0	10.30	7.380	0.005	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.45	13.530	0.023	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.55	13.630	0.023	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.52	13.600	0.023	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16	13.080	0.020	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	16.37	13.450	0.022	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	16.52	13.600	0.023	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	16.51	13.590	0.023	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	15.53	12.610	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	14.51	11.590	0.014	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	14.06	11.140	0.013	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	11.91	8.990	0.008	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	15.01	12.090	0.016	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	15.04	12.120	0.016	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	15.05	12.130	0.016	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	13.53	10.610	0.012	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	13.57	10.650	0.012	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	13.08	10.160	0.010	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	9.99	7.070	0.005	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	13.930	0.025	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.97	14.050	0.025	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17	14.080	0.026	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.49	13.570	0.023	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.83	13.910	0.025	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@76	16.96	14.040	0.025	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@18	16.98	14.060	0.025	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB75@0	15.95	13.030	0.020	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB75@0	14.94	12.020	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB75@0	14.46	11.540	0.014	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB75@0	12.42	9.500	0.009	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.36	12.440	0.018	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@76	15.55	12.630	0.018	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB39@19	15.52	12.600	0.018	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB78@0	14.02	11.100	0.013	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB78@0	14.02	11.100	0.013	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB78@0	13.54	10.620	0.012	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB78@0	10.43	7.510	0.006	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.62	13.700	0.023	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.96	14.040	0.025	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.78	13.860	0.024	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.30	13.380	0.022	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@1	16.57	13.650	0.023	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@76	16.92	14.000	0.025	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB36@18	16.78	13.860	0.024	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB75@0	15.84	12.920	0.020	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 16 QAM_RB75@0	14.81	11.890	0.015	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 64 QAM_RB75@0	14.29	11.370	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 256 QAM_RB75@0	12.30	9.380	0.009	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@1	15.25	12.330	0.017	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@76	15.47	12.550	0.018	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB39@19	15.32	12.400	0.017	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB78@0	13.85	10.930	0.012	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 16 QAM_RB78@0	13.85	10.930	0.012	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 64 QAM_RB78@0	13.32	10.400	0.011	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 256 QAM_RB78@0	10.40	7.480	0.006	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.03	13.110	0.020	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.39	13.470	0.022	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.57	13.650	0.023	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.55	13.630	0.023	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	15.50	12.580	0.018	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	16.41	13.490	0.022	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	16.54	13.620	0.023	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	16.52	13.600	0.023	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	14.45	11.530	0.014	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	14.03	11.110	0.013	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	12.03	9.110	0.008	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	13.53	10.610	0.012	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	14.80	11.880	0.015	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	15.10	12.180	0.017	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	15.05	12.130	0.016	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	13.48	10.560	0.011	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	13.01	10.090	0.010	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	10.06	7.140	0.005	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.45	13.530	0.023	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.81	13.890	0.024	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.98	14.060	0.025	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.01	14.090	0.026	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB100@0	15.95	13.030	0.020	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.81	13.890	0.024	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@104	16.96	14.040	0.025	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@25	16.99	14.070	0.026	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB100@0	14.97	12.050	0.016	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB100@0	14.55	11.630	0.015	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB100@0	12.44	9.520	0.009	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB106@0	13.97	11.050	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.38	12.460	0.018	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@104	15.47	12.550	0.018	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB53@26	15.52	12.600	0.018	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB106@0	13.95	11.030	0.013	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB106@0	13.48	10.560	0.011	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB106@0	10.50	7.580	0.006	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.26	13.340	0.022	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.51	13.590	0.023	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.88	13.960	0.025	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.78	13.860	0.024	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB100@0	15.76	12.840	0.019	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@1	16.51	13.590	0.023	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@104	16.96	14.040	0.025	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB50@25	16.84	13.920	0.025	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 16 QAM_RB100@0	14.73	11.810	0.015	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 64 QAM_RB100@0	14.28	11.360	0.014	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 256 QAM_RB100@0	12.31	9.390	0.009	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB106@0	13.79	10.870	0.012	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@1	14.98	12.060	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@104	15.50	12.580	0.018	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB53@26	15.22	12.300	0.017	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 16 QAM_RB106@0	13.72	10.800	0.012	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 64 QAM_RB106@0	13.27	10.350	0.011	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 256 QAM_RB106@0	10.19	7.270	0.005	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.04	13.120	0.021	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.35	13.430	0.022	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.65	13.730	0.024	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.58	13.660	0.023	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	15.58	12.660	0.018	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	16.36	13.440	0.022	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	16.56	13.640	0.023	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	16.57	13.650	0.023	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	14.51	11.590	0.014	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	14.06	11.140	0.013	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	12.01	9.090	0.008	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	13.54	10.620	0.012	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	14.95	12.030	0.016	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	15.14	12.220	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	15.12	12.200	0.017	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	13.50	10.580	0.011	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	13.02	10.100	0.010	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	10.07	7.150	0.005	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.44	13.520	0.022	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.86	13.940	0.025	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.97	14.050	0.025	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.02	14.100	0.026	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB128@0	15.97	13.050	0.020	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.78	13.860	0.024	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@131	16.96	14.040	0.025	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB64@32	17.05	14.130	0.026	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB128@0	14.98	12.060	0.016	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB128@0	14.55	11.630	0.015	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB128@0	12.42	9.500	0.009	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB133@0	13.95	11.030	0.013	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.29	12.370	0.017	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@131	15.52	12.600	0.018	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB67@33	15.60	12.680	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB133@0	13.99	11.070	0.013	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB133@0	13.48	10.560	0.011	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB133@0	10.45	7.530	0.006	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.27	13.350	0.022	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.58	13.660	0.023	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.92	14.000	0.025	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.75	13.830	0.024	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB128@0	15.73	12.810	0.019	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@1	16.53	13.610	0.023	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@131	16.90	13.980	0.025	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB64@32	16.74	13.820	0.024	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 16 QAM_RB128@0	14.73	11.810	0.015	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 64 QAM_RB128@0	14.27	11.350	0.014	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 256 QAM_RB128@0	12.23	9.310	0.009	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB133@0	13.77	10.850	0.012	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@1	15.16	12.240	0.017	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@131	15.44	12.520	0.018	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB67@33	15.23	12.310	0.017	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 16 QAM_RB133@0	13.74	10.820	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 64 QAM_RB133@0	13.23	10.310	0.011	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 256 QAM_RB133@0	10.24	7.320	0.005	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.03	13.110	0.020	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.31	13.390	0.022	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.67	13.750	0.024	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.50	13.580	0.023	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	15.52	12.600	0.018	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	16.30	13.380	0.022	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	16.65	13.730	0.024	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	16.56	13.640	0.023	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	14.49	11.570	0.014	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	14.03	11.110	0.013	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	11.99	9.070	0.008	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	13.50	10.580	0.011	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	14.72	11.800	0.015	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	15.15	12.230	0.017	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	14.99	12.070	0.016	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	13.53	10.610	0.012	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	12.99	10.070	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	10.05	7.130	0.005	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.44	13.520	0.022	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.73	13.810	0.024	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.93	14.010	0.025	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.93	14.010	0.025	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB162@0	15.93	13.010	0.020	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.79	13.870	0.024	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@160	16.90	13.980	0.025	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB81@40	16.96	14.040	0.025	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB162@0	14.89	11.970	0.016	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB162@0	14.43	11.510	0.014	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB162@0	12.40	9.480	0.009	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB162@0	13.97	11.050	0.013	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.34	12.420	0.017	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@160	15.46	12.540	0.018	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB81@40	15.42	12.500	0.018	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB162@0	13.95	11.030	0.013	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB162@0	13.39	10.470	0.011	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB162@0	10.40	7.480	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.15	13.230	0.021	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.57	13.650	0.023	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.89	13.970	0.025	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.64	13.720	0.024	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB162@0	15.64	12.720	0.019	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@1	16.55	13.630	0.023	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@160	16.86	13.940	0.025	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB81@40	16.67	13.750	0.024	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 16 QAM_RB162@0	14.64	11.720	0.015	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 64 QAM_RB162@0	14.16	11.240	0.013	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 256 QAM_RB162@0	12.18	9.260	0.008	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB162@0	13.65	10.730	0.012	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@1	15.08	12.160	0.016	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@160	15.39	12.470	0.018	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB81@40	15.14	12.220	0.017	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 16 QAM_RB162@0	13.63	10.710	0.012	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 64 QAM_RB162@0	13.13	10.210	0.010	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 256 QAM_RB162@0	10.17	7.250	0.005	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.77	12.850	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.41	13.490	0.022	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.66	13.740	0.024	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.59	13.670	0.023	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	15.26	12.340	0.017	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	16.30	13.380	0.022	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	16.67	13.750	0.024	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	16.61	13.690	0.023	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	14.21	11.290	0.013	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	13.75	10.830	0.012	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	11.73	8.810	0.008	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	13.11	10.190	0.010	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	14.98	12.060	0.016	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	15.38	12.460	0.018	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	15.13	12.210	0.017	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	13.08	10.160	0.010	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	12.57	9.650	0.009	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	9.56	6.640	0.005	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.14	13.220	0.021	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.82	13.900	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.94	14.020	0.025	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17	14.080	0.026	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB180@0	15.67	12.750	0.019	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.78	13.860	0.024	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@187	16.85	13.930	0.025	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB90@45	16.96	14.040	0.025	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB180@0	14.60	11.680	0.015	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB180@0	14.12	11.200	0.013	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB180@0	12.07	9.150	0.008	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB189@0	13.45	10.530	0.011	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.31	12.390	0.017	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@187	15.57	12.650	0.018	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB95@47	15.43	12.510	0.018	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB189@0	13.42	10.500	0.011	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB189@0	12.91	9.990	0.010	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB189@0	9.86	6.940	0.005	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.81	12.890	0.019	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.65	13.730	0.024	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.69	13.770	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.68	13.760	0.024	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB180@0	15.33	12.410	0.017	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@1	16.68	13.760	0.024	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@187	16.74	13.820	0.024	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB90@45	16.58	13.660	0.023	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 16 QAM_RB180@0	14.28	11.360	0.014	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 64 QAM_RB180@0	13.83	10.910	0.012	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 256 QAM_RB180@0	11.79	8.870	0.008	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB189@0	13.15	10.230	0.011	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@1	15.41	12.490	0.018	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@187	15.28	12.360	0.017	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB95@47	15.11	12.190	0.017	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 16 QAM_RB189@0	13.14	10.220	0.011	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 64 QAM_RB189@0	12.62	9.700	0.009	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 256 QAM_RB189@0	9.54	6.620	0.005	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.66	13.740	0.024	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.39	13.470	0.022	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.88	13.960	0.025	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.14	13.220	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	16.62	13.700	0.023	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	16.41	13.490	0.022	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	16.86	13.940	0.025	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	15.60	12.680	0.019	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	14.61	11.690	0.015	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	14.08	11.160	0.013	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	12.10	9.180	0.008	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	15.07	12.150	0.016	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	14.82	11.900	0.015	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	15.25	12.330	0.017	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	13.61	10.690	0.012	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	13.58	10.660	0.012	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	13.08	10.160	0.010	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	10.10	7.180	0.005	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.99	14.070	0.026	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.84	13.920	0.025	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.02	14.100	0.026	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.43	13.510	0.022	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB108@54	16.98	14.060	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.86	13.940	0.025	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@215	16.97	14.050	0.025	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB216@0	15.98	13.060	0.020	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB216@0	14.90	11.980	0.016	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB216@0	14.38	11.460	0.014	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB216@0	12.40	9.480	0.009	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB109@54	15.45	12.530	0.018	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.41	12.490	0.018	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@215	15.64	12.720	0.019	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB217@0	13.91	10.990	0.013	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB217@0	13.86	10.940	0.012	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB217@0	13.35	10.430	0.011	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB217@0	10.37	7.450	0.006	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.69	13.770	0.024	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.86	13.940	0.025	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.91	13.990	0.025	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.26	13.340	0.022	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB108@54	16.64	13.720	0.024	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@1	16.86	13.940	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@215	16.88	13.960	0.025	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB216@0	15.67	12.750	0.019	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 16 QAM_RB216@0	14.70	11.780	0.015	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 64 QAM_RB216@0	14.21	11.290	0.013	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 256 QAM_RB216@0	12.17	9.250	0.008	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB109@54	15.17	12.250	0.017	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@1	15.65	12.730	0.019	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@215	15.38	12.460	0.018	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB217@0	13.75	10.830	0.012	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 16 QAM_RB217@0	13.69	10.770	0.012	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 64 QAM_RB217@0	13.22	10.300	0.011	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 256 QAM_RB217@0	10.22	7.300	0.005	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.69	13.770	0.024	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.38	13.460	0.022	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.89	13.970	0.025	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.16	13.240	0.021	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	16.69	13.770	0.024	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	16.43	13.510	0.022	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	16.86	13.940	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	15.63	12.710	0.019	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	14.63	11.710	0.015	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	14.16	11.240	0.013	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	12.15	9.230	0.008	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	15.17	12.250	0.017	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	14.82	11.900	0.015	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	15.30	12.380	0.017	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	13.62	10.700	0.012	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	13.62	10.700	0.012	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	13.07	10.150	0.010	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	10.05	7.130	0.005	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.99	14.070	0.026	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	13.970	0.025	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.97	14.050	0.025	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.44	13.520	0.022	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB120@60	16.96	14.040	0.025	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.88	13.960	0.025	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@243	16.93	14.010	0.025	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB243@0	15.98	13.060	0.020	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB243@0	14.93	12.010	0.016	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB243@0	14.39	11.470	0.014	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB243@0	12.40	9.480	0.009	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB123@61	15.47	12.550	0.018	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.43	12.510	0.018	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@243	15.48	12.560	0.018	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB245@0	13.91	10.990	0.013	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB245@0	13.87	10.950	0.012	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB245@0	13.37	10.450	0.011	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB245@0	10.35	7.430	0.006	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.66	13.740	0.024	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.88	13.960	0.025	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.86	13.940	0.025	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.24	13.320	0.021	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB120@60	16.64	13.720	0.024	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@1	16.93	14.010	0.025	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@243	16.88	13.960	0.025	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB243@0	15.75	12.830	0.019	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 16 QAM_RB243@0	14.76	11.840	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 64 QAM_RB243@0	14.20	11.280	0.013	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 256 QAM_RB243@0	12.25	9.330	0.009	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB123@61	15.12	12.200	0.017	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@1	15.33	12.410	0.017	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@243	15.48	12.560	0.018	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB245@0	13.64	10.720	0.012	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 16 QAM_RB245@0	13.67	10.750	0.012	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 64 QAM_RB245@0	13.21	10.290	0.011	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 256 QAM_RB245@0	10.20	7.280	0.005	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.68	13.760	0.024	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.36	13.440	0.022	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.80	13.880	0.024	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.16	13.240	0.021	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	16.66	13.740	0.024	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.30	13.380	0.022	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	16.79	13.870	0.024	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	15.67	12.750	0.019	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	14.64	11.720	0.015	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	14.15	11.230	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	12.13	9.210	0.008	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	15.17	12.250	0.017	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.85	11.930	0.016	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	15.29	12.370	0.017	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	13.62	10.700	0.012	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	13.56	10.640	0.012	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	13.05	10.130	0.010	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	10.12	7.200	0.005	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.97	14.050	0.025	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.72	13.800	0.024	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.89	13.970	0.025	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.42	13.500	0.022	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB135@67	16.95	14.030	0.025	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.74	13.820	0.024	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@271	16.91	13.990	0.025	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB270@0	15.89	12.970	0.020	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB270@0	14.93	12.010	0.016	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB270@0	14.38	11.460	0.014	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB270@0	12.36	9.440	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB137@68	15.43	12.510	0.018	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.49	12.570	0.018	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@271	15.64	12.720	0.019	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB273@0	13.89	10.970	0.013	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB273@0	13.85	10.930	0.012	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB273@0	13.36	10.440	0.011	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB273@0	10.39	7.470	0.006	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.71	13.790	0.024	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.82	13.900	0.025	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.76	13.840	0.024	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.21	13.290	0.021	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB135@67	16.69	13.770	0.024	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@1	16.85	13.930	0.025	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@271	16.75	13.830	0.024	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB270@0	15.72	12.800	0.019	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 16 QAM_RB270@0	14.75	11.830	0.015	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 64 QAM_RB270@0	14.19	11.270	0.013	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 256 QAM_RB270@0	12.24	9.320	0.009	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB137@68	15.13	12.210	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@1	15.54	12.620	0.018	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@271	15.54	12.620	0.018	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB273@0	13.70	10.780	0.012	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 16 QAM_RB273@0	13.68	10.760	0.012	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 64 QAM_RB273@0	13.23	10.310	0.011	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 256 QAM_RB273@0	10.20	7.280	0.005	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n77_3:

1.Ant Gain = -2.92dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.02	14.100	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.99	14.070	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.02	14.100	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.53	13.610	0.023	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	17.13	14.210	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	16.95	14.030	0.025	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	17.03	14.110	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	15.99	13.070	0.020	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	15.06	12.140	0.016	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	14.62	11.700	0.015	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	12.56	9.640	0.009	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	15.73	12.810	0.019	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	15.35	12.430	0.017	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	15.46	12.540	0.018	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	14.08	11.160	0.013	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	14.02	11.100	0.013	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	13.62	10.700	0.012	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	10.39	7.470	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.05	14.130	0.026	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.05	14.130	0.026	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.98	14.060	0.025	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.53	13.610	0.023	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	17.12	14.200	0.026	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.05	14.130	0.026	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	17.01	14.090	0.026	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	16.01	13.090	0.020	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	15.07	12.150	0.016	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	14.64	11.720	0.015	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	12.56	9.640	0.009	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	15.63	12.710	0.019	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.65	12.730	0.019	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	15.63	12.710	0.019	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	14.22	11.300	0.013	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	13.94	11.020	0.013	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	13.68	10.760	0.012	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	10.45	7.530	0.006	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.91	13.990	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.80	13.880	0.024	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.84	13.920	0.025	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.29	13.370	0.022	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	16.99	14.070	0.026	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	16.77	13.850	0.024	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	16.85	13.930	0.025	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	15.85	12.930	0.020	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	14.97	12.050	0.016	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	14.45	11.530	0.014	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	12.31	9.390	0.009	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	15.35	12.430	0.017	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	15.44	12.520	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	15.53	12.610	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	14.03	11.110	0.013	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	13.85	10.930	0.012	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	13.43	10.510	0.011	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	10.20	7.280	0.005	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.91	13.990	0.025	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.90	13.980	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.96	14.040	0.025	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.41	13.490	0.022	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	16.98	14.060	0.025	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	16.85	13.930	0.025	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	16.90	13.980	0.025	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	15.95	13.030	0.020	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.91	11.990	0.016	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.52	11.600	0.014	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.41	9.490	0.009	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	15.40	12.480	0.018	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	15.49	12.570	0.018	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	15.44	12.520	0.018	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	13.98	11.060	0.013	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	13.91	10.990	0.013	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	13.43	10.510	0.011	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	10.47	7.550	0.006	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17	14.080	0.026	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.98	14.060	0.025	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.86	13.940	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.41	13.490	0.022	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	16.98	14.060	0.025	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.99	14.070	0.026	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	16.88	13.960	0.025	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	15.98	13.060	0.020	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	14.91	11.990	0.016	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	14.45	11.530	0.014	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	12.39	9.470	0.009	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	15.48	12.560	0.018	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.47	12.550	0.018	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	15.43	12.510	0.018	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	14.03	11.110	0.013	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	14.03	11.110	0.013	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	13.47	10.550	0.011	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	10.41	7.490	0.006	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.72	13.800	0.024	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.75	13.830	0.024	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.82	13.900	0.025	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.29	13.370	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	16.72	13.800	0.024	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	16.77	13.850	0.024	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	16.76	13.840	0.024	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	15.81	12.890	0.019	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.82	11.900	0.015	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.38	11.460	0.014	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.26	9.340	0.009	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	15.32	12.400	0.017	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	15.26	12.340	0.017	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	15.32	12.400	0.017	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	13.78	10.860	0.012	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	13.82	10.900	0.012	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	13.39	10.470	0.011	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	10.22	7.300	0.005	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.91	13.990	0.025	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.03	14.110	0.026	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.02	14.100	0.026	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.51	13.590	0.023	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	16.89	13.970	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	16.98	14.060	0.025	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	16.97	14.050	0.025	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	16	13.080	0.020	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	15.06	12.140	0.016	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	14.54	11.620	0.015	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	12.44	9.520	0.009	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	15.34	12.420	0.017	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	15.55	12.630	0.018	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	15.45	12.530	0.018	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	14.02	11.100	0.013	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	14.05	11.130	0.013	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	13.52	10.600	0.011	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	10.41	7.490	0.006	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17	14.080	0.026	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.85	13.930	0.025	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.07	14.150	0.026	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.46	13.540	0.023	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.02	14.100	0.026	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	16.89	13.970	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	17.02	14.100	0.026	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	15.96	13.040	0.020	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	14.97	12.050	0.016	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	14.44	11.520	0.014	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	12.42	9.500	0.009	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.49	12.570	0.018	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	15.49	12.570	0.018	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	15.58	12.660	0.018	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	13.95	11.030	0.013	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	13.99	11.070	0.013	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	13.53	10.610	0.012	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	10.34	7.420	0.006	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.73	13.810	0.024	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.79	13.870	0.024	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.89	13.970	0.025	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.29	13.370	0.022	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	16.78	13.860	0.024	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	16.81	13.890	0.024	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	16.83	13.910	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	15.78	12.860	0.019	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	14.87	11.950	0.016	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	14.34	11.420	0.014	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	12.21	9.290	0.008	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	15.26	12.340	0.017	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	15.36	12.440	0.018	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	15.32	12.400	0.017	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	13.80	10.880	0.012	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	13.87	10.950	0.012	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	13.34	10.420	0.011	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	10.21	7.290	0.005	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.90	13.980	0.025	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.05	14.130	0.026	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.05	14.130	0.026	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.53	13.610	0.023	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	16.92	14.000	0.025	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	17.09	14.170	0.026	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	17.01	14.090	0.026	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	16.06	13.140	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	15.03	12.110	0.016	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	14.57	11.650	0.015	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	12.55	9.630	0.009	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	15.46	12.540	0.018	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	15.56	12.640	0.018	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	15.58	12.660	0.018	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	14.09	11.170	0.013	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	14.07	11.150	0.013	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	13.56	10.640	0.012	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	10.55	7.630	0.006	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.50	12.580	0.018	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.29	12.370	0.017	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.52	12.600	0.018	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	14	11.080	0.013	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.06	14.140	0.026	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	16.86	13.940	0.025	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	17	14.080	0.026	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	15.98	13.060	0.020	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	15	12.080	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	14.61	11.690	0.015	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	12.46	9.540	0.009	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.51	12.590	0.018	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	15.34	12.420	0.017	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	15.52	12.600	0.018	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	14.03	11.110	0.013	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	14.12	11.200	0.013	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	13.56	10.640	0.012	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	10.51	7.590	0.006	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.75	13.830	0.024	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.79	13.870	0.024	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.85	13.930	0.025	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.32	13.400	0.022	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	16.73	13.810	0.024	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	16.81	13.890	0.024	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	16.85	13.930	0.025	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	15.79	12.870	0.019	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	14.81	11.890	0.015	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	14.35	11.430	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	12.32	9.400	0.009	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	15.23	12.310	0.017	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	15.40	12.480	0.018	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	15.37	12.450	0.018	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	13.87	10.950	0.012	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	13.88	10.960	0.012	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	13.35	10.430	0.011	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	10.35	7.430	0.006	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.46	13.540	0.023	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.87	13.950	0.025	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.01	14.090	0.026	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.05	14.130	0.026	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	15.99	13.070	0.020	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	16.84	13.920	0.025	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	16.97	14.050	0.025	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	17.08	14.160	0.026	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	15	12.080	0.016	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	14.53	11.610	0.014	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	12.53	9.610	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	14.04	11.120	0.013	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	15.39	12.470	0.018	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	15.45	12.530	0.018	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	15.57	12.650	0.018	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	14	11.080	0.013	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	13.55	10.630	0.012	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	10.53	7.610	0.006	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.02	13.100	0.020	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	14.000	0.025	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.73	13.810	0.024	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.01	14.090	0.026	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	15.99	13.070	0.020	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.62	13.700	0.023	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	16.79	13.870	0.024	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	17.04	14.120	0.026	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	14.47	11.550	0.014	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	13.98	11.060	0.013	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	11.95	9.030	0.008	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	13.99	11.070	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.22	12.300	0.017	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	15.36	12.440	0.018	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	15.45	12.530	0.018	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	13.53	10.610	0.012	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	13.03	10.110	0.010	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	10.01	7.090	0.005	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.34	13.420	0.022	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.25	13.330	0.022	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.80	13.880	0.024	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.86	13.940	0.025	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	15.78	12.860	0.019	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	16.20	13.280	0.021	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	16.79	13.870	0.024	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	16.88	13.960	0.025	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	14.26	11.340	0.014	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	13.79	10.870	0.012	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	11.83	8.910	0.008	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	13.83	10.910	0.012	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	14.83	11.910	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	15.34	12.420	0.017	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	15.32	12.400	0.017	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	13.33	10.410	0.011	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	12.88	9.960	0.010	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	9.87	6.950	0.005	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.51	13.590	0.023	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.36	13.440	0.022	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.94	14.020	0.025	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.12	14.200	0.026	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	16.06	13.140	0.021	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	16.34	13.420	0.022	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	16.92	14.000	0.025	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	17.13	14.210	0.026	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	14.51	11.590	0.014	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	14.06	11.140	0.013	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	12.08	9.160	0.008	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	14.02	11.100	0.013	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	15.08	12.160	0.016	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	15.40	12.480	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	15.67	12.750	0.019	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	13.50	10.580	0.011	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	13.01	10.090	0.010	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	10.07	7.150	0.005	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.49	13.570	0.023	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.53	13.610	0.023	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.77	13.850	0.024	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.02	14.100	0.026	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	16.03	13.110	0.020	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.45	13.530	0.023	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	16.79	13.870	0.024	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	17.03	14.110	0.026	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	14.52	11.600	0.014	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	14.05	11.130	0.013	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	11.97	9.050	0.008	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	14.03	11.110	0.013	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.14	12.220	0.017	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	15.33	12.410	0.017	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	15.50	12.580	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	13.43	10.510	0.011	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	12.93	10.010	0.010	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	10.01	7.090	0.005	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.36	13.440	0.022	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.22	13.300	0.021	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.76	13.840	0.024	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.90	13.980	0.025	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	15.85	12.930	0.020	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	16.33	13.410	0.022	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	16.79	13.870	0.024	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	16.85	13.930	0.025	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	14.40	11.480	0.014	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	13.95	11.030	0.013	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	11.91	8.990	0.008	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	13.86	10.940	0.012	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	14.78	11.860	0.015	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	15.37	12.450	0.018	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	15.43	12.510	0.018	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	13.33	10.410	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	12.82	9.900	0.010	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	9.89	6.970	0.005	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.46	13.540	0.023	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.23	13.310	0.021	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.80	13.880	0.024	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.04	14.120	0.026	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	15.95	13.030	0.020	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	16.24	13.320	0.021	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	16.81	13.890	0.024	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	17.05	14.130	0.026	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	14.49	11.570	0.014	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	13.97	11.050	0.013	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	11.98	9.060	0.008	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	14.01	11.090	0.013	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	14.95	12.030	0.016	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	15.33	12.410	0.017	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	15.54	12.620	0.018	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	13.56	10.640	0.012	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	12.94	10.020	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	9.96	7.040	0.005	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.40	13.480	0.022	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.39	13.470	0.022	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.74	13.820	0.024	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.98	14.060	0.025	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	15.92	13.000	0.020	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.38	13.460	0.022	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	16.71	13.790	0.024	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	16.98	14.060	0.025	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	14.42	11.500	0.014	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	13.92	11.000	0.013	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	11.91	8.990	0.008	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	13.90	10.980	0.013	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.04	12.120	0.016	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	15.29	12.370	0.017	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	15.46	12.540	0.018	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	13.46	10.540	0.011	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	12.93	10.010	0.010	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	9.96	7.040	0.005	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.27	13.350	0.022	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.31	13.390	0.022	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.75	13.830	0.024	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.82	13.900	0.025	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	15.81	12.890	0.019	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	16.37	13.450	0.022	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	16.75	13.830	0.024	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	16.85	13.930	0.025	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	14.33	11.410	0.014	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	13.85	10.930	0.012	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	11.81	8.890	0.008	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	13.82	10.900	0.012	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	14.81	11.890	0.015	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	15.21	12.290	0.017	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	15.30	12.380	0.017	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	13.35	10.430	0.011	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	12.81	9.890	0.010	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	9.89	6.970	0.005	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.23	13.310	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	14.000	0.025	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.91	13.990	0.025	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17.09	14.170	0.026	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	15.69	12.770	0.019	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	16.90	13.980	0.025	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	16.91	13.990	0.025	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	17.05	14.130	0.026	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	14.22	11.300	0.013	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	13.72	10.800	0.012	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	11.70	8.780	0.008	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	13.45	10.530	0.011	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	15.59	12.670	0.018	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	15.61	12.690	0.019	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	15.57	12.650	0.018	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	12.97	10.050	0.010	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	12.46	9.540	0.009	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	9.51	6.590	0.005	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.12	13.200	0.021	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.57	13.650	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.89	13.970	0.025	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17	14.080	0.026	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	15.67	12.750	0.019	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.94	14.020	0.025	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	16.88	13.960	0.025	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	17.04	14.120	0.026	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	14.18	11.260	0.013	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	13.71	10.790	0.012	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	11.69	8.770	0.008	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	13.41	10.490	0.011	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.67	12.750	0.019	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	15.43	12.510	0.018	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	15.51	12.590	0.018	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	12.98	10.060	0.010	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	12.44	9.520	0.009	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	9.49	6.570	0.005	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.08	13.160	0.021	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.99	14.070	0.026	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.85	13.930	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.94	14.020	0.025	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	15.62	12.700	0.019	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	16.98	14.060	0.025	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	16.86	13.940	0.025	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	16.90	13.980	0.025	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	14.09	11.170	0.013	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	13.57	10.650	0.012	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	11.58	8.660	0.007	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	13.37	10.450	0.011	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	15.76	12.840	0.019	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	15.60	12.680	0.019	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	15.36	12.440	0.018	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	12.88	9.960	0.010	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	12.38	9.460	0.009	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	9.41	6.490	0.004	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.07	14.150	0.026	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.45	13.530	0.023	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.84	13.920	0.025	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.49	13.570	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	17.07	14.150	0.026	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	16.42	13.500	0.022	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	16.83	13.910	0.025	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	15.99	13.070	0.020	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	14.51	11.590	0.014	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	14.02	11.100	0.013	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	12.06	9.140	0.008	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	15.50	12.580	0.018	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	15.14	12.220	0.017	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	15.37	12.450	0.018	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	13.96	11.040	0.013	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	13.46	10.540	0.011	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	13.01	10.090	0.010	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	9.95	7.030	0.005	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.04	14.120	0.026	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	13.970	0.025	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.79	13.870	0.024	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.45	13.530	0.023	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	17.01	14.090	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.99	14.070	0.026	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	16.79	13.870	0.024	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	15.90	12.980	0.020	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	15	12.080	0.016	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	14.53	11.610	0.014	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	12.56	9.640	0.009	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	15.49	12.570	0.018	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.57	12.650	0.018	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	15.26	12.340	0.017	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	13.87	10.950	0.012	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	13.94	11.020	0.013	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	13.46	10.540	0.011	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	10.47	7.550	0.006	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.93	14.010	0.025	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.05	14.130	0.026	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.81	13.890	0.024	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.39	13.470	0.022	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	16.94	14.020	0.025	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	17.02	14.100	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	16.78	13.860	0.024	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	15.93	13.010	0.020	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	14.99	12.070	0.016	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	14.49	11.570	0.014	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	12.43	9.510	0.009	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	15.34	12.420	0.017	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	15.51	12.590	0.018	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	15.30	12.380	0.017	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	13.86	10.940	0.012	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	13.93	11.010	0.013	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	13.47	10.550	0.011	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	10.38	7.460	0.006	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	17.06	14.140	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.97	14.050	0.025	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.83	13.910	0.025	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.47	13.550	0.023	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	17.05	14.130	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	16.98	14.060	0.025	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	16.81	13.890	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	16	13.080	0.020	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	15.03	12.110	0.016	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	14.54	11.620	0.015	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	12.59	9.670	0.009	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	15.53	12.610	0.018	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	15.34	12.420	0.017	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	15.29	12.370	0.017	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	13.93	11.010	0.013	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	14.01	11.090	0.013	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	13.54	10.620	0.012	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	10.49	7.570	0.006	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	17.02	14.100	0.026	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.93	14.010	0.025	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.77	13.850	0.024	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.44	13.520	0.022	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	17.04	14.120	0.026	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.98	14.060	0.025	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	16.76	13.840	0.024	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	15.93	13.010	0.020	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	15.01	12.090	0.016	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	14.49	11.570	0.014	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	12.54	9.620	0.009	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	15.54	12.620	0.018	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.41	12.490	0.018	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	15.27	12.350	0.017	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	13.87	10.950	0.012	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	13.90	10.980	0.013	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	13.38	10.460	0.011	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	10.35	7.430	0.006	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.96	14.040	0.025	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.95	14.030	0.025	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.75	13.830	0.024	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.44	13.520	0.022	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	16.97	14.050	0.025	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	16.99	14.070	0.026	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	16.76	13.840	0.024	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	15.96	13.040	0.020	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	15.03	12.110	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	14.52	11.600	0.014	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	12.51	9.590	0.009	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	15.46	12.540	0.018	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	15.47	12.550	0.018	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	15.41	12.490	0.018	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	13.94	11.020	0.013	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	14	11.080	0.013	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	13.45	10.530	0.011	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	10.46	7.540	0.006	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.97	14.050	0.025	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	13.970	0.025	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.73	13.810	0.024	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.38	13.460	0.022	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	16.95	14.030	0.025	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.85	13.930	0.025	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	16.70	13.780	0.024	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	15.91	12.990	0.020	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	14.96	12.040	0.016	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	14.48	11.560	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	12.45	9.530	0.009	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	15.47	12.550	0.018	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.41	12.490	0.018	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	15.17	12.250	0.017	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	13.85	10.930	0.012	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	13.96	11.040	0.013	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	13.39	10.470	0.011	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	10.45	7.530	0.006	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n78_1:

1.Ant Gain = -2.92dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_3

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.41	13.490	0.022	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.43	13.510	0.022	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.39	13.470	0.022	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.83	12.910	0.020	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	16.27	13.350	0.022	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	16.27	13.350	0.022	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	16.20	13.280	0.021	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	15.19	12.270	0.017	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	14.33	11.410	0.014	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	13.90	10.980	0.013	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	11.87	8.950	0.008	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	14.81	11.890	0.015	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	14.92	12.000	0.016	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	14.91	11.990	0.016	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	13.37	10.450	0.011	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	13.32	10.400	0.011	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	13.00	10.080	0.010	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	9.92	7.000	0.005	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.61	13.690	0.023	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.56	13.640	0.023	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.68	13.760	0.024	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.15	13.230	0.021	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB12@6	16.64	13.720	0.024	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.49	13.570	0.023	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@22	16.68	13.760	0.024	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB24@0	15.52	12.600	0.018	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB24@0	14.68	11.760	0.015	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB24@0	13.52	10.600	0.011	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB24@0	12.03	9.110	0.008	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB12@6	14.99	12.070	0.016	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.82	11.900	0.015	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@22	15.25	12.330	0.017	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB24@0	13.74	10.820	0.012	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB24@0	13.59	10.670	0.012	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB24@0	13.20	10.280	0.011	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB24@0	10.11	7.190	0.005	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.82	13.900	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	13.930	0.025	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.78	13.860	0.024	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.30	13.380	0.022	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB12@6	16.90	13.980	0.025	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@1	16.83	13.910	0.025	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@22	16.80	13.880	0.024	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB24@0	15.73	12.810	0.019	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 16 QAM_RB24@0	14.91	11.990	0.016	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 64 QAM_RB24@0	14.28	11.360	0.014	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 256 QAM_RB24@0	12.27	9.350	0.009	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB12@6	15.46	12.540	0.018	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@1	15.27	12.350	0.017	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@22	15.44	12.520	0.018	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB24@0	13.74	10.820	0.012	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 16 QAM_RB24@0	13.84	10.920	0.012	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 64 QAM_RB24@0	13.46	10.540	0.011	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 256 QAM_RB24@0	10.34	7.420	0.006	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.18	13.260	0.021	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.21	13.290	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.11	13.190	0.021	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.68	12.760	0.019	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	16.21	13.290	0.021	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	16.15	13.230	0.021	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	16.07	13.150	0.021	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	15.25	12.330	0.017	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.16	11.240	0.013	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.73	10.810	0.012	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.62	8.700	0.007	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	14.72	11.800	0.015	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	14.68	11.760	0.015	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	14.61	11.690	0.015	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	13.22	10.300	0.011	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	13.12	10.200	0.010	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	12.73	9.810	0.010	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	9.65	6.730	0.005	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.45	13.530	0.023	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.32	13.400	0.022	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.56	13.640	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.95	13.030	0.020	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB18@9	16.46	13.540	0.023	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.26	13.340	0.022	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@36	16.52	13.600	0.023	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@0	15.52	12.600	0.018	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB36@0	14.42	11.500	0.014	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB36@0	13.99	11.070	0.013	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB36@0	11.89	8.970	0.008	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB19@9	14.99	12.070	0.016	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.81	11.890	0.015	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@36	15.08	12.160	0.016	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB38@0	13.53	10.610	0.012	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB38@0	13.42	10.500	0.011	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB38@0	13.13	10.210	0.010	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB38@0	9.95	7.030	0.005	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.73	13.810	0.024	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.65	13.730	0.024	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.72	13.800	0.024	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.21	13.290	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB18@9	16.74	13.820	0.024	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@1	16.74	13.820	0.024	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@36	16.70	13.780	0.024	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB36@0	15.80	12.880	0.019	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.81	11.890	0.015	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.33	11.410	0.014	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.12	9.200	0.008	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB19@9	15.26	12.340	0.017	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@1	15.21	12.290	0.017	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@36	15.23	12.310	0.017	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB38@0	13.79	10.870	0.012	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 16 QAM_RB38@0	13.70	10.780	0.012	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 64 QAM_RB38@0	13.31	10.390	0.011	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 256 QAM_RB38@0	10.16	7.240	0.005	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.17	13.250	0.021	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.10	13.180	0.021	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.20	13.280	0.021	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.69	12.770	0.019	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	16.18	13.260	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	16.08	13.160	0.021	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	16.16	13.240	0.021	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	15.11	12.190	0.017	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	14.19	11.270	0.013	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	13.63	10.710	0.012	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	11.57	8.650	0.007	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	14.64	11.720	0.015	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	14.65	11.730	0.015	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	14.69	11.770	0.015	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	13.15	10.230	0.011	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	13.18	10.260	0.011	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	12.70	9.780	0.010	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	9.57	6.650	0.005	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.31	13.390	0.022	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.56	13.640	0.023	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.51	13.590	0.023	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.07	13.150	0.021	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.31	13.390	0.022	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@49	16.64	13.720	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB25@12	16.51	13.590	0.023	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@0	15.47	12.550	0.018	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB50@0	14.57	11.650	0.015	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB50@0	13.97	11.050	0.013	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB50@0	11.87	8.950	0.008	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.92	12.000	0.016	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@49	15.07	12.150	0.016	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB25@12	15.11	12.190	0.017	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB51@0	13.48	10.560	0.011	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB51@0	13.60	10.680	0.012	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB51@0	13.06	10.140	0.010	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB51@0	9.92	7.000	0.005	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.70	13.780	0.024	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.74	13.820	0.024	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.82	13.900	0.025	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.23	13.310	0.021	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@1	16.71	13.790	0.024	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@49	16.71	13.790	0.024	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB25@12	16.78	13.860	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB50@0	15.77	12.850	0.019	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 16 QAM_RB50@0	14.76	11.840	0.015	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 64 QAM_RB50@0	14.29	11.370	0.014	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 256 QAM_RB50@0	12.23	9.310	0.009	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@1	15.38	12.460	0.018	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@49	15.25	12.330	0.017	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB25@12	15.37	12.450	0.018	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB51@0	13.79	10.870	0.012	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 16 QAM_RB51@0	13.85	10.930	0.012	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 64 QAM_RB51@0	13.31	10.390	0.011	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 256 QAM_RB51@0	10.21	7.290	0.005	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.23	13.310	0.021	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.20	13.280	0.021	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.25	13.330	0.022	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.76	12.840	0.019	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	16.25	13.330	0.022	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	16.20	13.280	0.021	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	16.34	13.420	0.022	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	15.30	12.380	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	14.30	11.380	0.014	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	13.76	10.840	0.012	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	11.78	8.860	0.008	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	14.75	11.830	0.015	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	14.82	11.900	0.015	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	14.83	11.910	0.016	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	13.35	10.430	0.011	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	13.36	10.440	0.011	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	12.84	9.920	0.010	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	9.79	6.870	0.005	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.37	13.450	0.022	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.73	13.810	0.024	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.63	13.710	0.023	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.11	13.190	0.021	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.34	13.420	0.022	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@76	16.73	13.810	0.024	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@18	16.68	13.760	0.024	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB75@0	15.60	12.680	0.019	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB75@0	14.59	11.670	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB75@0	14.12	11.200	0.013	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB75@0	12.06	9.140	0.008	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.94	12.020	0.016	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@76	15.32	12.400	0.017	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB39@19	15.12	12.200	0.017	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB78@0	13.64	10.720	0.012	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB78@0	13.65	10.730	0.012	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB78@0	13.11	10.190	0.010	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB78@0	10.14	7.220	0.005	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.79	13.870	0.024	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.83	13.910	0.025	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.87	13.950	0.025	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.30	13.380	0.022	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@1	16.76	13.840	0.024	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@76	16.82	13.900	0.025	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB36@18	16.80	13.880	0.024	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB75@0	15.85	12.930	0.020	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 16 QAM_RB75@0	14.84	11.920	0.016	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 64 QAM_RB75@0	14.32	11.400	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 256 QAM_RB75@0	12.28	9.360	0.009	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@1	15.19	12.270	0.017	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@76	15.35	12.430	0.017	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB39@19	15.38	12.460	0.018	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB78@0	13.81	10.890	0.012	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 16 QAM_RB78@0	13.83	10.910	0.012	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 64 QAM_RB78@0	13.40	10.480	0.011	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 256 QAM_RB78@0	10.30	7.380	0.005	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.80	12.880	0.019	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.23	13.310	0.021	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.31	13.390	0.022	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.27	13.350	0.022	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	15.26	12.340	0.017	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	16.18	13.260	0.021	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	16.32	13.400	0.022	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	16.25	13.330	0.022	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	14.24	11.320	0.014	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	13.72	10.800	0.012	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	11.76	8.840	0.008	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	13.26	10.340	0.011	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	14.62	11.700	0.015	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	14.83	11.910	0.016	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	14.76	11.840	0.015	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	13.17	10.250	0.011	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	12.71	9.790	0.010	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	9.72	6.800	0.005	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.02	13.100	0.020	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.15	13.230	0.021	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.69	13.770	0.024	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.56	13.640	0.023	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB100@0	15.50	12.580	0.018	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.14	13.220	0.021	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@104	16.65	13.730	0.024	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@25	16.56	13.640	0.023	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB100@0	14.47	11.550	0.014	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB100@0	14.05	11.130	0.013	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB100@0	11.97	9.050	0.008	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB106@0	15.50	12.580	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	16.06	13.140	0.021	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@104	16.65	13.730	0.024	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB53@26	15.61	12.690	0.019	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB106@0	13.43	10.510	0.011	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB106@0	13.01	10.090	0.010	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB106@0	10.04	7.120	0.005	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.27	13.350	0.022	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.51	13.590	0.023	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.70	13.780	0.024	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.78	13.860	0.024	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB100@0	15.72	12.800	0.019	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@1	16.54	13.620	0.023	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@104	16.71	13.790	0.024	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB50@25	16.83	13.910	0.025	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 16 QAM_RB100@0	14.69	11.770	0.015	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 64 QAM_RB100@0	14.25	11.330	0.014	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 256 QAM_RB100@0	12.21	9.290	0.008	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB106@0	13.77	10.850	0.012	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@1	15.14	12.220	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@104	15.30	12.380	0.017	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB53@26	15.28	12.360	0.017	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 16 QAM_RB106@0	13.71	10.790	0.012	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 64 QAM_RB106@0	13.27	10.350	0.011	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 256 QAM_RB106@0	10.20	7.280	0.005	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.78	12.860	0.019	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.18	13.260	0.021	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.44	13.520	0.022	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.23	13.310	0.021	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	15.27	12.350	0.017	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	16.11	13.190	0.021	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	16.37	13.450	0.022	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	16.27	13.350	0.022	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	14.26	11.340	0.014	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	13.84	10.920	0.012	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	11.82	8.900	0.008	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	13.35	10.430	0.011	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	14.69	11.770	0.015	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	14.88	11.960	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	14.87	11.950	0.016	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	13.24	10.320	0.011	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	12.74	9.820	0.010	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	9.83	6.910	0.005	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.00	13.080	0.020	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.11	13.190	0.021	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.64	12.720	0.019	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.58	13.660	0.023	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB128@0	15.55	12.630	0.018	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.05	13.130	0.021	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@131	16.66	13.740	0.024	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB64@32	16.55	13.630	0.023	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB128@0	14.44	11.520	0.014	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB128@0	14.03	11.110	0.013	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB128@0	12.00	9.080	0.008	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB133@0	13.51	10.590	0.011	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.57	11.650	0.015	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@131	15.16	12.240	0.017	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB67@33	15.06	12.140	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB133@0	13.48	10.560	0.011	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB133@0	12.93	10.010	0.010	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB133@0	9.89	6.970	0.005	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.19	13.270	0.021	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.34	13.420	0.022	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.71	13.790	0.024	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.78	13.860	0.024	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB128@0	15.68	12.760	0.019	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@1	16.33	13.410	0.022	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@131	16.69	13.770	0.024	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB64@32	16.76	13.840	0.024	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 16 QAM_RB128@0	14.69	11.770	0.015	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 64 QAM_RB128@0	14.19	11.270	0.013	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 256 QAM_RB128@0	12.15	9.230	0.008	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB133@0	13.67	10.750	0.012	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@1	14.96	12.040	0.016	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@131	15.18	12.260	0.017	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB67@33	15.24	12.320	0.017	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 16 QAM_RB133@0	13.67	10.750	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 64 QAM_RB133@0	13.18	10.260	0.011	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 256 QAM_RB133@0	10.15	7.230	0.005	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.76	12.840	0.019	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.13	13.210	0.021	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.41	13.490	0.022	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.27	13.350	0.022	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	15.29	12.370	0.017	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	16.10	13.180	0.021	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	16.52	13.600	0.023	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	16.31	13.390	0.022	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	14.22	11.300	0.013	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	13.77	10.850	0.012	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	11.73	8.810	0.008	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	13.27	10.350	0.011	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	14.52	11.600	0.014	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	14.92	12.000	0.016	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	14.76	11.840	0.015	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	13.22	10.300	0.011	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	12.71	9.790	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	9.74	6.820	0.005	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.95	13.030	0.020	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.00	13.080	0.020	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.64	13.720	0.024	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.50	13.580	0.023	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB162@0	15.47	12.550	0.018	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.04	13.120	0.021	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@160	16.66	13.740	0.024	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB81@40	16.48	13.560	0.023	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB162@0	14.45	11.530	0.014	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB162@0	13.96	11.040	0.013	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB162@0	11.96	9.040	0.008	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB162@0	14.44	11.520	0.014	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.49	11.570	0.014	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@160	11.68	8.760	0.008	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB81@40	12.67	9.750	0.009	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB162@0	13.37	10.450	0.011	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB162@0	12.91	9.990	0.010	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB162@0	9.95	7.030	0.005	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.08	13.160	0.021	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.20	13.280	0.021	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.68	13.760	0.024	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.68	13.760	0.024	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB162@0	15.60	12.680	0.019	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@1	16.19	13.270	0.021	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@160	16.64	13.720	0.024	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB81@40	16.68	13.760	0.024	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 16 QAM_RB162@0	14.60	11.680	0.015	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 64 QAM_RB162@0	14.07	11.150	0.013	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 256 QAM_RB162@0	12.07	9.150	0.008	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB162@0	13.60	10.680	0.012	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@1	14.79	11.870	0.015	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@160	15.21	12.290	0.017	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB81@40	15.13	12.210	0.017	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 16 QAM_RB162@0	13.60	10.680	0.012	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 64 QAM_RB162@0	13.09	10.170	0.010	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 256 QAM_RB162@0	10.16	7.240	0.005	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.56	12.640	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.48	12.560	0.018	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	13.43	10.510	0.011	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.37	13.450	0.022	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	15.09	12.170	0.016	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	15.46	12.540	0.018	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	13.39	10.470	0.011	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	16.34	13.420	0.022	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	14.04	11.120	0.013	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	13.63	10.710	0.012	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	11.49	8.570	0.007	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	12.87	9.950	0.010	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	13.96	11.040	0.013	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	11.95	9.030	0.008	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	14.83	11.910	0.016	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	12.87	9.950	0.010	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	12.32	9.400	0.009	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	9.31	6.390	0.004	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.65	12.730	0.019	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.21	12.290	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	12.79	9.870	0.010	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.51	13.590	0.023	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB180@0	15.13	12.210	0.017	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.20	12.280	0.017	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@187	12.73	9.810	0.010	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB90@45	16.50	13.580	0.023	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB180@0	14.10	11.180	0.013	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB180@0	13.65	10.730	0.012	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB180@0	11.62	8.700	0.007	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB189@0	12.91	9.990	0.010	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	13.79	10.870	0.012	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@187	11.12	8.200	0.007	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB95@47	12.77	9.850	0.010	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB189@0	12.93	10.010	0.010	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB189@0	12.38	9.460	0.009	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB189@0	9.41	6.490	0.004	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.81	12.890	0.019	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.79	11.870	0.015	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	12.99	10.070	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.70	13.780	0.024	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB180@0	15.27	12.350	0.017	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@1	14.76	11.840	0.015	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@187	12.85	9.930	0.010	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB90@45	16.69	13.770	0.024	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 16 QAM_RB180@0	14.28	11.360	0.014	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 64 QAM_RB180@0	13.77	10.850	0.012	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 256 QAM_RB180@0	12.42	9.500	0.009	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB189@0	14.56	11.640	0.015	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@1	13.28	10.360	0.011	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@187	11.56	8.640	0.007	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB95@47	12.15	9.230	0.008	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 16 QAM_RB189@0	13.21	10.290	0.011	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 64 QAM_RB189@0	12.53	9.610	0.009	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 256 QAM_RB189@0	11.14	8.220	0.007	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	14.65	11.730	0.015	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.57	12.650	0.018	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	13.18	10.260	0.011	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	14.07	11.150	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	14.62	11.700	0.015	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	15.51	12.590	0.018	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	13.17	10.250	0.011	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	13.58	10.660	0.012	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	12.53	9.610	0.009	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	12.22	9.300	0.009	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	10.36	7.440	0.006	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	13.16	10.240	0.011	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	14.00	11.080	0.013	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	12.93	10.010	0.010	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	12.90	9.980	0.010	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	12.85	9.930	0.010	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	12.24	9.320	0.009	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	11.95	9.030	0.008	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	14.15	11.230	0.013	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.39	12.470	0.018	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	12.88	9.960	0.010	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	13.60	10.680	0.012	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB108@54	14.12	11.200	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.29	12.370	0.017	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@215	12.87	9.950	0.010	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB216@0	13.11	10.190	0.010	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB216@0	12.10	9.180	0.008	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB216@0	11.69	8.770	0.008	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB216@0	10.58	7.660	0.006	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB109@54	12.60	9.680	0.009	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	13.84	10.920	0.012	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@215	11.56	8.640	0.007	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB217@0	17.18	14.260	0.027	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB217@0	17.08	14.160	0.026	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB217@0	16.55	13.630	0.023	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB217@0	15.23	12.310	0.017	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	13.85	10.930	0.012	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.07	12.150	0.016	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	12.99	10.070	0.010	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	13.30	10.380	0.011	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB108@54	13.84	10.920	0.012	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@1	15.02	12.100	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@215	12.94	10.020	0.010	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB216@0	12.81	9.890	0.010	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 16 QAM_RB216@0	11.78	8.860	0.008	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 64 QAM_RB216@0	11.24	8.320	0.007	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 256 QAM_RB216@0	10.32	7.400	0.005	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB109@54	12.30	9.380	0.009	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@1	13.55	10.630	0.012	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@215	11.53	8.610	0.007	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB217@0	13.01	10.090	0.010	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 16 QAM_RB217@0	12.95	10.030	0.010	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 64 QAM_RB217@0	12.38	9.460	0.009	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 256 QAM_RB217@0	11.77	8.850	0.008	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	14.33	11.410	0.014	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.44	12.520	0.018	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	12.88	9.960	0.010	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	13.83	10.910	0.012	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	14.36	11.440	0.014	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	15.41	12.490	0.018	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	12.88	9.960	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	13.24	10.320	0.011	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	12.26	9.340	0.009	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	12.05	9.130	0.008	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	11.85	8.930	0.008	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	12.79	9.870	0.010	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	13.98	11.060	0.013	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	11.37	8.450	0.007	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	12.56	9.640	0.009	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	12.47	9.550	0.009	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	11.87	8.950	0.008	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	10.35	7.430	0.006	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	14.18	11.260	0.013	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.42	12.500	0.018	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	12.94	10.020	0.010	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	13.64	10.720	0.012	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB120@60	14.18	11.260	0.013	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.35	12.430	0.017	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@243	12.83	9.910	0.010	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB243@0	13.10	10.180	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB243@0	12.16	9.240	0.008	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB243@0	11.98	9.060	0.008	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB243@0	10.58	7.660	0.006	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB123@61	12.63	9.710	0.009	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	13.87	10.950	0.012	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@243	11.63	8.710	0.007	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB245@0	12.54	9.620	0.009	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB245@0	12.68	9.760	0.009	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB245@0	12.26	9.340	0.009	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB245@0	11.57	8.650	0.007	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	14.00	11.080	0.013	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.31	12.390	0.017	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	12.88	9.960	0.010	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	13.50	10.580	0.011	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB120@60	13.99	11.070	0.013	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@1	15.24	12.320	0.017	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@243	12.92	10.000	0.010	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB243@0	12.96	10.040	0.010	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 16 QAM_RB243@0	11.92	9.000	0.008	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 64 QAM_RB243@0	11.58	8.660	0.007	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 256 QAM_RB243@0	10.83	7.910	0.006	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB123@61	12.46	9.540	0.009	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@1	13.75	10.830	0.012	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@243	11.53	8.610	0.007	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB245@0	12.69	9.770	0.009	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 16 QAM_RB245@0	12.34	9.420	0.009	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 64 QAM_RB245@0	11.98	9.060	0.008	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 256 QAM_RB245@0	10.77	7.850	0.006	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	14.13	11.210	0.013	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.33	12.410	0.017	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	12.85	9.930	0.010	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	13.60	10.680	0.012	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	14.13	11.210	0.013	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.39	12.470	0.018	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	12.87	9.950	0.010	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	13.13	10.210	0.010	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	12.12	9.200	0.008	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	16.83	13.910	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	14.80	11.880	0.015	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	12.57	9.650	0.009	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.06	11.140	0.013	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	11.58	8.660	0.007	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	16.29	13.370	0.022	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	16.28	13.360	0.022	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	15.79	12.870	0.019	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	12.81	9.890	0.010	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n78_3:

1.Ant Gain = -2.92dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB