

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	错误! 未定义书签。

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band7	5	20775	1	#0	QPSK	22.02	-2	20.02	33.01	Pass
Band7	5	20775	1	#Mid	QPSK	22.44	-2	20.44	33.01	Pass
Band7	5	20775	1	#Max	QPSK	21.96	-2	19.96	33.01	Pass
Band7	5	20775	12	#0	QPSK	21.02	-2	19.02	33.01	Pass
Band7	5	20775	12	#Mid	QPSK	21.09	-2	19.09	33.01	Pass
Band7	5	20775	12	#Max	QPSK	21.01	-2	19.01	33.01	Pass
Band7	5	20775	25	#0	QPSK	21.05	-2	19.05	33.01	Pass
Band7	5	20775	1	#0	QAM16	21.29	-2	19.29	33.01	Pass
Band7	5	20775	1	#Mid	QAM16	21.66	-2	19.66	33.01	Pass
Band7	5	20775	1	#Max	QAM16	21.21	-2	19.21	33.01	Pass
Band7	5	20775	12	#0	QAM16	19.95	-2	17.95	33.01	Pass
Band7	5	20775	12	#Mid	QAM16	20.01	-2	18.01	33.01	Pass
Band7	5	20775	12	#Max	QAM16	19.93	-2	17.93	33.01	Pass
Band7	5	20775	25	#0	QAM16	20.02	-2	18.02	33.01	Pass
Band7	5	21100	1	#0	QPSK	21.99	-2	19.99	33.01	Pass
Band7	5	21100	1	#Mid	QPSK	22.4	-2	20.40	33.01	Pass
Band7	5	21100	1	#Max	QPSK	22.01	-2	20.01	33.01	Pass
Band7	5	21100	12	#0	QPSK	21.2	-2	19.20	33.01	Pass
Band7	5	21100	12	#Mid	QPSK	21.24	-2	19.24	33.01	Pass
Band7	5	21100	12	#Max	QPSK	21.12	-2	19.12	33.01	Pass
Band7	5	21100	25	#0	QPSK	21.16	-2	19.16	33.01	Pass
Band7	5	21100	1	#0	QAM16	21.26	-2	19.26	33.01	Pass
Band7	5	21100	1	#Mid	QAM16	21.66	-2	19.66	33.01	Pass
Band7	5	21100	1	#Max	QAM16	21.26	-2	19.26	33.01	Pass
Band7	5	21100	12	#0	QAM16	20.22	-2	18.22	33.01	Pass
Band7	5	21100	12	#Mid	QAM16	20.22	-2	18.22	33.01	Pass
Band7	5	21100	12	#Max	QAM16	20.17	-2	18.17	33.01	Pass
Band7	5	21100	25	#0	QAM16	20.12	-2	18.12	33.01	Pass
Band7	5	21425	1	#0	QPSK	22.15	-2	20.15	33.01	Pass
Band7	5	21425	1	#Mid	QPSK	22.59	-2	20.59	33.01	Pass
Band7	5	21425	1	#Max	QPSK	22.17	-2	20.17	33.01	Pass
Band7	5	21425	12	#0	QPSK	21.31	-2	19.31	33.01	Pass
Band7	5	21425	12	#Mid	QPSK	21.31	-2	19.31	33.01	Pass
Band7	5	21425	12	#Max	QPSK	21.25	-2	19.25	33.01	Pass
Band7	5	21425	25	#0	QPSK	21.27	-2	19.27	33.01	Pass
Band7	5	21425	1	#0	QAM16	21.59	-2	19.59	33.01	Pass
Band7	5	21425	1	#Mid	QAM16	21.95	-2	19.95	33.01	Pass

Band7	5	21425	1	#Max	QAM16	21.58	-2	19.58	33.01	Pass
Band7	5	21425	12	#0	QAM16	20.26	-2	18.26	33.01	Pass
Band7	5	21425	12	#Mid	QAM16	20.32	-2	18.32	33.01	Pass
Band7	5	21425	12	#Max	QAM16	20.2	-2	18.20	33.01	Pass
Band7	5	21425	25	#0	QAM16	20.25	-2	18.25	33.01	Pass
Band7	10	20800	1	#0	QPSK	22.04	-2	20.04	33.01	Pass
Band7	10	20800	1	#Mid	QPSK	22.15	-2	20.15	33.01	Pass
Band7	10	20800	1	#Max	QPSK	21.94	-2	19.94	33.01	Pass
Band7	10	20800	25	#0	QPSK	21.01	-2	19.01	33.01	Pass
Band7	10	20800	25	#Mid	QPSK	21.01	-2	19.01	33.01	Pass
Band7	10	20800	25	#Max	QPSK	21.04	-2	19.04	33.01	Pass
Band7	10	20800	50	#0	QPSK	20.99	-2	18.99	33.01	Pass
Band7	10	20800	1	#0	QAM16	21.24	-2	19.24	33.01	Pass
Band7	10	20800	1	#Mid	QAM16	21.45	-2	19.45	33.01	Pass
Band7	10	20800	1	#Max	QAM16	21.28	-2	19.28	33.01	Pass
Band7	10	20800	25	#0	QAM16	20.01	-2	18.01	33.01	Pass
Band7	10	20800	25	#Mid	QAM16	20.03	-2	18.03	33.01	Pass
Band7	10	20800	25	#Max	QAM16	20.04	-2	18.04	33.01	Pass
Band7	10	20800	50	#0	QAM16	19.93	-2	17.93	33.01	Pass
Band7	10	21100	1	#0	QPSK	22.09	-2	20.09	33.01	Pass
Band7	10	21100	1	#Mid	QPSK	22.29	-2	20.29	33.01	Pass
Band7	10	21100	1	#Max	QPSK	22.17	-2	20.17	33.01	Pass
Band7	10	21100	25	#0	QPSK	21.19	-2	19.19	33.01	Pass
Band7	10	21100	25	#Mid	QPSK	21.2	-2	19.20	33.01	Pass
Band7	10	21100	25	#Max	QPSK	21.21	-2	19.21	33.01	Pass
Band7	10	21100	50	#0	QPSK	21.15	-2	19.15	33.01	Pass
Band7	10	21100	1	#0	QAM16	21.27	-2	19.27	33.01	Pass
Band7	10	21100	1	#Mid	QAM16	21.41	-2	19.41	33.01	Pass
Band7	10	21100	1	#Max	QAM16	21.27	-2	19.27	33.01	Pass
Band7	10	21100	25	#0	QAM16	20.2	-2	18.20	33.01	Pass
Band7	10	21100	25	#Mid	QAM16	20.23	-2	18.23	33.01	Pass
Band7	10	21100	25	#Max	QAM16	20.19	-2	18.19	33.01	Pass
Band7	10	21100	50	#0	QAM16	20.22	-2	18.22	33.01	Pass
Band7	10	21400	1	#0	QPSK	22.36	-2	20.36	33.01	Pass
Band7	10	21400	1	#Mid	QPSK	22.56	-2	20.56	33.01	Pass
Band7	10	21400	1	#Max	QPSK	22.37	-2	20.37	33.01	Pass
Band7	10	21400	25	#0	QPSK	21.33	-2	19.33	33.01	Pass
Band7	10	21400	25	#Mid	QPSK	21.32	-2	19.32	33.01	Pass
Band7	10	21400	25	#Max	QPSK	21.3	-2	19.30	33.01	Pass
Band7	10	21400	50	#0	QPSK	21.29	-2	19.29	33.01	Pass
Band7	10	21400	1	#0	QAM16	21.07	-2	19.07	33.01	Pass
Band7	10	21400	1	#Mid	QAM16	21.22	-2	19.22	33.01	Pass
Band7	10	21400	1	#Max	QAM16	20.99	-2	18.99	33.01	Pass
Band7	10	21400	25	#0	QAM16	20.35	-2	18.35	33.01	Pass

Band7	10	21400	25	#Mid	QAM16	20.36	-2	18.36	33.01	Pass
Band7	10	21400	25	#Max	QAM16	20.33	-2	18.33	33.01	Pass
Band7	10	21400	50	#0	QAM16	20.3	-2	18.30	33.01	Pass
Band7	15	20825	1	#0	QPSK	21.91	-2	19.91	33.01	Pass
Band7	15	20825	1	#Mid	QPSK	22.26	-2	20.26	33.01	Pass
Band7	15	20825	1	#Max	QPSK	21.79	-2	19.79	33.01	Pass
Band7	15	20825	36	#0	QPSK	21.11	-2	19.11	33.01	Pass
Band7	15	20825	36	#Mid	QPSK	21.12	-2	19.12	33.01	Pass
Band7	15	20825	36	#Max	QPSK	21.02	-2	19.02	33.01	Pass
Band7	15	20825	75	#0	QPSK	21.09	-2	19.09	33.01	Pass
Band7	15	20825	1	#0	QAM16	21.31	-2	19.31	33.01	Pass
Band7	15	20825	1	#Mid	QAM16	21.51	-2	19.51	33.01	Pass
Band7	15	20825	1	#Max	QAM16	21.14	-2	19.14	33.01	Pass
Band7	15	20825	36	#0	QAM16	20.07	-2	18.07	33.01	Pass
Band7	15	20825	36	#Mid	QAM16	20.03	-2	18.03	33.01	Pass
Band7	15	20825	36	#Max	QAM16	19.97	-2	17.97	33.01	Pass
Band7	15	20825	75	#0	QAM16	20.02	-2	18.02	33.01	Pass
Band7	15	21100	1	#0	QPSK	22.07	-2	20.07	33.01	Pass
Band7	15	21100	1	#Mid	QPSK	22.44	-2	20.44	33.01	Pass
Band7	15	21100	1	#Max	QPSK	21.84	-2	19.84	33.01	Pass
Band7	15	21100	36	#0	QPSK	21.25	-2	19.25	33.01	Pass
Band7	15	21100	36	#Mid	QPSK	21.27	-2	19.27	33.01	Pass
Band7	15	21100	36	#Max	QPSK	21.25	-2	19.25	33.01	Pass
Band7	15	21100	75	#0	QPSK	21.26	-2	19.26	33.01	Pass
Band7	15	21100	1	#0	QAM16	21.15	-2	19.15	33.01	Pass
Band7	15	21100	1	#Mid	QAM16	21.48	-2	19.48	33.01	Pass
Band7	15	21100	1	#Max	QAM16	21.15	-2	19.15	33.01	Pass
Band7	15	21100	36	#0	QAM16	20.3	-2	18.30	33.01	Pass
Band7	15	21100	36	#Mid	QAM16	20.33	-2	18.33	33.01	Pass
Band7	15	21100	36	#Max	QAM16	20.28	-2	18.28	33.01	Pass
Band7	15	21100	75	#0	QAM16	20.23	-2	18.23	33.01	Pass
Band7	15	21375	1	#0	QPSK	22.28	-2	20.28	33.01	Pass
Band7	15	21375	1	#Mid	QPSK	22.61	-2	20.61	33.01	Pass
Band7	15	21375	1	#Max	QPSK	22.25	-2	20.25	33.01	Pass
Band7	15	21375	36	#0	QPSK	21.39	-2	19.39	33.01	Pass
Band7	15	21375	36	#Mid	QPSK	21.38	-2	19.38	33.01	Pass
Band7	15	21375	36	#Max	QPSK	21.38	-2	19.38	33.01	Pass
Band7	15	21375	75	#0	QPSK	21.37	-2	19.37	33.01	Pass
Band7	15	21375	1	#0	QAM16	21.3	-2	19.30	33.01	Pass
Band7	15	21375	1	#Mid	QAM16	21.57	-2	19.57	33.01	Pass
Band7	15	21375	1	#Max	QAM16	21.22	-2	19.22	33.01	Pass
Band7	15	21375	36	#0	QAM16	20.31	-2	18.31	33.01	Pass
Band7	15	21375	36	#Mid	QAM16	20.3	-2	18.30	33.01	Pass
Band7	15	21375	36	#Max	QAM16	20.35	-2	18.35	33.01	Pass

Band7	15	21375	75	#0	QAM16	20.38	-2	18.38	33.01	Pass
Band7	20	20850	1	#0	QPSK	21.89	-2	19.89	33.01	Pass
Band7	20	20850	1	#Mid	QPSK	22.14	-2	20.14	33.01	Pass
Band7	20	20850	1	#Max	QPSK	21.7	-2	19.70	33.01	Pass
Band7	20	20850	50	#0	QPSK	20.95	-2	18.95	33.01	Pass
Band7	20	20850	50	#Mid	QPSK	20.98	-2	18.98	33.01	Pass
Band7	20	20850	50	#Max	QPSK	20.97	-2	18.97	33.01	Pass
Band7	20	20850	100	#0	QPSK	20.98	-2	18.98	33.01	Pass
Band7	20	20850	1	#0	QAM16	21.13	-2	19.13	33.01	Pass
Band7	20	20850	1	#Mid	QAM16	21.35	-2	19.35	33.01	Pass
Band7	20	20850	1	#Max	QAM16	20.97	-2	18.97	33.01	Pass
Band7	20	20850	50	#0	QAM16	19.96	-2	17.96	33.01	Pass
Band7	20	20850	50	#Mid	QAM16	19.98	-2	17.98	33.01	Pass
Band7	20	20850	50	#Max	QAM16	20	-2	18.00	33.01	Pass
Band7	20	20850	100	#0	QAM16	19.93	-2	17.93	33.01	Pass
Band7	20	21100	1	#0	QPSK	21.97	-2	19.97	33.01	Pass
Band7	20	21100	1	#Mid	QPSK	22.38	-2	20.38	33.01	Pass
Band7	20	21100	1	#Max	QPSK	21.96	-2	19.96	33.01	Pass
Band7	20	21100	50	#0	QPSK	21.18	-2	19.18	33.01	Pass
Band7	20	21100	50	#Mid	QPSK	21.17	-2	19.17	33.01	Pass
Band7	20	21100	50	#Max	QPSK	21.15	-2	19.15	33.01	Pass
Band7	20	21100	100	#0	QPSK	21.15	-2	19.15	33.01	Pass
Band7	20	21100	1	#0	QAM16	21.04	-2	19.04	33.01	Pass
Band7	20	21100	1	#Mid	QAM16	21.39	-2	19.39	33.01	Pass
Band7	20	21100	1	#Max	QAM16	21.03	-2	19.03	33.01	Pass
Band7	20	21100	50	#0	QAM16	20.22	-2	18.22	33.01	Pass
Band7	20	21100	50	#Mid	QAM16	20.19	-2	18.19	33.01	Pass
Band7	20	21100	50	#Max	QAM16	20.18	-2	18.18	33.01	Pass
Band7	20	21100	100	#0	QAM16	20.17	-2	18.17	33.01	Pass
Band7	20	21350	1	#0	QPSK	22.04	-2	20.04	33.01	Pass
Band7	20	21350	1	#Mid	QPSK	22.43	-2	20.43	33.01	Pass
Band7	20	21350	1	#Max	QPSK	22.05	-2	20.05	33.01	Pass
Band7	20	21350	50	#0	QPSK	21.19	-2	19.19	33.01	Pass
Band7	20	21350	50	#Mid	QPSK	21.24	-2	19.24	33.01	Pass
Band7	20	21350	50	#Max	QPSK	21.26	-2	19.26	33.01	Pass
Band7	20	21350	100	#0	QPSK	21.25	-2	19.25	33.01	Pass
Band7	20	21350	1	#0	QAM16	21.25	-2	19.25	33.01	Pass
Band7	20	21350	1	#Mid	QAM16	21.57	-2	19.57	33.01	Pass
Band7	20	21350	1	#Max	QAM16	21.19	-2	19.19	33.01	Pass
Band7	20	21350	50	#0	QAM16	20.34	-2	18.34	33.01	Pass
Band7	20	21350	50	#Mid	QAM16	20.33	-2	18.33	33.01	Pass
Band7	20	21350	50	#Max	QAM16	20.32	-2	18.32	33.01	Pass
Band7	20	21350	100	#0	QAM16	20.28	-2	18.28	33.01	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band7	20	20850	100	#0	QPSK	-9.52	-0.004	-2.5	2.5	PASS
Band7	20	20850	100	#0	QAM16	-4.77	-0.002	-2.5	2.5	PASS
Band7	20	21100	100	#0	QPSK	-12.21	-0.005	-2.5	2.5	PASS
Band7	20	21100	100	#0	QAM16	-4.26	-0.002	-2.5	2.5	PASS
Band7	20	21350	100	#0	QPSK	-6.56	-0.003	-2.5	2.5	PASS
Band7	20	21350	100	#0	QAM16	-6.82	-0.003	-2.5	2.5	PASS

Note: (Voltage: 3.85V, Temperature: 25°C) only reflect the worst mode.



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band7	5	21100	1	#0	QPSK	4.05	13	PASS
Band7	5	21100	1	#0	QAM16	4.84	13	PASS
Band7	10	21100	1	#0	QPSK	3.98	13	PASS
Band7	10	21100	1	#0	QAM16	4.76	13	PASS
Band7	15	21100	1	#0	QPSK	3.97	13	PASS
Band7	15	21100	1	#0	QAM16	4.85	13	PASS
Band7	20	21100	1	#0	QPSK	4.04	13	PASS
Band7	20	21100	1	#0	QAM16	4.79	13	PASS



Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0

**Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0****Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0**

**Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0**


**Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band7	5	20775	25	#0	QPSK	4.507	4.909	PASS
Band7	5	20775	25	#0	QAM16	4.502	4.862	PASS
Band7	5	21100	25	#0	QPSK	4.512	4.912	PASS
Band7	5	21100	25	#0	QAM16	4.511	4.893	PASS
Band7	5	21425	25	#0	QPSK	4.503	4.894	PASS
Band7	5	21425	25	#0	QAM16	4.529	4.904	PASS
Band7	10	20800	50	#0	QPSK	9.017	9.762	PASS
Band7	10	20800	50	#0	QAM16	8.985	9.713	PASS
Band7	10	21100	50	#0	QPSK	8.991	9.663	PASS
Band7	10	21100	50	#0	QAM16	8.985	9.712	PASS
Band7	10	21400	50	#0	QPSK	8.997	9.724	PASS
Band7	10	21400	50	#0	QAM16	8.999	9.654	PASS
Band7	15	20825	75	#0	QPSK	13.468	14.509	PASS
Band7	15	20825	75	#0	QAM16	13.473	14.438	PASS
Band7	15	21100	75	#0	QPSK	13.441	14.489	PASS
Band7	15	21100	75	#0	QAM16	13.457	14.577	PASS
Band7	15	21375	75	#0	QPSK	13.519	14.603	PASS
Band7	15	21375	75	#0	QAM16	13.436	14.400	PASS
Band7	20	20850	100	#0	QPSK	17.974	19.352	PASS
Band7	20	20850	100	#0	QAM16	18.025	19.278	PASS
Band7	20	21100	100	#0	QPSK	17.934	19.412	PASS
Band7	20	21100	100	#0	QAM16	17.958	19.424	PASS
Band7	20	21350	100	#0	QPSK	17.963	19.391	PASS
Band7	20	21350	100	#0	QAM16	17.987	19.607	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0





Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0






Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0

**Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0**



**Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0****Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0**






Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0

**Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0**


**Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0****Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0**




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0





5 Band edge



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2499.00	-12.76	-10	PASS
Band7	5	20775	25	#0	QAM16	2499.00	-14.22	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.00	-12.50	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.00	-14.64	-10	PASS
Band7	10	20800	50	#0	QPSK	2489.70	-36.76	-25	PASS
Band7	10	20800	50	#0	QAM16	2490.00	-36.68	-25	PASS
Band7	10	21400	50	#0	QPSK	2571.02	-19.70	-10	PASS
Band7	10	21400	50	#0	QAM16	2580.05	-36.10	-25	PASS
Band7	15	20825	75	#0	QPSK	2498.93	-21.70	-10	PASS
Band7	15	20825	75	#0	QAM16	2484.98	-37.29	-25	PASS
Band7	15	21375	75	#0	QPSK	2571.11	-19.90	-10	PASS
Band7	15	21375	75	#0	QAM16	2585.09	-37.17	-25	PASS
Band7	20	20850	100	#0	QPSK	2495.89	-26.90	-13	PASS
Band7	20	20850	100	#0	QAM16	2479.02	-39.41	-25	PASS
Band7	20	21350	100	#0	QPSK	2575.57	-25.92	-13	PASS
Band7	20	21350	100	#0	QAM16	2575.02	-27.17	-13	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0

**Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0**



**Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0****Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0**






Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0

**Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0****Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0**



**Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0**



Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0

**Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0**




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.026	-24.53	-10
2	2571	2575	1000	2571.004	-12.5	-10
3	2575	2576	1000	2575.001	-31.84	-13
4	2576	2595	1000	2576.095	-33.85	-25



6 Out-of-band emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	25767.50	-33.77	-25	PASS
Band7	5	20775	25	#0	QAM16	25744.38	-33.84	-25	PASS
Band7	5	21425	25	#0	QPSK	25488.75	-34.01	-25	PASS
Band7	5	21425	25	#0	QAM16	25650.00	-33.87	-25	PASS
Band7	10	20800	50	#0	QPSK	25667.50	-33.61	-25	PASS
Band7	10	20800	50	#0	QAM16	25798.75	-33.17	-25	PASS
Band7	10	21400	50	#0	QPSK	25763.13	-33.49	-25	PASS
Band7	10	21400	50	#0	QAM16	23617.50	-34.05	-25	PASS
Band7	15	20825	75	#0	QPSK	25696.88	-33.54	-25	PASS
Band7	15	20825	75	#0	QAM16	25333.75	-33.53	-25	PASS
Band7	15	21375	75	#0	QPSK	23855.63	-33.61	-25	PASS
Band7	15	21375	75	#0	QAM16	25825.63	-33.06	-25	PASS
Band7	20	20850	100	#0	QPSK	25841.25	-33.94	-25	PASS
Band7	20	20850	100	#0	QAM16	25812.50	-33.15	-25	PASS
Band7	20	21350	100	#0	QPSK	25574.38	-33.61	-25	PASS
Band7	20	21350	100	#0	QAM16	22306.88	-33.63	-25	PASS



Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0







Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0



**Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0**



**Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0****Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0**


**Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0**

**Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0****Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0**

**Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0**

**Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0****Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0**

**Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0**



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.014076	-44.56	-25
2	0.15	30	10	0.16417875	-53.91	-25
3	30	1000	100	782.88975	-52.43	-25
4	1000	26000	1000	25488.75	-34.01	-25