

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	13
5 Band edge	26
6 Out-of-band emissions	错误! 未定义书签。

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	1	#0	QPSK	21.73	-2	19.73	33.01	Pass
Band41(2535-2655)	5	40065	1	#Mid	QPSK	22.04	-2	20.04	33.01	Pass
Band41(2535-2655)	5	40065	1	#Max	QPSK	21.74	-2	19.74	33.01	Pass
Band41(2535-2655)	5	40065	12	#0	QPSK	20.93	-2	18.93	33.01	Pass
Band41(2535-2655)	5	40065	12	#Mid	QPSK	20.93	-2	18.93	33.01	Pass
Band41(2535-2655)	5	40065	12	#Max	QPSK	20.84	-2	18.84	33.01	Pass
Band41(2535-2655)	5	40065	25	#0	QPSK	20.85	-2	18.85	33.01	Pass
Band41(2535-2655)	5	40065	1	#0	QAM16	21.07	-2	19.07	33.01	Pass
Band41(2535-2655)	5	40065	1	#Mid	QAM16	21.39	-2	19.39	33.01	Pass
Band41(2535-2655)	5	40065	1	#Max	QAM16	21.08	-2	19.08	33.01	Pass
Band41(2535-2655)	5	40065	12	#0	QAM16	19.99	-2	17.99	33.01	Pass
Band41(2535-2655)	5	40065	12	#Mid	QAM16	19.96	-2	17.96	33.01	Pass
Band41(2535-2655)	5	40065	12	#Max	QAM16	19.88	-2	17.88	33.01	Pass
Band41(2535-2655)	5	40065	25	#0	QAM16	19.88	-2	17.88	33.01	Pass
Band41(2535-2655)	5	40640	1	#0	QPSK	22.06	-2	20.06	33.01	Pass
Band41(2535-2655)	5	40640	1	#Mid	QPSK	22.35	-2	20.35	33.01	Pass
Band41(2535-2655)	5	40640	1	#Max	QPSK	22.02	-2	20.02	33.01	Pass
Band41(2535-2655)	5	40640	12	#0	QPSK	21.11	-2	19.11	33.01	Pass
Band41(2535-2655)	5	40640	12	#Mid	QPSK	21.21	-2	19.21	33.01	Pass
Band41(2535-2655)	5	40640	12	#Max	QPSK	21.11	-2	19.11	33.01	Pass
Band41(2535-2655)	5	40640	25	#0	QPSK	21.08	-2	19.08	33.01	Pass
Band41(2535-2655)	5	40640	1	#0	QAM16	21.67	-2	19.67	33.01	Pass
Band41(2535-2655)	5	40640	1	#Mid	QAM16	21.97	-2	19.97	33.01	Pass
Band41(2535-2655)	5	40640	1	#Max	QAM16	21.65	-2	19.65	33.01	Pass
Band41(2535-2655)	5	40640	12	#0	QAM16	20.2	-2	18.20	33.01	Pass
Band41(2535-2655)	5	40640	12	#Mid	QAM16	20.24	-2	18.24	33.01	Pass
Band41(2535-2655)	5	40640	12	#Max	QAM16	20.14	-2	18.14	33.01	Pass
Band41(2535-2655)	5	40640	25	#0	QAM16	20.11	-2	18.11	33.01	Pass
Band41(2535-2655)	5	41215	1	#0	QPSK	22.25	-2	20.25	33.01	Pass
Band41(2535-2655)	5	41215	1	#Mid	QPSK	22.5	-2	20.50	33.01	Pass
Band41(2535-2655)	5	41215	1	#Max	QPSK	22.22	-2	20.22	33.01	Pass
Band41(2535-2655)	5	41215	12	#0	QPSK	21.29	-2	19.29	33.01	Pass
Band41(2535-2655)	5	41215	12	#Mid	QPSK	21.34	-2	19.34	33.01	Pass
Band41(2535-2655)	5	41215	12	#Max	QPSK	21.22	-2	19.22	33.01	Pass
Band41(2535-2655)	5	41215	25	#0	QPSK	21.3	-2	19.30	33.01	Pass
Band41(2535-2655)	5	41215	1	#0	QAM16	21.48	-2	19.48	33.01	Pass
Band41(2535-2655)	5	41215	1	#Mid	QAM16	21.79	-2	19.79	33.01	Pass

Band41(2535-2655)	5	41215	1	#Max	QAM16	21.45	-2	19.45	33.01	Pass
Band41(2535-2655)	5	41215	12	#0	QAM16	20.28	-2	18.28	33.01	Pass
Band41(2535-2655)	5	41215	12	#Mid	QAM16	20.33	-2	18.33	33.01	Pass
Band41(2535-2655)	5	41215	12	#Max	QAM16	20.21	-2	18.21	33.01	Pass
Band41(2535-2655)	5	41215	25	#0	QAM16	20.34	-2	18.34	33.01	Pass
Band41(2535-2655)	10	40090	1	#0	QPSK	21.89	-2	19.89	33.01	Pass
Band41(2535-2655)	10	40090	1	#Mid	QPSK	22.01	-2	20.01	33.01	Pass
Band41(2535-2655)	10	40090	1	#Max	QPSK	21.87	-2	19.87	33.01	Pass
Band41(2535-2655)	10	40090	25	#0	QPSK	20.98	-2	18.98	33.01	Pass
Band41(2535-2655)	10	40090	25	#Mid	QPSK	20.96	-2	18.96	33.01	Pass
Band41(2535-2655)	10	40090	25	#Max	QPSK	20.87	-2	18.87	33.01	Pass
Band41(2535-2655)	10	40090	50	#0	QPSK	20.92	-2	18.92	33.01	Pass
Band41(2535-2655)	10	40090	1	#0	QAM16	21.32	-2	19.32	33.01	Pass
Band41(2535-2655)	10	40090	1	#Mid	QAM16	21.49	-2	19.49	33.01	Pass
Band41(2535-2655)	10	40090	1	#Max	QAM16	21.4	-2	19.40	33.01	Pass
Band41(2535-2655)	10	40090	25	#0	QAM16	20.02	-2	18.02	33.01	Pass
Band41(2535-2655)	10	40090	25	#Mid	QAM16	20.04	-2	18.04	33.01	Pass
Band41(2535-2655)	10	40090	25	#Max	QAM16	19.97	-2	17.97	33.01	Pass
Band41(2535-2655)	10	40090	50	#0	QAM16	19.97	-2	17.97	33.01	Pass
Band41(2535-2655)	10	40640	1	#0	QPSK	22.1	-2	20.10	33.01	Pass
Band41(2535-2655)	10	40640	1	#Mid	QPSK	22.34	-2	20.34	33.01	Pass
Band41(2535-2655)	10	40640	1	#Max	QPSK	22.12	-2	20.12	33.01	Pass
Band41(2535-2655)	10	40640	25	#0	QPSK	21.19	-2	19.19	33.01	Pass
Band41(2535-2655)	10	40640	25	#Mid	QPSK	21.13	-2	19.13	33.01	Pass
Band41(2535-2655)	10	40640	25	#Max	QPSK	21.15	-2	19.15	33.01	Pass
Band41(2535-2655)	10	40640	50	#0	QPSK	21.14	-2	19.14	33.01	Pass
Band41(2535-2655)	10	40640	1	#0	QAM16	21.29	-2	19.29	33.01	Pass
Band41(2535-2655)	10	40640	1	#Mid	QAM16	21.44	-2	19.44	33.01	Pass
Band41(2535-2655)	10	40640	1	#Max	QAM16	21.25	-2	19.25	33.01	Pass
Band41(2535-2655)	10	40640	25	#0	QAM16	20.28	-2	18.28	33.01	Pass
Band41(2535-2655)	10	40640	25	#Mid	QAM16	20.22	-2	18.22	33.01	Pass
Band41(2535-2655)	10	40640	25	#Max	QAM16	20.22	-2	18.22	33.01	Pass
Band41(2535-2655)	10	40640	50	#0	QAM16	20.25	-2	18.25	33.01	Pass
Band41(2535-2655)	10	41190	1	#0	QPSK	22.34	-2	20.34	33.01	Pass
Band41(2535-2655)	10	41190	1	#Mid	QPSK	22.49	-2	20.49	33.01	Pass
Band41(2535-2655)	10	41190	1	#Max	QPSK	22.31	-2	20.31	33.01	Pass
Band41(2535-2655)	10	41190	25	#0	QPSK	21.37	-2	19.37	33.01	Pass
Band41(2535-2655)	10	41190	25	#Mid	QPSK	21.32	-2	19.32	33.01	Pass
Band41(2535-2655)	10	41190	25	#Max	QPSK	21.28	-2	19.28	33.01	Pass
Band41(2535-2655)	10	41190	50	#0	QPSK	21.31	-2	19.31	33.01	Pass
Band41(2535-2655)	10	41190	1	#0	QAM16	21.3	-2	19.30	33.01	Pass
Band41(2535-2655)	10	41190	1	#Mid	QAM16	21.44	-2	19.44	33.01	Pass
Band41(2535-2655)	10	41190	1	#Max	QAM16	21.26	-2	19.26	33.01	Pass
Band41(2535-2655)	10	41190	25	#0	QAM16	20.42	-2	18.42	33.01	Pass

Band41(2535-2655)	10	41190	25	#Mid	QAM16	20.39	-2	18.39	33.01	Pass
Band41(2535-2655)	10	41190	25	#Max	QAM16	20.33	-2	18.33	33.01	Pass
Band41(2535-2655)	10	41190	50	#0	QAM16	20.33	-2	18.33	33.01	Pass
Band41(2535-2655)	15	40115	1	#0	QPSK	21.73	-2	19.73	33.01	Pass
Band41(2535-2655)	15	40115	1	#Mid	QPSK	22.06	-2	20.06	33.01	Pass
Band41(2535-2655)	15	40115	1	#Max	QPSK	21.83	-2	19.83	33.01	Pass
Band41(2535-2655)	15	40115	36	#0	QPSK	20.98	-2	18.98	33.01	Pass
Band41(2535-2655)	15	40115	36	#Mid	QPSK	20.99	-2	18.99	33.01	Pass
Band41(2535-2655)	15	40115	36	#Max	QPSK	20.93	-2	18.93	33.01	Pass
Band41(2535-2655)	15	40115	75	#0	QPSK	20.99	-2	18.99	33.01	Pass
Band41(2535-2655)	15	40115	1	#0	QAM16	21.25	-2	19.25	33.01	Pass
Band41(2535-2655)	15	40115	1	#Mid	QAM16	21.6	-2	19.60	33.01	Pass
Band41(2535-2655)	15	40115	1	#Max	QAM16	21.35	-2	19.35	33.01	Pass
Band41(2535-2655)	15	40115	36	#0	QAM16	20.04	-2	18.04	33.01	Pass
Band41(2535-2655)	15	40115	36	#Mid	QAM16	20.02	-2	18.02	33.01	Pass
Band41(2535-2655)	15	40115	36	#Max	QAM16	19.98	-2	17.98	33.01	Pass
Band41(2535-2655)	15	40115	75	#0	QAM16	19.99	-2	17.99	33.01	Pass
Band41(2535-2655)	15	40640	1	#0	QPSK	22.13	-2	20.13	33.01	Pass
Band41(2535-2655)	15	40640	1	#Mid	QPSK	22.41	-2	20.41	33.01	Pass
Band41(2535-2655)	15	40640	1	#Max	QPSK	22	-2	20.00	33.01	Pass
Band41(2535-2655)	15	40640	36	#0	QPSK	21.23	-2	19.23	33.01	Pass
Band41(2535-2655)	15	40640	36	#Mid	QPSK	21.2	-2	19.20	33.01	Pass
Band41(2535-2655)	15	40640	36	#Max	QPSK	21.16	-2	19.16	33.01	Pass
Band41(2535-2655)	15	40640	75	#0	QPSK	21.22	-2	19.22	33.01	Pass
Band41(2535-2655)	15	40640	1	#0	QAM16	21.25	-2	19.25	33.01	Pass
Band41(2535-2655)	15	40640	1	#Mid	QAM16	21.53	-2	19.53	33.01	Pass
Band41(2535-2655)	15	40640	1	#Max	QAM16	21.14	-2	19.14	33.01	Pass
Band41(2535-2655)	15	40640	36	#0	QAM16	20.31	-2	18.31	33.01	Pass
Band41(2535-2655)	15	40640	36	#Mid	QAM16	20.27	-2	18.27	33.01	Pass
Band41(2535-2655)	15	40640	36	#Max	QAM16	20.25	-2	18.25	33.01	Pass
Band41(2535-2655)	15	40640	75	#0	QAM16	20.19	-2	18.19	33.01	Pass
Band41(2535-2655)	15	41165	1	#0	QPSK	22.28	-2	20.28	33.01	Pass
Band41(2535-2655)	15	41165	1	#Mid	QPSK	22.6	-2	20.60	33.01	Pass
Band41(2535-2655)	15	41165	1	#Max	QPSK	22.24	-2	20.24	33.01	Pass
Band41(2535-2655)	15	41165	36	#0	QPSK	21.36	-2	19.36	33.01	Pass
Band41(2535-2655)	15	41165	36	#Mid	QPSK	21.4	-2	19.40	33.01	Pass
Band41(2535-2655)	15	41165	36	#Max	QPSK	21.29	-2	19.29	33.01	Pass
Band41(2535-2655)	15	41165	75	#0	QPSK	21.35	-2	19.35	33.01	Pass
Band41(2535-2655)	15	41165	1	#0	QAM16	21.45	-2	19.45	33.01	Pass
Band41(2535-2655)	15	41165	1	#Mid	QAM16	21.76	-2	19.76	33.01	Pass
Band41(2535-2655)	15	41165	1	#Max	QAM16	21.39	-2	19.39	33.01	Pass
Band41(2535-2655)	15	41165	36	#0	QAM16	20.36	-2	18.36	33.01	Pass
Band41(2535-2655)	15	41165	36	#Mid	QAM16	20.36	-2	18.36	33.01	Pass
Band41(2535-2655)	15	41165	36	#Max	QAM16	20.27	-2	18.27	33.01	Pass

Band41(2535-2655)	15	41165	75	#0	QAM16	20.41	-2	18.41	33.01	Pass
Band41(2535-2655)	20	40140	1	#0	QPSK	21.76	-2	19.76	33.01	Pass
Band41(2535-2655)	20	40140	1	#Mid	QPSK	22.14	-2	20.14	33.01	Pass
Band41(2535-2655)	20	40140	1	#Max	QPSK	21.81	-2	19.81	33.01	Pass
Band41(2535-2655)	20	40140	50	#0	QPSK	21.01	-2	19.01	33.01	Pass
Band41(2535-2655)	20	40140	50	#Mid	QPSK	20.96	-2	18.96	33.01	Pass
Band41(2535-2655)	20	40140	50	#Max	QPSK	20.94	-2	18.94	33.01	Pass
Band41(2535-2655)	20	40140	100	#0	QPSK	20.99	-2	18.99	33.01	Pass
Band41(2535-2655)	20	40140	1	#0	QAM16	20.91	-2	18.91	33.01	Pass
Band41(2535-2655)	20	40140	1	#Mid	QAM16	21.34	-2	19.34	33.01	Pass
Band41(2535-2655)	20	40140	1	#Max	QAM16	21.02	-2	19.02	33.01	Pass
Band41(2535-2655)	20	40140	50	#0	QAM16	20.08	-2	18.08	33.01	Pass
Band41(2535-2655)	20	40140	50	#Mid	QAM16	20.01	-2	18.01	33.01	Pass
Band41(2535-2655)	20	40140	50	#Max	QAM16	20.01	-2	18.01	33.01	Pass
Band41(2535-2655)	20	40140	100	#0	QAM16	20	-2	18.00	33.01	Pass
Band41(2535-2655)	20	40640	1	#0	QPSK	21.98	-2	19.98	33.01	Pass
Band41(2535-2655)	20	40640	1	#Mid	QPSK	22.33	-2	20.33	33.01	Pass
Band41(2535-2655)	20	40640	1	#Max	QPSK	21.88	-2	19.88	33.01	Pass
Band41(2535-2655)	20	40640	50	#0	QPSK	21.19	-2	19.19	33.01	Pass
Band41(2535-2655)	20	40640	50	#Mid	QPSK	21.12	-2	19.12	33.01	Pass
Band41(2535-2655)	20	40640	50	#Max	QPSK	21.16	-2	19.16	33.01	Pass
Band41(2535-2655)	20	40640	100	#0	QPSK	21.16	-2	19.16	33.01	Pass
Band41(2535-2655)	20	40640	1	#0	QAM16	21.16	-2	19.16	33.01	Pass
Band41(2535-2655)	20	40640	1	#Mid	QAM16	21.51	-2	19.51	33.01	Pass
Band41(2535-2655)	20	40640	1	#Max	QAM16	21.05	-2	19.05	33.01	Pass
Band41(2535-2655)	20	40640	50	#0	QAM16	20.3	-2	18.30	33.01	Pass
Band41(2535-2655)	20	40640	50	#Mid	QAM16	20.25	-2	18.25	33.01	Pass
Band41(2535-2655)	20	40640	50	#Max	QAM16	20.22	-2	18.22	33.01	Pass
Band41(2535-2655)	20	40640	100	#0	QAM16	20.22	-2	18.22	33.01	Pass
Band41(2535-2655)	20	41140	1	#0	QPSK	21.99	-2	19.99	33.01	Pass
Band41(2535-2655)	20	41140	1	#Mid	QPSK	22.46	-2	20.46	33.01	Pass
Band41(2535-2655)	20	41140	1	#Max	QPSK	22.02	-2	20.02	33.01	Pass
Band41(2535-2655)	20	41140	50	#0	QPSK	21.29	-2	19.29	33.01	Pass
Band41(2535-2655)	20	41140	50	#Mid	QPSK	21.32	-2	19.32	33.01	Pass
Band41(2535-2655)	20	41140	50	#Max	QPSK	21.19	-2	19.19	33.01	Pass
Band41(2535-2655)	20	41140	100	#0	QPSK	21.24	-2	19.24	33.01	Pass
Band41(2535-2655)	20	41140	1	#0	QAM16	21.28	-2	19.28	33.01	Pass
Band41(2535-2655)	20	41140	1	#Mid	QAM16	21.73	-2	19.73	33.01	Pass
Band41(2535-2655)	20	41140	1	#Max	QAM16	21.29	-2	19.29	33.01	Pass
Band41(2535-2655)	20	41140	50	#0	QAM16	20.4	-2	18.40	33.01	Pass
Band41(2535-2655)	20	41140	50	#Mid	QAM16	20.42	-2	18.42	33.01	Pass
Band41(2535-2655)	20	41140	50	#Max	QAM16	20.27	-2	18.27	33.01	Pass
Band41(2535-2655)	20	41140	100	#0	QAM16	20.3	-2	18.30	33.01	Pass

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band41(2535-2655)	20	40140	100	#0	QPSK	-4.23	-0.002	-2.5	2.5	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	-1.08	-0.001	-2.5	2.5	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	2.61	0.001	-2.5	2.5	PASS
Band41(2535-2655)	20	40640	100	#0	QAM16	-7.10	-0.003	-2.5	2.5	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	-6.07	-0.002	-2.5	2.5	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	-4.17	-0.002	-2.5	2.5	PASS


Note: (Voltage: 3.85V, Temperature: 25°C) only reflect the worst mode.


3 Peak-to-Average Ratio

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
Band41(2535-2655)	5	40640	1	#0	QPSK	8.12	13	PASS
Band41(2535-2655)	5	40640	1	#0	QAM16	8.87	13	PASS
Band41(2535-2655)	10	40640	1	#0	QPSK	8.89	13	PASS
Band41(2535-2655)	10	40640	1	#0	QAM16	11.68	13	PASS
Band41(2535-2655)	15	40640	1	#0	QPSK	7.96	13	PASS
Band41(2535-2655)	15	40640	1	#0	QAM16	9.72	13	PASS
Band41(2535-2655)	20	40640	1	#0	QPSK	9.26	13	PASS
Band41(2535-2655)	20	40640	1	#0	QAM16	8.31	13	PASS

Band41(2535-2655) QAM16 BW=10MHz Channel=40640 RB Size=1 Position=#0**Band41(2535-2655) QAM16 BW=15MHz Channel=40640 RB Size=1 Position=#0**

Band41(2535-2655) QAM16 BW=20MHz Channel=40640 RB Size=1 Position=#0**Band41(2535-2655) QAM16 BW=5MHz Channel=40640 RB Size=1 Position=#0**


Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=1 Position=#0**Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=1 Position=#0**

Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=1 Position=#0**Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=1 Position=#0**


4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band41(2535-2655)	5	40065	25	#0	QPSK	4.500	4.833	PASS
Band41(2535-2655)	5	40065	25	#0	QAM16	4.503	4.931	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	4.516	4.862	PASS
Band41(2535-2655)	5	40640	25	#0	QAM16	4.502	5.001	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	4.502	4.846	PASS
Band41(2535-2655)	5	41215	25	#0	QAM16	4.512	4.804	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	8.983	9.583	PASS
Band41(2535-2655)	10	40090	50	#0	QAM16	8.991	10.078	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	8.983	9.633	PASS
Band41(2535-2655)	10	40640	50	#0	QAM16	8.987	9.659	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	8.999	9.668	PASS
Band41(2535-2655)	10	41190	50	#0	QAM16	9.004	9.963	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	13.455	14.375	PASS
Band41(2535-2655)	15	40115	75	#0	QAM16	13.506	15.334	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	13.427	14.380	PASS
Band41(2535-2655)	15	40640	75	#0	QAM16	13.438	14.471	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	13.435	14.385	PASS
Band41(2535-2655)	15	41165	75	#0	QAM16	13.509	14.445	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	17.991	19.429	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	17.915	20.359	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	17.948	19.194	PASS
Band41(2535-2655)	20	40640	100	#0	QAM16	17.950	20.236	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	17.956	19.302	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	17.905	19.458	PASS


Band41(2535-2655) QAM16 BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=15MHz Channel=40115 RB Size=75 Position=#0





Band41(2535-2655) QAM16 BW=15MHz Channel=40640 RB Size=75 Position=#0







Band41(2535-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0







Band41(2535-2655) QAM16 BW=20MHz Channel=40140 RB Size=100 Position=#0



**Band41(2535-2655) QAM16 BW=20MHz Channel=40640 RB Size=100 Position=#0****Band41(2535-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0**



**Band41(2535-2655) QAM16 BW=5MHz Channel=40065 RB Size=25 Position=#0****Band41(2535-2655) QAM16 BW=5MHz Channel=40640 RB Size=25 Position=#0**



**Band41(2535-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0****Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0**


**Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=50 Position=#0****Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0**

**Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0****Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=75 Position=#0**


**Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0****Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0**

**Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=100 Position=#0****Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0**

**Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0****Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=25 Position=#0**




Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0





5 Band edge


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	2533.99	-19.56	-10	PASS
Band41(2535-2655)	5	40065	25	#0	QAM16	2533.98	-18.44	-10	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	2656.01	-17.19	-10	PASS
Band41(2535-2655)	5	41215	25	#0	QAM16	2656.00	-18.56	-10	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	2524.92	-39.54	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QAM16	2524.99	-39.67	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	2665.16	-39.26	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QAM16	2665.31	-39.89	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	2519.97	-39.20	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QAM16	2519.29	-38.09	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	2671.02	-39.76	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QAM16	2671.23	-39.85	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	2533.97	-25.81	-10	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	2514.94	-41.29	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	2676.24	-41.32	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	2675.13	-40.45	-25	PASS

Band41(2535-2655) QAM16 BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0



**Band41(2535-2655) QAM16 BW=15MHz Channel=40115 RB Size=75 Position=#0****Band41(2535-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0**







Band41(2535-2655) QAM16 BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0


**Band41(2535-2655) QAM16 BW=5MHz Channel=40065 RB Size=25 Position=#0****Band41(2535-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0**

**Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0****Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0**


**Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0****Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0**




Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.131	-30.42	-10
2	2656	2660	1000	2656.008	-17.19	-10
3	2660	2661	1000	2660.178	-32.08	-13
4	2661	2665	1000	2661.42	-37.99	-25



6 Out-of-band emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	26084.15	-33.47	-25	PASS
Band41(2535-2655)	5	40065	25	#0	QAM16	25674.65	-33.83	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	25502.40	-33.91	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QAM16	24133.50	-34.16	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	26273.30	-34.52	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QAM16	23991.15	-33.21	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	26194.00	-33.84	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QAM16	26060.10	-34.10	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	26336.35	-33.23	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QAM16	26215.45	-33.52	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	25839.75	-33.92	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QAM16	25703.90	-34.01	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	26396.80	-33.82	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	26253.15	-33.65	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	25718.20	-33.11	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	23683.70	-33.95	-25	PASS



Band41(2535-2655) QAM16 BW=10MHz Channel=40090 RB Size=50 Position=#0







Band41(2535-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0



**Band41(2535-2655) QAM16 BW=15MHz Channel=40115 RB Size=75 Position=#0****Band41(2535-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0**



**Band41(2535-2655) QAM16 BW=20MHz Channel=40140 RB Size=100 Position=#0****Band41(2535-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0**

**Band41(2535-2655) QAM16 BW=5MHz Channel=40065 RB Size=25 Position=#0****Band41(2535-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0**

**Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0****Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0**

**Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0****Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0**

**Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0****Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0**

**Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0****Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0**

