

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	8
3 Peak-to-Average Ratio	9
4 Occupied bandwidth	16
5 Band edge	35
6 Out-of-band emissions	48

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	22.36	-3	19.36	33.01	Pass
Band2	1.4	18607	1	#Mid	QPSK	22.56	-3	19.56	33.01	Pass
Band2	1.4	18607	1	#Max	QPSK	22.42	-3	19.42	33.01	Pass
Band2	1.4	18607	3	#0	QPSK	22.54	-3	19.54	33.01	Pass
Band2	1.4	18607	3	#Mid	QPSK	22.49	-3	19.49	33.01	Pass
Band2	1.4	18607	3	#Max	QPSK	22.47	-3	19.47	33.01	Pass
Band2	1.4	18607	6	#0	QPSK	21.44	-3	18.44	33.01	Pass
Band2	1.4	18607	1	#0	QAM16	21.59	-3	18.59	33.01	Pass
Band2	1.4	18607	1	#Mid	QAM16	21.65	-3	18.65	33.01	Pass
Band2	1.4	18607	1	#Max	QAM16	21.56	-3	18.56	33.01	Pass
Band2	1.4	18607	3	#0	QAM16	21.66	-3	18.66	33.01	Pass
Band2	1.4	18607	3	#Mid	QAM16	21.67	-3	18.67	33.01	Pass
Band2	1.4	18607	3	#Max	QAM16	21.67	-3	18.67	33.01	Pass
Band2	1.4	18607	6	#0	QAM16	20.68	-3	17.68	33.01	Pass
Band2	1.4	18900	1	#0	QPSK	22.41	-3	19.41	33.01	Pass
Band2	1.4	18900	1	#Mid	QPSK	22.55	-3	19.55	33.01	Pass
Band2	1.4	18900	1	#Max	QPSK	22.4	-3	19.40	33.01	Pass
Band2	1.4	18900	3	#0	QPSK	22.43	-3	19.43	33.01	Pass
Band2	1.4	18900	3	#Mid	QPSK	22.41	-3	19.41	33.01	Pass
Band2	1.4	18900	3	#Max	QPSK	22.4	-3	19.40	33.01	Pass
Band2	1.4	18900	6	#0	QPSK	21.42	-3	18.42	33.01	Pass
Band2	1.4	18900	1	#0	QAM16	21.19	-3	18.19	33.01	Pass
Band2	1.4	18900	1	#Mid	QAM16	21.29	-3	18.29	33.01	Pass
Band2	1.4	18900	1	#Max	QAM16	21.15	-3	18.15	33.01	Pass
Band2	1.4	18900	3	#0	QAM16	21.49	-3	18.49	33.01	Pass
Band2	1.4	18900	3	#Mid	QAM16	21.52	-3	18.52	33.01	Pass
Band2	1.4	18900	3	#Max	QAM16	21.53	-3	18.53	33.01	Pass
Band2	1.4	18900	6	#0	QAM16	20.6	-3	17.60	33.01	Pass
Band2	1.4	19193	1	#0	QPSK	22.48	-3	19.48	33.01	Pass
Band2	1.4	19193	1	#Mid	QPSK	22.64	-3	19.64	33.01	Pass
Band2	1.4	19193	1	#Max	QPSK	22.45	-3	19.45	33.01	Pass
Band2	1.4	19193	3	#0	QPSK	22.32	-3	19.32	33.01	Pass
Band2	1.4	19193	3	#Mid	QPSK	22.42	-3	19.42	33.01	Pass
Band2	1.4	19193	3	#Max	QPSK	22.41	-3	19.41	33.01	Pass
Band2	1.4	19193	6	#0	QPSK	21.46	-3	18.46	33.01	Pass
Band2	1.4	19193	1	#0	QAM16	21.44	-3	18.44	33.01	Pass
Band2	1.4	19193	1	#Mid	QAM16	21.5	-3	18.50	33.01	Pass

Band2	1.4	19193	1	#Max	QAM16	21.42	-3	18.42	33.01	Pass
Band2	1.4	19193	3	#0	QAM16	21.55	-3	18.55	33.01	Pass
Band2	1.4	19193	3	#Mid	QAM16	21.54	-3	18.54	33.01	Pass
Band2	1.4	19193	3	#Max	QAM16	21.51	-3	18.51	33.01	Pass
Band2	1.4	19193	6	#0	QAM16	20.64	-3	17.64	33.01	Pass
Band2	3	18615	1	#0	QPSK	22.51	-3	19.51	33.01	Pass
Band2	3	18615	1	#Mid	QPSK	22.73	-3	19.73	33.01	Pass
Band2	3	18615	1	#Max	QPSK	22.48	-3	19.48	33.01	Pass
Band2	3	18615	8	#0	QPSK	21.5	-3	18.50	33.01	Pass
Band2	3	18615	8	#Mid	QPSK	21.52	-3	18.52	33.01	Pass
Band2	3	18615	8	#Max	QPSK	21.53	-3	18.53	33.01	Pass
Band2	3	18615	15	#0	QPSK	21.52	-3	18.52	33.01	Pass
Band2	3	18615	1	#0	QAM16	21.98	-3	18.98	33.01	Pass
Band2	3	18615	1	#Mid	QAM16	22.15	-3	19.15	33.01	Pass
Band2	3	18615	1	#Max	QAM16	21.92	-3	18.92	33.01	Pass
Band2	3	18615	8	#0	QAM16	20.61	-3	17.61	33.01	Pass
Band2	3	18615	8	#Mid	QAM16	20.66	-3	17.66	33.01	Pass
Band2	3	18615	8	#Max	QAM16	20.64	-3	17.64	33.01	Pass
Band2	3	18615	15	#0	QAM16	20.59	-3	17.59	33.01	Pass
Band2	3	18900	1	#0	QPSK	22.51	-3	19.51	33.01	Pass
Band2	3	18900	1	#Mid	QPSK	22.58	-3	19.58	33.01	Pass
Band2	3	18900	1	#Max	QPSK	22.43	-3	19.43	33.01	Pass
Band2	3	18900	8	#0	QPSK	21.45	-3	18.45	33.01	Pass
Band2	3	18900	8	#Mid	QPSK	21.48	-3	18.48	33.01	Pass
Band2	3	18900	8	#Max	QPSK	21.45	-3	18.45	33.01	Pass
Band2	3	18900	15	#0	QPSK	21.41	-3	18.41	33.01	Pass
Band2	3	18900	1	#0	QAM16	21.65	-3	18.65	33.01	Pass
Band2	3	18900	1	#Mid	QAM16	21.84	-3	18.84	33.01	Pass
Band2	3	18900	1	#Max	QAM16	21.56	-3	18.56	33.01	Pass
Band2	3	18900	8	#0	QAM16	20.53	-3	17.53	33.01	Pass
Band2	3	18900	8	#Mid	QAM16	20.5	-3	17.50	33.01	Pass
Band2	3	18900	8	#Max	QAM16	20.48	-3	17.48	33.01	Pass
Band2	3	18900	15	#0	QAM16	20.43	-3	17.43	33.01	Pass
Band2	3	19185	1	#0	QPSK	22.57	-3	19.57	33.01	Pass
Band2	3	19185	1	#Mid	QPSK	22.82	-3	19.82	33.01	Pass
Band2	3	19185	1	#Max	QPSK	22.63	-3	19.63	33.01	Pass
Band2	3	19185	8	#0	QPSK	21.47	-3	18.47	33.01	Pass
Band2	3	19185	8	#Mid	QPSK	21.52	-3	18.52	33.01	Pass
Band2	3	19185	8	#Max	QPSK	21.48	-3	18.48	33.01	Pass
Band2	3	19185	15	#0	QPSK	21.44	-3	18.44	33.01	Pass
Band2	3	19185	1	#0	QAM16	21.31	-3	18.31	33.01	Pass
Band2	3	19185	1	#Mid	QAM16	21.48	-3	18.48	33.01	Pass
Band2	3	19185	1	#Max	QAM16	21.28	-3	18.28	33.01	Pass
Band2	3	19185	8	#0	QAM16	20.49	-3	17.49	33.01	Pass

Band2	3	19185	8	#Mid	QAM16	20.5	-3	17.50	33.01	Pass
Band2	3	19185	8	#Max	QAM16	20.48	-3	17.48	33.01	Pass
Band2	3	19185	15	#0	QAM16	20.57	-3	17.57	33.01	Pass
Band2	5	18625	1	#0	QPSK	22.44	-3	19.44	33.01	Pass
Band2	5	18625	1	#Mid	QPSK	22.77	-3	19.77	33.01	Pass
Band2	5	18625	1	#Max	QPSK	22.45	-3	19.45	33.01	Pass
Band2	5	18625	12	#0	QPSK	21.56	-3	18.56	33.01	Pass
Band2	5	18625	12	#Mid	QPSK	21.57	-3	18.57	33.01	Pass
Band2	5	18625	12	#Max	QPSK	21.54	-3	18.54	33.01	Pass
Band2	5	18625	25	#0	QPSK	21.58	-3	18.58	33.01	Pass
Band2	5	18625	1	#0	QAM16	22.01	-3	19.01	33.01	Pass
Band2	5	18625	1	#Mid	QAM16	22.4	-3	19.40	33.01	Pass
Band2	5	18625	1	#Max	QAM16	21.98	-3	18.98	33.01	Pass
Band2	5	18625	12	#0	QAM16	20.64	-3	17.64	33.01	Pass
Band2	5	18625	12	#Mid	QAM16	20.64	-3	17.64	33.01	Pass
Band2	5	18625	12	#Max	QAM16	20.6	-3	17.60	33.01	Pass
Band2	5	18625	25	#0	QAM16	20.57	-3	17.57	33.01	Pass
Band2	5	18900	1	#0	QPSK	22.48	-3	19.48	33.01	Pass
Band2	5	18900	1	#Mid	QPSK	22.74	-3	19.74	33.01	Pass
Band2	5	18900	1	#Max	QPSK	22.35	-3	19.35	33.01	Pass
Band2	5	18900	12	#0	QPSK	21.43	-3	18.43	33.01	Pass
Band2	5	18900	12	#Mid	QPSK	21.46	-3	18.46	33.01	Pass
Band2	5	18900	12	#Max	QPSK	21.41	-3	18.41	33.01	Pass
Band2	5	18900	25	#0	QPSK	21.45	-3	18.45	33.01	Pass
Band2	5	18900	1	#0	QAM16	21.72	-3	18.72	33.01	Pass
Band2	5	18900	1	#Mid	QAM16	22.01	-3	19.01	33.01	Pass
Band2	5	18900	1	#Max	QAM16	21.59	-3	18.59	33.01	Pass
Band2	5	18900	12	#0	QAM16	20.42	-3	17.42	33.01	Pass
Band2	5	18900	12	#Mid	QAM16	20.46	-3	17.46	33.01	Pass
Band2	5	18900	12	#Max	QAM16	20.39	-3	17.39	33.01	Pass
Band2	5	18900	25	#0	QAM16	20.49	-3	17.49	33.01	Pass
Band2	5	19175	1	#0	QPSK	22.36	-3	19.36	33.01	Pass
Band2	5	19175	1	#Mid	QPSK	22.62	-3	19.62	33.01	Pass
Band2	5	19175	1	#Max	QPSK	22.36	-3	19.36	33.01	Pass
Band2	5	19175	12	#0	QPSK	21.48	-3	18.48	33.01	Pass
Band2	5	19175	12	#Mid	QPSK	21.47	-3	18.47	33.01	Pass
Band2	5	19175	12	#Max	QPSK	21.42	-3	18.42	33.01	Pass
Band2	5	19175	25	#0	QPSK	21.45	-3	18.45	33.01	Pass
Band2	5	19175	1	#0	QAM16	21.59	-3	18.59	33.01	Pass
Band2	5	19175	1	#Mid	QAM16	21.97	-3	18.97	33.01	Pass
Band2	5	19175	1	#Max	QAM16	21.62	-3	18.62	33.01	Pass
Band2	5	19175	12	#0	QAM16	20.51	-3	17.51	33.01	Pass
Band2	5	19175	12	#Mid	QAM16	20.51	-3	17.51	33.01	Pass
Band2	5	19175	12	#Max	QAM16	20.48	-3	17.48	33.01	Pass

Band2	5	19175	25	#0	QAM16	20.45	-3	17.45	33.01	Pass
Band2	10	18650	1	#0	QPSK	22.52	-3	19.52	33.01	Pass
Band2	10	18650	1	#Mid	QPSK	22.6	-3	19.60	33.01	Pass
Band2	10	18650	1	#Max	QPSK	22.5	-3	19.50	33.01	Pass
Band2	10	18650	25	#0	QPSK	21.62	-3	18.62	33.01	Pass
Band2	10	18650	25	#Mid	QPSK	21.58	-3	18.58	33.01	Pass
Band2	10	18650	25	#Max	QPSK	21.63	-3	18.63	33.01	Pass
Band2	10	18650	50	#0	QPSK	21.61	-3	18.61	33.01	Pass
Band2	10	18650	1	#0	QAM16	21.98	-3	18.98	33.01	Pass
Band2	10	18650	1	#Mid	QAM16	22.04	-3	19.04	33.01	Pass
Band2	10	18650	1	#Max	QAM16	21.95	-3	18.95	33.01	Pass
Band2	10	18650	25	#0	QAM16	20.69	-3	17.69	33.01	Pass
Band2	10	18650	25	#Mid	QAM16	20.66	-3	17.66	33.01	Pass
Band2	10	18650	25	#Max	QAM16	20.65	-3	17.65	33.01	Pass
Band2	10	18650	50	#0	QAM16	20.65	-3	17.65	33.01	Pass
Band2	10	18900	1	#0	QPSK	22.53	-3	19.53	33.01	Pass
Band2	10	18900	1	#Mid	QPSK	22.57	-3	19.57	33.01	Pass
Band2	10	18900	1	#Max	QPSK	22.39	-3	19.39	33.01	Pass
Band2	10	18900	25	#0	QPSK	21.59	-3	18.59	33.01	Pass
Band2	10	18900	25	#Mid	QPSK	21.51	-3	18.51	33.01	Pass
Band2	10	18900	25	#Max	QPSK	21.46	-3	18.46	33.01	Pass
Band2	10	18900	50	#0	QPSK	21.44	-3	18.44	33.01	Pass
Band2	10	18900	1	#0	QAM16	21.66	-3	18.66	33.01	Pass
Band2	10	18900	1	#Mid	QAM16	21.69	-3	18.69	33.01	Pass
Band2	10	18900	1	#Max	QAM16	21.51	-3	18.51	33.01	Pass
Band2	10	18900	25	#0	QAM16	20.59	-3	17.59	33.01	Pass
Band2	10	18900	25	#Mid	QAM16	20.51	-3	17.51	33.01	Pass
Band2	10	18900	25	#Max	QAM16	20.5	-3	17.50	33.01	Pass
Band2	10	18900	50	#0	QAM16	20.54	-3	17.54	33.01	Pass
Band2	10	19150	1	#0	QPSK	22.47	-3	19.47	33.01	Pass
Band2	10	19150	1	#Mid	QPSK	22.69	-3	19.69	33.01	Pass
Band2	10	19150	1	#Max	QPSK	22.6	-3	19.60	33.01	Pass
Band2	10	19150	25	#0	QPSK	21.48	-3	18.48	33.01	Pass
Band2	10	19150	25	#Mid	QPSK	21.43	-3	18.43	33.01	Pass
Band2	10	19150	25	#Max	QPSK	21.45	-3	18.45	33.01	Pass
Band2	10	19150	50	#0	QPSK	21.47	-3	18.47	33.01	Pass
Band2	10	19150	1	#0	QAM16	21.22	-3	18.22	33.01	Pass
Band2	10	19150	1	#Mid	QAM16	21.34	-3	18.34	33.01	Pass
Band2	10	19150	1	#Max	QAM16	21.29	-3	18.29	33.01	Pass
Band2	10	19150	25	#0	QAM16	20.56	-3	17.56	33.01	Pass
Band2	10	19150	25	#Mid	QAM16	20.46	-3	17.46	33.01	Pass
Band2	10	19150	25	#Max	QAM16	20.47	-3	17.47	33.01	Pass
Band2	10	19150	50	#0	QAM16	20.49	-3	17.49	33.01	Pass
Band2	15	18675	1	#0	QPSK	22.53	-3	19.53	33.01	Pass

Band2	15	18675	1	#Mid	QPSK	22.96	-3	19.96	33.01	Pass
Band2	15	18675	1	#Max	QPSK	22.55	-3	19.55	33.01	Pass
Band2	15	18675	36	#0	QPSK	21.61	-3	18.61	33.01	Pass
Band2	15	18675	36	#Mid	QPSK	21.59	-3	18.59	33.01	Pass
Band2	15	18675	36	#Max	QPSK	21.64	-3	18.64	33.01	Pass
Band2	15	18675	75	#0	QPSK	21.66	-3	18.66	33.01	Pass
Band2	15	18675	1	#0	QAM16	21.92	-3	18.92	33.01	Pass
Band2	15	18675	1	#Mid	QAM16	22.1	-3	19.10	33.01	Pass
Band2	15	18675	1	#Max	QAM16	21.87	-3	18.87	33.01	Pass
Band2	15	18675	36	#0	QAM16	20.64	-3	17.64	33.01	Pass
Band2	15	18675	36	#Mid	QAM16	20.63	-3	17.63	33.01	Pass
Band2	15	18675	36	#Max	QAM16	20.67	-3	17.67	33.01	Pass
Band2	15	18675	75	#0	QAM16	20.65	-3	17.65	33.01	Pass
Band2	15	18900	1	#0	QPSK	22.56	-3	19.56	33.01	Pass
Band2	15	18900	1	#Mid	QPSK	22.71	-3	19.71	33.01	Pass
Band2	15	18900	1	#Max	QPSK	22.24	-3	19.24	33.01	Pass
Band2	15	18900	36	#0	QPSK	21.6	-3	18.60	33.01	Pass
Band2	15	18900	36	#Mid	QPSK	21.55	-3	18.55	33.01	Pass
Band2	15	18900	36	#Max	QPSK	21.49	-3	18.49	33.01	Pass
Band2	15	18900	75	#0	QPSK	21.53	-3	18.53	33.01	Pass
Band2	15	18900	1	#0	QAM16	21.66	-3	18.66	33.01	Pass
Band2	15	18900	1	#Mid	QAM16	21.94	-3	18.94	33.01	Pass
Band2	15	18900	1	#Max	QAM16	21.33	-3	18.33	33.01	Pass
Band2	15	18900	36	#0	QAM16	20.65	-3	17.65	33.01	Pass
Band2	15	18900	36	#Mid	QAM16	20.59	-3	17.59	33.01	Pass
Band2	15	18900	36	#Max	QAM16	20.54	-3	17.54	33.01	Pass
Band2	15	18900	75	#0	QAM16	20.51	-3	17.51	33.01	Pass
Band2	15	19125	1	#0	QPSK	22.47	-3	19.47	33.01	Pass
Band2	15	19125	1	#Mid	QPSK	22.65	-3	19.65	33.01	Pass
Band2	15	19125	1	#Max	QPSK	22.55	-3	19.55	33.01	Pass
Band2	15	19125	36	#0	QPSK	21.45	-3	18.45	33.01	Pass
Band2	15	19125	36	#Mid	QPSK	21.53	-3	18.53	33.01	Pass
Band2	15	19125	36	#Max	QPSK	21.54	-3	18.54	33.01	Pass
Band2	15	19125	75	#0	QPSK	21.51	-3	18.51	33.01	Pass
Band2	15	19125	1	#0	QAM16	21.38	-3	18.38	33.01	Pass
Band2	15	19125	1	#Mid	QAM16	21.79	-3	18.79	33.01	Pass
Band2	15	19125	1	#Max	QAM16	21.46	-3	18.46	33.01	Pass
Band2	15	19125	36	#0	QAM16	20.42	-3	17.42	33.01	Pass
Band2	15	19125	36	#Mid	QAM16	20.44	-3	17.44	33.01	Pass
Band2	15	19125	36	#Max	QAM16	20.45	-3	17.45	33.01	Pass
Band2	15	19125	75	#0	QAM16	20.55	-3	17.55	33.01	Pass
Band2	20	18700	1	#0	QPSK	22.38	-3	19.38	33.01	Pass
Band2	20	18700	1	#Mid	QPSK	22.71	-3	19.71	33.01	Pass
Band2	20	18700	1	#Max	QPSK	22.36	-3	19.36	33.01	Pass

Band2	20	18700	50	#0	QPSK	21.56	-3	18.56	33.01	Pass
Band2	20	18700	50	#Mid	QPSK	21.6	-3	18.60	33.01	Pass
Band2	20	18700	50	#Max	QPSK	21.65	-3	18.65	33.01	Pass
Band2	20	18700	100	#0	QPSK	21.57	-3	18.57	33.01	Pass
Band2	20	18700	1	#0	QAM16	21.62	-3	18.62	33.01	Pass
Band2	20	18700	1	#Mid	QAM16	22.01	-3	19.01	33.01	Pass
Band2	20	18700	1	#Max	QAM16	21.61	-3	18.61	33.01	Pass
Band2	20	18700	50	#0	QAM16	20.66	-3	17.66	33.01	Pass
Band2	20	18700	50	#Mid	QAM16	20.71	-3	17.71	33.01	Pass
Band2	20	18700	50	#Max	QAM16	20.75	-3	17.75	33.01	Pass
Band2	20	18700	100	#0	QAM16	20.67	-3	17.67	33.01	Pass
Band2	20	18900	1	#0	QPSK	22.54	-3	19.54	33.01	Pass
Band2	20	18900	1	#Mid	QPSK	22.75	-3	19.75	33.01	Pass
Band2	20	18900	1	#Max	QPSK	22.16	-3	19.16	33.01	Pass
Band2	20	18900	50	#0	QPSK	21.54	-3	18.54	33.01	Pass
Band2	20	18900	50	#Mid	QPSK	21.45	-3	18.45	33.01	Pass
Band2	20	18900	50	#Max	QPSK	21.35	-3	18.35	33.01	Pass
Band2	20	18900	100	#0	QPSK	21.45	-3	18.45	33.01	Pass
Band2	20	18900	1	#0	QAM16	21.64	-3	18.64	33.01	Pass
Band2	20	18900	1	#Mid	QAM16	21.77	-3	18.77	33.01	Pass
Band2	20	18900	1	#Max	QAM16	21.29	-3	18.29	33.01	Pass
Band2	20	18900	50	#0	QAM16	20.57	-3	17.57	33.01	Pass
Band2	20	18900	50	#Mid	QAM16	20.48	-3	17.48	33.01	Pass
Band2	20	18900	50	#Max	QAM16	20.39	-3	17.39	33.01	Pass
Band2	20	18900	100	#0	QAM16	20.46	-3	17.46	33.01	Pass
Band2	20	19100	1	#0	QPSK	22.23	-3	19.23	33.01	Pass
Band2	20	19100	1	#Mid	QPSK	22.56	-3	19.56	33.01	Pass
Band2	20	19100	1	#Max	QPSK	22.33	-3	19.33	33.01	Pass
Band2	20	19100	50	#0	QPSK	21.33	-3	18.33	33.01	Pass
Band2	20	19100	50	#Mid	QPSK	21.38	-3	18.38	33.01	Pass
Band2	20	19100	50	#Max	QPSK	21.31	-3	18.31	33.01	Pass
Band2	20	19100	100	#0	QPSK	21.31	-3	18.31	33.01	Pass
Band2	20	19100	1	#0	QAM16	21.39	-3	18.39	33.01	Pass
Band2	20	19100	1	#Mid	QAM16	21.66	-3	18.66	33.01	Pass
Band2	20	19100	1	#Max	QAM16	21.46	-3	18.46	33.01	Pass
Band2	20	19100	50	#0	QAM16	20.4	-3	17.40	33.01	Pass
Band2	20	19100	50	#Mid	QAM16	20.46	-3	17.46	33.01	Pass
Band2	20	19100	50	#Max	QAM16	20.41	-3	17.41	33.01	Pass
Band2	20	19100	100	#0	QAM16	20.39	-3	17.39	33.01	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band2	20	18700	100	#0	QPSK	-3.50	-0.002	-2.5	2.5	PASS
Band2	20	18700	100	#0	QAM16	-4.53	-0.002	-2.5	2.5	PASS
Band2	20	18900	100	#0	QPSK	-10.87	-0.006	-2.5	2.5	PASS
Band2	20	18900	100	#0	QAM16	-8.59	-0.005	-2.5	2.5	PASS
Band2	20	19100	100	#0	QPSK	-6.27	-0.003	-2.5	2.5	PASS
Band2	20	19100	100	#0	QAM16	-7.06	-0.004	-2.5	2.5	PASS

Note: (Voltage: 3.85V, Temperature: 25°C) only reflect the worst mode.



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18900	1	#0	QPSK	4.32	13	PASS
Band2	1.4	18900	1	#0	QAM16	5.30	13	PASS
Band2	3	18900	1	#0	QPSK	4.25	13	PASS
Band2	3	18900	1	#0	QAM16	5.24	13	PASS
Band2	5	18900	1	#0	QPSK	4.50	13	PASS
Band2	5	18900	1	#0	QAM16	5.16	13	PASS
Band2	10	18900	1	#0	QPSK	4.32	13	PASS
Band2	10	18900	1	#0	QAM16	5.31	13	PASS
Band2	15	18900	1	#0	QPSK	4.40	13	PASS
Band2	15	18900	1	#0	QAM16	5.19	13	PASS
Band2	20	18900	1	#0	QPSK	4.47	13	PASS
Band2	20	18900	1	#0	QAM16	5.10	13	PASS



Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0







Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0


**Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0****Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0**

**Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0****Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0**

**Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0****Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0**

**Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0****Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0**



**Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0****Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0**




4 Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18607	6	#0	QPSK	1.087	1.295	PASS
Band2	1.4	18607	6	#0	QAM16	1.099	1.295	PASS
Band2	1.4	18900	6	#0	QPSK	1.094	1.291	PASS
Band2	1.4	18900	6	#0	QAM16	1.090	1.279	PASS
Band2	1.4	19193	6	#0	QPSK	1.097	1.289	PASS
Band2	1.4	19193	6	#0	QAM16	1.093	1.277	PASS
Band2	3	18615	15	#0	QPSK	2.691	2.947	PASS
Band2	3	18615	15	#0	QAM16	2.677	2.917	PASS
Band2	3	18900	15	#0	QPSK	2.687	2.911	PASS
Band2	3	18900	15	#0	QAM16	2.687	3.009	PASS
Band2	3	19185	15	#0	QPSK	2.700	2.916	PASS
Band2	3	19185	15	#0	QAM16	2.686	2.921	PASS
Band2	5	18625	25	#0	QPSK	4.517	4.935	PASS
Band2	5	18625	25	#0	QAM16	4.507	4.916	PASS
Band2	5	18900	25	#0	QPSK	4.529	4.897	PASS
Band2	5	18900	25	#0	QAM16	4.500	4.895	PASS
Band2	5	19175	25	#0	QPSK	4.504	4.870	PASS
Band2	5	19175	25	#0	QAM16	4.510	4.901	PASS
Band2	10	18650	50	#0	QPSK	8.978	9.660	PASS
Band2	10	18650	50	#0	QAM16	8.985	9.717	PASS
Band2	10	18900	50	#0	QPSK	8.977	9.713	PASS
Band2	10	18900	50	#0	QAM16	8.997	9.741	PASS
Band2	10	19150	50	#0	QPSK	8.978	9.689	PASS
Band2	10	19150	50	#0	QAM16	8.990	9.732	PASS
Band2	15	18675	75	#0	QPSK	13.475	14.526	PASS
Band2	15	18675	75	#0	QAM16	13.457	14.525	PASS
Band2	15	18900	75	#0	QPSK	13.459	14.564	PASS
Band2	15	18900	75	#0	QAM16	13.444	14.522	PASS
Band2	15	19125	75	#0	QPSK	13.504	14.532	PASS
Band2	15	19125	75	#0	QAM16	13.467	14.495	PASS
Band2	20	18700	100	#0	QPSK	17.961	19.299	PASS
Band2	20	18700	100	#0	QAM16	17.964	19.259	PASS
Band2	20	18900	100	#0	QPSK	17.908	19.353	PASS
Band2	20	18900	100	#0	QAM16	17.967	19.251	PASS
Band2	20	19100	100	#0	QPSK	17.953	19.208	PASS
Band2	20	19100	100	#0	QAM16	17.975	19.224	PASS

Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0



**Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0****Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0**






Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0

**Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0****Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0**



**Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0****Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0**




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0



**Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0****Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0**







Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0







Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0



**Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0****Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0**



**Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0****Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0**



**Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0****Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0**


**Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0****Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0**

**Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0****Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0**


**Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0****Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0**

**Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0****Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0**



**Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0****Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0**





Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0



Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0


**Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0****Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0**

**Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0**


5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band2	1.4	18607	6	#0	QPSK	1850.00	-30.86	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1850.00	-32.09	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.01	-29.68	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.00	-30.72	-13	PASS
Band2	3	18615	15	#0	QPSK	1850.00	-32.52	-13	PASS
Band2	3	18615	15	#0	QAM16	1850.00	-34.09	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.02	-31.00	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.01	-32.54	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-31.73	-13	PASS
Band2	5	18625	25	#0	QAM16	1849.97	-32.63	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.05	-30.36	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.01	-31.21	-13	PASS
Band2	10	18650	50	#0	QPSK	1850.00	-32.60	-13	PASS
Band2	10	18650	50	#0	QAM16	1850.00	-33.83	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.00	-31.84	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.10	-33.59	-13	PASS
Band2	15	18675	75	#0	QPSK	1850.00	-33.24	-13	PASS
Band2	15	18675	75	#0	QAM16	1849.97	-33.54	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.00	-30.03	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.00	-33.86	-13	PASS
Band2	20	18700	100	#0	QPSK	1850.00	-34.14	-13	PASS
Band2	20	18700	100	#0	QAM16	1849.56	-34.99	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.00	-33.73	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.68	-35.25	-13	PASS


Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0





Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0







6 Out-of-band emissions



<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band2	1.4	18607	6	#0	QPSK	18906.55	-36.30	-13	PASS
Band2	1.4	18607	6	#0	QAM16	19388.20	-36.67	-13	PASS
Band2	1.4	19193	6	#0	QPSK	3818.18	-36.16	-13	PASS
Band2	1.4	19193	6	#0	QAM16	3818.18	-35.71	-13	PASS
Band2	3	18615	15	#0	QPSK	19092.28	-35.54	-13	PASS
Band2	3	18615	15	#0	QAM16	19071.85	-36.04	-13	PASS
Band2	3	19185	15	#0	QPSK	19797.18	-36.04	-13	PASS
Band2	3	19185	15	#0	QAM16	18829.13	-36.37	-13	PASS
Band2	5	18625	25	#0	QPSK	19214.83	-36.65	-13	PASS
Band2	5	18625	25	#0	QAM16	19301.75	-36.13	-13	PASS
Band2	5	19175	25	#0	QPSK	18764.53	-36.54	-13	PASS
Band2	5	19175	25	#0	QAM16	2450.18	-35.53	-13	PASS
Band2	10	18650	50	#0	QPSK	19531.18	-36.08	-13	PASS
Band2	10	18650	50	#0	QAM16	18814.40	-36.35	-13	PASS
Band2	10	19150	50	#0	QPSK	19082.78	-36.78	-13	PASS
Band2	10	19150	50	#0	QAM16	19040.98	-36.54	-13	PASS
Band2	15	18675	75	#0	QPSK	19530.70	-35.78	-13	PASS
Band2	15	18675	75	#0	QAM16	18949.30	-36.15	-13	PASS
Band2	15	19125	75	#0	QPSK	19134.08	-35.79	-13	PASS
Band2	15	19125	75	#0	QAM16	18822.95	-37.31	-13	PASS
Band2	20	18700	100	#0	QPSK	18912.73	-36.65	-13	PASS
Band2	20	18700	100	#0	QAM16	19090.85	-36.59	-13	PASS
Band2	20	19100	100	#0	QPSK	19685.08	-35.90	-13	PASS
Band2	20	19100	100	#0	QAM16	19395.33	-37.06	-13	PASS



Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0



**Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0****Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0**



**Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0****Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0**



**Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0****Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0**



**Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0****Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0**



**Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0****Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0**



**Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0****Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0**


**Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0****Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0**

**Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0****Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0**

**Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0****Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0**

**Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0****Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0**

**Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0****Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0**



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0

