

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	8
3 Peak-to-Average Ratio	9
4 Occupied bandwidth	16
5 Band edge	35
6 Out-of-band emissions	48

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band66	1.4	131979	1	#0	QPSK	20.81	-0.93	19.88	30.00	Pass
Band66	1.4	131979	1	#Mid	QPSK	20.86	-0.93	19.93	30.00	Pass
Band66	1.4	131979	1	#Max	QPSK	20.72	-0.93	19.79	30.00	Pass
Band66	1.4	131979	3	#0	QPSK	20.82	-0.93	19.89	30.00	Pass
Band66	1.4	131979	3	#Mid	QPSK	20.82	-0.93	19.89	30.00	Pass
Band66	1.4	131979	3	#Max	QPSK	20.85	-0.93	19.92	30.00	Pass
Band66	1.4	131979	6	#0	QPSK	20.05	-0.93	19.12	30.00	Pass
Band66	1.4	131979	1	#0	QAM16	20.04	-0.93	19.11	30.00	Pass
Band66	1.4	131979	1	#Mid	QAM16	20.11	-0.93	19.18	30.00	Pass
Band66	1.4	131979	1	#Max	QAM16	20.09	-0.93	19.16	30.00	Pass
Band66	1.4	131979	3	#0	QAM16	20.16	-0.93	19.23	30.00	Pass
Band66	1.4	131979	3	#Mid	QAM16	20.13	-0.93	19.20	30.00	Pass
Band66	1.4	131979	3	#Max	QAM16	20.1	-0.93	19.17	30.00	Pass
Band66	1.4	131979	6	#0	QAM16	19.19	-0.93	18.26	30.00	Pass
Band66	1.4	132322	1	#0	QPSK	20.83	-0.93	19.90	30.00	Pass
Band66	1.4	132322	1	#Mid	QPSK	20.94	-0.93	20.01	30.00	Pass
Band66	1.4	132322	1	#Max	QPSK	20.83	-0.93	19.90	30.00	Pass
Band66	1.4	132322	3	#0	QPSK	20.98	-0.93	20.05	30.00	Pass
Band66	1.4	132322	3	#Mid	QPSK	20.93	-0.93	20.00	30.00	Pass
Band66	1.4	132322	3	#Max	QPSK	20.93	-0.93	20.00	30.00	Pass
Band66	1.4	132322	6	#0	QPSK	20.03	-0.93	19.10	30.00	Pass
Band66	1.4	132322	1	#0	QAM16	19.91	-0.93	18.98	30.00	Pass
Band66	1.4	132322	1	#Mid	QAM16	19.89	-0.93	18.96	30.00	Pass
Band66	1.4	132322	1	#Max	QAM16	19.93	-0.93	19.00	30.00	Pass
Band66	1.4	132322	3	#0	QAM16	20.22	-0.93	19.29	30.00	Pass
Band66	1.4	132322	3	#Mid	QAM16	20.25	-0.93	19.32	30.00	Pass
Band66	1.4	132322	3	#Max	QAM16	20.25	-0.93	19.32	30.00	Pass
Band66	1.4	132322	6	#0	QAM16	19.22	-0.93	18.29	30.00	Pass
Band66	1.4	132665	1	#0	QPSK	20.73	-0.93	19.80	30.00	Pass
Band66	1.4	132665	1	#Mid	QPSK	20.75	-0.93	19.82	30.00	Pass
Band66	1.4	132665	1	#Max	QPSK	20.75	-0.93	19.82	30.00	Pass
Band66	1.4	132665	3	#0	QPSK	20.88	-0.93	19.95	30.00	Pass
Band66	1.4	132665	3	#Mid	QPSK	20.88	-0.93	19.95	30.00	Pass
Band66	1.4	132665	3	#Max	QPSK	20.92	-0.93	19.99	30.00	Pass
Band66	1.4	132665	6	#0	QPSK	20.08	-0.93	19.15	30.00	Pass
Band66	1.4	132665	1	#0	QAM16	19.95	-0.93	19.02	30.00	Pass
Band66	1.4	132665	1	#Mid	QAM16	19.99	-0.93	19.06	30.00	Pass

Band66	1.4	132665	1	#Max	QAM16	19.93	-0.93	19.00	30.00	Pass
Band66	1.4	132665	3	#0	QAM16	20.14	-0.93	19.21	30.00	Pass
Band66	1.4	132665	3	#Mid	QAM16	20.08	-0.93	19.15	30.00	Pass
Band66	1.4	132665	3	#Max	QAM16	20.15	-0.93	19.22	30.00	Pass
Band66	1.4	132665	6	#0	QAM16	19.23	-0.93	18.30	30.00	Pass
Band66	3	131987	1	#0	QPSK	20.8	-0.93	19.87	30.00	Pass
Band66	3	131987	1	#Mid	QPSK	20.69	-0.93	19.76	30.00	Pass
Band66	3	131987	1	#Max	QPSK	20.74	-0.93	19.81	30.00	Pass
Band66	3	131987	8	#0	QPSK	20.07	-0.93	19.14	30.00	Pass
Band66	3	131987	8	#Mid	QPSK	20.16	-0.93	19.23	30.00	Pass
Band66	3	131987	8	#Max	QPSK	20.08	-0.93	19.15	30.00	Pass
Band66	3	131987	15	#0	QPSK	20.03	-0.93	19.10	30.00	Pass
Band66	3	131987	1	#0	QAM16	20.39	-0.93	19.46	30.00	Pass
Band66	3	131987	1	#Mid	QAM16	20.3	-0.93	19.37	30.00	Pass
Band66	3	131987	1	#Max	QAM16	20.37	-0.93	19.44	30.00	Pass
Band66	3	131987	8	#0	QAM16	19.06	-0.93	18.13	30.00	Pass
Band66	3	131987	8	#Mid	QAM16	19.09	-0.93	18.16	30.00	Pass
Band66	3	131987	8	#Max	QAM16	19.03	-0.93	18.10	30.00	Pass
Band66	3	131987	15	#0	QAM16	19	-0.93	18.07	30.00	Pass
Band66	3	132322	1	#0	QPSK	20.88	-0.93	19.95	30.00	Pass
Band66	3	132322	1	#Mid	QPSK	20.77	-0.93	19.84	30.00	Pass
Band66	3	132322	1	#Max	QPSK	20.83	-0.93	19.90	30.00	Pass
Band66	3	132322	8	#0	QPSK	20.07	-0.93	19.14	30.00	Pass
Band66	3	132322	8	#Mid	QPSK	20.16	-0.93	19.23	30.00	Pass
Band66	3	132322	8	#Max	QPSK	20.11	-0.93	19.18	30.00	Pass
Band66	3	132322	15	#0	QPSK	20.07	-0.93	19.14	30.00	Pass
Band66	3	132322	1	#0	QAM16	20.22	-0.93	19.29	30.00	Pass
Band66	3	132322	1	#Mid	QAM16	20.1	-0.93	19.17	30.00	Pass
Band66	3	132322	1	#Max	QAM16	20.16	-0.93	19.23	30.00	Pass
Band66	3	132322	8	#0	QAM16	19.07	-0.93	18.14	30.00	Pass
Band66	3	132322	8	#Mid	QAM16	19.16	-0.93	18.23	30.00	Pass
Band66	3	132322	8	#Max	QAM16	19.02	-0.93	18.09	30.00	Pass
Band66	3	132322	15	#0	QAM16	19.01	-0.93	18.08	30.00	Pass
Band66	3	132657	1	#0	QPSK	20.93	-0.93	20.00	30.00	Pass
Band66	3	132657	1	#Mid	QPSK	20.84	-0.93	19.91	30.00	Pass
Band66	3	132657	1	#Max	QPSK	20.98	-0.93	20.05	30.00	Pass
Band66	3	132657	8	#0	QPSK	20.15	-0.93	19.22	30.00	Pass
Band66	3	132657	8	#Mid	QPSK	20.16	-0.93	19.23	30.00	Pass
Band66	3	132657	8	#Max	QPSK	19.96	-0.93	19.03	30.00	Pass
Band66	3	132657	15	#0	QPSK	19.81	-0.93	18.88	30.00	Pass
Band66	3	132657	1	#0	QAM16	19.69	-0.93	18.76	30.00	Pass
Band66	3	132657	1	#Mid	QAM16	19.43	-0.93	18.50	30.00	Pass
Band66	3	132657	1	#Max	QAM16	19.38	-0.93	18.45	30.00	Pass
Band66	3	132657	8	#0	QAM16	18.83	-0.93	17.90	30.00	Pass

Band66	3	132657	8	#Mid	QAM16	18.85	-0.93	17.92	30.00	Pass
Band66	3	132657	8	#Max	QAM16	18.88	-0.93	17.95	30.00	Pass
Band66	3	132657	15	#0	QAM16	19.08	-0.93	18.15	30.00	Pass
Band66	5	131997	1	#0	QPSK	21.22	-0.93	20.29	30.00	Pass
Band66	5	131997	1	#Mid	QPSK	20.99	-0.93	20.06	30.00	Pass
Band66	5	131997	1	#Max	QPSK	21.16	-0.93	20.23	30.00	Pass
Band66	5	131997	12	#0	QPSK	20.12	-0.93	19.19	30.00	Pass
Band66	5	131997	12	#Mid	QPSK	20.11	-0.93	19.18	30.00	Pass
Band66	5	131997	12	#Max	QPSK	20.05	-0.93	19.12	30.00	Pass
Band66	5	131997	25	#0	QPSK	19.77	-0.93	18.84	30.00	Pass
Band66	5	131997	1	#0	QAM16	20.7	-0.93	19.77	30.00	Pass
Band66	5	131997	1	#Mid	QAM16	20.48	-0.93	19.55	30.00	Pass
Band66	5	131997	1	#Max	QAM16	20.81	-0.93	19.88	30.00	Pass
Band66	5	131997	12	#0	QAM16	18.9	-0.93	17.97	30.00	Pass
Band66	5	131997	12	#Mid	QAM16	18.8	-0.93	17.87	30.00	Pass
Band66	5	131997	12	#Max	QAM16	18.87	-0.93	17.94	30.00	Pass
Band66	5	131997	25	#0	QAM16	18.83	-0.93	17.90	30.00	Pass
Band66	5	132322	1	#0	QPSK	21.08	-0.93	20.15	30.00	Pass
Band66	5	132322	1	#Mid	QPSK	20.93	-0.93	20.00	30.00	Pass
Band66	5	132322	1	#Max	QPSK	21.07	-0.93	20.14	30.00	Pass
Band66	5	132322	12	#0	QPSK	20.14	-0.93	19.21	30.00	Pass
Band66	5	132322	12	#Mid	QPSK	20.11	-0.93	19.18	30.00	Pass
Band66	5	132322	12	#Max	QPSK	20.2	-0.93	19.27	30.00	Pass
Band66	5	132322	25	#0	QPSK	19.95	-0.93	19.02	30.00	Pass
Band66	5	132322	1	#0	QAM16	20.54	-0.93	19.61	30.00	Pass
Band66	5	132322	1	#Mid	QAM16	20.35	-0.93	19.42	30.00	Pass
Band66	5	132322	1	#Max	QAM16	20.58	-0.93	19.65	30.00	Pass
Band66	5	132322	12	#0	QAM16	18.91	-0.93	17.98	30.00	Pass
Band66	5	132322	12	#Mid	QAM16	19.06	-0.93	18.13	30.00	Pass
Band66	5	132322	12	#Max	QAM16	19	-0.93	18.07	30.00	Pass
Band66	5	132322	25	#0	QAM16	19.09	-0.93	18.16	30.00	Pass
Band66	5	132647	1	#0	QPSK	21.27	-0.93	20.34	30.00	Pass
Band66	5	132647	1	#Mid	QPSK	21.08	-0.93	20.15	30.00	Pass
Band66	5	132647	1	#Max	QPSK	21.29	-0.93	20.36	30.00	Pass
Band66	5	132647	12	#0	QPSK	20.05	-0.93	19.12	30.00	Pass
Band66	5	132647	12	#Mid	QPSK	19.97	-0.93	19.04	30.00	Pass
Band66	5	132647	12	#Max	QPSK	19.98	-0.93	19.05	30.00	Pass
Band66	5	132647	25	#0	QPSK	19.87	-0.93	18.94	30.00	Pass
Band66	5	132647	1	#0	QAM16	20.73	-0.93	19.80	30.00	Pass
Band66	5	132647	1	#Mid	QAM16	20.53	-0.93	19.60	30.00	Pass
Band66	5	132647	1	#Max	QAM16	20.51	-0.93	19.58	30.00	Pass
Band66	5	132647	12	#0	QAM16	18.76	-0.93	17.83	30.00	Pass
Band66	5	132647	12	#Mid	QAM16	18.9	-0.93	17.97	30.00	Pass
Band66	5	132647	12	#Max	QAM16	0	-0.93	-0.93	30.00	Pass

Band66	5	132647	25	#0	QAM16	0	-0.93	-0.93	30.00	Pass
Band66	10	132022	1	#0	QPSK	21.27	-0.93	20.34	30.00	Pass
Band66	10	132022	1	#Mid	QPSK	21.29	-0.93	20.36	30.00	Pass
Band66	10	132022	1	#Max	QPSK	21.28	-0.93	20.35	30.00	Pass
Band66	10	132022	25	#0	QPSK	20.2	-0.93	19.27	30.00	Pass
Band66	10	132022	25	#Mid	QPSK	20.27	-0.93	19.34	30.00	Pass
Band66	10	132022	25	#Max	QPSK	20.26	-0.93	19.33	30.00	Pass
Band66	10	132022	50	#0	QPSK	20.17	-0.93	19.24	30.00	Pass
Band66	10	132022	1	#0	QAM16	20.17	-0.93	19.24	30.00	Pass
Band66	10	132022	1	#Mid	QAM16	20.17	-0.93	19.24	30.00	Pass
Band66	10	132022	1	#Max	QAM16	20.16	-0.93	19.23	30.00	Pass
Band66	10	132022	25	#0	QAM16	19.07	-0.93	18.14	30.00	Pass
Band66	10	132022	25	#Mid	QAM16	19.13	-0.93	18.20	30.00	Pass
Band66	10	132022	25	#Max	QAM16	19.09	-0.93	18.16	30.00	Pass
Band66	10	132022	50	#0	QAM16	18.93	-0.93	18.00	30.00	Pass
Band66	10	132322	1	#0	QPSK	21.17	-0.93	20.24	30.00	Pass
Band66	10	132322	1	#Mid	QPSK	21.07	-0.93	20.14	30.00	Pass
Band66	10	132322	1	#Max	QPSK	21.24	-0.93	20.31	30.00	Pass
Band66	10	132322	25	#0	QPSK	20.14	-0.93	19.21	30.00	Pass
Band66	10	132322	25	#Mid	QPSK	20.3	-0.93	19.37	30.00	Pass
Band66	10	132322	25	#Max	QPSK	20.09	-0.93	19.16	30.00	Pass
Band66	10	132322	50	#0	QPSK	20.21	-0.93	19.28	30.00	Pass
Band66	10	132322	1	#0	QAM16	20.83	-0.93	19.90	30.00	Pass
Band66	10	132322	1	#Mid	QAM16	20.81	-0.93	19.88	30.00	Pass
Band66	10	132322	1	#Max	QAM16	20.8	-0.93	19.87	30.00	Pass
Band66	10	132322	25	#0	QAM16	19.2	-0.93	18.27	30.00	Pass
Band66	10	132322	25	#Mid	QAM16	19.25	-0.93	18.32	30.00	Pass
Band66	10	132322	25	#Max	QAM16	19.16	-0.93	18.23	30.00	Pass
Band66	10	132322	50	#0	QAM16	19.22	-0.93	18.29	30.00	Pass
Band66	10	132622	1	#0	QPSK	21.22	-0.93	20.29	30.00	Pass
Band66	10	132622	1	#Mid	QPSK	21.01	-0.93	20.08	30.00	Pass
Band66	10	132622	1	#Max	QPSK	21.25	-0.93	20.32	30.00	Pass
Band66	10	132622	25	#0	QPSK	19.98	-0.93	19.05	30.00	Pass
Band66	10	132622	25	#Mid	QPSK	20.05	-0.93	19.12	30.00	Pass
Band66	10	132622	25	#Max	QPSK	19.8	-0.93	18.87	30.00	Pass
Band66	10	132622	50	#0	QPSK	19.88	-0.93	18.95	30.00	Pass
Band66	10	132622	1	#0	QAM16	20.08	-0.93	19.15	30.00	Pass
Band66	10	132622	1	#Mid	QAM16	19.96	-0.93	19.03	30.00	Pass
Band66	10	132622	1	#Max	QAM16	20.19	-0.93	19.26	30.00	Pass
Band66	10	132622	25	#0	QAM16	18.83	-0.93	17.90	30.00	Pass
Band66	10	132622	25	#Mid	QAM16	18.73	-0.93	17.80	30.00	Pass
Band66	10	132622	25	#Max	QAM16	18.74	-0.93	17.81	30.00	Pass
Band66	10	132622	50	#0	QAM16	18.72	-0.93	17.79	30.00	Pass
Band66	15	132047	1	#0	QPSK	21.26	-0.93	20.33	30.00	Pass

Band66	15	132047	1	#Mid	QPSK	21.05	-0.93	20.12	30.00	Pass
Band66	15	132047	1	#Max	QPSK	21.04	-0.93	20.11	30.00	Pass
Band66	15	132047	36	#0	QPSK	19.89	-0.93	18.96	30.00	Pass
Band66	15	132047	36	#Mid	QPSK	19.83	-0.93	18.90	30.00	Pass
Band66	15	132047	36	#Max	QPSK	19.82	-0.93	18.89	30.00	Pass
Band66	15	132047	75	#0	QPSK	19.84	-0.93	18.91	30.00	Pass
Band66	15	132047	1	#0	QAM16	20.35	-0.93	19.42	30.00	Pass
Band66	15	132047	1	#Mid	QAM16	20.36	-0.93	19.43	30.00	Pass
Band66	15	132047	1	#Max	QAM16	20.29	-0.93	19.36	30.00	Pass
Band66	15	132047	36	#0	QAM16	18.8	-0.93	17.87	30.00	Pass
Band66	15	132047	36	#Mid	QAM16	18.79	-0.93	17.86	30.00	Pass
Band66	15	132047	36	#Max	QAM16	18.82	-0.93	17.89	30.00	Pass
Band66	15	132047	75	#0	QAM16	18.75	-0.93	17.82	30.00	Pass
Band66	15	132322	1	#0	QPSK	20.89	-0.93	19.96	30.00	Pass
Band66	15	132322	1	#Mid	QPSK	20.76	-0.93	19.83	30.00	Pass
Band66	15	132322	1	#Max	QPSK	20.85	-0.93	19.92	30.00	Pass
Band66	15	132322	36	#0	QPSK	19.97	-0.93	19.04	30.00	Pass
Band66	15	132322	36	#Mid	QPSK	19.95	-0.93	19.02	30.00	Pass
Band66	15	132322	36	#Max	QPSK	19.89	-0.93	18.96	30.00	Pass
Band66	15	132322	75	#0	QPSK	19.84	-0.93	18.91	30.00	Pass
Band66	15	132322	1	#0	QAM16	20.1	-0.93	19.17	30.00	Pass
Band66	15	132322	1	#Mid	QAM16	20.17	-0.93	19.24	30.00	Pass
Band66	15	132322	1	#Max	QAM16	20.06	-0.93	19.13	30.00	Pass
Band66	15	132322	36	#0	QAM16	19.04	-0.93	18.11	30.00	Pass
Band66	15	132322	36	#Mid	QAM16	19.05	-0.93	18.12	30.00	Pass
Band66	15	132322	36	#Max	QAM16	18.91	-0.93	17.98	30.00	Pass
Band66	15	132322	75	#0	QAM16	19.04	-0.93	18.11	30.00	Pass
Band66	15	132597	1	#0	QPSK	20.79	-0.93	19.86	30.00	Pass
Band66	15	132597	1	#Mid	QPSK	20.86	-0.93	19.93	30.00	Pass
Band66	15	132597	1	#Max	QPSK	20.75	-0.93	19.82	30.00	Pass
Band66	15	132597	36	#0	QPSK	19.78	-0.93	18.85	30.00	Pass
Band66	15	132597	36	#Mid	QPSK	19.81	-0.93	18.88	30.00	Pass
Band66	15	132597	36	#Max	QPSK	19.81	-0.93	18.88	30.00	Pass
Band66	15	132597	75	#0	QPSK	19.78	-0.93	18.85	30.00	Pass
Band66	15	132597	1	#0	QAM16	19.82	-0.93	18.89	30.00	Pass
Band66	15	132597	1	#Mid	QAM16	19.9	-0.93	18.97	30.00	Pass
Band66	15	132597	1	#Max	QAM16	19.85	-0.93	18.92	30.00	Pass
Band66	15	132597	36	#0	QAM16	18.64	-0.93	17.71	30.00	Pass
Band66	15	132597	36	#Mid	QAM16	18.74	-0.93	17.81	30.00	Pass
Band66	15	132597	36	#Max	QAM16	18.67	-0.93	17.74	30.00	Pass
Band66	15	132597	75	#0	QAM16	18.76	-0.93	17.83	30.00	Pass
Band66	20	132072	1	#0	QPSK	21.16	-0.93	20.23	30.00	Pass
Band66	20	132072	1	#Mid	QPSK	21.25	-0.93	20.32	30.00	Pass
Band66	20	132072	1	#Max	QPSK	21.15	-0.93	20.22	30.00	Pass

Band66	20	132072	50	#0	QPSK	20.18	-0.93	19.25	30.00	Pass
Band66	20	132072	50	#Mid	QPSK	20.26	-0.93	19.33	30.00	Pass
Band66	20	132072	50	#Max	QPSK	20.22	-0.93	19.29	30.00	Pass
Band66	20	132072	100	#0	QPSK	20.23	-0.93	19.30	30.00	Pass
Band66	20	132072	1	#0	QAM16	20.58	-0.93	19.65	30.00	Pass
Band66	20	132072	1	#Mid	QAM16	20.63	-0.93	19.70	30.00	Pass
Band66	20	132072	1	#Max	QAM16	20.55	-0.93	19.62	30.00	Pass
Band66	20	132072	50	#0	QAM16	19.11	-0.93	18.18	30.00	Pass
Band66	20	132072	50	#Mid	QAM16	19.17	-0.93	18.24	30.00	Pass
Band66	20	132072	50	#Max	QAM16	19.16	-0.93	18.23	30.00	Pass
Band66	20	132072	100	#0	QAM16	19.15	-0.93	18.22	30.00	Pass
Band66	20	132322	1	#0	QPSK	21.21	-0.93	20.28	30.00	Pass
Band66	20	132322	1	#Mid	QPSK	21.2	-0.93	20.27	30.00	Pass
Band66	20	132322	1	#Max	QPSK	21.05	-0.93	20.12	30.00	Pass
Band66	20	132322	50	#0	QPSK	20.22	-0.93	19.29	30.00	Pass
Band66	20	132322	50	#Mid	QPSK	20.26	-0.93	19.33	30.00	Pass
Band66	20	132322	50	#Max	QPSK	20.12	-0.93	19.19	30.00	Pass
Band66	20	132322	100	#0	QPSK	20.12	-0.93	19.19	30.00	Pass
Band66	20	132322	1	#0	QAM16	20.46	-0.93	19.53	30.00	Pass
Band66	20	132322	1	#Mid	QAM16	20.61	-0.93	19.68	30.00	Pass
Band66	20	132322	1	#Max	QAM16	20.39	-0.93	19.46	30.00	Pass
Band66	20	132322	50	#0	QAM16	19.09	-0.93	18.16	30.00	Pass
Band66	20	132322	50	#Mid	QAM16	19.19	-0.93	18.26	30.00	Pass
Band66	20	132322	50	#Max	QAM16	19.15	-0.93	18.22	30.00	Pass
Band66	20	132322	100	#0	QAM16	18.98	-0.93	18.05	30.00	Pass
Band66	20	132572	1	#0	QPSK	21.19	-0.93	20.26	30.00	Pass
Band66	20	132572	1	#Mid	QPSK	21.03	-0.93	20.10	30.00	Pass
Band66	20	132572	1	#Max	QPSK	21.07	-0.93	20.14	30.00	Pass
Band66	20	132572	50	#0	QPSK	19.75	-0.93	18.82	30.00	Pass
Band66	20	132572	50	#Mid	QPSK	19.82	-0.93	18.89	30.00	Pass
Band66	20	132572	50	#Max	QPSK	19.72	-0.93	18.79	30.00	Pass
Band66	20	132572	100	#0	QPSK	19.7	-0.93	18.77	30.00	Pass
Band66	20	132572	1	#0	QAM16	20.06	-0.93	19.13	30.00	Pass
Band66	20	132572	1	#Mid	QAM16	20.12	-0.93	19.19	30.00	Pass
Band66	20	132572	1	#Max	QAM16	20.05	-0.93	19.12	30.00	Pass
Band66	20	132572	50	#0	QAM16	18.66	-0.93	17.73	30.00	Pass
Band66	20	132572	50	#Mid	QAM16	18.77	-0.93	17.84	30.00	Pass
Band66	20	132572	50	#Max	QAM16	18.6	-0.93	17.67	30.00	Pass
Band66	20	132572	100	#0	QAM16	18.64	-0.93	17.71	30.00	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band66	20	132072	100	#0	QPSK	1.60	0.00093	-2.5	2.5	PASS
Band66	20	132072	100	#0	QAM16	0.75	0.00044	-2.5	2.5	PASS
Band66	20	132322	100	#0	QPSK	-1.95	-0.00112	-2.5	2.5	PASS
Band66	20	132322	100	#0	QAM16	3.24	0.00186	-2.5	2.5	PASS
Band66	20	132572	100	#0	QPSK	-5.36	-0.00303	-2.5	2.5	PASS
Band66	20	132572	100	#0	QAM16	-4.66	-0.00263	-2.5	2.5	PASS

Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band66	1.4	132322	1	#0	QPSK	6.04	13	PASS
Band66	1.4	132322	1	#0	QAM16	6.80	13	PASS
Band66	3	132322	1	#0	QPSK	5.75	13	PASS
Band66	3	132322	1	#0	QAM16	6.60	13	PASS
Band66	5	132322	1	#0	QPSK	5.57	13	PASS
Band66	5	132322	1	#0	QAM16	6.42	13	PASS
Band66	10	132322	1	#0	QPSK	5.40	13	PASS
Band66	10	132322	1	#0	QAM16	6.24	13	PASS
Band66	15	132322	1	#0	QPSK	5.40	13	PASS
Band66	15	132322	1	#0	QAM16	6.29	13	PASS
Band66	20	132322	1	#0	QPSK	5.36	13	PASS
Band66	20	132322	1	#0	QAM16	6.03	13	PASS


Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=1 Position=#0







Band66 QAM16 BW=10MHz Channel=132322 RB Size=1 Position=#0


**Band66 QAM16 BW=15MHz Channel=132322 RB Size=1 Position=#0****Band66 QAM16 BW=20MHz Channel=132322 RB Size=1 Position=#0**

**Band66 QAM16 BW=3MHz Channel=132322 RB Size=1 Position=#0****Band66 QAM16 BW=5MHz Channel=132322 RB Size=1 Position=#0**

**Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0****Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0**

**Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0****Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0**


**Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0****Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	1.090	1.283	PASS
Band66	1.4	131979	6	#0	QAM16	1.092	1.279	PASS
Band66	1.4	132322	6	#0	QPSK	1.091	1.260	PASS
Band66	1.4	132322	6	#0	QAM16	1.092	1.282	PASS
Band66	1.4	132665	6	#0	QPSK	1.091	1.268	PASS
Band66	1.4	132665	6	#0	QAM16	1.092	1.287	PASS
Band66	3	131987	15	#0	QPSK	2.687	2.947	PASS
Band66	3	131987	15	#0	QAM16	2.677	2.944	PASS
Band66	3	132322	15	#0	QPSK	2.687	2.977	PASS
Band66	3	132322	15	#0	QAM16	2.682	2.968	PASS
Band66	3	132657	15	#0	QPSK	2.701	2.957	PASS
Band66	3	132657	15	#0	QAM16	2.683	2.979	PASS
Band66	5	131997	25	#0	QPSK	4.499	4.891	PASS
Band66	5	131997	25	#0	QAM16	4.506	4.914	PASS
Band66	5	132322	25	#0	QPSK	4.502	4.876	PASS
Band66	5	132322	25	#0	QAM16	4.505	4.870	PASS
Band66	5	132647	25	#0	QPSK	4.502	4.884	PASS
Band66	5	132647	25	#0	QAM16	4.501	4.904	PASS
Band66	10	132022	50	#0	QPSK	8.967	9.588	PASS
Band66	10	132022	50	#0	QAM16	8.963	9.707	PASS
Band66	10	132322	50	#0	QPSK	8.995	9.661	PASS
Band66	10	132322	50	#0	QAM16	8.955	9.706	PASS
Band66	10	132622	50	#0	QPSK	8.963	9.592	PASS
Band66	10	132622	50	#0	QAM16	8.954	9.539	PASS
Band66	15	132047	75	#0	QPSK	13.438	14.368	PASS
Band66	15	132047	75	#0	QAM16	13.429	14.354	PASS
Band66	15	132322	75	#0	QPSK	13.460	14.487	PASS
Band66	15	132322	75	#0	QAM16	13.453	14.390	PASS
Band66	15	132597	75	#0	QPSK	13.415	14.443	PASS
Band66	15	132597	75	#0	QAM16	13.443	14.274	PASS
Band66	20	132072	100	#0	QPSK	18.005	19.144	PASS
Band66	20	132072	100	#0	QAM16	17.942	19.148	PASS
Band66	20	132322	100	#0	QPSK	17.902	19.179	PASS
Band66	20	132322	100	#0	QAM16	17.952	19.318	PASS
Band66	20	132572	100	#0	QPSK	17.963	19.310	PASS
Band66	20	132572	100	#0	QAM16	17.925	19.113	PASS


Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QAM16 BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0





Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0






Band66 QAM16 BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0

**Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0****Band66 QAM16 BW=20MHz Channel=132322 RB Size=100 Position=#0**


**Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0****Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0**




Band66 QAM16 BW=3MHz Channel=132322 RB Size=15 Position=#0





Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132322 RB Size=25 Position=#0


**Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0****Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0**




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0





Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0



**Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0****Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0**




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0

**Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0****Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0**




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	1709.99	-32.57	-13	PASS
Band66	1.4	131979	6	#0	QAM16	1709.99	-34.21	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1780.01	-32.35	-13	PASS
Band66	1.4	132665	6	#0	QAM16	1780.03	-34.92	-13	PASS
Band66	3	131987	15	#0	QPSK	1710.00	-28.34	-13	PASS
Band66	3	131987	15	#0	QAM16	1710.00	-31.72	-13	PASS
Band66	3	132657	15	#0	QPSK	1780.00	-28.84	-13	PASS
Band66	3	132657	15	#0	QAM16	1780.01	-32.07	-13	PASS
Band66	5	131997	25	#0	QPSK	1710.00	-30.42	-13	PASS
Band66	5	131997	25	#0	QAM16	1710.00	-34.36	-13	PASS
Band66	5	132647	25	#0	QPSK	1780.00	-33.13	-13	PASS
Band66	5	132647	25	#0	QAM16	1780.00	-33.84	-13	PASS
Band66	10	132022	50	#0	QPSK	1709.94	-33.73	-13	PASS
Band66	10	132022	50	#0	QAM16	1709.94	-36.33	-13	PASS
Band66	10	132622	50	#0	QPSK	1780.02	-34.89	-13	PASS
Band66	10	132622	50	#0	QAM16	1780.00	-37.66	-13	PASS
Band66	15	132047	75	#0	QPSK	1709.16	-32.24	-13	PASS
Band66	15	132047	75	#0	QAM16	1710.00	-35.20	-13	PASS
Band66	15	132597	75	#0	QPSK	1780.33	-34.47	-13	PASS
Band66	15	132597	75	#0	QAM16	1780.45	-37.89	-13	PASS
Band66	20	132072	100	#0	QPSK	1709.88	-34.21	-13	PASS
Band66	20	132072	100	#0	QAM16	1709.80	-37.72	-13	PASS
Band66	20	132572	100	#0	QPSK	1781.16	-35.31	-13	PASS
Band66	20	132572	100	#0	QAM16	1780.00	-37.62	-13	PASS


Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0



Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0



Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0



Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0





Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0







6 Out-of-band emissions



<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	3805.98	-39.12	-13	PASS
Band66	1.4	131979	6	#0	QAM16	3790.45	-39.73	-13	PASS
Band66	1.4	132665	6	#0	QPSK	3731.05	-38.74	-13	PASS
Band66	1.4	132665	6	#0	QAM16	3782.13	-39.13	-13	PASS
Band66	3	131987	15	#0	QPSK	3752.20	-39.28	-13	PASS
Band66	3	131987	15	#0	QAM16	3872.58	-39.36	-13	PASS
Band66	3	132657	15	#0	QPSK	3893.95	-39.09	-13	PASS
Band66	3	132657	15	#0	QAM16	3824.88	-39.57	-13	PASS
Band66	5	131997	25	#0	QPSK	3804.85	-39.59	-13	PASS
Band66	5	131997	25	#0	QAM16	3791.35	-39.94	-13	PASS
Band66	5	132647	25	#0	QPSK	3680.65	-38.94	-13	PASS
Band66	5	132647	25	#0	QAM16	3847.15	-39.44	-13	PASS
Band66	10	132022	50	#0	QPSK	4632.18	-39.19	-13	PASS
Band66	10	132022	50	#0	QAM16	3790.90	-39.74	-13	PASS
Band66	10	132622	50	#0	QPSK	3837.70	-38.62	-13	PASS
Band66	10	132622	50	#0	QAM16	3803.95	-39.27	-13	PASS
Band66	15	132047	75	#0	QPSK	3711.03	-39.52	-13	PASS
Band66	15	132047	75	#0	QAM16	3885.40	-39.81	-13	PASS
Band66	15	132597	75	#0	QPSK	3838.38	-38.93	-13	PASS
Band66	15	132597	75	#0	QAM16	3810.03	-38.27	-13	PASS
Band66	20	132072	100	#0	QPSK	3836.13	-39.82	-13	PASS
Band66	20	132072	100	#0	QAM16	3828.25	-38.24	-13	PASS
Band66	20	132572	100	#0	QPSK	4658.73	-38.53	-13	PASS
Band66	20	132572	100	#0	QAM16	3823.75	-38.50	-13	PASS



Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0



**Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0****Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0**



**Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0****Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0**



**Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0****Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0**



**Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0****Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0**



**Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0****Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0**



**Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0****Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0**


**Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0****Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0**

**Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0****Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0**

**Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0****Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0**

**Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0****Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0**

**Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0****Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0**



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0

