


Band Edge


6.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	772.9	-57.67	-35	22.67	Pass	1201
775	775.9	0.1	RMS	775.891	-52.21	-13	39.21	Pass	401
775.9	776	0.03	RMS	775.999	-55.71	-13	42.71	Pass	401
776	788	0.1	RMS	777.59	19.79	30	10.21	Pass	401




6.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-50.39	-35	15.39	Pass	1201
775	775.9	0.1	RMS	775.9	-39.99	-13	26.99	Pass	401
775.9	776	0.03	RMS	775.99	-44.51	-13	31.51	Pass	401
776	788	0.1	RMS	781.01	2.21	30	27.79	Pass	401




6.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	20.66	30	9.34	Pass	401
788	788.1	0.03	RMS	788.015	-54.06	-13	41.06	Pass	401
788.1	793	0.1	RMS	791.101	-46.76	-13	33.76	Pass	401
793	805	0.01	RMS	793.94	-58.64	-35	23.64	Pass	1201




6.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	781.25	3.28	30	26.72	Pass	401
788	788.1	0.03	RMS	788.018	-41.99	-13	28.99	Pass	401
788.1	793	0.1	RMS	788.198	-37.03	-13	24.03	Pass	401
793	805	0.01	RMS	793.29	-48.79	-35	13.79	Pass	1201




6.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	19.69	30	10.31	Pass	401
788	788.1	0.03	RMS	788.016	-54.59	-13	41.59	Pass	401
788.1	793	0.1	RMS	791.101	-47.35	-13	34.35	Pass	401
793	805	0.01	RMS	793.99	-59.33	-35	24.33	Pass	1201



6.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	782.03	2.25	30	27.75	Pass	401
788	788.1	0.03	RMS	788.015	-42.41	-13	29.41	Pass	401
788.1	793	0.1	RMS	788.21	-37.19	-13	24.19	Pass	401
793	805	0.01	RMS	793.22	-50.56	-35	15.56	Pass	1201



7. LTE_Band17


7.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-27.28	-13	14.28	Pass	401
703.9	704	0.03	RMS	704	-25.1	-13	12.1	Pass	401
704	709	0.1	RMS	704.338	20.43	30	9.57	Pass	401




7.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-36.2	-13	23.2	Pass	401
703.9	704	0.03	RMS	704	-37.96	-13	24.96	Pass	401
704	709	0.1	RMS	707.375	6.55	30	23.45	Pass	401




7.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-29.53	-13	16.53	Pass	401
703.9	704	0.03	RMS	704	-25.97	-13	12.97	Pass	401
704	709	0.1	RMS	704.35	19.65	30	10.35	Pass	401




7.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-35.04	-13	22.04	Pass	401
703.9	704	0.03	RMS	703.998	-37.42	-13	24.42	Pass	401
704	709	0.1	RMS	707.338	5.66	30	24.34	Pass	401




7.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.62	30	9.38	Pass	401
716	716.1	0.03	RMS	716	-25.2	-13	12.2	Pass	401
716.1	725	0.1	RMS	716.1	-28.35	-13	15.35	Pass	401




7.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.85	6.21	30	23.79	Pass	401
716	716.1	0.03	RMS	716.001	-38.26	-13	25.26	Pass	401
716.1	725	0.1	RMS	716.857	-36.96	-13	23.96	Pass	401




7.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.675	19.69	30	10.31	Pass	401
716	716.1	0.03	RMS	716	-25.13	-13	12.13	Pass	401
716.1	725	0.1	RMS	716.1	-28.77	-13	15.77	Pass	401




7.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.25	5.21	30	24.79	Pass	401
716	716.1	0.03	RMS	716	-37.92	-13	24.92	Pass	401
716.1	725	0.1	RMS	716.701	-35.75	-13	22.75	Pass	401




7.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-33.46	-13	20.46	Pass	401
703.9	704	0.03	RMS	704	-32.22	-13	19.22	Pass	401
704	714	0.1	RMS	704.575	20.7	30	9.3	Pass	401




7.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-40.8	-13	27.8	Pass	401
703.9	704	0.03	RMS	704	-44.29	-13	31.29	Pass	401
704	714	0.1	RMS	707.925	3.87	30	26.13	Pass	401




7.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-34.43	-13	21.43	Pass	401
703.9	704	0.03	RMS	704	-33.29	-13	20.29	Pass	401
704	714	0.1	RMS	704.6	19.83	30	10.17	Pass	401




7.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-39.05	-13	26.05	Pass	401
703.9	704	0.03	RMS	703.997	-43.31	-13	30.31	Pass	401
704	714	0.1	RMS	708	2.87	30	27.13	Pass	401




7.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	20.72	30	9.28	Pass	401
716	716.1	0.03	RMS	716	-31.78	-13	18.78	Pass	401
716.1	725	0.1	RMS	716.1	-33.24	-13	20.24	Pass	401




7.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	708.05	3.92	30	26.08	Pass	401
716	716.1	0.03	RMS	716.079	-42.66	-13	29.66	Pass	401
716.1	725	0.1	RMS	716.1	-38.78	-13	25.78	Pass	401




7.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.7	30	10.3	Pass	401
716	716.1	0.03	RMS	716.001	-32.83	-13	19.83	Pass	401
716.1	725	0.1	RMS	716.1	-34.34	-13	21.34	Pass	401



7.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	708.075	2.94	30	27.06	Pass	401
716	716.1	0.03	RMS	716.002	-42.41	-13	29.41	Pass	401
716.1	725	0.1	RMS	716.1	-37.9	-13	24.9	Pass	401



8. LTE_Band26(part22)

8.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-44.31	-13	31.31	Pass	401
823	824	0.02	RMS	824	-26.36	-13	13.36	Pass	401
824	826	0.1	RMS	824.25	20.6	30	9.4	Pass	401



8.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.37	-13	23.37	Pass	401
823	824	0.02	RMS	824	-34.63	-13	21.63	Pass	401
824	826	0.1	RMS	824.275	12.27	30	17.73	Pass	401



8.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-44.98	-13	31.98	Pass	401
823	824	0.02	RMS	824	-28.37	-13	15.37	Pass	401
824	826	0.1	RMS	824.265	19.45	30	10.55	Pass	401




8.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.13	-13	23.13	Pass	401
823	824	0.02	RMS	824	-34.4	-13	21.4	Pass	401
824	826	0.1	RMS	824.725	11.31	30	18.69	Pass	401




8.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.66	30	9.34	Pass	401
849	850	0.02	RMS	849	-27.29	-13	14.29	Pass	401
850	860	0.1	RMS	850	-46.37	-13	33.37	Pass	401



8.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.91	12.68	30	17.32	Pass	401
849	850	0.02	RMS	849	-34.33	-13	21.33	Pass	401
850	860	0.1	RMS	850.025	-41.3	-13	28.3	Pass	401




8.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	19.61	30	10.39	Pass	401
849	850	0.02	RMS	849	-28.63	-13	15.63	Pass	401
850	860	0.1	RMS	850.025	-46.78	-13	33.78	Pass	401




8.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.97	11.77	30	18.23	Pass	401
849	850	0.02	RMS	849	-35.99	-13	22.99	Pass	401
850	860	0.1	RMS	850.1	-40.34	-13	27.34	Pass	401




8.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.25	-13	32.25	Pass	401
823	824	0.03	RMS	824	-17.68	-13	4.68	Pass*	401
824	827	0.1	RMS	824.24	20.5	30	9.5	Pass	401




8.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.22	-36.6	-13	23.6	Pass	401
823	824	0.03	RMS	824	-29.2	-13	16.2	Pass	401
824	827	0.1	RMS	825.448	8.62	30	21.38	Pass	401




8.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.86	-13	32.86	Pass	401
823	824	0.03	RMS	824	-18.31	-13	5.31	Pass*	401
824	827	0.1	RMS	824.263	19.56	30	10.44	Pass	401




8.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-36.02	-13	23.02	Pass	401
823	824	0.03	RMS	824	-30.5	-13	17.5	Pass	401
824	827	0.1	RMS	825.178	7.58	30	22.42	Pass	401




8.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.61	30	9.39	Pass	401
849	850	0.03	RMS	849	-18.01	-13	5.01	Pass*	401
850	860	0.1	RMS	850	-46.5	-13	33.5	Pass	401




8.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.073	9.08	30	20.92	Pass	401
849	850	0.03	RMS	849	-32.51	-13	19.51	Pass	401
850	860	0.1	RMS	850.025	-38.97	-13	25.97	Pass	401




8.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	19.51	30	10.49	Pass	401
849	850	0.03	RMS	849	-18.99	-13	5.99	Pass*	401
850	860	0.1	RMS	850	-47.24	-13	34.24	Pass	401




8.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.938	7.83	30	22.17	Pass	401
849	850	0.03	RMS	849	-32.78	-13	19.78	Pass	401
850	860	0.1	RMS	850	-39.58	-13	26.58	Pass	401




8.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822	-44.4	-13	31.4	Pass	401
823	824	0.051	RMS	824	-22.81	-13	9.81	Pass	401
824	829	0.1	RMS	824.338	20.5	30	9.5	Pass	401




8.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-37.35	-13	24.35	Pass	401
823	824	0.051	RMS	824	-34.69	-13	21.69	Pass	401
824	829	0.1	RMS	825.675	6.2	30	23.8	Pass	401




8.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822	-44.92	-13	31.92	Pass	401
823	824	0.051	RMS	824	-23.63	-13	10.63	Pass	401
824	829	0.1	RMS	824.338	19.7	30	10.3	Pass	401




8.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-36.84	-13	23.84	Pass	401
823	824	0.051	RMS	824	-35.03	-13	22.03	Pass	401
824	829	0.1	RMS	827.325	5.23	30	24.77	Pass	401




8.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.69	30	9.31	Pass	401
849	850	0.051	RMS	849	-23.44	-13	10.44	Pass	401
850	860	0.1	RMS	851	-46.48	-13	33.48	Pass	401




8.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.863	6.68	30	23.32	Pass	401
849	850	0.051	RMS	849	-37.79	-13	24.79	Pass	401
850	860	0.1	RMS	850.15	-41.03	-13	28.03	Pass	401




8.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.81	30	10.19	Pass	401
849	850	0.051	RMS	849	-23.23	-13	10.23	Pass	401
850	860	0.1	RMS	851	-47.19	-13	34.19	Pass	401




8.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.263	5.6	30	24.4	Pass	401
849	850	0.051	RMS	849	-38.05	-13	25.05	Pass	401
850	860	0.1	RMS	850.075	-40.83	-13	27.83	Pass	401




8.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	819.88	-44.43	-13	31.43	Pass	401
823	824	0.1	RMS	823.995	-25.83	-13	12.83	Pass	401
824	834	0.1	RMS	824.575	20.72	30	9.28	Pass	401




8.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.74	-39.46	-13	26.46	Pass	401
823	824	0.1	RMS	824	-37.02	-13	24.02	Pass	401
824	834	0.1	RMS	831.975	3.76	30	26.24	Pass	401




8.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	819.9	-45.04	-13	32.04	Pass	401
823	824	0.1	RMS	824	-27.18	-13	14.18	Pass	401
824	834	0.1	RMS	824.6	19.82	30	10.18	Pass	401




8.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.5	-13	26.5	Pass	401
823	824	0.1	RMS	823.998	-37.78	-13	24.78	Pass	401
824	834	0.1	RMS	832.375	2.73	30	27.27	Pass	401




8.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.83	30	9.17	Pass	401
849	850	0.1	RMS	849	-26.35	-13	13.35	Pass	401
850	860	0.1	RMS	850	-50.64	-13	37.64	Pass	401




8.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	845.35	3.47	30	26.53	Pass	401
849	850	0.1	RMS	849	-41.36	-13	28.36	Pass	401
850	860	0.1	RMS	850.025	-44.36	-13	31.36	Pass	401




8.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.74	30	10.26	Pass	401
849	850	0.1	RMS	849	-27.48	-13	14.48	Pass	401
850	860	0.1	RMS	850	-51.42	-13	38.42	Pass	401




8.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	846.025	2.37	30	27.63	Pass	401
849	850	0.1	RMS	849.003	-40.43	-13	27.43	Pass	401
850	860	0.1	RMS	850.1	-43.54	-13	30.54	Pass	401




8.33 LTE Band Edge_Part22-24-27(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	818.14	-44.86	-13	31.86	Pass	401
823	824	0.15	RMS	823.998	-26.72	-13	13.72	Pass	401
824	839	0.1	RMS	824.825	20.57	30	9.43	Pass	401




8.34 LTE Band Edge_Part22-24-27(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.86	-39.54	-13	26.54	Pass	401
823	824	0.15	RMS	824	-38.31	-13	25.31	Pass	401
824	839	0.1	RMS	836.3	2.31	30	27.69	Pass	401




8.35 LTE Band Edge_Part22-24-27(Subtest:35, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	818.2	-46.23	-13	33.23	Pass	401
823	824	0.15	RMS	824	-27.31	-13	14.31	Pass	401
824	839	0.1	RMS	824.825	19.73	30	10.27	Pass	401




8.36 LTE Band Edge_Part22-24-27(Subtest:36, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.86	-40.67	-13	27.67	Pass	401
823	824	0.15	RMS	823.998	-39.15	-13	26.15	Pass	401
824	839	0.1	RMS	836.45	1.38	30	28.62	Pass	401




8.37 LTE Band Edge_Part22-24-27(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.71	30	9.29	Pass	401
849	850	0.15	RMS	849	-28.5	-13	15.5	Pass	401
850	860	0.1	RMS	850.025	-51.66	-13	38.66	Pass	401




8.38 LTE Band Edge_Part22-24-27(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	837.9	1.93	30	28.07	Pass	401
849	850	0.15	RMS	849	-39.87	-13	26.87	Pass	401
850	860	0.1	RMS	850.675	-43.06	-13	30.06	Pass	401




8.39 LTE Band Edge_Part22-24-27(Subtest:39, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	19.64	30	10.36	Pass	401
849	850	0.15	RMS	849.008	-29.17	-13	16.17	Pass	401
850	860	0.1	RMS	850.25	-52.9	-13	39.9	Pass	401



8.40 LTE Band Edge_Part22-24-27(Subtest:40, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.588	0.9	30	29.1	Pass	401
849	850	0.15	RMS	849	-40.08	-13	27.08	Pass	401
850	860	0.1	RMS	850.05	-43.45	-13	30.45	Pass	401



1. LTE_Band26(part90)


1.1 LTE Band Edge_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-26.09	-13	13.09	Pass	401
813.9625	814	0.002	RMS	813.999	-33.77	-20	13.77	Pass	401
814	819	0.1	RMS	814.238	20.53	30	9.47	Pass	401




1.2 LTE Band Edge_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.88	-13	13.88	Pass	401
813.9625	814	0.02	RMS	813.999	-33.64	-20	13.64	Pass	401
814	819	0.1	RMS	815.1	12.19	30	17.81	Pass	401




1.3 LTE Band Edge_Part90(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.19	-13	11.19	Pass	51
813.9625	814	0.002	RMS	813.999	-36.7	-20	16.7	Pass	401
814	819	0.1	RMS	814.263	19.39	30	10.61	Pass	401




1.4 LTE Band Edge_Part90(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.09	-13	14.09	Pass	401
813.9625	814	0.02	RMS	813.999	-34.09	-20	14.09	Pass	401
814	819	0.1	RMS	814.925	11.25	30	18.75	Pass	401




1.5 LTE Band Edge_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.58	30	9.42	Pass	401
824	824.0375	0.002	RMS	824.003	-34.68	-20	14.68	Pass	401
824.0875	829	0.1	RMS	824.088	-27.78	-13	14.78	Pass	401




1.6 LTE Band Edge_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.9	12.32	30	17.68	Pass	401
824	824.0375	0.02	RMS	824	-35.22	-20	15.22	Pass	401
824.0375	829	0.1	RMS	824.038	-27.87	-13	14.87	Pass	401



1.7 LTE Band Edge_Part90(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.51	30	10.49	Pass	401
824	824.0375	0.002	RMS	824.002	-37.89	-20	17.89	Pass	401
824.0875	829	0.1	RMS	824.088	-28.45	-13	15.45	Pass	401



1.8 LTE Band Edge_Part90(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.963	11.41	30	18.59	Pass	401
824	824.0375	0.02	RMS	824	-35.67	-20	15.67	Pass	401
824.0375	829	0.1	RMS	824.038	-28.51	-13	15.51	Pass	401

