


Band Edge


9.47 LTE Band Edge_Part22-24-27(Subtest:47, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	18.86	30	11.14	Pass	401
1780	1781	0.2	RMS	1780.008	-30.61	-13	17.61	Pass	401
1781	1782	1	RMS	1781	-37.28	-13	24.28	Pass	401
1782	1790	1	RMS	1782	-42.92	-13	29.92	Pass	401



9.48 LTE Band Edge_Part22-24-27(Subtest:48, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1775.35	-1.18	30	31.18	Pass	401
1780	1781	0.2	RMS	1780	-39.24	-13	26.24	Pass	401
1781	1782	1	RMS	1781	-33.51	-13	20.51	Pass	2
1782	1790	1	RMS	1782.02	-33.91	-13	20.91	Pass	401



10. LTE_Band38


10.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-45.58	-25	20.58	Pass	401
2564	2565	1	RMS	2564.943	-42.38	-13	29.38	Pass	401
2565	2569	1	RMS	2569	-32.16	-10	22.16	Pass	5
2569	2570	0.051	RMS	2569.998	-20.85	-10	10.85	Pass	401
2570	2575	0.1	RMS	2570.338	20.08	30	9.92	Pass	401




10.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-40.8	-25	15.8	Pass	20
2564	2565	1	RMS	2565	-39.14	-13	26.14	Pass	2
2565	2569	1	RMS	2569	-30.02	-10	20.02	Pass	5
2569	2570	0.1	RMS	2570	-30.38	-10	20.38	Pass	401
2570	2575	0.1	RMS	2574.238	6.13	30	23.87	Pass	401




10.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2563.953	-46.03	-25	21.03	Pass	401
2564	2565	1	RMS	2564.97	-42.98	-13	29.98	Pass	401
2565	2569	1	RMS	2569	-32.83	-10	22.83	Pass	5
2569	2570	0.051	RMS	2569.998	-23.22	-10	13.22	Pass	401
2570	2575	0.1	RMS	2570.35	19.59	30	10.41	Pass	401




10.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-40.37	-25	15.37	Pass	401
2564	2565	1	RMS	2565	-38.59	-13	25.59	Pass	2
2565	2569	1	RMS	2569	-29.11	-10	19.11	Pass	5
2569	2570	0.1	RMS	2569.998	-32.29	-10	22.29	Pass	401
2570	2575	0.1	RMS	2572.588	4.69	30	25.31	Pass	401




10.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.675	20.21	30	9.79	Pass	401
2620	2621	0.051	RMS	2620	-21.54	-10	11.54	Pass	401
2621	2625	1	RMS	2621	-30.94	-10	20.94	Pass	5
2625	2626	1	RMS	2625.008	-42.36	-13	29.36	Pass	401
2626	2645	1	RMS	2626	-45.32	-25	20.32	Pass	401




10.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.688	5.81	30	24.19	Pass	401
2620	2621	0.1	RMS	2620.003	-30.83	-10	20.83	Pass	401
2621	2625	1	RMS	2621	-32.53	-10	22.53	Pass	5
2625	2626	1	RMS	2625.01	-39.39	-13	26.39	Pass	401
2626	2645	1	RMS	2626	-41.04	-25	16.04	Pass	20




10.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.65	19.32	30	10.68	Pass	401
2620	2621	0.051	RMS	2620.003	-21.74	-10	11.74	Pass	401
2621	2625	1	RMS	2621	-31.38	-10	21.38	Pass	5
2625	2626	1	RMS	2625.035	-42.42	-13	29.42	Pass	401
2626	2645	1	RMS	2626.048	-45.3	-25	20.3	Pass	401




10.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.325	4.99	30	25.01	Pass	401
2620	2621	0.1	RMS	2620.003	-31.06	-10	21.06	Pass	401
2621	2625	1	RMS	2621	-31.09	-10	21.09	Pass	5
2625	2626	1	RMS	2625.013	-39.09	-13	26.09	Pass	401
2626	2645	1	RMS	2626	-41.6	-25	16.6	Pass	20




10.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.775	-42.86	-25	17.86	Pass	401
2560	2565	1	RMS	2562.875	-40.54	-13	27.54	Pass	401
2565	2569	1	RMS	2569	-31.85	-10	21.85	Pass	5
2569	2570	0.2	RMS	2570	-20.78	-10	10.78	Pass	401
2570	2580	0.1	RMS	2570.6	20.25	30	9.75	Pass	401




10.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-41.93	-25	16.93	Pass	401
2560	2565	1	RMS	2564.938	-34.49	-13	21.49	Pass	401
2565	2569	1	RMS	2569	-34.02	-10	24.02	Pass	5
2569	2570	0.2	RMS	2569.995	-34.5	-10	24.5	Pass	401
2570	2580	0.1	RMS	2574.3	2.22	30	27.78	Pass	401




10.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-43.91	-25	18.91	Pass	401
2560	2565	1	RMS	2563.2	-41.04	-13	28.04	Pass	401
2565	2569	1	RMS	2569	-33.34	-10	23.34	Pass	5
2569	2570	0.2	RMS	2569.998	-21.47	-10	11.47	Pass	401
2570	2580	0.1	RMS	2570.575	19.09	30	10.91	Pass	401




10.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-40.66	-25	15.66	Pass	401
2560	2565	1	RMS	2564.85	-34.77	-13	21.77	Pass	401
2565	2569	1	RMS	2569	-32.87	-10	22.87	Pass	5
2569	2570	0.2	RMS	2569.998	-35.22	-10	25.22	Pass	401
2570	2580	0.1	RMS	2577	1.54	30	28.46	Pass	401




10.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	20.52	30	9.48	Pass	401
2620	2621	0.1	RMS	2620.003	-24.94	-10	14.94	Pass	401
2621	2625	1	RMS	2621	-32.01	-10	22.01	Pass	5
2625	2630	1	RMS	2626.963	-41.32	-13	28.32	Pass	401
2630	2645	1	RMS	2630.038	-43.15	-25	18.15	Pass	401




10.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.8	2.71	30	27.29	Pass	401
2620	2621	0.2	RMS	2620	-35.27	-10	25.27	Pass	401
2621	2625	1	RMS	2621	-35.19	-10	25.19	Pass	5
2625	2630	1	RMS	2626.538	-36.07	-13	23.07	Pass	401
2630	2645	1	RMS	2630.038	-43.02	-25	18.02	Pass	401




10.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	18.75	30	11.25	Pass	401
2620	2621	0.2	RMS	2620	-21.1	-10	11.1	Pass	401
2621	2625	1	RMS	2621	-32.59	-10	22.59	Pass	5
2625	2630	1	RMS	2625.725	-39.76	-13	26.76	Pass	401
2630	2645	1	RMS	2630.113	-43.94	-25	18.94	Pass	401




10.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.225	1.45	30	28.55	Pass	401
2620	2621	0.2	RMS	2620.008	-35.4	-10	25.4	Pass	401
2621	2625	1	RMS	2621	-33.96	-10	23.96	Pass	5
2625	2630	1	RMS	2625.038	-36.25	-13	23.25	Pass	401
2630	2645	1	RMS	2630	-41.92	-25	16.92	Pass	401




10.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.975	-46.12	-25	21.12	Pass	401
2555	2565	1	RMS	2564.3	-40.02	-13	27.02	Pass	401
2565	2569	1	RMS	2569	-34.47	-10	24.47	Pass	5
2569	2570	0.3	RMS	2569.998	-22.46	-10	12.46	Pass	401
2570	2585	0.1	RMS	2570.863	19.62	30	10.38	Pass	401




10.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.9	-41.96	-25	16.96	Pass	401
2555	2565	1	RMS	2559.05	-36.08	-13	23.08	Pass	401
2565	2569	1	RMS	2569	-33.54	-10	23.54	Pass	5
2569	2570	0.3	RMS	2570	-36.32	-10	26.32	Pass	401
2570	2585	0.1	RMS	2573.6	1.26	30	28.74	Pass	401




10.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.975	-46.16	-25	21.16	Pass	401
2555	2565	1	RMS	2564.625	-40.31	-13	27.31	Pass	401
2565	2569	1	RMS	2569	-35.54	-10	25.54	Pass	5
2569	2570	0.3	RMS	2569.998	-23.28	-10	13.28	Pass	401
2570	2585	0.1	RMS	2570.863	18.92	30	11.08	Pass	401




10.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.975	-41.43	-25	16.43	Pass	401
2555	2565	1	RMS	2564.95	-35.92	-13	22.92	Pass	401
2565	2569	1	RMS	2569	-33.74	-10	23.74	Pass	5
2569	2570	0.3	RMS	2569.998	-36.27	-10	26.27	Pass	401
2570	2585	0.1	RMS	2577.2	0.28	30	29.72	Pass	401




10.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.47	30	9.53	Pass	401
2620	2621	0.3	RMS	2620.003	-22.27	-10	12.27	Pass	401
2621	2625	1	RMS	2621	-34.44	-10	24.44	Pass	5
2625	2635	1	RMS	2625.425	-41.35	-13	28.35	Pass	401
2635	2645	1	RMS	2635.05	-45.97	-25	20.97	Pass	401




10.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2614.075	0.86	30	29.14	Pass	401
2620	2621	0.3	RMS	2620.003	-37.02	-10	27.02	Pass	401
2621	2625	1	RMS	2621	-35.43	-10	25.43	Pass	5
2625	2635	1	RMS	2631.625	-37.14	-13	24.14	Pass	401
2635	2645	1	RMS	2635.025	-42.8	-25	17.8	Pass	401




10.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	19	30	11	Pass	401
2620	2621	0.3	RMS	2620.003	-23.15	-10	13.15	Pass	401
2621	2625	1	RMS	2621	-35.1	-10	25.1	Pass	5
2625	2635	1	RMS	2625.525	-41.74	-13	28.74	Pass	401
2635	2645	1	RMS	2635.6	-46.01	-25	21.01	Pass	401




10.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.4	-0.13	30	30.13	Pass	401
2620	2621	0.3	RMS	2620.003	-37.08	-10	27.08	Pass	401
2621	2625	1	RMS	2621	-34.84	-10	24.84	Pass	5
2625	2635	1	RMS	2625.05	-37.11	-13	24.11	Pass	401
2635	2645	1	RMS	2635	-41.83	-25	16.83	Pass	401




10.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.913	-47.13	-25	22.13	Pass	401
2550	2565	1	RMS	2562	-39.58	-13	26.58	Pass	401
2565	2569	1	RMS	2569	-34.84	-10	24.84	Pass	5
2569	2570	0.51	RMS	2569.993	-20.93	-10	10.93	Pass	401
2570	2590	0.1	RMS	2571.05	19.63	30	10.37	Pass	401




10.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.738	-45.43	-25	20.43	Pass	401
2550	2565	1	RMS	2553.938	-38.75	-13	25.75	Pass	401
2565	2569	1	RMS	2565	-20.38	-10	10.38	Pass	5
2569	2570	0.51	RMS	2570	-36.38	-10	26.38	Pass	401
2570	2590	0.1	RMS	2575.8	-0.52	30	30.52	Pass	401




10.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.838	-47.45	-25	22.45	Pass	401
2550	2565	1	RMS	2561.85	-40.61	-13	27.61	Pass	401
2565	2569	1	RMS	2569	-35.6	-10	25.6	Pass	5
2569	2570	0.51	RMS	2569.998	-20.92	-10	10.92	Pass	401
2570	2590	0.1	RMS	2571.05	18.79	30	11.21	Pass	401




10.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-44.42	-25	19.42	Pass	401
2550	2565	1	RMS	2565	-37.09	-13	24.09	Pass	401
2565	2569	1	RMS	2565	-20.21	-10	10.21	Pass	5
2569	2570	0.51	RMS	2570	-35.15	-10	25.15	Pass	401
2570	2590	0.1	RMS	2579.25	-1.45	30	31.45	Pass	401




10.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	19.59	30	10.41	Pass	401
2620	2621	0.51	RMS	2620.003	-21.94	-10	11.94	Pass	401
2621	2625	1	RMS	2621	-36.76	-10	26.76	Pass	5
2625	2640	1	RMS	2628.075	-40.97	-13	27.97	Pass	401
2640	2645	1	RMS	2640.15	-47.17	-25	22.17	Pass	401




10.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.25	-0.27	30	30.27	Pass	401
2620	2621	0.51	RMS	2620	-37.68	-10	27.68	Pass	401
2621	2625	1	RMS	2621	-38.85	-10	28.85	Pass	5
2625	2640	1	RMS	2636.175	-39.21	-13	26.21	Pass	401
2640	2645	1	RMS	2644.625	-45.33	-25	20.33	Pass	401




10.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	18.61	30	11.39	Pass	401
2620	2621	0.51	RMS	2620	-21.8	-10	11.8	Pass	401
2621	2625	1	RMS	2621	-36.62	-10	26.62	Pass	5
2625	2640	1	RMS	2628.225	-41.36	-13	28.36	Pass	401
2640	2645	1	RMS	2640.125	-47.32	-25	22.32	Pass	401



10.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2612.85	-0.96	30	30.96	Pass	401
2620	2621	0.51	RMS	2620.008	-36.57	-10	26.57	Pass	401
2621	2625	1	RMS	2621	-37.06	-10	27.06	Pass	5
2625	2640	1	RMS	2625	-38.23	-13	25.23	Pass	401
2640	2645	1	RMS	2640.063	-44.87	-25	19.87	Pass	401



11. LTE_Band41 full


11.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-45.85	-25	20.85	Pass	401
2490	2495	1	RMS	2495	-31.58	-13	18.58	Pass	6
2495	2496	0.051	RMS	2495.998	-22.93	-13	9.93	Pass	401
2496	2501	0.1	RMS	2496.338	19.62	30	10.38	Pass	401




11.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.78	-25	13.78	Pass	401
2490	2495	1	RMS	2495	-30.2	-13	17.2	Pass	6
2495	2496	0.051	RMS	2495.99	-35.21	-13	22.21	Pass	401
2496	2501	0.1	RMS	2497.688	5.86	30	24.14	Pass	401




11.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-45.97	-25	20.97	Pass	401
2490	2495	1	RMS	2495	-32.2	-13	19.2	Pass	6
2495	2496	0.051	RMS	2495.998	-24.24	-13	11.24	Pass	401
2496	2501	0.1	RMS	2496.35	19.02	30	10.98	Pass	401




11.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-39.3	-25	14.3	Pass	401
2490	2495	1	RMS	2495	-31.08	-13	18.08	Pass	6
2495	2496	0.051	RMS	2495.998	-35.27	-13	22.27	Pass	401
2496	2501	0.1	RMS	2499.663	4.23	30	25.77	Pass	401




11.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	20.38	30	9.62	Pass	401
2690	2691	0.051	RMS	2690.003	-21.56	-10	11.56	Pass	401
2691	2695	1	RMS	2691	-30.09	-10	20.09	Pass	5
2695	2696	1	RMS	2695.005	-42.08	-13	29.08	Pass	401
2696	2715	1	RMS	2696	-45.12	-25	20.12	Pass	401




11.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.538	6.09	30	23.91	Pass	401
2690	2691	0.1	RMS	2690	-30.73	-10	20.73	Pass	401
2691	2695	1	RMS	2691	-15.86	-10	5.86	Pass*	401
2695	2696	1	RMS	2695	-36.63	-13	23.63	Pass	401
2696	2715	1	RMS	2696.095	-37.28	-25	12.28	Pass	401




11.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.638	19.52	30	10.48	Pass	401
2690	2691	0.05	RMS	2690	-23.89	-10	13.89	Pass	21
2691	2695	1	RMS	2691	-31.55	-10	21.55	Pass	5
2695	2696	1	RMS	2695.04	-36	-13	23	Pass	401
2696	2715	1	RMS	2696	-39.03	-25	14.03	Pass	401




11.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.988	4.43	30	25.57	Pass	401
2690	2691	0.1	RMS	2690.003	-31.56	-10	21.56	Pass	401
2691	2695	1	RMS	2691	-30.54	-10	20.54	Pass	5
2695	2696	1	RMS	2695.003	-36.08	-13	23.08	Pass	401
2696	2715	1	RMS	2696	-37.97	-25	12.97	Pass	401




11.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488.988	-40.25	-25	15.25	Pass	401
2490	2495	1	RMS	2495	-31.06	-13	18.06	Pass	6
2495	2496	0.1	RMS	2495.995	-25.92	-13	12.92	Pass	401
2496	2506	0.1	RMS	2496.6	20.12	30	9.88	Pass	401




11.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488	-35.93	-25	10.93	Pass	16
2490	2495	1	RMS	2495	-33.19	-13	20.19	Pass	6
2495	2496	0.1	RMS	2495.99	-39.13	-13	26.13	Pass	401
2496	2506	0.1	RMS	2504	2.81	30	27.19	Pass	401




11.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.063	-41.05	-25	16.05	Pass	401
2490	2495	1	RMS	2495	-33.01	-13	20.01	Pass	6
2495	2496	0.1	RMS	2495.998	-26.51	-13	13.51	Pass	401
2496	2506	0.1	RMS	2496.6	19.44	30	10.56	Pass	401




11.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.17	-25	11.17	Pass	16
2490	2495	1	RMS	2495	-32.57	-13	19.57	Pass	6
2495	2496	0.1	RMS	2496	-39.33	-13	26.33	Pass	401
2496	2506	0.1	RMS	2503.05	2.02	30	27.98	Pass	401




11.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	20.04	30	9.96	Pass	401
2690	2691	0.2	RMS	2690	-19.31	-10	9.31	Pass	401
2691	2695	1	RMS	2691	-13.96	-10	3.96	Pass*	5
2695	2700	1	RMS	2697	-40.62	-13	27.62	Pass	401
2700	2715	1	RMS	2700	-43.26	-25	18.26	Pass	401




11.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.825	3.19	30	26.81	Pass	401
2690	2691	0.2	RMS	2690.008	-34.62	-10	24.62	Pass	401
2691	2695	1	RMS	2691	-19.38	-10	9.38	Pass	5
2695	2700	1	RMS	2696.4	-33.05	-13	20.05	Pass	401
2700	2715	1	RMS	2703.6	-39.45	-25	14.45	Pass	401




11.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	19.46	30	10.54	Pass	401
2690	2691	0.2	RMS	2690.003	-20.63	-10	10.63	Pass	401
2691	2695	1	RMS	2691	-14.89	-10	4.89	Pass*	5
2695	2700	1	RMS	2697.013	-40.91	-13	27.91	Pass	401
2700	2715	1	RMS	2700.113	-43.3	-25	18.3	Pass	401




11.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.225	1.82	30	28.18	Pass	401
2690	2691	0.2	RMS	2690.008	-35.4	-10	25.4	Pass	401
2691	2695	1	RMS	2691	-32.99	-10	22.99	Pass	5
2695	2700	1	RMS	2695.063	-33.79	-13	20.79	Pass	401
2700	2715	1	RMS	2700.038	-38.84	-25	13.84	Pass	401




11.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-38.68	-25	13.68	Pass	401
2490	2495	1	RMS	2495	-34.3	-13	21.3	Pass	6
2495	2496	0.15	RMS	2495.995	-27.24	-13	14.24	Pass	401
2496	2511	0.1	RMS	2496.863	19.94	30	10.06	Pass	401




11.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488	-37.69	-25	12.69	Pass	16
2490	2495	1	RMS	2495	-33.36	-13	20.36	Pass	6
2495	2496	0.15	RMS	2495.985	-39.09	-13	26.09	Pass	401
2496	2511	0.1	RMS	2508.263	1.37	30	28.63	Pass	401




11.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.6	-25	15.6	Pass	401
2490	2495	1	RMS	2495	-35.58	-13	22.58	Pass	6
2495	2496	0.15	RMS	2495.993	-28.08	-13	15.08	Pass	401
2496	2511	0.1	RMS	2496.863	19.18	30	10.82	Pass	401




11.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.93	-25	11.93	Pass	16
2490	2495	1	RMS	2495	-33.11	-13	20.11	Pass	6
2495	2496	0.15	RMS	2495.995	-39.57	-13	26.57	Pass	401
2496	2511	0.1	RMS	2509.2	0.43	30	29.57	Pass	401




11.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	20.08	30	9.92	Pass	401
2690	2691	0.3	RMS	2690	-22.73	-10	12.73	Pass	401
2691	2695	1	RMS	2691	-26.84	-10	16.84	Pass	401
2695	2705	1	RMS	2695.775	-39.17	-13	26.17	Pass	401
2705	2715	1	RMS	2705	-45.7	-25	20.7	Pass	401




11.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2684.113	1.4	30	28.6	Pass	401
2690	2691	0.3	RMS	2690.003	-34.87	-10	24.87	Pass	401
2691	2695	1	RMS	2691	-33.34	-10	23.34	Pass	5
2695	2705	1	RMS	2698.575	-33.59	-13	20.59	Pass	401
2705	2715	1	RMS	2709.475	-39.55	-25	14.55	Pass	401




11.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	18.6	30	11.4	Pass	401
2690	2691	0.3	RMS	2690.008	-23.56	-10	13.56	Pass	401
2691	2695	1	RMS	2691	-34.65	-10	24.65	Pass	5
2695	2705	1	RMS	2695	-38.4	-13	25.4	Pass	401
2705	2715	1	RMS	2705.175	-45.27	-25	20.27	Pass	401




11.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.363	0.39	30	29.61	Pass	401
2690	2691	0.3	RMS	2690.008	-35.67	-10	25.67	Pass	401
2691	2695	1	RMS	2692	-34.09	-10	24.09	Pass	5
2695	2705	1	RMS	2696.425	-34.97	-13	21.97	Pass	401
2705	2715	1	RMS	2705.025	-38.59	-25	13.59	Pass	401




11.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.938	-39.37	-25	14.37	Pass	401
2490	2495	1	RMS	2495	-34.53	-13	21.53	Pass	6
2495	2496	0.2	RMS	2496	-29.05	-13	16.05	Pass	401
2496	2516	0.1	RMS	2497.1	19.37	30	10.63	Pass	401




11.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.97	-25	13.97	Pass	16
2490	2495	1	RMS	2495	-37.12	-13	24.12	Pass	6
2495	2496	0.2	RMS	2495.988	-41.1	-13	28.1	Pass	401
2496	2516	0.1	RMS	2512	0.11	30	29.89	Pass	401




11.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.938	-40.1	-25	15.1	Pass	401
2490	2495	1	RMS	2490	-25.32	-13	12.32	Pass	6
2495	2496	0.2	RMS	2495.993	-28.47	-13	15.47	Pass	401
2496	2516	0.1	RMS	2497.1	18.79	30	11.21	Pass	401




11.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.09	-25	13.09	Pass	16
2490	2495	1	RMS	2495	-35.87	-13	22.87	Pass	6
2495	2496	0.2	RMS	2495.993	-40.17	-13	27.17	Pass	401
2496	2516	0.1	RMS	2511.9	-0.97	30	30.97	Pass	401




11.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.95	19.39	30	10.61	Pass	401
2690	2691	0.5	RMS	2690	-24.7	-10	14.7	Pass	3
2691	2695	1	RMS	2691	-33.08	-10	23.08	Pass	401
2695	2710	1	RMS	2698.075	-39.45	-13	26.45	Pass	401
2710	2715	1	RMS	2710.163	-46.52	-25	21.52	Pass	401




11.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.3	-0.16	30	30.16	Pass	401
2690	2691	0.51	RMS	2690.008	-34.92	-10	24.92	Pass	401
2691	2695	1	RMS	2691	-35.13	-10	25.13	Pass	5
2695	2710	1	RMS	2696.575	-35.36	-13	22.36	Pass	401
2710	2715	1	RMS	2714.813	-40.93	-25	15.93	Pass	401



11.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	18.57	30	11.43	Pass	401
2690	2691	0.51	RMS	2690.008	-21.52	-10	11.52	Pass	401
2691	2695	1	RMS	2691	-35.9	-10	25.9	Pass	5
2695	2710	1	RMS	2695.075	-39.31	-13	26.31	Pass	401
2710	2715	1	RMS	2710.025	-46.23	-25	21.23	Pass	401



11.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2682.85	-0.8	30	30.8	Pass	401
2690	2691	0.51	RMS	2690.008	-35.01	-10	25.01	Pass	401
2691	2695	1	RMS	2691	-35.25	-10	25.25	Pass	5
2695	2710	1	RMS	2696.575	-35.56	-13	22.56	Pass	401
2710	2715	1	RMS	2710.088	-40.49	-25	15.49	Pass	401

