11BE80MIMO_Ant3_5985_52RU*16



Date: 21.AUG.2024 05:58:37

11BE80MIMO_Ant4_5985_52RU*16



Date: 21.AUG.2024 05:58:54

11BE160MIMO_Ant1_6025_106RU*16



Date: 21.AUG.2024 06:37:07

11BE160MIMO_Ant2_6025_106RU*16



Date: 21.AUG.2024 06:37:26

11BE160MIMO_Ant3_6025_106RU*16



Date: 21.AUG.2024 06:37:41

11BE160MIMO_Ant4_6025_106RU*16



Date: 21.AUG.2024 06:37:58

<Puncturing Mode>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE320MIMO	Ant1	6105	Puncturing 80M	RU4	-2.34	0.23	-2.11	≤5.00	PASS
			Puncturing 80+40M	RU6	-2.52	0.23	-2.29	≤5.00	PASS
			Puncturing 40M	RU8	-1.89	0.23	-1.66	≤5.00	PASS
	Ant2	6105	Puncturing 80M	RU4	-1.75	0.23	-1.52	≤5.00	PASS
			Puncturing 80+40M	RU6	-1.67	0.23	-1.44	≤5.00	PASS
			Puncturing 40M	RU8	-1.3	0.23	-1.07	≤5.00	PASS
	Ant3	6105	Puncturing 80M	RU4	-2.2	0.23	-1.97	≤5.00	PASS
			Puncturing 80+40M	RU6	-2.27	0.23	-2.04	≤5.00	PASS
			Puncturing 40M	RU8	-1.62	0.23	-1.39	≤5.00	PASS
	Ant4	6105	Puncturing 80M	RU4	-2.2	0.23	-1.97	≤5.00	PASS
			Puncturing 80+40M	RU6	-2.3	0.23	-2.07	≤5.00	PASS
			Puncturing 40M	RU8	-1.77	0.23	-1.54	≤5.00	PASS
	total	6105	Puncturing 80M	RU4	3.90	---	4.13	≤5.00	PASS
			Puncturing 80+40M	RU6	3.84	---	4.07	≤5.00	PASS
			Puncturing 40M	RU8	4.38	---	4.61	≤5.00	PASS
	Ant1	6585	Puncturing 80M	RU4	-2.24	0.16	-2.08	≤5.00	PASS
			Puncturing 80+40M	RU6	-2.28	0.16	-2.12	≤5.00	PASS
			Puncturing 40M	RU8	-2.3	0.16	-2.14	≤5.00	PASS
	Ant2	6585	Puncturing 80M	RU4	-1.7	0.16	-1.54	≤5.00	PASS
			Puncturing 80+40M	RU6	-1.73	0.16	-1.57	≤5.00	PASS
			Puncturing 40M	RU8	-1.73	0.16	-1.57	≤5.00	PASS
	Ant3	6585	Puncturing 80M	RU4	-1.85	0.16	-1.69	≤5.00	PASS
			Puncturing 80+40M	RU6	-1.98	0.16	-1.82	≤5.00	PASS
			Puncturing 40M	RU8	-2.2	0.16	-2.04	≤5.00	PASS
	Ant4	6585	Puncturing 80M	RU4	-1.79	0.16	-1.63	≤5.00	PASS
			Puncturing 80+40M	RU6	-1.82	0.16	-1.66	≤5.00	PASS
			Puncturing 40M	RU8	-2	0.16	-1.84	≤5.00	PASS
	total	6585	Puncturing 80M	RU4	4.13	---	4.29	≤5.00	PASS
			Puncturing 80+40M	RU6	4.07	---	4.23	≤5.00	PASS
			Puncturing 40M	RU8	3.97	---	4.13	≤5.00	PASS
	Ant1	6905	Puncturing 40M	RU1	-1.41	0.16	-1.25	≤5.00	PASS
			Puncturing 80M	RU1	-1.84	0.16	-1.68	≤5.00	PASS
			Puncturing 80+40M	RU7	-1.75	0.16	-1.59	≤5.00	PASS
	Ant2	6905	Puncturing 40M	RU1	-2.07	0.16	-1.91	≤5.00	PASS

			Puncturing 80M	RU1	-2.38	0.16	-2.22	≤5.00	PASS
			Puncturing 80+40M	RU7	-2.32	0.16	-2.16	≤5.00	PASS
	Ant3	6905	Puncturing 80M	RU1	-2.12	0.16	-1.96	≤5.00	PASS
			Puncturing 40M	RU1	-2.16	0.16	-2.00	≤5.00	PASS
			Puncturing 80+40M	RU7	-1.9	0.16	-1.74	≤5.00	PASS
	Ant4	6905	Puncturing 80M	RU1	-0.96	0.16	-0.80	≤5.00	PASS
			Puncturing 40M	RU1	-0.79	0.16	-0.63	≤5.00	PASS
			Puncturing 80+40M	RU7	-1.21	0.16	-1.05	≤5.00	PASS
	total	6905	Puncturing 40M	RU1	4.45	---	4.61	≤5.00	PASS
			Puncturing 80M	RU1	4.23	---	4.39	≤5.00	PASS
			Puncturing 80+40M	RU7	4.24	---	4.40	≤5.00	PASS
11BE80MIMO	Ant1	5985	Puncturing 20M	RU4	-1.93	0.23	-1.70	≤5.00	PASS
	Ant2	5985	Puncturing 20M	RU4	-1.85	0.23	-1.62	≤5.00	PASS
	Ant3	5985	Puncturing 20M	RU4	-1.87	0.23	-1.64	≤5.00	PASS
	Ant4	5985	Puncturing 20M	RU4	-1.72	0.23	-1.49	≤5.00	PASS
	total	5985	Puncturing 20M	RU4	4.18	---	4.41	≤5.00	PASS
	Ant1	6465	Puncturing 20M	RU4	-1.73	0.16	-1.57	≤5.00	PASS
	Ant2	6465	Puncturing 20M	RU4	-1.56	0.16	-1.40	≤5.00	PASS
	Ant3	6465	Puncturing 20M	RU4	-1.62	0.16	-1.46	≤5.00	PASS
	Ant4	6465	Puncturing 20M	RU4	-1.46	0.16	-1.30	≤5.00	PASS
	total	6465	Puncturing 20M	RU4	4.43	---	4.59	≤5.00	PASS
	Ant1	6625	Puncturing 20M	RU4	-2.31	0.16	-2.15	≤5.00	PASS
	Ant2	6625	Puncturing 20M	RU4	-2.51	0.16	-2.35	≤5.00	PASS
	Ant3	6625	Puncturing 20M	RU4	-1.98	0.16	-1.82	≤5.00	PASS
	Ant4	6625	Puncturing 20M	RU4	-2.02	0.16	-1.86	≤5.00	PASS
	total	6625	Puncturing 20M	RU4	3.82	---	3.98	≤5.00	PASS
	Ant1	7025	Puncturing 20M	RU1	-1.7	-0.05	-1.75	≤5.00	PASS
	Ant2	7025	Puncturing 20M	RU1	-1.61	-0.05	-1.66	≤5.00	PASS
	Ant3	7025	Puncturing 20M	RU1	-1.81	-0.05	-1.86	≤5.00	PASS
	Ant4	7025	Puncturing 20M	RU1	-1.57	-0.05	-1.62	≤5.00	PASS
	total	7025	Puncturing 20M	RU1	4.35	---	4.30	≤5.00	PASS
11BE160MIMO	Ant1	6025	Puncturing 40M	RU4	-2.43	0.23	-2.20	≤5.00	PASS
			Puncturing 20M	RU8	-2.25	0.23	-2.02	≤5.00	PASS
	Ant2	6025	Puncturing 40M	RU4	-1.87	0.23	-1.64	≤5.00	PASS
			Puncturing 20M	RU8	-1.76	0.23	-1.53	≤5.00	PASS
	Ant3	6025	Puncturing 40M	RU4	-2.03	0.23	-1.80	≤5.00	PASS
			Puncturing 20M	RU8	-2.14	0.23	-1.91	≤5.00	PASS
	Ant4	6025	Puncturing 40M	RU4	-2	0.23	-1.77	≤5.00	PASS
			Puncturing 20M	RU8	-2.11	0.23	-1.88	≤5.00	PASS
	total	6025	Puncturing 40M	RU4	3.94	---	4.17	≤5.00	PASS
			Puncturing 20M	RU8	3.96	---	4.19	≤5.00	PASS

	Ant1	6505	Puncturing 40M	RU4	-2.09	0.16	-1.93	≤5.00	PASS
			Puncturing 20M	RU8	-2.32	0.16	-2.16	≤5.00	PASS
	Ant2	6505	Puncturing 40M	RU4	-1.64	0.16	-1.48	≤5.00	PASS
			Puncturing 20M	RU8	-1.62	0.16	-1.46	≤5.00	PASS
	Ant3	6505	Puncturing 40M	RU4	-2.03	0.16	-1.87	≤5.00	PASS
			Puncturing 20M	RU8	-2.11	0.16	-1.95	≤5.00	PASS
	Ant4	6505	Puncturing 40M	RU4	-1.77	0.16	-1.61	≤5.00	PASS
			Puncturing 20M	RU8	-1.77	0.16	-1.61	≤5.00	PASS
	total	6505	Puncturing 40M	RU4	4.14	---	4.30	≤5.00	PASS
			Puncturing 20M	RU8	4.07	---	4.23	≤5.00	PASS
	Ant1	6985	Puncturing 20M	RU1	-2.59	-0.05	-2.64	≤5.00	PASS
			Puncturing 40M	RU1	-2.44	-0.05	-2.49	≤5.00	PASS
	Ant2	6985	Puncturing 20M	RU1	-2.16	-0.05	-2.21	≤5.00	PASS
			Puncturing 40M	RU1	-2.17	-0.05	-2.22	≤5.00	PASS
	Ant3	6985	Puncturing 20M	RU1	-2.34	-0.05	-2.39	≤5.00	PASS
			Puncturing 40M	RU1	-2.32	-0.05	-2.37	≤5.00	PASS
	Ant4	6985	Puncturing 20M	RU1	-1.85	-0.05	-1.90	≤5.00	PASS
			Puncturing 40M	RU1	-1.71	-0.05	-1.76	≤5.00	PASS
	total	6985	Puncturing 20M	RU1	3.79	---	3.74	≤5.00	PASS
			Puncturing 40M	RU1	3.87	---	3.82	≤5.00	PASS

Note：The Duty Cycle Factor and is compensated in the graph.

Test Graphs

11BE320MIMO_Ant1_6105_Puncturing 80M_RU4



Date: 21.AUG.2024 14:59:19

11BE320MIMO_Ant1_6105_Puncturing 80+40M_RU6

Date: 21.AUG.2024 15:06:42

11BE320MIMO_Ant1_6105_Puncturing 40M_RU8

Date: 21.AUG.2024 15:14:24

11BE320MIMO_Ant2_6105_Puncturing 80M_RU4

Date: 21.AUG.2024 15:00:43

11BE320MIMO_Ant2_6105_Puncturing 80+40M_RU6

Date: 21.AUG.2024 15:08:10

11BE320MIMO_Ant2_6105_Puncturing 40M_RU8

Date: 21.AUG.2024 15:16:09

11BE320MIMO_Ant3_6105_Puncturing 80M_RU4



Date: 21.AUG.2024 15:02:13

11BE320MIMO_Ant3_6105_Puncturing 80+40M_RU6

Date: 21.AUG.2024 15:10:00

11BE320MIMO_Ant3_6105_Puncturing 40M_RU8

Date: 21.AUG.2024 15:17:57

11BE320MIMO_Ant4_6105_Puncturing 80M_RU4



Date: 21.AUG.2024 15:03:39

11BE320MIMO_Ant4_6105_Puncturing 80+40M_RU6

Date: 21.AUG.2024 15:11:28

11BE320MIMO_Ant4_6105_Puncturing 40M_RU8

Date: 21.AUG.2024 15:20:00

11BE320MIMO_Ant1_6585_Puncturing 80M_RU4



Date: 21.AUG.2024 15:56:53

11BE320MIMO_Ant1_6585_Puncturing 80+40M_RU6



Date: 21.AUG.2024 16:07:27

11BE320MIMO_Ant1_6585_Puncturing 40M_RU8



Date: 21.AUG.2024 16:39:03

11BE320MIMO_Ant2_6585_Puncturing 80M_RU4



Date: 21.AUG.2024 16:01:08

11BE320MIMO_Ant2_6585_Puncturing 80+40M_RU6



Date: 21.AUG.2024 16:12:47

11BE320MIMO_Ant2_6585_Puncturing 40M_RU8



Date: 21.AUG.2024 16:39:26

11BE320MIMO_Ant3_6585_Puncturing 80M_RU4



Date: 21.AUG.2024 16:02:07

11BE320MIMO_Ant3_6585_Puncturing 80+40M_RU6

Date: 21.AUG.2024 16:14:33

11BE320MIMO_Ant3_6585_Puncturing 40M_RU8



Date: 21.AUG.2024 16:39:49

11BE320MIMO_Ant4_6585_Puncturing 80M_RU4



Date: 21.AUG.2024 16:03:02

11BE320MIMO_Ant4_6585_Puncturing 80+40M_RU6



Date: 21.AUG.2024 16:23:34

11BE320MIMO_Ant4_6585_Puncturing 40M_RU8



Date: 21.AUG.2024 16:40:13

11BE320MIMO_Ant1_6905_Puncturing 40M_RU1



Date: 21.AUG.2024 16:43:21

11BE320MIMO_Ant1_6905_Puncturing 80M_RU1



Date: 21.AUG.2024 16:51:31

11BE320MIMO_Ant1_6905_Puncturing 80+40M_RU7



11BE320MIMO_Ant2_6905_Puncturing 40M_RU1



11BE320MIMO_Ant2_6905_Puncturing 80M_RU1



Date: 21.AUG.2024 16:52:27

11BE320MIMO_Ant2_6905_Puncturing 80+40M_RU7



Date: 21.AUG.2024 17:44:21

11BE320MIMO_Ant3_6905_Puncturing 80M_RU1



Date: 21.AUG.2024 16:53:25

11BE320MIMO_Ant3_6905_Puncturing 40M_RU1



Date: 21.AUG.2024 16:46:16

11BE320MIMO_Ant3_6905_Puncturing 80+40M_RU7



Date: 21.AUG.2024 17:44:44

11BE320MIMO_Ant4_6905_Puncturing 80M_RU1



Date: 21.AUG.2024 16:54:19

11BE320MIMO_Ant4_6905_Puncturing 40M_RU1

Date: 21.AUG.2024 16:47:38

11BE320MIMO_Ant4_6905_Puncturing 80+40M_RU7

Date: 21.AUG.2024 17:45:07

11BE80MIMO_Ant1_5985_Puncturing 20M_RU4



Date: 21.AUG.2024 12:51:58

11BE80MIMO_Ant2_5985_Puncturing 20M_RU4



Date: 21.AUG.2024 12:58:28

11BE80MIMO_Ant3_5985_Puncturing 20M_RU4



Date: 21.AUG.2024 12:59:09

11BE80MIMO_Ant4_5985_Puncturing 20M_RU4



Date: 21.AUG.2024 13:01:16

11BE80MIMO_Ant1_6465_Puncturing 20M_RU4



Date: 21.AUG.2024 13:02:59

11BE80MIMO_Ant2_6465_Puncturing 20M_RU4



Date: 21.AUG.2024 13:04:20

11BE80MIMO_Ant3_6465_Puncturing 20M_RU4



Date: 21.AUG.2024 13:07:26

11BE80MIMO_Ant4_6465_Puncturing 20M_RU4



Date: 21.AUG.2024 13:08:55

11BE80MIMO_Ant1_6625_Puncturing 20M_RU4



Date: 21.AUG.2024 13:31:19

11BE80MIMO_Ant2_6625_Puncturing 20M_RU4



Date: 21.AUG.2024 13:31:42

11BE80MIMO_Ant3_6625_Puncturing 20M_RU4



Date: 21.AUG.2024 13:32:05

11BE80MIMO_Ant4_6625_Puncturing 20M_RU4



Date: 21.AUG.2024 13:32:29

11BE80MIMO_Ant1_7025_Puncturing 20M_RU1



Date: 21.AUG.2024 13:38:10

11BE80MIMO_Ant2_7025_Puncturing 20M_RU1



Date: 21.AUG.2024 13:40:05

11BE80MIMO_Ant3_7025_Puncturing 20M_RU1



Date: 21.AUG.2024 13:41:45

11BE80MIMO_Ant4_7025_Puncturing 20M_RU1



Date: 21.AUG.2024 13:43:26

11BE160MIMO_Ant1_6025_Puncturing 40M_RU4



Date: 21.AUG.2024 13:52:29

11BE160MIMO_Ant1_6025_Puncturing 20M_RU8



Date: 21.AUG.2024 14:06:03

11BE160MIMO_Ant2_6025_Puncturing 40M_RU4



Date: 21.AUG.2024 13:56:57

11BE160MIMO_Ant2_6025_Puncturing 20M_RU8

Date: 21.AUG.2024 14:07:41

11BE160MIMO_Ant3_6025_Puncturing 40M_RU4



Date: 21.AUG.2024 13:59:52

11BE160MIMO_Ant3_6025_Puncturing 20M_RU8



Date: 21.AUG.2024 14:09:01

11BE160MIMO_Ant4_6025_Puncturing 40M_RU4



Date: 21.AUG.2024 14:03:30

11BE160MIMO_Ant4_6025_Puncturing 20M_RU8



Date: 21.AUG.2024 14:10:29

11BE160MIMO_Ant1_6505_Puncturing 40M_RU4



Date: 21.AUG.2024 14:37:35

11BE160MIMO_Ant1_6505_Puncturing 20M_RU8



Date: 21.AUG.2024 14:33:07

11BE160MIMO_Ant2_6505_Puncturing 40M_RU4



Date: 21.AUG.2024 14:37:59

11BE160MIMO_Ant2_6505_Puncturing 20M_RU8



Date: 21.AUG.2024 14:33:30

11BE160MIMO_Ant3_6505_Puncturing 40M_RU4



Date: 21.AUG.2024 14:38:23

11BE160MIMO_Ant3_6505_Puncturing 20M_RU8



Date: 21.AUG.2024 14:33:54

11BE160MIMO_Ant4_6505_Puncturing 40M_RU4



Date: 21.AUG.2024 14:38:47

11BE160MIMO_Ant4_6505_Puncturing 20M_RU8



Date: 21.AUG.2024 14:35:47

11BE160MIMO_Ant1_6985_Puncturing 20M_RU1



Date: 21.AUG.2024 14:41:12

11BE160MIMO_Ant1_6985_Puncturing 40M_RU1



Date: 21.AUG.2024 14:50:07

11BE160MIMO_Ant2_6985_Puncturing 20M_RU1



Date: 21.AUG.2024 14:42:59

11BE160MIMO_Ant2_6985_Puncturing 40M_RU1



Date: 21.AUG.2024 14:51:41

11BE160MIMO_Ant3_6985_Puncturing 20M_RU1



11BE160MIMO_Ant3_6985_Puncturing 40M_RU1



11BE160MIMO_Ant4_6985_Puncturing 20M_RU1



Date: 21.AUG.2024 14:47:16

11BE160MIMO_Ant4_6985_Puncturing 40M_RU1



Date: 21.AUG.2024 14:55:34

In-Band Emissions

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11BE320MIMO	Ant1	6105	Puncturing 80M	RU4	See test graph	See test graph	PASS
			Puncturing 80+40M	RU6	See test graph	See test graph	PASS
			Puncturing 40M	RU8	See test graph	See test graph	PASS
	Ant2	6105	Puncturing 80M	RU4	See test graph	See test graph	PASS
			Puncturing 80+40M	RU6	See test graph	See test graph	PASS
			Puncturing 40M	RU8	See test graph	See test graph	PASS
	Ant3	6105	Puncturing 80M	RU4	See test graph	See test graph	PASS
			Puncturing 80+40M	RU6	See test graph	See test graph	PASS
			Puncturing 40M	RU8	See test graph	See test graph	PASS
	Ant4	6105	Puncturing 80M	RU4	See test graph	See test graph	PASS
			Puncturing 80+40M	RU6	See test graph	See test graph	PASS
			Puncturing 40M	RU8	See test graph	See test graph	PASS
	Ant1	6585	Puncturing 80M	RU4	See test graph	See test graph	PASS
			Puncturing 80+40M	RU6	See test graph	See test graph	PASS
			Puncturing 40M	RU8	See test graph	See test graph	PASS
	Ant2	6585	Puncturing 80M	RU4	See test graph	See test graph	PASS
			Puncturing 80+40M	RU6	See test graph	See test graph	PASS
			Puncturing 40M	RU8	See test graph	See test graph	PASS
	Ant3	6585	Puncturing 80M	RU4	See test graph	See test graph	PASS
			Puncturing 80+40M	RU6	See test graph	See test graph	PASS
			Puncturing 40M	RU8	See test graph	See test graph	PASS
	Ant4	6585	Puncturing 80M	RU4	See test graph	See test graph	PASS
			Puncturing 80+40M	RU6	See test graph	See test graph	PASS
			Puncturing 40M	RU8	See test graph	See test graph	PASS
	Ant1	6905	Puncturing 40M	RU1	See test graph	See test graph	PASS
			Puncturing 80M	RU1	See test graph	See test graph	PASS
			Puncturing 80+40M	RU7	See test graph	See test graph	PASS
	Ant2	6905	Puncturing 80M	RU1	See test graph	See test graph	PASS
			Puncturing 40M	RU1	See test graph	See test graph	PASS
			Puncturing 80+40M	RU7	See test graph	See test graph	PASS
	Ant3	6905	Puncturing 80M	RU1	See test graph	See test graph	PASS
			Puncturing 40M	RU1	See test graph	See test graph	PASS
			Puncturing 80+40M	RU7	See test graph	See test graph	PASS
	Ant4	6905	Puncturing 80M	RU1	See test graph	See test graph	PASS
			Puncturing 40M	RU1	See test graph	See test graph	PASS
			Puncturing 80+40M	RU7	See test graph	See test graph	PASS
11BE80 MIMO	Ant1	5985	Puncturing 20M	RU4	See test graph	See test graph	PASS
	Ant2	5985	Puncturing 20M	RU4	See test graph	See test graph	PASS
	Ant3	5985	Puncturing 20M	RU4	See test graph	See test graph	PASS
	Ant4	5985	Puncturing 20M	RU4	See test graph	See test graph	PASS
	Ant1	6465	Puncturing 20M	RU4	See test graph	See test graph	PASS
	Ant2	6465	Puncturing 20M	RU4	See test graph	See test graph	PASS
	Ant3	6465	Puncturing 20M	RU4	See test graph	See test graph	PASS
	Ant4	6465	Puncturing 20M	RU4	See test graph	See test graph	PASS
	Ant1	6625	Puncturing 20M	RU4	See test graph	See test graph	PASS
	Ant2	6625	Puncturing 20M	RU4	See test graph	See test graph	PASS

	Ant3	6625	Puncturing 20M	RU4	See test graph	See test graph	PASS
	Ant4	6625	Puncturing 20M	RU4	See test graph	See test graph	PASS
	Ant1	7025	Puncturing 20M	RU1	See test graph	See test graph	PASS
	Ant2	7025	Puncturing 20M	RU1	See test graph	See test graph	PASS
	Ant3	7025	Puncturing 20M	RU1	See test graph	See test graph	PASS
	Ant4	7025	Puncturing 20M	RU1	See test graph	See test graph	PASS
11BE160MIMO	Ant1	6025	Puncturing 40M	RU4	See test graph	See test graph	PASS
			Puncturing 20M	RU8	See test graph	See test graph	PASS
	Ant2	6025	Puncturing 40M	RU4	See test graph	See test graph	PASS
			Puncturing 20M	RU8	See test graph	See test graph	PASS
	Ant3	6025	Puncturing 40M	RU4	See test graph	See test graph	PASS
			Puncturing 20M	RU8	See test graph	See test graph	PASS
	Ant4	6025	Puncturing 40M	RU4	See test graph	See test graph	PASS
			Puncturing 20M	RU8	See test graph	See test graph	PASS
	Ant1	6505	Puncturing 40M	RU4	See test graph	See test graph	PASS
			Puncturing 20M	RU8	See test graph	See test graph	PASS
	Ant2	6505	Puncturing 40M	RU4	See test graph	See test graph	PASS
			Puncturing 20M	RU8	See test graph	See test graph	PASS
	Ant3	6505	Puncturing 40M	RU4	See test graph	See test graph	PASS
			Puncturing 20M	RU8	See test graph	See test graph	PASS
	Ant4	6505	Puncturing 40M	RU4	See test graph	See test graph	PASS
			Puncturing 20M	RU8	See test graph	See test graph	PASS
	Ant1	6985	Puncturing 20M	RU1	See test graph	See test graph	PASS
			Puncturing 40M	RU1	See test graph	See test graph	PASS
	Ant2	6985	Puncturing 20M	RU1	See test graph	See test graph	PASS
			Puncturing 40M	RU1	See test graph	See test graph	PASS
	Ant3	6985	Puncturing 20M	RU1	See test graph	See test graph	PASS
			Puncturing 40M	RU1	See test graph	See test graph	PASS
	Ant4	6985	Puncturing 20M	RU1	See test graph	See test graph	PASS
			Puncturing 40M	RU1	See test graph	See test graph	PASS

Test Graphs

11BE320MIMO_Ant1_6105_Puncturing 80M_RU4



Spectrum Emission Mask Standard: None

Peak Power 4.51 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.820 MHz	5.000 MHz	5.59450 GHz	-55.04 dBm	-59.55 dB	-19.55 dB
-508.820 MHz	-339.210 MHz	5.000 MHz	5.59706 GHz	-55.07 dBm	-59.58 dB	-19.64 dB
-339.210 MHz	-170.610 MHz	5.000 MHz	5.93239 GHz	-32.00 dBm	-36.50 dB	-16.41 dB
-170.610 MHz	-169.610 MHz	5.000 MHz	5.93447 GHz	-32.25 dBm	-36.76 dB	-18.43 dB
169.610 MHz	170.610 MHz	5.000 MHz	6.27553 GHz	-34.73 dBm	-39.24 dB	-20.90 dB
170.610 MHz	339.210 MHz	5.000 MHz	6.31076 GHz	-33.88 dBm	-38.38 dB	-16.71 dB
339.210 MHz	508.820 MHz	5.000 MHz	6.61262 GHz	-48.00 dBm	-52.51 dB	-12.59 dB
508.820 MHz	800.000 MHz	5.000 MHz	6.61550 GHz	-48.01 dBm	-52.51 dB	-12.51 dB

Date: 21.AUG.2024 14:59:44

11BE320MIMO_Ant1_6105_Puncturing 80+40M_RU6



Spectrum Emission Mask Standard: None

Peak Power 4.38 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.820 MHz	5.000 MHz	5.59562 GHz	-55.04 dBm	-59.42 dB	-19.42 dB
-508.820 MHz	-339.210 MHz	5.000 MHz	5.59706 GHz	-55.08 dBm	-59.46 dB	-19.52 dB
-339.210 MHz	-170.610 MHz	5.000 MHz	5.93431 GHz	-33.28 dBm	-37.66 dB	-17.66 dB
-170.610 MHz	-169.610 MHz	5.000 MHz	5.93447 GHz	-33.49 dBm	-37.87 dB	-19.54 dB
169.610 MHz	170.610 MHz	5.000 MHz	6.27553 GHz	-40.43 dBm	-44.80 dB	-26.47 dB
170.610 MHz	339.210 MHz	5.000 MHz	6.44173 GHz	-46.99 dBm	-51.37 dB	-23.48 dB
339.210 MHz	508.820 MHz	5.000 MHz	6.61342 GHz	-49.09 dBm	-53.47 dB	-13.50 dB
508.820 MHz	800.000 MHz	5.000 MHz	6.61918 GHz	-49.03 dBm	-53.41 dB	-13.41 dB

Date: 21.AUG.2024 15:07:08

11BE320MIMO_Ant1_6105_Puncturing 40M_RU8



Spectrum Emission Mask Standard: None

Peak Power 4.94 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.820 MHz	5.000 MHz	5.59290 GHz	-55.00 dBm	-59.94 dB	-19.94 dB
-508.820 MHz	-339.210 MHz	5.000 MHz	5.59626 GHz	-55.11 dBm	-60.05 dB	-20.06 dB
-339.210 MHz	-170.610 MHz	5.000 MHz	5.93255 GHz	-29.32 dBm	-34.27 dB	-14.18 dB
-170.610 MHz	-169.610 MHz	5.000 MHz	5.93447 GHz	-29.17 dBm	-34.11 dB	-15.78 dB
169.610 MHz	170.610 MHz	5.000 MHz	6.27553 GHz	-27.90 dBm	-32.84 dB	-14.51 dB
170.610 MHz	339.210 MHz	5.000 MHz	6.43869 GHz	-33.09 dBm	-38.03 dB	-10.30 dB
339.210 MHz	508.820 MHz	5.000 MHz	6.61038 GHz	-41.06 dBm	-46.00 dB	-6.24 dB
508.820 MHz	800.000 MHz	5.000 MHz	6.61438 GHz	-41.67 dBm	-46.61 dB	-6.61 dB

Date: 21.AUG.2024 15:15:13

11BE320MIMO_Ant2_6105_Puncturing 80M_RU4



Spectrum Emission Mask Standard: None

Peak Power 4.97 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-512.250 MHz	5.000 MHz	5.43295 GHz	-55.13 dBm	-60.11 dB	-20.11 dB
-512.250 MHz	-341.500 MHz	5.000 MHz	5.59283 GHz	-55.12 dBm	-60.10 dB	-20.10 dB
-341.500 MHz	-171.750 MHz	5.000 MHz	5.93237 GHz	-30.29 dBm	-35.26 dB	-15.22 dB
-171.750 MHz	-170.750 MHz	5.000 MHz	5.93333 GHz	-30.95 dBm	-35.92 dB	-17.59 dB
170.750 MHz	171.750 MHz	5.000 MHz	6.27667 GHz	-33.24 dBm	-38.21 dB	-19.88 dB
171.750 MHz	341.500 MHz	5.000 MHz	6.32835 GHz	-33.31 dBm	-38.28 dB	-15.85 dB
341.500 MHz	512.250 MHz	5.000 MHz	6.61621 GHz	-47.86 dBm	-52.84 dB	-12.91 dB
512.250 MHz	800.000 MHz	5.000 MHz	6.61973 GHz	-47.90 dBm	-52.87 dB	-12.87 dB

Date: 21.AUG.2024 15:01:08

11BE320MIMO_Ant2_6105_Puncturing 80+40M_RU6



Spectrum Emission Mask Standard: None

Peak Power 5.19 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-512.250 MHz	5.000 MHz	5.59187 GHz	-55.08 dBm	-60.28 dB	-20.28 dB
-512.250 MHz	-341.500 MHz	5.000 MHz	5.59331 GHz	-55.14 dBm	-60.33 dB	-20.37 dB
-341.500 MHz	-171.750 MHz	5.000 MHz	5.93317 GHz	-32.49 dBm	-37.68 dB	-17.68 dB
-171.750 MHz	-170.750 MHz	5.000 MHz	5.93333 GHz	-32.51 dBm	-37.70 dB	-19.37 dB
170.750 MHz	171.750 MHz	5.000 MHz	6.27667 GHz	-38.51 dBm	-43.70 dB	-25.37 dB
171.750 MHz	341.500 MHz	5.000 MHz	6.30467 GHz	-39.25 dBm	-44.45 dB	-23.13 dB
341.500 MHz	512.250 MHz	5.000 MHz	6.61685 GHz	-48.84 dBm	-54.03 dB	-14.06 dB
512.250 MHz	800.000 MHz	5.000 MHz	6.61877 GHz	-48.82 dBm	-54.02 dB	-14.02 dB

Date: 21.AUG.2024 15:09:03

11BE320MIMO_Ant2_6105_Puncturing 40M_RU8



Spectrum Emission Mask Standard: None

Peak Power 5.54 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-512.250 MHz	5.000 MHz	5.59027 GHz	-55.11 dBm	-60.65 dB	-20.65 dB
-512.250 MHz	-341.500 MHz	5.000 MHz	5.59299 GHz	-55.10 dBm	-60.64 dB	-20.66 dB
-341.500 MHz	-171.750 MHz	5.000 MHz	5.93221 GHz	-26.97 dBm	-32.51 dB	-12.47 dB
-171.750 MHz	-170.750 MHz	5.000 MHz	5.93333 GHz	-26.94 dBm	-32.48 dB	-14.14 dB
170.750 MHz	171.750 MHz	5.000 MHz	6.27667 GHz	-26.64 dBm	-32.18 dB	-13.85 dB
171.750 MHz	341.500 MHz	5.000 MHz	6.38162 GHz	-29.02 dBm	-34.56 dB	-9.62 dB
341.500 MHz	512.250 MHz	5.000 MHz	6.61477 GHz	-40.79 dBm	-46.33 dB	-6.51 dB
512.250 MHz	800.000 MHz	5.000 MHz	6.62053 GHz	-41.25 dBm	-46.79 dB	-6.79 dB

Date: 21.AUG.2024 15:16:44

11BE320MIMO_Ant3_6105_Puncturing 80M_RU4



Spectrum Emission Mask Standard: None

Peak Power 4.65 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-511.100 MHz	5.000 MHz	5.59254 GHz	-55.02 dBm	-59.67 dB	-19.67 dB
-511.100 MHz	-340.730 MHz	5.000 MHz	5.59430 GHz	-55.11 dBm	-59.75 dB	-19.78 dB
-340.730 MHz	-171.370 MHz	5.000 MHz	5.93291 GHz	-30.66 dBm	-35.31 dB	-15.27 dB
-171.370 MHz	-170.370 MHz	5.000 MHz	5.93371 GHz	-30.88 dBm	-35.53 dB	-17.19 dB
170.370 MHz	171.370 MHz	5.000 MHz	6.27629 GHz	-33.78 dBm	-38.42 dB	-20.09 dB
171.370 MHz	340.730 MHz	5.000 MHz	6.31103 GHz	-32.87 dBm	-37.52 dB	-15.88 dB
340.730 MHz	511.100 MHz	5.000 MHz	6.61410 GHz	-48.42 dBm	-53.07 dB	-13.21 dB
511.100 MHz	800.000 MHz	5.000 MHz	6.61746 GHz	-48.46 dBm	-53.11 dB	-13.11 dB

Date: 21.AUG.2024 15:02:37

11BE320MIMO_Ant3_6105_Puncturing 80+40M_RU6



Spectrum Emission Mask Standard: None

Peak Power 4.59 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-511.100 MHz	5.000 MHz	5.40720 GHz	-55.06 dBm	-59.65 dB	-19.65 dB
-511.100 MHz	-340.730 MHz	5.000 MHz	5.59398 GHz	-55.07 dBm	-59.66 dB	-19.67 dB
-340.730 MHz	-171.370 MHz	5.000 MHz	5.93355 GHz	-32.27 dBm	-36.86 dB	-16.85 dB
-171.370 MHz	-170.370 MHz	5.000 MHz	5.93371 GHz	-32.32 dBm	-36.91 dB	-18.58 dB
170.370 MHz	171.370 MHz	5.000 MHz	6.27629 GHz	-39.23 dBm	-43.82 dB	-25.49 dB
171.370 MHz	340.730 MHz	5.000 MHz	6.43925 GHz	-46.62 dBm	-51.21 dB	-23.52 dB
340.730 MHz	511.100 MHz	5.000 MHz	6.61442 GHz	-49.33 dBm	-53.92 dB	-14.04 dB
511.100 MHz	800.000 MHz	5.000 MHz	6.61682 GHz	-49.42 dBm	-54.01 dB	-14.01 dB

Date: 21.AUG.2024 15:10:26

11BE320MIMO_Ant3_6105_Puncturing 40M_RU8



Spectrum Emission Mask Standard: None

Peak Power 5.25 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.820 MHz	5.000 MHz	5.59482 GHz	-54.99 dBm	-60.24 dB	-20.24 dB
-508.820 MHz	-339.210 MHz	5.000 MHz	5.59626 GHz	-55.03 dBm	-60.28 dB	-20.29 dB
-339.210 MHz	-170.610 MHz	5.000 MHz	5.93431 GHz	-26.82 dBm	-32.07 dB	-12.06 dB
-170.610 MHz	-169.610 MHz	5.000 MHz	5.93447 GHz	-27.02 dBm	-32.27 dB	-13.94 dB
169.610 MHz	170.610 MHz	5.000 MHz	6.27553 GHz	-26.58 dBm	-31.83 dB	-13.50 dB
170.610 MHz	339.210 MHz	5.000 MHz	6.38121 GHz	-29.95 dBm	-35.20 dB	-10.19 dB
339.210 MHz	508.820 MHz	5.000 MHz	6.61246 GHz	-41.36 dBm	-46.61 dB	-6.71 dB
508.820 MHz	800.000 MHz	5.000 MHz	6.61406 GHz	-41.38 dBm	-46.63 dB	-6.63 dB

Date: 21.AUG.2024 15:18:59

11BE320MIMO_Ant4_6105_Puncturing 80M_RU4



Spectrum Emission Mask Standard: None

Peak Power 4.66 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-509.960 MHz	5.000 MHz	5.58215 GHz	-55.00 dBm	-59.65 dB	-19.65 dB
-509.960 MHz	-339.970 MHz	5.000 MHz	5.59608 GHz	-55.00 dBm	-59.65 dB	-19.73 dB
-339.970 MHz	-170.990 MHz	5.000 MHz	5.93377 GHz	-30.74 dBm	-35.40 dB	-15.39 dB
-170.990 MHz	-169.990 MHz	5.000 MHz	5.93409 GHz	-31.44 dBm	-36.09 dB	-17.76 dB
169.990 MHz	170.990 MHz	5.000 MHz	6.27591 GHz	-33.61 dBm	-38.26 dB	-19.93 dB
170.990 MHz	339.970 MHz	5.000 MHz	6.32232 GHz	-33.15 dBm	-37.81 dB	-15.62 dB
339.970 MHz	509.960 MHz	5.000 MHz	6.61424 GHz	-46.31 dBm	-50.96 dB	-11.01 dB
509.960 MHz	800.000 MHz	5.000 MHz	6.61504 GHz	-46.24 dBm	-50.89 dB	-10.89 dB

Date: 21.AUG.2024 15:04:46

11BE320MIMO_Ant4_6105_Puncturing 80+40M_RU6



Spectrum Emission Mask Standard: None

Peak Power 4.51 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-509.960 MHz	5.000 MHz	5.59432 GHz	-54.93 dBm	-59.44 dB	-19.44 dB
-509.960 MHz	-339.970 MHz	5.000 MHz	5.59512 GHz	-55.05 dBm	-59.57 dB	-19.57 dB
-339.970 MHz	-170.990 MHz	5.000 MHz	5.93377 GHz	-32.76 dBm	-37.27 dB	-17.26 dB
-170.990 MHz	-169.990 MHz	5.000 MHz	5.93409 GHz	-32.83 dBm	-37.34 dB	-19.01 dB
169.990 MHz	170.990 MHz	5.000 MHz	6.27591 GHz	-39.77 dBm	-44.29 dB	-25.96 dB
170.990 MHz	339.970 MHz	5.000 MHz	6.44169 GHz	-44.63 dBm	-49.14 dB	-21.29 dB
339.970 MHz	509.960 MHz	5.000 MHz	6.61488 GHz	-48.37 dBm	-52.89 dB	-12.89 dB
509.960 MHz	800.000 MHz	5.000 MHz	6.61856 GHz	-48.50 dBm	-53.01 dB	-13.01 dB

Date: 21.AUG.2024 15:12:02

11BE320MIMO_Ant4_6105_Puncturing 40M_RU8



Spectrum Emission Mask Standard: None

Peak Power 4.98 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-509.960 MHz	5.000 MHz	5.59192 GHz	-54.92 dBm	-59.90 dB	-19.90 dB
-509.960 MHz	-339.970 MHz	5.000 MHz	5.59528 GHz	-55.00 dBm	-59.99 dB	-20.00 dB
-339.970 MHz	-170.990 MHz	5.000 MHz	5.93393 GHz	-28.54 dBm	-33.52 dB	-13.52 dB
-170.990 MHz	-169.990 MHz	5.000 MHz	5.93409 GHz	-28.54 dBm	-33.52 dB	-15.19 dB
169.990 MHz	170.990 MHz	5.000 MHz	6.27591 GHz	-27.53 dBm	-32.51 dB	-14.18 dB
170.990 MHz	339.970 MHz	5.000 MHz	6.43913 GHz	-32.93 dBm	-37.92 dB	-10.19 dB
339.970 MHz	509.960 MHz	5.000 MHz	6.60848 GHz	-40.87 dBm	-45.85 dB	-6.31 dB
509.960 MHz	800.000 MHz	5.000 MHz	6.61568 GHz	-41.64 dBm	-46.62 dB	-6.62 dB

Date: 21.AUG.2024 15:20:24

11BE320MIMO_Ant1_6585_Puncturing 80M_RU4



Spectrum Emission Mask Standard: None

Peak Power 4.81 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-522.540 MHz	5.000 MHz	6.06110 GHz	-46.09 dBm	-50.90 dB	-10.90 dB
-522.540 MHz	-348.360 MHz	5.000 MHz	6.06286 GHz	-45.89 dBm	-50.70 dB	-10.73 dB
-348.360 MHz	-175.180 MHz	5.000 MHz	6.39806 GHz	-28.76 dBm	-33.57 dB	-13.02 dB
-175.180 MHz	-174.180 MHz	5.000 MHz	6.40990 GHz	-29.52 dBm	-34.32 dB	-15.99 dB
174.180 MHz	175.180 MHz	5.000 MHz	6.76010 GHz	-31.90 dBm	-36.71 dB	-18.37 dB
175.180 MHz	348.360 MHz	5.000 MHz	6.79739 GHz	-31.85 dBm	-36.66 dB	-14.94 dB
348.360 MHz	522.540 MHz	5.000 MHz	7.10618 GHz	-50.53 dBm	-55.33 dB	-15.43 dB
522.540 MHz	800.000 MHz	5.000 MHz	7.10794 GHz	-50.64 dBm	-55.45 dB	-15.45 dB

Date: 21.AUG.2024 16:00:13

11BE320MIMO_Ant1_6585_Puncturing 80+40M_RU6



Spectrum Emission Mask Standard: None

Peak Power 4.72 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-522.540 MHz	5.000 MHz	6.06174 GHz	-48.21 dBm	-52.93 dB	-12.93 dB
-522.540 MHz	-348.360 MHz	5.000 MHz	6.06542 GHz	-48.17 dBm	-52.89 dB	-13.09 dB
-348.360 MHz	-175.180 MHz	5.000 MHz	6.33932 GHz	-36.00 dBm	-40.72 dB	-17.46 dB
-175.180 MHz	-174.180 MHz	5.000 MHz	6.40990 GHz	-34.07 dBm	-38.80 dB	-20.47 dB
174.180 MHz	175.180 MHz	5.000 MHz	6.76010 GHz	-38.41 dBm	-43.14 dB	-24.80 dB
175.180 MHz	348.360 MHz	5.000 MHz	6.76138 GHz	-38.20 dBm	-42.92 dB	-22.87 dB
348.360 MHz	522.540 MHz	5.000 MHz	7.10714 GHz	-52.91 dBm	-57.64 dB	-17.66 dB
522.540 MHz	800.000 MHz	5.000 MHz	7.10778 GHz	-52.99 dBm	-57.71 dB	-17.71 dB

Date: 21.AUG.2024 16:10:59

11BE320MIMO_Ant1_6585_Puncturing 40M_RU8



Spectrum Emission Mask Standard: None

Peak Power 5.24 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-522.540 MHz	5.000 MHz	6.06206 GHz	-41.72 dBm	-46.96 dB	-6.96 dB
-522.540 MHz	-348.360 MHz	5.000 MHz	6.07471 GHz	-40.76 dBm	-46.00 dB	-6.85 dB
-348.360 MHz	-175.180 MHz	5.000 MHz	6.27113 GHz	-29.43 dBm	-34.67 dB	-8.26 dB
-175.180 MHz	-174.180 MHz	5.000 MHz	6.40990 GHz	-24.94 dBm	-30.18 dB	-11.84 dB
174.180 MHz	175.180 MHz	5.000 MHz	6.76010 GHz	-25.97 dBm	-31.21 dB	-12.88 dB
175.180 MHz	348.360 MHz	5.000 MHz	6.78059 GHz	-26.26 dBm	-31.50 dB	-10.56 dB
348.360 MHz	522.540 MHz	5.000 MHz	7.09962 GHz	-43.21 dBm	-48.45 dB	-8.99 dB
522.540 MHz	800.000 MHz	5.000 MHz	7.10762 GHz	-44.74 dBm	-49.98 dB	-9.98 dB

Date: 21.AUG.2024 16:27:48

11BE320MIMO_Ant2_6585_Puncturing 80M_RU4



Spectrum Emission Mask Standard: None

Peak Power 5.06 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-509.960 MHz	5.000 MHz	6.07480 GHz	-43.94 dBm	-49.00 dB	-9.00 dB
-509.960 MHz	-339.970 MHz	5.000 MHz	6.07560 GHz	-43.85 dBm	-48.91 dB	-8.95 dB
-339.970 MHz	-170.990 MHz	5.000 MHz	6.30736 GHz	-32.08 dBm	-37.14 dB	-12.09 dB
-170.990 MHz	-169.990 MHz	5.000 MHz	6.41409 GHz	-28.52 dBm	-33.59 dB	-15.25 dB
169.990 MHz	170.990 MHz	5.000 MHz	6.75591 GHz	-31.16 dBm	-36.22 dB	-17.88 dB
170.990 MHz	339.970 MHz	5.000 MHz	6.79767 GHz	-31.81 dBm	-36.87 dB	-14.90 dB
339.970 MHz	509.960 MHz	5.000 MHz	7.09296 GHz	-48.76 dBm	-53.82 dB	-13.96 dB
509.960 MHz	800.000 MHz	5.000 MHz	7.09872 GHz	-48.85 dBm	-53.91 dB	-13.91 dB

Date: 21.AUG.2024 16:05:41

11BE320MIMO_Ant2_6585_Puncturing 80+40M_RU6



Spectrum Emission Mask Standard: None

Peak Power 5.10 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-509.960 MHz	5.000 MHz	6.07048 GHz	-46.58 dBm	-51.68 dB	-11.69 dB
-509.960 MHz	-339.970 MHz	5.000 MHz	6.07528 GHz	-46.56 dBm	-51.66 dB	-11.68 dB
-339.970 MHz	-170.990 MHz	5.000 MHz	6.33616 GHz	-34.17 dBm	-39.27 dB	-15.59 dB
-170.990 MHz	-169.990 MHz	5.000 MHz	6.41409 GHz	-31.09 dBm	-36.19 dB	-17.86 dB
169.990 MHz	170.990 MHz	5.000 MHz	6.75591 GHz	-36.59 dBm	-41.69 dB	-23.36 dB
170.990 MHz	339.970 MHz	5.000 MHz	6.76007 GHz	-36.62 dBm	-41.72 dB	-21.53 dB
339.970 MHz	509.960 MHz	5.000 MHz	7.09472 GHz	-51.57 dBm	-56.68 dB	-16.69 dB
509.960 MHz	800.000 MHz	5.000 MHz	7.09600 GHz	-51.49 dBm	-56.59 dB	-16.59 dB

Date: 21.AUG.2024 16:13:11

11BE320MIMO_Ant2_6585_Puncturing 40M_RU8



Spectrum Emission Mask Standard: None

Peak Power 5.70 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-509.960 MHz	5.000 MHz	6.07400 GHz	-39.51 dBm	-45.21 dB	-5.21 dB
-509.960 MHz	-339.970 MHz	5.000 MHz	6.07640 GHz	-39.25 dBm	-44.95 dB	-5.05 dB
-339.970 MHz	-170.990 MHz	5.000 MHz	6.26799 GHz	-27.95 dBm	-33.65 dB	-6.74 dB
-170.990 MHz	-169.990 MHz	5.000 MHz	6.41409 GHz	-23.33 dBm	-29.03 dB	-10.70 dB
169.990 MHz	170.990 MHz	5.000 MHz	6.75591 GHz	-24.23 dBm	-29.93 dB	-11.60 dB
170.990 MHz	339.970 MHz	5.000 MHz	6.85048 GHz	-27.27 dBm	-32.97 dB	-8.50 dB
339.970 MHz	509.960 MHz	5.000 MHz	7.09024 GHz	-41.53 dBm	-47.23 dB	-7.57 dB
509.960 MHz	800.000 MHz	5.000 MHz	7.09616 GHz	-41.50 dBm	-47.20 dB	-7.20 dB

Date: 21.AUG.2024 16:37:21

11BE320MIMO_Ant3_6585_Puncturing 80M_RU4



Spectrum Emission Mask Standard: None

Peak Power 4.98 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-511.100 MHz	5.000 MHz	6.07318 GHz	-44.57 dBm	-49.55 dB	-9.55 dB
-511.100 MHz	-340.730 MHz	5.000 MHz	6.07414 GHz	-44.61 dBm	-49.59 dB	-9.61 dB
-340.730 MHz	-171.370 MHz	5.000 MHz	6.31174 GHz	-32.60 dBm	-37.58 dB	-12.77 dB
-171.370 MHz	-170.370 MHz	5.000 MHz	6.41371 GHz	-29.28 dBm	-34.26 dB	-15.92 dB
170.370 MHz	171.370 MHz	5.000 MHz	6.75629 GHz	-32.03 dBm	-37.00 dB	-18.67 dB
171.370 MHz	340.730 MHz	5.000 MHz	6.79503 GHz	-31.93 dBm	-36.91 dB	-15.09 dB
340.730 MHz	511.100 MHz	5.000 MHz	7.09538 GHz	-49.69 dBm	-54.66 dB	-14.71 dB
511.100 MHz	800.000 MHz	5.000 MHz	7.09826 GHz	-49.74 dBm	-54.72 dB	-14.72 dB

Date: 21.AUG.2024 16:06:02

11BE320MIMO_Ant3_6585_Puncturing 80+40M_RU6



Spectrum Emission Mask Standard: None

Peak Power 5.00 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-511.100 MHz	5.000 MHz	6.06790 GHz	-46.59 dBm	-51.59 dB	-11.59 dB
-511.100 MHz	-340.730 MHz	5.000 MHz	6.07510 GHz	-46.75 dBm	-51.75 dB	-11.83 dB
-340.730 MHz	-171.370 MHz	5.000 MHz	6.34024 GHz	-35.59 dBm	-40.59 dB	-17.12 dB
-171.370 MHz	-170.370 MHz	5.000 MHz	6.41371 GHz	-32.53 dBm	-37.53 dB	-19.20 dB
170.370 MHz	171.370 MHz	5.000 MHz	6.75629 GHz	-37.98 dBm	-42.98 dB	-24.65 dB
171.370 MHz	340.730 MHz	5.000 MHz	6.77022 GHz	-38.35 dBm	-43.35 dB	-22.70 dB
340.730 MHz	511.100 MHz	5.000 MHz	7.09602 GHz	-51.87 dBm	-56.88 dB	-16.88 dB
511.100 MHz	800.000 MHz	5.000 MHz	7.09634 GHz	-51.86 dBm	-56.86 dB	-16.86 dB

Date: 21.AUG.2024 16:17:15

11BE320MIMO_Ant3_6585_Puncturing 40M_RU8



Spectrum Emission Mask Standard: None

Peak Power 5.37 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-511.100 MHz	5.000 MHz	6.07334 GHz	-40.43 dBm	-45.80 dB	-5.80 dB
-511.100 MHz	-340.730 MHz	5.000 MHz	6.07590 GHz	-40.29 dBm	-45.66 dB	-5.80 dB
-340.730 MHz	-171.370 MHz	5.000 MHz	6.26900 GHz	-28.64 dBm	-34.01 dB	-7.18 dB
-171.370 MHz	-170.370 MHz	5.000 MHz	6.41371 GHz	-24.16 dBm	-29.53 dB	-11.20 dB
170.370 MHz	171.370 MHz	5.000 MHz	6.75629 GHz	-25.06 dBm	-30.43 dB	-12.10 dB
171.370 MHz	340.730 MHz	5.000 MHz	6.84913 GHz	-28.18 dBm	-33.55 dB	-9.17 dB
340.730 MHz	511.100 MHz	5.000 MHz	7.08897 GHz	-42.37 dBm	-47.74 dB	-8.24 dB
511.100 MHz	800.000 MHz	5.000 MHz	7.09826 GHz	-43.01 dBm	-48.38 dB	-8.38 dB

Date: 21.AUG.2024 16:37:43

11BE320MIMO_Ant4_6585_Puncturing 80M_RU4



Spectrum Emission Mask Standard: None

Peak Power 5.24 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.820 MHz	5.000 MHz	6.07242 GHz	-44.70 dBm	-49.95 dB	-9.95 dB
-508.820 MHz	-339.210 MHz	5.000 MHz	6.08026 GHz	-44.41 dBm	-49.66 dB	-9.95 dB
-339.210 MHz	-170.610 MHz	5.000 MHz	6.39045 GHz	-27.61 dBm	-32.86 dB	-11.72 dB
-170.610 MHz	-169.610 MHz	5.000 MHz	6.41447 GHz	-27.05 dBm	-32.30 dB	-13.96 dB
169.610 MHz	170.610 MHz	5.000 MHz	6.75553 GHz	-29.65 dBm	-34.90 dB	-16.56 dB
170.610 MHz	339.210 MHz	5.000 MHz	6.79684 GHz	-30.09 dBm	-35.33 dB	-13.38 dB
339.210 MHz	508.820 MHz	5.000 MHz	7.09326 GHz	-48.76 dBm	-54.01 dB	-14.04 dB
508.820 MHz	800.000 MHz	5.000 MHz	7.09470 GHz	-48.86 dBm	-54.10 dB	-14.10 dB

Date: 21.AUG.2024 16:06:25

11BE320MIMO_Ant4_6585_Puncturing 80+40M_RU6



Spectrum Emission Mask Standard: None

Peak Power 5.24 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.820 MHz	5.000 MHz	6.07450 GHz	-47.46 dBm	-52.70 dB	-12.70 dB
-508.820 MHz	-339.210 MHz	5.000 MHz	6.07658 GHz	-47.69 dBm	-52.93 dB	-12.96 dB
-339.210 MHz	-170.610 MHz	5.000 MHz	6.33810 GHz	-33.50 dBm	-38.74 dB	-15.12 dB
-170.610 MHz	-169.610 MHz	5.000 MHz	6.41447 GHz	-30.74 dBm	-35.99 dB	-17.65 dB
169.610 MHz	170.610 MHz	5.000 MHz	6.75553 GHz	-36.24 dBm	-41.49 dB	-23.15 dB
170.610 MHz	339.210 MHz	5.000 MHz	6.75601 GHz	-36.05 dBm	-41.29 dB	-21.27 dB
339.210 MHz	508.820 MHz	5.000 MHz	7.09326 GHz	-51.65 dBm	-56.89 dB	-16.93 dB
508.820 MHz	800.000 MHz	5.000 MHz	7.09406 GHz	-51.62 dBm	-56.86 dB	-16.86 dB

Date: 21.AUG.2024 16:25:44

11BE320MIMO_Ant4_6585_Puncturing 40M_RU8



Spectrum Emission Mask Standard: None

Peak Power 5.71 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.820 MHz	5.000 MHz	6.07594 GHz	-39.88 dBm	-45.59 dB	-5.59 dB
-508.820 MHz	-339.210 MHz	5.000 MHz	6.07658 GHz	-39.66 dBm	-45.37 dB	-5.40 dB
-339.210 MHz	-170.610 MHz	5.000 MHz	6.27053 GHz	-27.64 dBm	-33.35 dB	-6.52 dB
-170.610 MHz	-169.610 MHz	5.000 MHz	6.41447 GHz	-22.37 dBm	-28.08 dB	-9.75 dB
169.610 MHz	170.610 MHz	5.000 MHz	6.75553 GHz	-23.30 dBm	-29.01 dB	-10.68 dB
170.610 MHz	339.210 MHz	5.000 MHz	6.83142 GHz	-26.40 dBm	-32.11 dB	-8.51 dB
339.210 MHz	508.820 MHz	5.000 MHz	7.09246 GHz	-41.47 dBm	-47.18 dB	-7.27 dB
508.820 MHz	800.000 MHz	5.000 MHz	7.09614 GHz	-41.69 dBm	-47.41 dB	-7.41 dB

Date: 21.AUG.2024 16:38:04

11BE320MIMO_Ant1_6905_Puncturing 40M_RU1



Spectrum Emission Mask Standard: None

Peak Power 5.45 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-506.520 MHz	5.000 MHz	6.39216 GHz	-42.04 dBm	-47.49 dB	-7.49 dB
-506.520 MHz	-337.680 MHz	5.000 MHz	6.39872 GHz	-42.21 dBm	-47.66 dB	-7.67 dB
-337.680 MHz	-169.840 MHz	5.000 MHz	6.63220 GHz	-30.43 dBm	-35.88 dB	-10.97 dB
-169.840 MHz	-168.840 MHz	5.000 MHz	6.73524 GHz	-27.95 dBm	-33.40 dB	-15.06 dB
168.840 MHz	169.840 MHz	5.000 MHz	7.07476 GHz	-27.94 dBm	-33.39 dB	-15.06 dB
169.840 MHz	337.680 MHz	5.000 MHz	7.19812 GHz	-32.39 dBm	-37.84 dB	-11.96 dB
337.680 MHz	506.520 MHz	5.000 MHz	7.41112 GHz	-45.53 dBm	-50.98 dB	-11.01 dB
506.520 MHz	800.000 MHz	5.000 MHz	7.41192 GHz	-45.43 dBm	-50.88 dB	-10.88 dB

Date: 21.AUG.2024 16:43:45

11BE320MIMO_Ant1_6905_Puncturing 80M_RU1



Spectrum Emission Mask Standard: None

Peak Power 5.05 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-506.520 MHz	5.000 MHz	6.38752 GHz	-44.86 dBm	-49.91 dB	-9.91 dB
-506.520 MHz	-337.680 MHz	5.000 MHz	6.40096 GHz	-44.85 dBm	-49.90 dB	-10.08 dB
-337.680 MHz	-169.840 MHz	5.000 MHz	6.71700 GHz	-31.60 dBm	-36.65 dB	-15.79 dB
-169.840 MHz	-168.840 MHz	5.000 MHz	6.73524 GHz	-32.46 dBm	-37.52 dB	-19.18 dB
168.840 MHz	169.840 MHz	5.000 MHz	7.07476 GHz	-29.78 dBm	-34.83 dB	-16.50 dB
169.840 MHz	337.680 MHz	5.000 MHz	7.10948 GHz	-30.63 dBm	-35.68 dB	-14.03 dB
337.680 MHz	506.520 MHz	5.000 MHz	7.40920 GHz	-49.50 dBm	-54.55 dB	-14.71 dB
506.520 MHz	800.000 MHz	5.000 MHz	7.41160 GHz	-49.69 dBm	-54.74 dB	-14.74 dB

Date: 21.AUG.2024 17:22:16