


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band7


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.77	-25	Pass	2986
30	1000	0.1	RMS	959.2	-58.5	-25	Pass	9701
1000	2490	1	RMS	2412	-43.09	-25	Pass	1491
2490	2580	1	RMS	2500.35	19.07	60	Pass	401
2580	3000	1	RMS	2667	-42.15	-25	Pass	421
3000	12000	1	RMS	11996	-47.42	-25	Pass	9001
12000	26000	1	RMS	25719	-29.68	-25	Pass	14001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.96	-25	Pass	2986
30	1000	0.1	RMS	894.5	-58.32	-25	Pass	9701
1000	2490	1	RMS	2415	-43.1	-25	Pass	1491
2490	2580	1	RMS	2504.625	18.64	60	Pass	401
2580	3000	1	RMS	2663	-42.19	-25	Pass	421
3000	12000	1	RMS	11996	-47.2	-25	Pass	9001
12000	26000	1	RMS	25727	-29.78	-25	Pass	14001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.34	-25	Pass	2986
30	1000	0.1	RMS	885.7	-58.5	-25	Pass	9701
1000	2490	1	RMS	2413	-43.09	-25	Pass	1491
2490	2580	1	RMS	2500.35	17.93	60	Pass	401
2580	3000	1	RMS	2668	-42.19	-25	Pass	421
3000	12000	1	RMS	11998	-47.33	-25	Pass	9001
12000	26000	1	RMS	25733	-29.63	-25	Pass	14001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-25	Pass	2986
30	1000	0.1	RMS	965.7	-58.58	-25	Pass	9701
1000	2490	1	RMS	2406	-43.1	-25	Pass	1491
2490	2580	1	RMS	2504.625	17.54	60	Pass	401
2580	3000	1	RMS	2670	-42.17	-25	Pass	421
3000	12000	1	RMS	11999	-47.38	-25	Pass	9001
12000	26000	1	RMS	25748	-29.72	-25	Pass	14001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.1	-25	Pass	2986
30	1000	0.1	RMS	902.3	-58.22	-25	Pass	9701
1000	2490	1	RMS	2408	-43.07	-25	Pass	1491
2490	2580	1	RMS	2532.75	19	60	Pass	401
2580	3000	1	RMS	2666	-42.19	-25	Pass	421
3000	12000	1	RMS	11994	-47.44	-25	Pass	9001
12000	26000	1	RMS	25742	-35.82	-25	Pass	14001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-25	Pass	2986
30	1000	0.1	RMS	886.7	-58.39	-25	Pass	9701
1000	2490	1	RMS	2413	-43.08	-25	Pass	1491
2490	2580	1	RMS	2537.25	18.84	60	Pass	401
2580	3000	1	RMS	2670	-42.16	-25	Pass	421
3000	12000	1	RMS	12000	-47.34	-25	Pass	9001
12000	26000	1	RMS	25746	-29.57	-25	Pass	14001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.39	-25	Pass	2986
30	1000	0.1	RMS	890.1	-58.39	-25	Pass	9701
1000	2490	1	RMS	2414	-43.1	-25	Pass	1491
2490	2580	1	RMS	2532.75	18.13	60	Pass	401
2580	3000	1	RMS	2670	-42.18	-25	Pass	421
3000	12000	1	RMS	11995	-47.39	-25	Pass	9001
12000	26000	1	RMS	25722	-29.67	-25	Pass	14001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.39	-25	Pass	2986
30	1000	0.1	RMS	876.5	-58.21	-25	Pass	9701
1000	2490	1	RMS	2411	-43.03	-25	Pass	1491
2490	2580	1	RMS	2537.25	17.9	60	Pass	401
2580	3000	1	RMS	2664	-42.18	-25	Pass	421
3000	12000	1	RMS	11995	-47.39	-25	Pass	9001
12000	26000	1	RMS	25743	-29.68	-25	Pass	14001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-25	Pass	2986
30	1000	0.1	RMS	862.1	-58.3	-25	Pass	9701
1000	2490	1	RMS	2410	-43.09	-25	Pass	1491
2490	2580	1	RMS	2565.375	18.75	60	Pass	401
2580	3000	1	RMS	2669	-42.2	-25	Pass	421
3000	12000	1	RMS	11997	-47.33	-25	Pass	9001
12000	26000	1	RMS	25747	-29.72	-25	Pass	14001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-25	Pass	2986
30	1000	0.1	RMS	875.9	-58.44	-25	Pass	9701
1000	2490	1	RMS	2413	-43.1	-25	Pass	1491
2490	2580	1	RMS	2569.65	18.73	60	Pass	401
2580	3000	1	RMS	2667	-42.17	-25	Pass	421
3000	12000	1	RMS	11994	-47.3	-25	Pass	9001
12000	26000	1	RMS	25731	-29.63	-25	Pass	14001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.3	-25	Pass	2986
30	1000	0.1	RMS	855.5	-58.35	-25	Pass	9701
1000	2490	1	RMS	2412	-43.05	-25	Pass	1491
2490	2580	1	RMS	2565.375	17.89	60	Pass	401
2580	3000	1	RMS	2666	-42.21	-25	Pass	421
3000	12000	1	RMS	11999	-47.32	-25	Pass	9001
12000	26000	1	RMS	25732	-29.73	-25	Pass	14001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.53	-25	Pass	2986
30	1000	0.1	RMS	892.1	-58.3	-25	Pass	9701
1000	2490	1	RMS	2404	-43.05	-25	Pass	1491
2490	2580	1	RMS	2569.65	17.87	60	Pass	401
2580	3000	1	RMS	2670	-42.19	-25	Pass	421
3000	12000	1	RMS	11997	-47.36	-25	Pass	9001
12000	26000	1	RMS	25742	-29.71	-25	Pass	14001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-25	Pass	2986
30	1000	0.1	RMS	975	-58.49	-25	Pass	9701
1000	2490	1	RMS	2414	-43.11	-25	Pass	1491
2490	2580	1	RMS	2500.575	18.85	60	Pass	401
2580	3000	1	RMS	2670	-42.19	-25	Pass	421
3000	12000	1	RMS	11999	-47.44	-25	Pass	9001
12000	26000	1	RMS	25728	-29.72	-25	Pass	14001



1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-25	Pass	2986
30	1000	0.1	RMS	848.4	-58.45	-25	Pass	9701
1000	2490	1	RMS	2409	-43.07	-25	Pass	1491
2490	2580	1	RMS	2509.35	18.61	60	Pass	401
2580	3000	1	RMS	2666	-42.18	-25	Pass	421
3000	12000	1	RMS	11999	-47.23	-25	Pass	9001
12000	26000	1	RMS	25751	-29.56	-25	Pass	14001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.77	-25	Pass	2986
30	1000	0.1	RMS	894.2	-58.31	-25	Pass	9701
1000	2490	1	RMS	2407	-43.05	-25	Pass	1491
2490	2580	1	RMS	2500.575	17.76	60	Pass	401
2580	3000	1	RMS	2670	-42.17	-25	Pass	421
3000	12000	1	RMS	12000	-47.26	-25	Pass	9001
12000	26000	1	RMS	25725	-29.73	-25	Pass	14001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-25	Pass	2986
30	1000	0.1	RMS	965.7	-58.43	-25	Pass	9701
1000	2490	1	RMS	2404	-43.1	-25	Pass	1491
2490	2580	1	RMS	2509.35	17.62	60	Pass	401
2580	3000	1	RMS	2667	-42.18	-25	Pass	421
3000	12000	1	RMS	12000	-47.31	-25	Pass	9001
12000	26000	1	RMS	25746	-29.59	-25	Pass	14001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-25	Pass	2986
30	1000	0.1	RMS	874.2	-58.2	-25	Pass	9701
1000	2490	1	RMS	2418	-43.07	-25	Pass	1491
2490	2580	1	RMS	2530.5	18.9	60	Pass	401
2580	3000	1	RMS	2669	-42.19	-25	Pass	421
3000	12000	1	RMS	12000	-47.27	-25	Pass	9001
12000	26000	1	RMS	25737	-29.55	-25	Pass	14001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-25	Pass	2986
30	1000	0.1	RMS	990.1	-58.27	-25	Pass	9701
1000	2490	1	RMS	2403	-43.09	-25	Pass	1491
2490	2580	1	RMS	2539.5	18.52	60	Pass	401
2580	3000	1	RMS	2670	-42.17	-25	Pass	421
3000	12000	1	RMS	11993	-47.34	-25	Pass	9001
12000	26000	1	RMS	25746	-29.66	-25	Pass	14001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-25	Pass	2986
30	1000	0.1	RMS	907.5	-58.39	-25	Pass	9701
1000	2490	1	RMS	2407	-43.05	-25	Pass	1491
2490	2580	1	RMS	2530.5	17.95	60	Pass	401
2580	3000	1	RMS	2666	-42.2	-25	Pass	421
3000	12000	1	RMS	11995	-47.24	-25	Pass	9001
12000	26000	1	RMS	25746	-29.6	-25	Pass	14001



1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-25	Pass	401
0.15	30	0.01	RMS	0.17	-55.77	-25	Pass	2986
30	1000	0.1	RMS	878.6	-58.26	-25	Pass	9701
1000	2490	1	RMS	2411	-43.06	-25	Pass	1491
2490	2580	1	RMS	2539.5	17.57	60	Pass	401
2580	3000	1	RMS	2670	-42.17	-25	Pass	421
3000	12000	1	RMS	11996	-47.37	-25	Pass	9001
12000	26000	1	RMS	25742	-29.64	-25	Pass	14001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-25	Pass	2986
30	1000	0.1	RMS	891.8	-58.36	-25	Pass	9701
1000	2490	1	RMS	2410	-43.09	-25	Pass	1491
2490	2580	1	RMS	2560.65	18.74	60	Pass	401
2580	3000	1	RMS	2670	-42.17	-25	Pass	421
3000	12000	1	RMS	11997	-47.37	-25	Pass	9001
12000	26000	1	RMS	25741	-29.72	-25	Pass	14001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-25	Pass	2986
30	1000	0.1	RMS	972.1	-58.31	-25	Pass	9701
1000	2490	1	RMS	2411	-43.07	-25	Pass	1491
2490	2580	1	RMS	2569.425	18.57	60	Pass	401
2580	3000	1	RMS	2669	-42.18	-25	Pass	421
3000	12000	1	RMS	12000	-47.28	-25	Pass	9001
12000	26000	1	RMS	25752	-29.63	-25	Pass	14001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.83	-25	Pass	2986
30	1000	0.1	RMS	993.9	-58.39	-25	Pass	9701
1000	2490	1	RMS	2410	-43.06	-25	Pass	1491
2490	2580	1	RMS	2560.65	17.87	60	Pass	401
2580	3000	1	RMS	2669	-42.18	-25	Pass	421
3000	12000	1	RMS	11998	-47.37	-25	Pass	9001
12000	26000	1	RMS	25744	-29.52	-25	Pass	14001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-25	Pass	2986
30	1000	0.1	RMS	868.7	-58.32	-25	Pass	9701
1000	2490	1	RMS	2412	-42.97	-25	Pass	1491
2490	2580	1	RMS	2569.425	17.74	60	Pass	401
2580	3000	1	RMS	2666	-42.15	-25	Pass	421
3000	12000	1	RMS	12000	-47.2	-25	Pass	9001
12000	26000	1	RMS	25734	-29.69	-25	Pass	14001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.51	-25	Pass	2986
30	1000	0.1	RMS	988.3	-58.46	-25	Pass	9701
1000	2490	1	RMS	2489	-42.98	-25	Pass	1491
2490	2580	1	RMS	2500.8	18.69	60	Pass	401
2580	3000	1	RMS	2670	-42.19	-25	Pass	421
3000	12000	1	RMS	11999	-47.42	-25	Pass	9001
12000	26000	1	RMS	25750	-29.68	-25	Pass	14001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-25	Pass	2986
30	1000	0.1	RMS	850.4	-58.41	-25	Pass	9701
1000	2490	1	RMS	2487	-42.93	-25	Pass	1491
2490	2580	1	RMS	2514.075	18.64	60	Pass	401
2580	3000	1	RMS	2668	-42.17	-25	Pass	421
3000	12000	1	RMS	11997	-47.28	-25	Pass	9001
12000	26000	1	RMS	25750	-29.64	-25	Pass	14001



1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55	-25	Pass	2986
30	1000	0.1	RMS	909.7	-58.46	-25	Pass	9701
1000	2490	1	RMS	2489	-43	-25	Pass	1491
2490	2580	1	RMS	2500.8	17.83	60	Pass	401
2580	3000	1	RMS	2667	-42.17	-25	Pass	421
3000	12000	1	RMS	12000	-47.39	-25	Pass	9001
12000	26000	1	RMS	25746	-29.68	-25	Pass	14001



1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.12	-25	Pass	2986
30	1000	0.1	RMS	958.9	-58.4	-25	Pass	9701
1000	2490	1	RMS	2488	-42.86	-25	Pass	1491
2490	2580	1	RMS	2514.075	17.75	60	Pass	401
2580	3000	1	RMS	2670	-42.18	-25	Pass	421
3000	12000	1	RMS	11996	-47.33	-25	Pass	9001
12000	26000	1	RMS	25747	-29.48	-25	Pass	14001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-25	Pass	2986
30	1000	0.1	RMS	978.8	-58.31	-25	Pass	9701
1000	2490	1	RMS	2410	-43.09	-25	Pass	1491
2490	2580	1	RMS	2528.25	18.87	60	Pass	401
2580	3000	1	RMS	2669	-42.17	-25	Pass	421
3000	12000	1	RMS	11991	-47.35	-25	Pass	9001
12000	26000	1	RMS	25754	-29.68	-25	Pass	14001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-25	Pass	2986
30	1000	0.1	RMS	991.1	-58.32	-25	Pass	9701
1000	2490	1	RMS	2405	-43.03	-25	Pass	1491
2490	2580	1	RMS	2541.75	18.33	60	Pass	401
2580	3000	1	RMS	2668	-42.18	-25	Pass	421
3000	12000	1	RMS	11997	-47.32	-25	Pass	9001
12000	26000	1	RMS	25743	-35.91	-25	Pass	14001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.29	-25	Pass	2986
30	1000	0.1	RMS	998.9	-58.56	-25	Pass	9701
1000	2490	1	RMS	2404	-43.11	-25	Pass	1491
2490	2580	1	RMS	2528.25	17.92	60	Pass	401
2580	3000	1	RMS	2668	-42.19	-25	Pass	421
3000	12000	1	RMS	11991	-47.42	-25	Pass	9001
12000	26000	1	RMS	25747	-29.64	-25	Pass	14001



1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-25	Pass	2986
30	1000	0.1	RMS	837.8	-58.15	-25	Pass	9701
1000	2490	1	RMS	2417	-43.05	-25	Pass	1491
2490	2580	1	RMS	2541.75	17.36	60	Pass	401
2580	3000	1	RMS	2666	-42.16	-25	Pass	421
3000	12000	1	RMS	11999	-47.36	-25	Pass	9001
12000	26000	1	RMS	25745	-29.75	-25	Pass	14001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.27	-25	Pass	2986
30	1000	0.1	RMS	966.5	-58.34	-25	Pass	9701
1000	2490	1	RMS	2402	-43.1	-25	Pass	1491
2490	2580	1	RMS	2555.925	18.52	60	Pass	401
2580	3000	1	RMS	2670	-42.19	-25	Pass	421
3000	12000	1	RMS	11999	-47.34	-25	Pass	9001
12000	26000	1	RMS	25751	-29.66	-25	Pass	14001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-25	Pass	2986
30	1000	0.1	RMS	842.4	-58.5	-25	Pass	9701
1000	2490	1	RMS	2418	-43.08	-25	Pass	1491
2490	2580	1	RMS	2569.2	18.56	60	Pass	401
2580	3000	1	RMS	2664	-42.2	-25	Pass	421
3000	12000	1	RMS	11998	-47.42	-25	Pass	9001
12000	26000	1	RMS	25747	-29.69	-25	Pass	14001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.15	-25	Pass	2986
30	1000	0.1	RMS	856.8	-58.45	-25	Pass	9701
1000	2490	1	RMS	2413	-43.07	-25	Pass	1491
2490	2580	1	RMS	2555.925	17.68	60	Pass	401
2580	3000	1	RMS	2668	-42.18	-25	Pass	421
3000	12000	1	RMS	11997	-47.32	-25	Pass	9001
12000	26000	1	RMS	25731	-29.62	-25	Pass	14001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.88	-25	Pass	2986
30	1000	0.1	RMS	856.2	-58.56	-25	Pass	9701
1000	2490	1	RMS	2415	-43.13	-25	Pass	1491
2490	2580	1	RMS	2569.2	17.64	60	Pass	401
2580	3000	1	RMS	2670	-42.14	-25	Pass	421
3000	12000	1	RMS	11999	-47.35	-25	Pass	9001
12000	26000	1	RMS	25743	-29.69	-25	Pass	14001



1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-25	Pass	2986
30	1000	0.1	RMS	890.4	-58.49	-25	Pass	9701
1000	2490	1	RMS	2486	-43.05	-25	Pass	1491
2490	2580	1	RMS	2501.025	18.56	60	Pass	401
2580	3000	1	RMS	2669	-42.15	-25	Pass	421
3000	12000	1	RMS	12000	-47.28	-25	Pass	9001
12000	26000	1	RMS	25743	-29.7	-25	Pass	14001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-25	Pass	2986
30	1000	0.1	RMS	995.5	-58.48	-25	Pass	9701
1000	2490	1	RMS	2486	-43.01	-25	Pass	1491
2490	2580	1	RMS	2518.8	18.24	60	Pass	401
2580	3000	1	RMS	2670	-42.14	-25	Pass	421
3000	12000	1	RMS	11995	-47.36	-25	Pass	9001
12000	26000	1	RMS	25734	-29.64	-25	Pass	14001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.15	-25	Pass	2986
30	1000	0.1	RMS	959.1	-58.35	-25	Pass	9701
1000	2490	1	RMS	2413	-43.04	-25	Pass	1491
2490	2580	1	RMS	2501.025	17.68	60	Pass	401
2580	3000	1	RMS	2668	-42.17	-25	Pass	421
3000	12000	1	RMS	11997	-47.42	-25	Pass	9001
12000	26000	1	RMS	25755	-29.69	-25	Pass	14001



1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-25	Pass	2986
30	1000	0.1	RMS	865.7	-58.34	-25	Pass	9701
1000	2490	1	RMS	2486	-42.97	-25	Pass	1491
2490	2580	1	RMS	2518.8	17.37	60	Pass	401
2580	3000	1	RMS	2669	-42.17	-25	Pass	421
3000	12000	1	RMS	12000	-47.36	-25	Pass	9001
12000	26000	1	RMS	25745	-29.67	-25	Pass	14001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.1	-25	Pass	2986
30	1000	0.1	RMS	991.3	-58.54	-25	Pass	9701
1000	2490	1	RMS	2416	-43.08	-25	Pass	1491
2490	2580	1	RMS	2526	18.63	60	Pass	401
2580	3000	1	RMS	2665	-42.18	-25	Pass	421
3000	12000	1	RMS	11998	-47.33	-25	Pass	9001
12000	26000	1	RMS	25741	-29.69	-25	Pass	14001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.38	-25	Pass	2986
30	1000	0.1	RMS	974.3	-58.41	-25	Pass	9701
1000	2490	1	RMS	2414	-43.07	-25	Pass	1491
2490	2580	1	RMS	2544	18.06	60	Pass	401
2580	3000	1	RMS	2667	-42.17	-25	Pass	421
3000	12000	1	RMS	11996	-47.33	-25	Pass	9001
12000	26000	1	RMS	25745	-29.64	-25	Pass	14001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-25	Pass	2986
30	1000	0.1	RMS	996.5	-58.36	-25	Pass	9701
1000	2490	1	RMS	2415	-42.99	-25	Pass	1491
2490	2580	1	RMS	2526	17.7	60	Pass	401
2580	3000	1	RMS	2670	-42.16	-25	Pass	421
3000	12000	1	RMS	11999	-47.29	-25	Pass	9001
12000	26000	1	RMS	25737	-29.72	-25	Pass	14001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-25	Pass	2986
30	1000	0.1	RMS	943.9	-58.37	-25	Pass	9701
1000	2490	1	RMS	2408	-43.08	-25	Pass	1491
2490	2580	1	RMS	2544	17.16	60	Pass	401
2580	3000	1	RMS	2670	-42.16	-25	Pass	421
3000	12000	1	RMS	12000	-47.19	-25	Pass	9001
12000	26000	1	RMS	25750	-29.75	-25	Pass	14001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-25	Pass	2986
30	1000	0.1	RMS	856.7	-58.49	-25	Pass	9701
1000	2490	1	RMS	2405	-43.09	-25	Pass	1491
2490	2580	1	RMS	2550.975	18.24	60	Pass	401
2580	3000	1	RMS	2664	-42.14	-25	Pass	421
3000	12000	1	RMS	11992	-47.35	-25	Pass	9001
12000	26000	1	RMS	25743	-29.65	-25	Pass	14001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55	-25	Pass	2986
30	1000	0.1	RMS	981.8	-58.44	-25	Pass	9701
1000	2490	1	RMS	2417	-43.08	-25	Pass	1491
2490	2580	1	RMS	2568.975	18.42	60	Pass	401
2580	3000	1	RMS	2665	-42.17	-25	Pass	421
3000	12000	1	RMS	12000	-47.37	-25	Pass	9001
12000	26000	1	RMS	25738	-29.63	-25	Pass	14001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-25	Pass	2986
30	1000	0.1	RMS	869.9	-58.55	-25	Pass	9701
1000	2490	1	RMS	2415	-43.04	-25	Pass	1491
2490	2580	1	RMS	2550.975	17.33	60	Pass	401
2580	3000	1	RMS	2670	-42.18	-25	Pass	421
3000	12000	1	RMS	11999	-47.24	-25	Pass	9001
12000	26000	1	RMS	25726	-29.76	-25	Pass	14001



1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-25	Pass	2986
30	1000	0.1	RMS	834.2	-58.37	-25	Pass	9701
1000	2490	1	RMS	2410	-43.07	-25	Pass	1491
2490	2580	1	RMS	2568.975	17.5	60	Pass	401
2580	3000	1	RMS	2667	-42.14	-25	Pass	421
3000	12000	1	RMS	11996	-47.31	-25	Pass	9001
12000	26000	1	RMS	25743	-29.61	-25	Pass	14001



END