


11ax_160M_TX_CH_50_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ax160

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5143.014	10.11	32.39	30.55	32.80	44.75	54.00	-9.25	Average
2	5150.000	10.14	32.40	30.55	31.11	43.10	54.00	-10.90	Average
3	5250.000	10.30	32.60	30.58	70.11	82.43	-----	-----	Average
4	5350.000	10.45	32.80	30.61	33.06	45.70	54.00	-8.30	Average
5 pp	5382.937	10.56	32.80	30.62	33.73	46.47	54.00	-7.53	Average
6	5460.000	10.60	32.90	30.64	33.06	45.92	54.00	-8.08	Average

11ax_20M_Partial_RU26_TX_CH_64_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU26

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	10.35	32.74	30.60	108.76	121.25	68.20	53.05	peak
2	5350.020	10.45	32.80	30.61	47.03	59.67	74.00	-14.33	peak
3	5362.782	10.49	32.80	30.62	53.78	66.45	74.00	-7.55	peak

11ax_20M_Partial_RU26_TX_CH_64_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU26

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	96.48	108.97	-----	-----	Average
2	5350.020	10.45	32.80	30.61	33.65	46.29	54.00	-7.71	Average
3	pp 5353.667	10.46	32.80	30.61	33.89	46.54	54.00	-7.46	Average

11ax_20M_Partial_RU26_TX_CH_64_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU26

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	10.35	32.74	30.60	98.96	111.45	68.20	43.25	peak
2	5350.020	10.45	32.80	30.61	45.28	57.92	74.00	-16.08	peak
3	5382.868	10.56	32.80	30.62	46.94	59.68	74.00	-14.32	peak

11ax_20M_Partial_RU26_TX_CH_64_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU26

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	86.80	99.29	-----	-----	Average
2	5350.020	10.45	32.80	30.61	32.81	45.45	54.00	-8.55	Average
3 pp	5397.275	10.61	32.80	30.63	33.02	45.80	54.00	-8.20	Average

11ax_20M_Partial_RU52_TX_CH_64_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU52

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	10.35	32.74	30.60	107.22	119.71	68.20	51.51	peak
2	5350.020	10.45	32.80	30.61	49.77	62.41	74.00	-11.59	peak
3	5355.970	10.47	32.80	30.61	57.20	69.86	74.00	-4.14	peak

11ax_20M_Partial_RU52_TX_CH_64_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU52

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	95.12	107.61	-----	-----	Average
2	5350.020	10.45	32.80	30.61	33.87	46.51	54.00	-7.49	Average
3	5357.071	10.47	32.80	30.61	33.97	46.63	54.00	-7.37	Average

11ax_20M_Partial_RU52_TX_CH_64_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU52

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	10.35	32.74	30.60	100.66	113.15	68.20	44.95	peak
2	5350.020	10.45	32.80	30.61	46.10	58.74	74.00	-15.26	peak
3	5355.669	10.47	32.80	30.61	51.53	64.19	74.00	-9.81	peak

11ax_20M_Partial_RU52_TX_CH_64_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU52

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	87.85	100.34	-----	-----	Average
2	5350.020	10.45	32.80	30.61	32.89	45.53	54.00	-8.47	Average
3	5391.427	10.59	32.80	30.62	33.10	45.87	54.00	-8.13	Average

11ax_20M_Partial_RU106_TX_CH_64_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU106

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	10.35	32.74	30.60	106.02	118.51	68.20	50.31	peak
2	5350.020	10.45	32.80	30.61	52.64	65.28	74.00	-8.72	peak
3	5353.268	10.46	32.80	30.61	54.14	66.79	74.00	-7.21	peak

11ax_20M_Partial_RU106_TX_CH_64_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU106

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	92.92	105.41	-----	-----	Average
2	5350.020	10.45	32.80	30.61	34.27	46.91	54.00	-7.09	Average
3	pp 5351.967	10.46	32.80	30.61	34.30	46.95	54.00	-7.05	Average

11ax_20M_Partial_RU106_TX_CH_64_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU106

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	10.35	32.74	30.60	98.02	110.51	68.20	42.31	peak
2	5350.020	10.45	32.80	30.61	51.61	64.25	74.00	-9.75	peak
3	5351.467	10.46	32.80	30.61	50.99	63.64	74.00	-10.36	peak

11ax_20M_Partial_RU106_TX_CH_64_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11ax20 RU106

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	85.34	97.83	-----	-----	Average
2	5350.020	10.45	32.80	30.61	33.01	45.65	54.00	-8.35	Average
3	5398.284	10.61	32.80	30.63	33.04	45.82	54.00	-8.18	Average

11ax_40M_Partial_RU242_TX_CH_62_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5310 Band edge

: 5G Wi-Fi 11ax40 RU242

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5310.000	10.31	32.72	30.60	101.77	114.20	68.20	46.00	peak
2	5350.020	10.45	32.80	30.61	54.45	67.09	74.00	-6.91	peak
3	5353.120	10.46	32.80	30.61	56.46	69.11	74.00	-4.89	peak

11ax_40M_Partial_RU242_TX_CH_62_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5310 Band edge

: 5G Wi-Fi 11ax40 RU242

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	10.31	32.72	30.60	87.86	100.29	-----	-----	Average
2	5350.020	10.45	32.80	30.61	35.09	47.73	54.00	-6.27	Average
3 pp	5351.195	10.45	32.80	30.61	35.80	48.44	54.00	-5.56	Average

11ax_40M_Partial_RU242_TX_CH_62_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5310 Band edge

: 5G Wi-Fi 11ax40 RU242

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5310.000	10.31	32.72	30.60	95.58	108.01	68.20	39.81	peak
2	5350.020	10.45	32.80	30.61	46.88	59.52	74.00	-14.48	peak
3	5353.480	10.46	32.80	30.61	50.53	63.18	74.00	-10.82	peak

11ax_40M_Partial_RU242_TX_CH_62_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5310 Band edge

: 5G Wi-Fi 11ax40 RU242

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	10.31	32.72	30.60	81.94	94.37	-----	-----	Average
2	5350.020	10.45	32.80	30.61	33.40	46.04	54.00	-7.96	Average
3	5350.955	10.45	32.80	30.61	33.77	46.41	54.00	-7.59	Average

11ax_80M_Partial_RU484_TX_CH_58_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5290 Band edge

: 5G Wi-Fi 11ax80 RU484

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.209	10.14	32.40	30.55	45.88	57.87	74.00	-16.13	peak
2 pp	5290.000	10.28	32.68	30.59	96.83	109.20	68.20	41.00	peak
3	5353.899	10.46	32.80	30.61	57.04	69.69	74.00	-4.31	peak

11ax_80M_Partial_RU484_TX_CH_58_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5290 Band edge

: 5G Wi-Fi 11ax80 RU484

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.679	10.12	32.39	30.55	33.15	45.11	54.00	-8.89	Average
2	5290.000	10.28	32.68	30.59	83.52	95.89	-----	-----	Average
3 pp	5350.229	10.45	32.80	30.61	36.35	48.99	54.00	-5.01	Average

11ax_80M_Partial_RU484_TX_CH_58_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5290 Band edge

: 5G Wi-Fi 11ax80 RU484

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5106.417	9.97	32.31	30.53	46.31	58.06	74.00	-15.94	peak
2 pp	5290.000	10.28	32.68	30.59	90.93	103.30	68.20	35.10	peak
3	5353.288	10.46	32.80	30.61	51.19	63.84	74.00	-10.16	peak


11ax_80M_Partial_RU484_TX_CH_58_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5290 Band edge
: 5G Wi-Fi 11ax80 RU484

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5148.326	10.13	32.40	30.55	32.76	44.74	54.00	-9.26 Average
2	5290.000	10.28	32.68	30.59	77.08	89.45	-----	----- Average
3 pp	5354.206	10.47	32.80	30.61	34.46	47.12	54.00	-6.88 Average

11ax_160M_Partial_RU996_TX_CH_50_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ax160 RU996

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.908	10.13	32.40	30.55	52.38	64.36	74.00	-9.64	peak
2	5149.980	10.14	32.40	30.55	47.90	59.89	74.00	-14.11	peak
3 pp	5250.000	10.30	32.60	30.58	91.39	103.71	68.20	35.51	peak
4	5350.020	10.45	32.80	30.61	46.73	59.37	74.00	-14.63	peak
5	5449.180	10.60	32.90	30.64	47.60	60.46	74.00	-13.54	peak
6	5459.980	10.60	32.90	30.64	45.83	58.69	74.00	-15.31	peak

11ax_160M_Partial_RU996_TX_CH_50_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ax160 RU996

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5144.062	10.12	32.39	30.55	38.18	50.14	54.00	-3.86	Average
2	5150.000	10.14	32.40	30.55	36.48	48.47	54.00	-5.53	Average
3	5250.000	10.30	32.60	30.58	81.07	93.39	-----	-----	Average
4	5350.000	10.45	32.80	30.61	32.69	45.33	54.00	-8.67	Average
5	5354.482	10.47	32.80	30.61	32.98	45.64	54.00	-8.36	Average
6	5460.000	10.60	32.90	30.64	32.19	45.05	54.00	-8.95	Average

11ax_160M_Partial_RU996_TX_CH_50_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ax160 RU996

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.559	10.13	32.40	30.55	47.85	59.83	74.00	-14.17	peak
2	5149.980	10.14	32.40	30.55	46.60	58.59	74.00	-15.41	peak
3 pp	5250.000	10.30	32.60	30.58	86.47	98.79	68.20	30.59	peak
4	5350.020	10.45	32.80	30.61	46.26	58.90	74.00	-15.10	peak
5	5375.626	10.54	32.80	30.62	48.26	60.98	74.00	-13.02	peak
6	5459.980	10.60	32.90	30.64	46.35	59.21	74.00	-14.79	peak

11ax_160M_Partial_RU996_TX_CH_50_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ax160 RU996

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5146.160	10.13	32.39	30.55	35.47	47.44	54.00	-6.56	Average
2	5150.000	10.14	32.40	30.55	32.62	44.61	54.00	-9.39	Average
3	5250.000	10.30	32.60	30.58	75.58	87.90	-----	-----	Average
4	5350.000	10.45	32.80	30.61	31.82	44.46	54.00	-9.54	Average
5	5434.759	10.61	32.87	30.64	32.47	45.31	54.00	-8.69	Average
6	5460.000	10.60	32.90	30.64	32.26	45.12	54.00	-8.88	Average

11a_TX_CH_100_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5500 Band edge

: 5G Wi-Fi 11a

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5442.657	10.60	32.89	30.64	47.52	60.37	74.00	-13.63	peak
2	5466.995	10.59	32.90	30.65	48.49	61.33	68.20	-6.87	peak
3	5500.000	10.58	32.90	30.66	101.60	114.42	68.20	46.22	peak

11a_TX_CH_100_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5500 Band edge

: 5G Wi-Fi 11a

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5458.351	10.60	32.90	30.64	33.63	46.49	54.00	-7.51	Average
2	5500.000	10.58	32.90	30.66	90.75	103.57	-----	-----	Average


11a_TX_CH_100_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5500 Band edge
: 5G Wi-Fi 11a

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5457.151	10.60	32.90	30.64	47.39	60.25	74.00	-13.75	peak
2	5466.154	10.59	32.90	30.65	46.34	59.18	68.20	-9.02	peak
3 pp	5500.000	10.58	32.90	30.66	95.47	108.29	68.20	40.09	peak

11a_TX_CH_100_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5500 Band edge

: 5G Wi-Fi 11a

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5458.230	10.60	32.90	30.64	32.81	45.67	54.00	-8.33	Average
2	5500.000	10.58	32.90	30.66	85.03	97.85	-----	-----	Average

11a_TX_CH_140_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5700 Band edge

: 5G Wi-Fi 11a

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	10.56	33.20	30.72	101.73	114.77	68.20	46.57	peak
2	5725.000	10.68	33.25	30.72	50.79	64.00	68.20	-4.20	peak
3	5728.482	10.69	33.26	30.72	51.52	64.75	68.20	-3.45	peak

11a_TX_CH_140_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5700 Band edge

: 5G Wi-Fi 11a

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	10.56	33.20	30.72	94.39	107.43	68.20	39.23	peak
2	5725.000	10.68	33.25	30.72	46.39	59.60	68.20	-8.60	peak
3	5726.083	10.68	33.25	30.72	46.74	59.95	68.20	-8.25	peak

11ac_VHT(20M)_TX_CH_100_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5500 Band edge

: 5G Wi-Fi 11ac20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5447.444	10.60	32.89	30.64	46.86	59.71	74.00	-14.29	peak
2	5462.791	10.59	32.90	30.65	46.98	59.82	68.20	-8.38	peak
3	5500.000	10.58	32.90	30.66	98.65	111.47	68.20	43.27	peak


11ac_VHT(20M)_TX_CH_100_Horizontal



Condition: 3m HORIZONTAL
Job No : 04261WM
Mode : 5500 Band edge
: 5G Wi-Fi 11ac20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5459.550	10.60	32.90	30.64	33.33	46.19	54.00	-7.81	Average
2	5500.000	10.58	32.90	30.66	88.05	100.87	-----	-----	Average

11ac_VHT(20M)_TX_CH_100_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5500 Band edge

: 5G Wi-Fi 11ac20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5441.581	10.60	32.88	30.64	47.10	59.94	74.00	-14.06	peak
2	5468.317	10.59	32.90	30.65	46.74	59.58	68.20	-8.62	peak
3	5500.000	10.58	32.90	30.66	94.37	107.19	68.20	38.99	peak

11ac_VHT(20M)_TX_CH_100_Vertical




Condition: 3m VERTICAL

Job No : 04261WM

Mode : 5500 Band edge
: 5G Wi-Fi 11ac20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5437.516	10.60	32.88	30.64	32.95	45.79	54.00	-8.21	Average
2	5500.000	10.58	32.90	30.66	83.58	96.40	-----	-----	Average

11ac_VHT(20M)_TX_CH_140_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5700 Band edge
: 5G Wi-Fi 11ac20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	10.56	33.20	30.72	98.92	111.96	68.20	43.76	peak
2	5725.000	10.68	33.25	30.72	46.83	60.04	68.20	-8.16	peak
3	5728.882	10.69	33.26	30.72	48.19	61.42	68.20	-6.78	peak

11ac_VHT(20M)_TX_CH_140_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5700 Band edge

: 5G Wi-Fi 11ac20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	10.56	33.20	30.72	94.50	107.54	68.20	39.34	peak
2	5725.000	10.68	33.25	30.72	46.25	59.46	68.20	-8.74	peak
3	5735.384	10.72	33.27	30.73	47.12	60.38	68.20	-7.82	peak

11ac_VHT(40M)_TX_CH_102_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5510 Band edge
: 5G Wi-Fi 11ac40

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5404.287	10.62	32.81	30.63	47.46	60.26	74.00	-13.74	peak
2	5469.692	10.59	32.90	30.65	50.45	63.29	68.20	-4.91	peak
3	5510.000	10.56	32.90	30.66	95.15	107.95	68.20	39.75	peak

11ac_VHT(40M)_TX_CH_102_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5510 Band edge
: 5G Wi-Fi 11ac40

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5458.923	10.60	32.90	30.64	34.66	47.52	54.00	-6.48 Average
2	5510.000	10.56	32.90	30.66	85.39	98.19	-----	----- Average

11ac_VHT(40M)_TX_CH_102_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5510 Band edge

: 5G Wi-Fi 11ac40

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5459.761	10.60	32.90	30.64	47.42	60.28	74.00	-13.72	peak
2	5465.354	10.59	32.90	30.65	46.75	59.59	68.20	-8.61	peak
3	5510.000	10.56	32.90	30.66	88.58	101.38	68.20	33.18	peak

11ac_VHT(40M)_TX_CH_102_Vertical




Condition: 3m VERTICAL

Job No : 04261WM

Mode : 5510 Band edge
: 5G Wi-Fi 11ac40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5458.224	10.60	32.90	30.64	33.35	46.21	54.00	-7.79	Average
2	5510.000	10.56	32.90	30.66	78.48	91.28	-----	-----	Average


11ac_VHT(40M)_TX_CH_134_Horizontal



Condition: 3m HORIZONTAL
Job No : 04261WM
Mode : 5670 Band edge
: 5G Wi-Fi 11ac40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5670.000	10.52	33.14	30.71	95.16	108.11	68.20	39.91	peak
2	5725.000	10.68	33.25	30.72	45.51	58.72	68.20	-9.48	peak
3	5737.217	10.73	33.27	30.73	47.06	60.33	68.20	-7.87	peak

11ac_VHT(40M)_TX_CH_134_Vertical




Condition: 3m VERTICAL

Job No : 04261WM

Mode : 5670 Band edge
: 5G Wi-Fi 11ac40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5670.000	10.52	33.14	30.71	90.49	103.44	68.20	35.24	peak
2	5725.000	10.68	33.25	30.72	45.80	59.01	68.20	-9.19	peak
3	5744.114	10.76	33.29	30.73	47.07	60.39	68.20	-7.81	peak

11ac_VHT(80M)_TX_CH_106_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5530 Band edge

: 5G Wi-Fi 11ac80

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5456.064	10.60	32.90	30.64	49.69	62.55	74.00	-11.45	peak
2	5466.092	10.59	32.90	30.65	50.26	63.10	68.20	-5.10	peak
3 pp	5530.000	10.53	32.90	30.67	89.91	102.67	68.20	34.47	peak


11ac_VHT(80M)_TX_CH_106_Horizontal



Condition: 3m HORIZONTAL
Job No : 04261WM
Mode : 5530 Band edge
: 5G Wi-Fi 11ac80

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5458.033	10.60	32.90	30.64	37.49	50.35	54.00	-3.65	Average
2	5530.000	10.53	32.90	30.67	79.86	92.62	-----	-----	Average

11ac_VHT(80M)_TX_CH_106_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5530 Band edge

: 5G Wi-Fi 11ac80

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5449.092	10.60	32.90	30.64	46.63	59.49	74.00	-14.51	peak
2	5467.885	10.59	32.90	30.65	47.11	59.95	68.20	-8.25	peak
3 pp	5530.000	10.53	32.90	30.67	82.90	95.66	68.20	27.46	peak


11ac_VHT(80M)_TX_CH_106_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5530 Band edge
: 5G Wi-Fi 11ac80

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5457.138	10.60	32.90	30.64	34.52	47.38	54.00	-6.62	Average
2	5530.000	10.53	32.90	30.67	72.92	85.68	-----	-----	Average

11ac_VHT(80M)_TX_CH_122_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5610 Band edge
: 5G Wi-Fi 11ac80

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5610.000	10.43	33.02	30.69	89.86	102.62	68.20	34.42	peak
2	5725.000	10.68	33.25	30.72	46.28	59.49	68.20	-8.71	peak
3	5734.814	10.72	33.27	30.73	47.26	60.52	68.20	-7.68	peak


11ac_VHT(80M)_TX_CH_122_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5610 Band edge
: 5G Wi-Fi 11ac80

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5610.000	10.43	33.02	30.69	82.40	95.16	68.20	26.96	peak
2	5725.000	10.68	33.25	30.72	45.38	58.59	68.20	-9.61	peak
3	5748.409	10.78	33.30	30.73	46.17	59.52	68.20	-8.68	peak

11ac_VHT(160M)_TX_CH_114_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5570 Band edge

: 5G Wi-Fi 11ac160

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5447.727	10.60	32.90	30.64	48.51	61.37	74.00	-12.63	peak
2	5465.453	10.59	32.90	30.65	50.01	62.85	68.20	-5.35	peak
3 pp	5570.000	10.46	32.94	30.68	84.95	97.67	68.20	29.47	peak
4	5725.000	10.68	33.25	30.72	45.66	58.87	68.20	-9.33	peak
5	5735.193	10.72	33.27	30.73	46.75	60.01	68.20	-8.19	peak


11ac_VHT(160M)_TX_CH_114_Horizontal



Condition: 3m HORIZONTAL
Job No : 04261WM
Mode : 5570 Band edge
: 5G Wi-Fi 11ac160

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5447.727	10.60	32.90	30.64	37.69	50.55	54.00	-3.45	Average
2	5460.000	10.60	32.90	30.64	35.58	48.44	54.00	-5.56	Average
3	5570.000	10.46	32.94	30.68	75.12	87.84	-----	-----	Average

11ac_VHT(160M)_TX_CH_114_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5570 Band edge

: 5G Wi-Fi 11ac160

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5430.059	10.61	32.86	30.64	46.39	59.22	74.00	-14.78	peak
2	5466.964	10.59	32.90	30.65	45.66	58.50	68.20	-9.70	peak
3 pp	5570.000	10.46	32.94	30.68	77.27	89.99	68.20	21.79	peak
4	5725.000	10.68	33.25	30.72	44.99	58.20	68.20	-10.00	peak
5	5757.036	10.82	33.31	30.73	46.26	59.66	68.20	-8.54	peak


11ac_VHT(160M)_TX_CH_114_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5570 Band edge
: 5G Wi-Fi 11ac160

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5396.013	10.61	32.80	30.63	35.39	48.17	54.00	-5.83	Average
2	5460.000	10.60	32.90	30.64	34.52	47.38	54.00	-6.62	Average
3	5570.000	10.46	32.94	30.68	68.11	80.83	-----	-----	Average

11ax_20M_TX_CH_100_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5500 Band edge
: 5G Wi-Fi 11ax20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5449.121	10.60	32.90	30.64	47.28	60.14	74.00	-13.86	peak
2	5462.551	10.59	32.90	30.65	47.50	60.34	68.20	-7.86	peak
3	5500.000	10.58	32.90	30.66	101.04	113.86	68.20	45.66	peak

11ax_20M_TX_CH_100_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5500 Band edge
: 5G Wi-Fi 11ax20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5455.832	10.60	32.90	30.64	33.55	46.41	54.00	-7.59	Average
2	5500.000	10.58	32.90	30.66	88.36	101.18	-----	-----	Average

11ax_20M_TX_CH_100_Verical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5500 Band edge

: 5G Wi-Fi 11ax20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5454.633	10.60	32.90	30.64	46.95	59.81	74.00	-14.19	peak
2	5466.515	10.59	32.90	30.65	46.92	59.76	68.20	-8.44	peak
3	5500.000	10.58	32.90	30.66	97.49	110.31	68.20	42.11	peak

11ax_20M_TX_CH_100_Verical




Condition: 3m VERTICAL

Job No : 04261WM

Mode : 5500 Band edge
: 5G Wi-Fi 11ax20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5458.831	10.60	32.90	30.64	32.92	45.78	54.00	-8.22	Average
2	5500.000	10.58	32.90	30.66	84.59	97.41	-----	-----	Average

11ax_20M_TX_CH_140_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5700 Band edge
: 5G Wi-Fi 11ax20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5700.000	10.56	33.20	30.72	98.05	111.09	68.20	42.89	peak
2	5725.000	10.68	33.25	30.72	46.47	59.68	68.20	-8.52	peak
3	5754.435	10.81	33.31	30.73	47.19	60.58	68.20	-7.62	peak

11ax_20M_TX_CH_140_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5700 Band edge

: 5G Wi-Fi 11ax20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	10.56	33.20	30.72	97.74	110.78	68.20	42.58	peak
2	5725.000	10.68	33.25	30.72	46.00	59.21	68.20	-8.99	peak
3	5740.191	10.75	33.28	30.73	47.11	60.41	68.20	-7.79	peak

11ax_40M_TX_CH_102_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5510 Band edge
: 5G Wi-Fi 11ax40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5459.901	10.60	32.90	30.64	48.07	60.93	74.00	-13.07	peak
2	5469.972	10.59	32.90	30.65	50.76	63.60	68.20	-4.60	peak
3	5510.000	10.56	32.90	30.66	99.31	112.11	68.20	43.91	peak

11ax_40M_TX_CH_102_Horizontal



Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5510 Band edge
: 5G Wi-Fi 11ax40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5458.503	10.60	32.90	30.64	34.69	47.55	54.00	-6.45	Average
2	5510.000	10.56	32.90	30.66	85.49	98.29	-----	-----	Average