

A.6 Band Edge

1. GSM_GSM850


1.1. GSM Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.4	-43.15	-13	30.15	Pass	401
823	824	0.003	RMS	823.978	-18.33	-13	5.33	Pass	401
824	824.5	0.01	RMS	824.221	22.21	35	12.79	Pass	401



1.2. GSM Band Edge_Part22-24(NTNV)(Channel:251)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.823	22.8	35	12.2	Pass	401
849	850	0.003	RMS	849.02	-16.75	-13	3.75	Pass	401
850	855	0.1	RMS	850.463	-42.9	-13	29.9	Pass	401



2. GSM_PCS


2.1. GSM Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.71	-13	19.71	Pass	41
1849	1850	0.003	RMS	1849.998	-20.51	-13	7.51	Pass	401
1850	1851	0.01	RMS	1850.19	19.58	35	15.42	Pass	401



2.2. GSM Band Edge_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.775	19.54	35	15.46	Pass	401
1910	1911	0.003	RMS	1910.028	-21.74	-13	8.74	Pass	401
1911	1915	1	RMS	1911	-32.41	-13	19.41	Pass	41



1. EGPRS_GSM850


1.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.993	-43.76	-13	30.76	Pass	401
823	824	0.003	RMS	823.993	-27.49	-13	14.49	Pass	401
824	824.5	0.01	RMS	824.236	17.17	35	17.83	Pass	401



1.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.744	16.71	35	18.29	Pass	401
849	850	0.003	RMS	849.008	-27.16	-13	14.16	Pass	401
850	855	0.1	RMS	850.038	-43.78	-13	30.78	Pass	401



2. EGPRS_PCS


2.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.83	-13	19.83	Pass	41
1849	1850	0.003	RMS	1849.99	-26.31	-13	13.31	Pass	401
1850	1851	0.01	RMS	1850.208	15.68	35	19.32	Pass	401



2.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.798	15.6	35	19.4	Pass	401
1910	1911	0.003	RMS	1910.033	-26.79	-13	13.79	Pass	401
1911	1915	1	RMS	1911	-32.67	-13	19.67	Pass	41



1. WCDMA_Band2

1.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-26.28	-13	13.28	Pass	41
1849	1850	0.051	RMS	1849.84	-27.71	-13	14.71	Pass	401
1850	1855	0.1	RMS	1853.775	6.47	35	28.53	Pass	401



1.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.713	6.49	35	28.51	Pass	401
1910	1911	0.051	RMS	1910	-26.57	-13	13.57	Pass	401
1911	1915	1	RMS	1911	-25.88	-13	12.88	Pass	41



2. WCDMA_Band4

2.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-27.58	-13	14.58	Pass	41
1709	1710	0.051	RMS	1710	-27.53	-13	14.53	Pass	401
1710	1715	0.1	RMS	1713.825	6.43	35	28.57	Pass	401



2.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.75	6.37	35	28.63	Pass	401
1755	1756	0.051	RMS	1755	-26.76	-13	13.76	Pass	401
1756	1760	1	RMS	1756	-27.63	-13	14.63	Pass	41



3. WCDMA_Band5


3.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.843	-30.77	-13	17.77	Pass	401
823	824	0.051	RMS	824	-22.3	-13	9.3	Pass	401
824	829	0.1	RMS	827.763	12.82	35	22.18	Pass	401



3.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.988	12.76	35	22.24	Pass	401
849	850	0.051	RMS	849	-18.16	-13	5.16	Pass	401
850	855	0.1	RMS	850.163	-23.8	-13	10.8	Pass	401



1. LTE_Band5


1.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.58	-13	34.58	Pass	401
823	824	0.02	RMS	824	-18.91	-13	5.91	Pass	401
824	826	0.1	RMS	824.245	21.85	30	8.15	Pass	401




1.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-34.36	-13	21.36	Pass	401
823	824	0.02	RMS	824	-23.08	-13	10.08	Pass	401
824	826	0.1	RMS	824.555	13.9	30	16.1	Pass	401




1.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.42	-13	35.42	Pass	401
823	824	0.02	RMS	824	-18.84	-13	5.84	Pass	401
824	826	0.1	RMS	824.255	21.45	30	8.55	Pass	401




1.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-36.26	-13	23.26	Pass	401
823	824	0.02	RMS	824	-23.97	-13	10.97	Pass	401
824	826	0.1	RMS	824.805	12.89	30	17.11	Pass	401




1.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.76	21.6	30	8.4	Pass	401
849	850	0.02	RMS	849	-17.71	-13	4.71	Pass	401
850	860	0.1	RMS	850	-49.43	-13	36.43	Pass	401




1.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.485	13.82	30	16.18	Pass	401
849	850	0.02	RMS	849.005	-19.94	-13	6.94	Pass	401
850	860	0.1	RMS	850	-32.09	-13	19.09	Pass	401




1.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	21.55	30	8.45	Pass	401
849	850	0.02	RMS	849.003	-17.18	-13	4.18	Pass	401
850	860	0.1	RMS	850.05	-49.26	-13	36.26	Pass	401




1.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.145	13.02	30	16.98	Pass	401
849	850	0.02	RMS	849.003	-22.06	-13	9.06	Pass	401
850	860	0.1	RMS	850	-33.98	-13	20.98	Pass	401




1.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-43.82	-13	30.82	Pass	401
823	824	0.002	RMS	823.998	-32.05	-13	19.05	Pass	501
824	827	0.1	RMS	824.24	21.62	30	8.38	Pass	401




1.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-31	-13	18	Pass	401
823	824	0.03	RMS	823.995	-23.35	-13	10.35	Pass	401
824	827	0.1	RMS	824.353	9.93	30	20.07	Pass	401




1.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-43.15	-13	30.15	Pass	401
823	824	0.002	RMS	824	-32.47	-13	19.47	Pass	501
824	827	0.1	RMS	824.24	21.38	30	8.62	Pass	401




1.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-33.06	-13	20.06	Pass	401
823	824	0.03	RMS	824	-24.64	-13	11.64	Pass	401
824	827	0.1	RMS	824.945	9.01	30	20.99	Pass	401




1.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	21.52	30	8.48	Pass	401
849	850	0.002	RMS	849.002	-28.57	-13	15.57	Pass	501
850	860	0.1	RMS	850.025	-42.24	-13	29.24	Pass	401




1.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.02	9.98	30	20.02	Pass	401
849	850	0.03	RMS	849	-22	-13	9	Pass	401
850	860	0.1	RMS	850	-22.99	-13	9.99	Pass	401




1.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.745	21.4	30	8.6	Pass	401
849	850	0.002	RMS	849.014	-27.88	-13	14.88	Pass	501
850	860	0.1	RMS	850.025	-42.32	-13	29.32	Pass	401




1.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.33	8.97	30	21.03	Pass	401
849	850	0.03	RMS	849	-23.43	-13	10.43	Pass	401
850	860	0.1	RMS	850.075	-25.42	-13	12.42	Pass	401




1.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-42.61	-13	29.61	Pass	401
823	824	0.051	RMS	824	-20.17	-13	7.17	Pass	401
824	829	0.1	RMS	824.338	22.29	30	7.71	Pass	401




1.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-31.25	-13	18.25	Pass	401
823	824	0.051	RMS	824	-24.06	-13	11.06	Pass	401
824	829	0.1	RMS	825.488	7.8	30	22.2	Pass	401




1.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-43.81	-13	30.81	Pass	401
823	824	0.051	RMS	824	-21.2	-13	8.2	Pass	401
824	829	0.1	RMS	824.338	21.34	30	8.66	Pass	401




1.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.85	-13	20.85	Pass	401
823	824	0.051	RMS	823.978	-25.77	-13	12.77	Pass	401
824	829	0.1	RMS	825.638	6.83	30	23.17	Pass	401




1.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.675	22.33	30	7.67	Pass	401
849	850	0.051	RMS	849	-18.23	-13	5.23	Pass	401
850	860	0.1	RMS	850	-47.55	-13	34.55	Pass	401




1.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.8	7.81	30	22.19	Pass	401
849	850	0.051	RMS	849	-22.76	-13	9.76	Pass	401
850	860	0.1	RMS	850	-25.17	-13	12.17	Pass	401




1.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.55	30	8.45	Pass	401
849	850	0.051	RMS	849	-19.5	-13	6.5	Pass	401
850	860	0.1	RMS	850.025	-50.06	-13	37.06	Pass	401




1.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.788	6.73	30	23.27	Pass	401
849	850	0.051	RMS	849.003	-24.23	-13	11.23	Pass	401
850	860	0.1	RMS	850.15	-27.47	-13	14.47	Pass	401




1.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.27	-13	36.27	Pass	401
823	824	0.1	RMS	823.995	-28.69	-13	15.69	Pass	401
824	834	0.1	RMS	824.6	22.14	30	7.86	Pass	401




1.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-33.22	-13	20.22	Pass	401
823	824	0.1	RMS	823.983	-28.63	-13	15.63	Pass	401
824	834	0.1	RMS	826.775	4.99	30	25.01	Pass	401




1.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-50.65	-13	37.65	Pass	401
823	824	0.1	RMS	823.998	-28.64	-13	15.64	Pass	401
824	834	0.1	RMS	824.6	21.41	30	8.59	Pass	401




1.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.72	-35.68	-13	22.68	Pass	401
823	824	0.1	RMS	824	-30.04	-13	17.04	Pass	401
824	834	0.1	RMS	826.4	3.9	30	26.1	Pass	401




1.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	22.28	30	7.72	Pass	401
849	850	0.1	RMS	849.008	-26.26	-13	13.26	Pass	401
850	860	0.1	RMS	850.025	-50.91	-13	37.91	Pass	401




1.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	840.575	5.18	30	24.82	Pass	401
849	850	0.1	RMS	849	-26.6	-13	13.6	Pass	401
850	860	0.1	RMS	850.05	-29.29	-13	16.29	Pass	401




1.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.4	30	8.6	Pass	401
849	850	0.1	RMS	849.003	-26.73	-13	13.73	Pass	401
850	860	0.1	RMS	850.025	-52.02	-13	39.02	Pass	401



1.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	840.475	4.19	30	25.81	Pass	401
849	850	0.1	RMS	849	-28.88	-13	15.88	Pass	401
850	860	0.1	RMS	850.05	-31.87	-13	18.87	Pass	401



5. LTE_Band18(part22)


5.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-43	-13	30	Pass	401
823	824	0.051	RMS	824	-19.65	-13	6.65	Pass	401
824	829	0.1	RMS	824.338	22.31	30	7.69	Pass	401




5.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-30.28	-13	17.28	Pass	401
823	824	0.051	RMS	824	-23.9	-13	10.9	Pass	401
824	829	0.1	RMS	824.375	7.93	30	22.07	Pass	401




5.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:23965, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.16	-43.76	-13	30.76	Pass	401
823	824	0.051	RMS	824	-20.82	-13	7.82	Pass	401
824	829	0.1	RMS	824.325	21.39	30	8.61	Pass	401




5.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:23965, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-32.97	-13	19.97	Pass	401
823	824	0.051	RMS	824	-25.56	-13	12.56	Pass	401
824	829	0.1	RMS	824.513	6.83	30	23.17	Pass	401




5.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	830	0.1	RMS	829.675	22.29	30	7.71	Pass	401
830	831	0.051	RMS	830.003	-18.51	-13	5.51	Pass	401
831	841	0.1	RMS	831.825	-41.88	-13	28.88	Pass	401




5.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	830	0.1	RMS	825.738	7.65	30	22.35	Pass	401
830	831	0.051	RMS	830.013	-24.67	-13	11.67	Pass	401
831	841	0.1	RMS	831.025	-31.5	-13	18.5	Pass	401




5.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:23975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	830	0.1	RMS	829.675	21.12	30	8.88	Pass	401
830	831	0.051	RMS	830	-20.58	-13	7.58	Pass	401
831	841	0.1	RMS	831.825	-43.53	-13	30.53	Pass	401



5.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:23975, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	830	0.1	RMS	825.388	6.86	30	23.14	Pass	401
830	831	0.051	RMS	830	-25.56	-13	12.56	Pass	401
831	841	0.1	RMS	831	-33.06	-13	20.06	Pass	401



6. LTE_Band19


6.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.16	-42.25	-13	29.25	Pass	401
829	830	0.051	RMS	830	-19.85	-13	6.85	Pass	401
830	835	0.1	RMS	830.338	22.38	30	7.62	Pass	401




6.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.98	-29.27	-13	16.27	Pass	401
829	830	0.051	RMS	829.995	-24.34	-13	11.34	Pass	401
830	835	0.1	RMS	833.638	7.94	30	22.06	Pass	401




6.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:24025, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.16	-43.78	-13	30.78	Pass	401
829	830	0.051	RMS	829.998	-21.31	-13	8.31	Pass	401
830	835	0.1	RMS	830.338	21.63	30	8.37	Pass	401




6.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:24025, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.98	-31.55	-13	18.55	Pass	401
829	830	0.051	RMS	829.998	-25.1	-13	12.1	Pass	401
830	835	0.1	RMS	834.563	6.89	30	23.11	Pass	401



6.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
840	845	0.1	RMS	844.65	22.35	30	7.65	Pass	401
845	846	0.051	RMS	845	-18.84	-13	5.84	Pass	401
846	856	0.1	RMS	846.825	-42.2	-13	29.2	Pass	401




6.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
840	845	0.1	RMS	840.5	8.04	30	21.96	Pass	401
845	846	0.051	RMS	845	-23.7	-13	10.7	Pass	401
846	856	0.1	RMS	846	-28.65	-13	15.65	Pass	401



6.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:24125, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
840	845	0.1	RMS	844.65	21.36	30	8.64	Pass	401
845	846	0.051	RMS	845	-20.07	-13	7.07	Pass	401
846	856	0.1	RMS	846.8	-43.43	-13	30.43	Pass	401




6.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:24125, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
840	845	0.1	RMS	840.363	7.14	30	22.86	Pass	401
845	846	0.051	RMS	845	-24.85	-13	11.85	Pass	401
846	856	0.1	RMS	846	-31.1	-13	18.1	Pass	401




6.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.98	-49.31	-13	36.31	Pass	401
829	830	0.1	RMS	829.998	-28.78	-13	15.78	Pass	401
830	840	0.1	RMS	830.575	22.31	30	7.69	Pass	401




6.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.98	-30.43	-13	17.43	Pass	401
829	830	0.1	RMS	830	-26.85	-13	13.85	Pass	401
830	840	0.1	RMS	833.65	4.96	30	25.04	Pass	401




6.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:24050, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.48	-50.77	-13	37.77	Pass	401
829	830	0.1	RMS	830	-27.89	-13	14.89	Pass	401
830	840	0.1	RMS	830.6	21.49	30	8.51	Pass	401




6.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:24050, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	829	-32.95	-13	19.95	Pass	401
829	830	0.1	RMS	830	-29.21	-13	16.21	Pass	401
830	840	0.1	RMS	833.15	3.99	30	26.01	Pass	401




6.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.1	RMS	844.4	22.14	30	7.86	Pass	401
845	846	0.1	RMS	845	-27.08	-13	14.08	Pass	401
846	856	0.1	RMS	846.025	-49.89	-13	36.89	Pass	401




6.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.1	RMS	837.75	5.17	30	24.83	Pass	401
845	846	0.1	RMS	845	-28.27	-13	15.27	Pass	401
846	856	0.1	RMS	846	-31.76	-13	18.76	Pass	401




6.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:24100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.1	RMS	844.425	21.22	30	8.78	Pass	401
845	846	0.1	RMS	845	-28.26	-13	15.26	Pass	401
846	856	0.1	RMS	846	-51.25	-13	38.25	Pass	401




6.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:24100, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.1	RMS	837.5	4.23	30	25.77	Pass	401
845	846	0.1	RMS	845	-29.94	-13	16.94	Pass	401
846	856	0.1	RMS	846.075	-34.6	-13	21.6	Pass	401




6.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.86	-50.83	-13	37.83	Pass	401
829	830	0.1	RMS	830	-27.24	-13	14.24	Pass	401
830	845	0.1	RMS	830.863	22.17	30	7.83	Pass	401




6.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.86	-30.64	-13	17.64	Pass	401
829	830	0.1	RMS	829.995	-29.53	-13	16.53	Pass	401
830	845	0.1	RMS	834.875	3.19	30	26.81	Pass	401




6.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:24075, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	829	-51.3	-13	38.3	Pass	401
829	830	0.1	RMS	829.983	-27.63	-13	14.63	Pass	401
830	845	0.1	RMS	830.825	21.01	30	8.99	Pass	401




6.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:24075, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	827.4	-34.53	-13	21.53	Pass	401
829	830	0.1	RMS	829.963	-32.29	-13	19.29	Pass	401
830	845	0.1	RMS	833.75	2.18	30	27.82	Pass	401



6.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
830	845	0.1	RMS	844.175	22	30	8	Pass	401
845	846	0.1	RMS	845.003	-27.14	-13	14.14	Pass	401
846	856	0.1	RMS	846.25	-51.07	-13	38.07	Pass	401




6.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
830	845	0.1	RMS	834.5	3.29	30	26.71	Pass	401
845	846	0.1	RMS	845.013	-30.11	-13	17.11	Pass	401
846	856	0.1	RMS	846.275	-31.91	-13	18.91	Pass	401




6.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:24075, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
830	845	0.1	RMS	844.138	21.09	30	8.91	Pass	401
845	846	0.1	RMS	845.005	-27.67	-13	14.67	Pass	401
846	856	0.1	RMS	846.2	-51.08	-13	38.08	Pass	401



6.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:24075, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
830	845	0.1	RMS	833.6	2.21	30	27.79	Pass	401
845	846	0.1	RMS	845.015	-33.03	-13	20.03	Pass	401
846	856	0.1	RMS	846.075	-35.9	-13	22.9	Pass	401



7. LTE_Band26(part22)


7.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.59	-13	35.59	Pass	401
823	824	0.02	RMS	824	-19.19	-13	6.19	Pass	401
824	826	0.1	RMS	824.23	21.79	30	8.21	Pass	401




7.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-34.79	-13	21.79	Pass	401
823	824	0.02	RMS	824	-22.74	-13	9.74	Pass	401
824	826	0.1	RMS	824.525	14	30	16	Pass	401




7.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.94	-13	34.94	Pass	401
823	824	0.02	RMS	823.995	-19.11	-13	6.11	Pass	401
824	826	0.1	RMS	824.25	21.32	30	8.68	Pass	401




7.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.01	-13	24.01	Pass	401
823	824	0.02	RMS	824	-24.18	-13	11.18	Pass	401
824	826	0.1	RMS	824.415	12.94	30	17.06	Pass	401




7.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	21.58	30	8.42	Pass	401
849	850	0.02	RMS	849.003	-17.66	-13	4.66	Pass	401
850	860	0.1	RMS	850	-49.19	-13	36.19	Pass	401




7.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.23	14.01	30	15.99	Pass	401
849	850	0.02	RMS	849.005	-19.43	-13	6.43	Pass	401
850	860	0.1	RMS	850	-32.33	-13	19.33	Pass	401




7.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.76	21.39	30	8.61	Pass	401
849	850	0.02	RMS	849	-16.75	-13	3.75	Pass	401
850	860	0.1	RMS	850	-49.37	-13	36.37	Pass	401




7.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.39	12.89	30	17.11	Pass	401
849	850	0.02	RMS	849	-21.45	-13	8.45	Pass	401
850	860	0.1	RMS	850	-34.45	-13	21.45	Pass	401




7.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-46.93	-13	33.93	Pass	401
823	824	0.002	RMS	823.998	-32.86	-13	19.86	Pass	501
824	827	0.1	RMS	824.248	21.84	30	8.16	Pass	401




7.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-29.71	-13	16.71	Pass	401
823	824	0.03	RMS	824	-23.11	-13	10.11	Pass	401
824	827	0.1	RMS	824.42	10.09	30	19.91	Pass	401




7.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.88	-45.97	-13	32.97	Pass	401
823	824	0.002	RMS	824	-32.14	-13	19.14	Pass	501
824	827	0.1	RMS	824.233	21.62	30	8.38	Pass	401




7.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-31.88	-13	18.88	Pass	401
823	824	0.03	RMS	824	-24.47	-13	11.47	Pass	401
824	827	0.1	RMS	824.99	9.08	30	20.92	Pass	401




7.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	21.45	30	8.55	Pass	401
849	850	0.002	RMS	849	-28.91	-13	15.91	Pass	501
850	860	0.1	RMS	850	-45.85	-13	32.85	Pass	401




7.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.928	9.99	30	20.01	Pass	401
849	850	0.03	RMS	849.005	-21.11	-13	8.11	Pass	401
850	860	0.1	RMS	850.025	-22.51	-13	9.51	Pass	401




7.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	21.81	30	8.19	Pass	401
849	850	0.002	RMS	849	-26.52	-13	13.52	Pass	501
850	860	0.1	RMS	850	-48.42	-13	35.42	Pass	401




7.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.255	9.03	30	20.97	Pass	401
849	850	0.03	RMS	849.008	-23.08	-13	10.08	Pass	401
850	860	0.1	RMS	850	-24.9	-13	11.9	Pass	401




7.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.87	-13	32.87	Pass	401
823	824	0.051	RMS	823.998	-20.09	-13	7.09	Pass	401
824	829	0.1	RMS	824.363	22.31	30	7.69	Pass	401




7.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-30.61	-13	17.61	Pass	401
823	824	0.051	RMS	823.998	-24.17	-13	11.17	Pass	401
824	829	0.1	RMS	824.563	7.84	30	22.16	Pass	401




7.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.88	-48.35	-13	35.35	Pass	401
823	824	0.051	RMS	823.998	-21.27	-13	8.27	Pass	401
824	829	0.1	RMS	824.35	21.49	30	8.51	Pass	401




7.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-32.61	-13	19.61	Pass	401
823	824	0.051	RMS	823.995	-25.51	-13	12.51	Pass	401
824	829	0.1	RMS	825.625	6.92	30	23.08	Pass	401



7.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	22.36	30	7.64	Pass	401
849	850	0.051	RMS	849	-18.25	-13	5.25	Pass	401
850	860	0.1	RMS	850.075	-47.96	-13	34.96	Pass	401




7.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.863	7.78	30	22.22	Pass	401
849	850	0.051	RMS	849	-22.6	-13	9.6	Pass	401
850	860	0.1	RMS	850.175	-24.95	-13	11.95	Pass	401




7.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.53	30	8.47	Pass	401
849	850	0.051	RMS	849.003	-18.94	-13	5.94	Pass	401
850	860	0.1	RMS	850	-49.85	-13	36.85	Pass	401




7.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.525	6.74	30	23.26	Pass	401
849	850	0.051	RMS	849.005	-24.14	-13	11.14	Pass	401
850	860	0.1	RMS	850	-27.47	-13	14.47	Pass	401




7.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-49.11	-13	36.11	Pass	401
823	824	0.1	RMS	824	-28.69	-13	15.69	Pass	401
824	834	0.1	RMS	824.575	22.26	30	7.74	Pass	401




7.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-32.5	-13	19.5	Pass	401
823	824	0.1	RMS	824	-27.96	-13	14.96	Pass	401
824	834	0.1	RMS	826.975	4.9	30	25.1	Pass	401




7.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-50.47	-13	37.47	Pass	401
823	824	0.1	RMS	824	-28.95	-13	15.95	Pass	401
824	834	0.1	RMS	824.6	21.38	30	8.62	Pass	401




7.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.62	-34.86	-13	21.86	Pass	401
823	824	0.1	RMS	823.998	-29.93	-13	16.93	Pass	401
824	834	0.1	RMS	826.475	3.88	30	26.12	Pass	401




7.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.82	30	9.18	Pass	401
849	850	0.1	RMS	849.005	-29.44	-13	16.44	Pass	401
850	860	0.1	RMS	850	-51.81	-13	38.81	Pass	401



7.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	840.325	4.97	30	25.03	Pass	401
849	850	0.1	RMS	849.005	-27.12	-13	14.12	Pass	401
850	860	0.1	RMS	850	-29.95	-13	16.95	Pass	401



7.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	21.03	30	8.97	Pass	401
849	850	0.1	RMS	849.003	-27.54	-13	14.54	Pass	401
850	860	0.1	RMS	850	-52.17	-13	39.17	Pass	401

