



11.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-36.22	-25	11.22	Pass	401
2560	2565	1	RMS	2564.913	-29.83	-13	16.83	Pass	401
2565	2569	1	RMS	2569	-27.5	-10	17.5	Pass	5
2569	2570	0.2	RMS	2569.998	-26.35	-10	16.35	Pass	401
2570	2580	0.1	RMS	2571.1	4.09	30	25.91	Pass	401




11.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	21.26	30	8.74	Pass	401
2620	2621	0.1	RMS	2620	-24.86	-10	14.86	Pass	401
2621	2625	1	RMS	2621	-33.97	-10	23.97	Pass	5
2625	2630	1	RMS	2625.15	-43.39	-13	30.39	Pass	401
2630	2645	1	RMS	2632.138	-45.72	-25	20.72	Pass	401




11.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2610.8	5.15	30	24.85	Pass	401
2620	2621	0.2	RMS	2620	-25.1	-10	15.1	Pass	401
2621	2625	1	RMS	2621	-25.39	-10	15.39	Pass	5
2625	2630	1	RMS	2625.038	-28.13	-13	15.13	Pass	401
2630	2645	1	RMS	2630	-33.77	-25	8.77	Pass	401




11.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	21.11	30	8.89	Pass	401
2620	2621	0.2	RMS	2620	-19.19	-10	9.19	Pass	401
2621	2625	1	RMS	2621	-33.9	-10	23.9	Pass	5
2625	2630	1	RMS	2625.275	-43.37	-13	30.37	Pass	401
2630	2645	1	RMS	2631.8	-45.23	-25	20.23	Pass	401




11.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2617.75	3.87	30	26.13	Pass	401
2620	2621	0.2	RMS	2620.01	-26.16	-10	16.16	Pass	401
2621	2625	1	RMS	2621	-26.33	-10	16.33	Pass	5
2625	2630	1	RMS	2625.213	-28.92	-13	15.92	Pass	401
2630	2645	1	RMS	2630	-36.82	-25	11.82	Pass	401




11.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.725	-46.27	-25	21.27	Pass	401
2555	2565	1	RMS	2564.925	-43.9	-13	30.9	Pass	401
2565	2569	1	RMS	2569	-34.84	-10	24.84	Pass	5
2569	2570	0.3	RMS	2569.998	-21.24	-10	11.24	Pass	401
2570	2585	0.1	RMS	2570.863	21.04	30	8.96	Pass	401




11.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.975	-34.38	-25	9.38	Pass	401
2555	2565	1	RMS	2564.775	-28.61	-13	15.61	Pass	401
2565	2569	1	RMS	2568	-26.4	-10	16.4	Pass	5
2569	2570	0.3	RMS	2570	-28.01	-10	18.01	Pass	401
2570	2585	0.1	RMS	2571.65	3.13	30	26.87	Pass	401




11.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2553.875	-46.06	-25	21.06	Pass	401
2555	2565	1	RMS	2564.9	-43.99	-13	30.99	Pass	401
2565	2569	1	RMS	2569	-34.45	-10	24.45	Pass	5
2569	2570	0.3	RMS	2569.998	-20.14	-10	10.14	Pass	401
2570	2585	0.1	RMS	2570.825	20.33	30	9.67	Pass	401




11.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.925	-36.97	-25	11.97	Pass	401
2555	2565	1	RMS	2564.775	-30.65	-13	17.65	Pass	401
2565	2569	1	RMS	2568	-28.71	-10	18.71	Pass	5
2569	2570	0.3	RMS	2570	-29.27	-10	19.27	Pass	401
2570	2585	0.1	RMS	2573.075	2.2	30	27.8	Pass	401




11.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	20.48	30	9.52	Pass	401
2620	2621	0.3	RMS	2620.008	-20.17	-10	10.17	Pass	401
2621	2625	1	RMS	2621	-34.44	-10	24.44	Pass	5
2625	2635	1	RMS	2625	-43.69	-13	30.69	Pass	401
2635	2645	1	RMS	2642.325	-45.81	-25	20.81	Pass	401




11.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.088	2.75	30	27.25	Pass	401
2620	2621	0.3	RMS	2620.003	-26.77	-10	16.77	Pass	401
2621	2625	1	RMS	2622	-25.44	-10	15.44	Pass	5
2625	2635	1	RMS	2625.075	-27.04	-13	14.04	Pass	401
2635	2645	1	RMS	2635.025	-35	-25	10	Pass	401




11.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	21.36	30	8.64	Pass	401
2620	2621	0.3	RMS	2620.008	-19.91	-10	9.91	Pass	401
2621	2625	1	RMS	2621	-33.96	-10	23.96	Pass	5
2625	2635	1	RMS	2625	-43.12	-13	30.12	Pass	401
2635	2645	1	RMS	2642.575	-45.69	-25	20.69	Pass	401




11.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2617.6	2.24	30	27.76	Pass	401
2620	2621	0.3	RMS	2620	-28.34	-10	18.34	Pass	401
2621	2625	1	RMS	2622	-28.02	-10	18.02	Pass	5
2625	2635	1	RMS	2625.15	-28.75	-13	15.75	Pass	401
2635	2645	1	RMS	2635.025	-37.49	-25	12.49	Pass	401




11.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2545.713	-46.42	-25	21.42	Pass	401
2550	2565	1	RMS	2564.925	-44.06	-13	31.06	Pass	401
2565	2569	1	RMS	2569	-35.22	-10	25.22	Pass	5
2569	2570	0.51	RMS	2569.99	-18.6	-10	8.6	Pass	401
2570	2590	0.1	RMS	2571.1	21.01	30	8.99	Pass	401




11.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-37.42	-25	12.42	Pass	401
2550	2565	1	RMS	2564.963	-31.08	-13	18.08	Pass	401
2565	2569	1	RMS	2569	-30.29	-10	20.29	Pass	5
2569	2570	0.51	RMS	2569.98	-28.37	-10	18.37	Pass	401
2570	2590	0.1	RMS	2587.05	1.52	30	28.48	Pass	401




11.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2545.613	-46.5	-25	21.5	Pass	401
2550	2565	1	RMS	2564.138	-43.57	-13	30.57	Pass	401
2565	2569	1	RMS	2569	-34.74	-10	24.74	Pass	5
2569	2570	0.51	RMS	2569.998	-18.08	-10	8.08	Pass	401
2570	2590	0.1	RMS	2571.1	20.6	30	9.4	Pass	401




11.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-39.04	-25	14.04	Pass	401
2550	2565	1	RMS	2564.813	-31.33	-13	18.33	Pass	401
2565	2569	1	RMS	2569	-30.49	-10	20.49	Pass	5
2569	2570	0.51	RMS	2570	-29.06	-10	19.06	Pass	401
2570	2590	0.1	RMS	2584.9	1.03	30	28.97	Pass	401




11.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.47	30	9.53	Pass	401
2620	2621	0.51	RMS	2620	-18.61	-10	8.61	Pass	401
2621	2625	1	RMS	2621	-34.96	-10	24.96	Pass	5
2625	2640	1	RMS	2625.075	-44.39	-13	31.39	Pass	401
2640	2645	1	RMS	2640.313	-46.14	-25	21.14	Pass	401




11.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2603.15	1.23	30	28.77	Pass	401
2620	2621	0.51	RMS	2620.003	-28.34	-10	18.34	Pass	401
2621	2625	1	RMS	2621	-29.39	-10	19.39	Pass	5
2625	2640	1	RMS	2625.113	-30.44	-13	17.44	Pass	401
2640	2645	1	RMS	2640	-38.41	-25	13.41	Pass	401




11.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.45	30	9.55	Pass	401
2620	2621	0.51	RMS	2620.003	-19.13	-10	9.13	Pass	401
2621	2625	1	RMS	2621	-35.03	-10	25.03	Pass	5
2625	2640	1	RMS	2629.463	-43.09	-13	30.09	Pass	401
2640	2645	1	RMS	2644.313	-46.11	-25	21.11	Pass	401



11.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2603.5	1.12	30	28.88	Pass	401
2620	2621	0.51	RMS	2620.008	-28.99	-10	18.99	Pass	401
2621	2625	1	RMS	2621	-29.99	-10	19.99	Pass	5
2625	2640	1	RMS	2625	-31.1	-13	18.1	Pass	401
2640	2645	1	RMS	2640.063	-40.02	-25	15.02	Pass	401



13. LTE_Band41 full


13.21. LTE Band Edge_Part22-24-27(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.563	-44.51	-25	19.51	Pass	401
2490	2495	1	RMS	2495	-31.64	-13	18.64	Pass	6
2495	2496	0.05	RMS	2496	-21.91	-13	8.91	Pass	21
2496	2501	0.1	RMS	2496.325	20.58	30	9.42	Pass	401




13.22. LTE Band Edge_Part22-24-27(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-35.3	-25	10.3	Pass	401
2490	2495	1	RMS	2495	-25.95	-13	12.95	Pass	6
2495	2496	0.051	RMS	2495.993	-25.81	-13	12.81	Pass	401
2496	2501	0.1	RMS	2500.275	7.76	30	22.24	Pass	401




13.23. LTE Band Edge_Part22-24-27(Subtest:3, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.9	-44.57	-25	19.57	Pass	401
2490	2495	1	RMS	2495	-32.19	-13	19.19	Pass	6
2495	2496	0.05	RMS	2496	-22.01	-13	9.01	Pass	21
2496	2501	0.1	RMS	2496.338	21.13	30	8.87	Pass	401




13.24. LTE Band Edge_Part22-24-27(Subtest:4, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.07	-25	12.07	Pass	401
2490	2495	1	RMS	2495	-26.35	-13	13.35	Pass	6
2495	2496	0.051	RMS	2496	-26.08	-13	13.08	Pass	401
2496	2501	0.1	RMS	2500.25	7.13	30	22.87	Pass	401




13.25. LTE Band Edge_Part22-24-27(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	21.55	30	8.45	Pass	401
2690	2691	0.05	RMS	2690	-21.86	-10	11.86	Pass	21
2691	2695	1	RMS	2691	-30.85	-10	20.85	Pass	5
2695	2696	1	RMS	2695.023	-43.62	-13	30.62	Pass	401
2696	2715	1	RMS	2696.143	-44.35	-25	19.35	Pass	401




13.26. LTE Band Edge_Part22-24-27(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.2	7.81	30	22.19	Pass	401
2690	2691	0.1	RMS	2690.005	-20.84	-10	10.84	Pass	401
2691	2695	1	RMS	2691	-23.35	-10	13.35	Pass	5
2695	2696	1	RMS	2695.005	-31.19	-13	18.19	Pass	401
2696	2715	1	RMS	2696	-34.76	-25	9.76	Pass	401




13.27. LTE Band Edge_Part22-24-27(Subtest:7, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	21.53	30	8.47	Pass	401
2690	2691	0.051	RMS	2690	-18.53	-10	8.53	Pass	401
2691	2695	1	RMS	2691	-31.43	-10	21.43	Pass	5
2695	2696	1	RMS	2695.035	-43.44	-13	30.44	Pass	401
2696	2715	1	RMS	2696.143	-44.52	-25	19.52	Pass	401




13.28. LTE Band Edge_Part22-24-27(Subtest:8, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.113	7.23	30	22.77	Pass	401
2690	2691	0.1	RMS	2690	-21.92	-10	11.92	Pass	401
2691	2695	1	RMS	2691	-24.5	-10	14.5	Pass	5
2695	2696	1	RMS	2695.065	-32.04	-13	19.04	Pass	401
2696	2715	1	RMS	2696	-35.01	-25	10.01	Pass	401




13.29. LTE Band Edge_Part22-24-27(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.96	-25	19.96	Pass	401
2490	2495	1	RMS	2495	-34.76	-13	21.76	Pass	6
2495	2496	0.1	RMS	2495.993	-24.07	-13	11.07	Pass	401
2496	2506	0.1	RMS	2496.6	21.22	30	8.78	Pass	401




13.30. LTE Band Edge_Part22-24-27(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.67	-25	6.67	Pass	16
2490	2495	1	RMS	2495	-27.76	-13	14.76	Pass	6
2495	2496	0.1	RMS	2495.993	-29.53	-13	16.53	Pass	401
2496	2506	0.1	RMS	2504.725	4.51	30	25.49	Pass	401




13.31. LTE Band Edge_Part22-24-27(Subtest:11, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-44.75	-25	19.75	Pass	401
2490	2495	1	RMS	2495	-34.78	-13	21.78	Pass	6
2495	2496	0.1	RMS	2495.993	-23.25	-13	10.25	Pass	401
2496	2506	0.1	RMS	2496.575	20.8	30	9.2	Pass	401




13.32. LTE Band Edge_Part22-24-27(Subtest:12, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.27	-25	8.27	Pass	16
2490	2495	1	RMS	2495	-28.71	-13	15.71	Pass	6
2495	2496	0.1	RMS	2495.99	-30.29	-13	17.29	Pass	401
2496	2506	0.1	RMS	2505.075	3.91	30	26.09	Pass	401




13.33. LTE Band Edge_Part22-24-27(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	20.71	30	9.29	Pass	401
2690	2691	0.2	RMS	2690	-24.34	-10	14.34	Pass	6
2691	2695	1	RMS	2691	-33.87	-10	23.87	Pass	5
2695	2700	1	RMS	2695.063	-43.39	-13	30.39	Pass	401
2700	2715	1	RMS	2700.45	-45.74	-25	20.74	Pass	401




13.34. LTE Band Edge_Part22-24-27(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2680.775	5.09	30	24.91	Pass	401
2690	2691	0.2	RMS	2690	-25.78	-10	15.78	Pass	401
2691	2695	1	RMS	2691	-25.53	-10	15.53	Pass	5
2695	2700	1	RMS	2695.263	-27.61	-13	14.61	Pass	401
2700	2715	1	RMS	2700.038	-34.46	-25	9.46	Pass	401




13.35. LTE Band Edge_Part22-24-27(Subtest:15, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.45	21.14	30	8.86	Pass	401
2690	2691	0.2	RMS	2690.003	-21.29	-10	11.29	Pass	401
2691	2695	1	RMS	2691	-34.07	-10	24.07	Pass	5
2695	2700	1	RMS	2695.038	-43.21	-13	30.21	Pass	401
2700	2715	1	RMS	2700.338	-45.56	-25	20.56	Pass	401




13.36. LTE Band Edge_Part22-24-27(Subtest:16, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2681.45	4.35	30	25.65	Pass	401
2690	2691	0.2	RMS	2690	-26.6	-10	16.6	Pass	401
2691	2695	1	RMS	2691	-26.95	-10	16.95	Pass	5
2695	2700	1	RMS	2695.4	-29.31	-13	16.31	Pass	401
2700	2715	1	RMS	2700.225	-35.34	-25	10.34	Pass	401




13.37. LTE Band Edge_Part22-24-27(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-44.89	-25	19.89	Pass	401
2490	2495	1	RMS	2495	-34.95	-13	21.95	Pass	6
2495	2496	0.15	RMS	2496	-25.49	-13	12.49	Pass	401
2496	2511	0.1	RMS	2496.863	20.84	30	9.16	Pass	401




13.38. LTE Band Edge_Part22-24-27(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.25	-25	6.25	Pass	16
2490	2495	1	RMS	2494	-27.33	-13	14.33	Pass	6
2495	2496	0.15	RMS	2495.998	-31.54	-13	18.54	Pass	401
2496	2511	0.1	RMS	2509.913	2.48	30	27.52	Pass	401




13.39. LTE Band Edge_Part22-24-27(Subtest:19, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.55	-44.82	-25	19.82	Pass	401
2490	2495	1	RMS	2495	-34.79	-13	21.79	Pass	6
2495	2496	0.15	RMS	2496	-26.01	-13	13.01	Pass	401
2496	2511	0.1	RMS	2496.825	21.01	30	8.99	Pass	401




13.40. LTE Band Edge_Part22-24-27(Subtest:20, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.13	-25	8.13	Pass	16
2490	2495	1	RMS	2494	-29.93	-13	16.93	Pass	6
2495	2496	0.15	RMS	2495.99	-33.43	-13	20.43	Pass	401
2496	2511	0.1	RMS	2509.988	2.33	30	27.67	Pass	401




13.41. LTE Band Edge_Part22-24-27(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	21.44	30	8.56	Pass	401
2690	2691	0.3	RMS	2690.003	-21.23	-10	11.23	Pass	401
2691	2695	1	RMS	2691	-35.43	-10	25.43	Pass	5
2695	2705	1	RMS	2695.7	-41.69	-13	28.69	Pass	401
2705	2715	1	RMS	2705.5	-46.09	-25	21.09	Pass	401




13.42. LTE Band Edge_Part22-24-27(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2676.575	2.93	30	27.07	Pass	401
2690	2691	0.3	RMS	2690.005	-26.2	-10	16.2	Pass	401
2691	2695	1	RMS	2692	-25.04	-10	15.04	Pass	5
2695	2705	1	RMS	2695.45	-25.65	-13	12.65	Pass	401
2705	2715	1	RMS	2705.275	-34.93	-25	9.93	Pass	401




13.43. LTE Band Edge_Part22-24-27(Subtest:23, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	20.81	30	9.19	Pass	401
2690	2691	0.3	RMS	2690.005	-20.48	-10	10.48	Pass	401
2691	2695	1	RMS	2691	-35.06	-10	25.06	Pass	5
2695	2705	1	RMS	2695.975	-42.08	-13	29.08	Pass	401
2705	2715	1	RMS	2705.4	-46.04	-25	21.04	Pass	401




13.44. LTE Band Edge_Part22-24-27(Subtest:24, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2676.35	2.26	30	27.74	Pass	401
2690	2691	0.3	RMS	2690.02	-28.54	-10	18.54	Pass	401
2691	2695	1	RMS	2692	-27.81	-10	17.81	Pass	5
2695	2705	1	RMS	2695.075	-29.16	-13	16.16	Pass	401
2705	2715	1	RMS	2705.15	-36.89	-25	11.89	Pass	401




13.45. LTE Band Edge_Part22-24-27(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-45.1	-25	20.1	Pass	401
2490	2495	1	RMS	2495	-35.55	-13	22.55	Pass	6
2495	2496	0.2	RMS	2495.998	-27.29	-13	14.29	Pass	401
2496	2516	0.1	RMS	2497.1	20.3	30	9.7	Pass	401




13.46. LTE Band Edge_Part22-24-27(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.82	-25	8.82	Pass	16
2490	2495	1	RMS	2495	-31.1	-13	18.1	Pass	6
2495	2496	0.2	RMS	2495.993	-33.87	-13	20.87	Pass	401
2496	2516	0.1	RMS	2511.45	1.54	30	28.46	Pass	401




13.47. LTE Band Edge_Part22-24-27(Subtest:27, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43.87	-25	18.87	Pass	401
2490	2495	1	RMS	2495	-34.77	-13	21.77	Pass	6
2495	2496	0.2	RMS	2496	-25.51	-13	12.51	Pass	401
2496	2516	0.1	RMS	2497.05	20.53	30	9.47	Pass	401




13.48. LTE Band Edge_Part22-24-27(Subtest:28, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.41	-25	9.41	Pass	16
2490	2495	1	RMS	2494.925	-30.18	-13	17.18	Pass	401
2495	2496	0.2	RMS	2495.99	-34.62	-13	21.62	Pass	401
2496	2516	0.1	RMS	2513.9	0.86	30	29.14	Pass	401




13.49. LTE Band Edge_Part22-24-27(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.95	20.31	30	9.69	Pass	401
2690	2691	0.51	RMS	2690.003	-18.64	-10	8.64	Pass	401
2691	2695	1	RMS	2691	-36.52	-10	26.52	Pass	5
2695	2710	1	RMS	2697.663	-42	-13	29	Pass	401
2710	2715	1	RMS	2714.888	-46.22	-25	21.22	Pass	401




13.50. LTE Band Edge_Part22-24-27(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2672.05	2.38	30	27.62	Pass	401
2690	2691	0.51	RMS	2690.013	-26.75	-10	16.75	Pass	401
2691	2695	1	RMS	2691	-28.02	-10	18.02	Pass	5
2695	2710	1	RMS	2695.113	-28.26	-13	15.26	Pass	401
2710	2715	1	RMS	2710.1	-38.51	-25	13.51	Pass	401




13.51. LTE Band Edge_Part22-24-27(Subtest:31, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	20.51	30	9.49	Pass	401
2690	2691	0.51	RMS	2690.023	-18.95	-10	8.95	Pass	401
2691	2695	1	RMS	2691	-36.34	-10	26.34	Pass	5
2695	2710	1	RMS	2698.263	-41.62	-13	28.62	Pass	401
2710	2715	1	RMS	2714.563	-46.03	-25	21.03	Pass	401



13.52. LTE Band Edge_Part22-24-27(Subtest:32, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2673.2	1.33	30	28.67	Pass	401
2690	2691	0.51	RMS	2690.018	-28.1	-10	18.1	Pass	401
2691	2695	1	RMS	2691	-29.72	-10	19.72	Pass	5
2695	2710	1	RMS	2695.113	-30.62	-13	17.62	Pass	401
2710	2715	1	RMS	2710.063	-39.12	-25	14.12	Pass	401



14. LTE_Band42 3450-3550


14.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-41.22	-13	28.22	Pass	401
3445	3449	0.51	RMS	3449	-32.58	-13	19.58	Pass	401
3449	3450	0.01	RMS	3449.998	-28.22	-13	15.22	Pass	401
3450	3455	0.1	RMS	3450.338	20.69	30	9.31	Pass	401




14.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.8	-35.09	-13	22.09	Pass	401
3445	3449	0.51	RMS	3448.91	-30.36	-13	17.36	Pass	401
3449	3450	0.1	RMS	3449.998	-23.05	-13	10.05	Pass	401
3450	3455	0.1	RMS	3450.775	6.21	30	23.79	Pass	401




14.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:42115, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.4	-40.9	-13	27.9	Pass	401
3445	3449	0.51	RMS	3448.97	-32.98	-13	19.98	Pass	401
3449	3450	0.01	RMS	3450	-26.26	-13	13.26	Pass	401
3450	3455	0.1	RMS	3450.35	20.21	30	9.79	Pass	401




14.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:42115, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-35.88	-13	22.88	Pass	401
3445	3449	0.51	RMS	3448.91	-31.61	-13	18.61	Pass	401
3449	3450	0.1	RMS	3449.993	-22.81	-13	9.81	Pass	401
3450	3455	0.1	RMS	3450.713	5.07	30	24.93	Pass	401




14.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.675	19.7	30	10.3	Pass	401
3550	3551	0.01	RMS	3550.003	-27.58	-13	14.58	Pass	401
3551	3555	0.51	RMS	3551.01	-33.94	-13	20.94	Pass	401
3555	3571	1	RMS	3555	-41.66	-13	28.66	Pass	401




14.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3545.9	6.37	30	23.63	Pass	401
3550	3551	0.1	RMS	3550	-23.23	-13	10.23	Pass	401
3551	3555	0.51	RMS	3551.06	-31.24	-13	18.24	Pass	401
3555	3571	1	RMS	3555.12	-35.32	-13	22.32	Pass	401




14.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:43065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.65	19.35	30	10.65	Pass	401
3550	3551	0.01	RMS	3550	-28.73	-13	15.73	Pass	401
3551	3555	0.51	RMS	3551.01	-35.9	-13	22.9	Pass	401
3555	3571	1	RMS	3555.36	-41.58	-13	28.58	Pass	401




14.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:43065, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3545.813	5.09	30	24.91	Pass	401
3550	3551	0.1	RMS	3550.013	-24.41	-13	11.41	Pass	401
3551	3555	0.51	RMS	3551.17	-32.61	-13	19.61	Pass	401
3555	3571	1	RMS	3555.12	-36.31	-13	23.31	Pass	401




14.9. LTE Band Edge_Part22-24-27(Subtest:1, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-40.8	-13	27.8	Pass	401
3445	3449	0.51	RMS	3449	-35.08	-13	22.08	Pass	401
3449	3450	0.01	RMS	3450	-37.25	-13	24.25	Pass	401
3450	3460	0.1	RMS	3450.6	20.7	30	9.3	Pass	401




14.10. LTE Band Edge_Part22-24-27(Subtest:2, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.84	-33.97	-13	20.97	Pass	401
3445	3449	0.51	RMS	3448.99	-32.38	-13	19.38	Pass	401
3449	3450	0.1	RMS	3449.985	-30.33	-13	17.33	Pass	401
3450	3460	0.1	RMS	3457.775	3.41	30	26.59	Pass	401




14.11. LTE Band Edge_Part22-24-27(Subtest:3, Channel:42140, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-41.09	-13	28.09	Pass	401
3445	3449	0.51	RMS	3448.91	-35.18	-13	22.18	Pass	401
3449	3450	0.01	RMS	3449.993	-37.58	-13	24.58	Pass	401
3450	3460	0.1	RMS	3450.6	20.48	30	9.52	Pass	401




14.12. LTE Band Edge_Part22-24-27(Subtest:4, Channel:42140, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-35.42	-13	22.42	Pass	401
3445	3449	0.51	RMS	3448.79	-32.81	-13	19.81	Pass	401
3449	3450	0.1	RMS	3449.995	-31.8	-13	18.8	Pass	401
3450	3460	0.1	RMS	3451.65	2.22	30	27.78	Pass	401




14.13. LTE Band Edge_Part22-24-27(Subtest:5, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.425	20.19	30	9.81	Pass	401
3550	3551	0.01	RMS	3550.003	-37.6	-13	24.6	Pass	401
3551	3555	0.51	RMS	3551.02	-36.07	-13	23.07	Pass	401
3555	3571	1	RMS	3555.04	-41.48	-13	28.48	Pass	401




14.14. LTE Band Edge_Part22-24-27(Subtest:6, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3541.3	2.87	30	27.13	Pass	401
3550	3551	0.1	RMS	3550	-30.46	-13	17.46	Pass	401
3551	3555	0.51	RMS	3551.04	-33.07	-13	20.07	Pass	401
3555	3571	1	RMS	3555.04	-33.4	-13	20.4	Pass	401




14.15. LTE Band Edge_Part22-24-27(Subtest:7, Channel:43040, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.425	19.56	30	10.44	Pass	401
3550	3551	0.01	RMS	3550	-38.79	-13	25.79	Pass	401
3551	3555	0.51	RMS	3551.08	-37.44	-13	24.44	Pass	401
3555	3571	1	RMS	3555.32	-41.67	-13	28.67	Pass	401




14.16. LTE Band Edge_Part22-24-27(Subtest:8, Channel:43040, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3542.45	2.43	30	27.57	Pass	401
3550	3551	0.1	RMS	3550.015	-32.6	-13	19.6	Pass	401
3551	3555	0.51	RMS	3551.1	-34.32	-13	21.32	Pass	401
3555	3571	1	RMS	3555.04	-35.35	-13	22.35	Pass	401




14.17. LTE Band Edge_Part22-24-27(Subtest:1, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-41.27	-13	28.27	Pass	401
3445	3449	0.51	RMS	3449	-35.33	-13	22.33	Pass	401
3449	3450	0.01	RMS	3449.998	-38.03	-13	25.03	Pass	401
3450	3465	0.1	RMS	3450.825	20.04	30	9.96	Pass	401




14.18. LTE Band Edge_Part22-24-27(Subtest:2, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.8	-34.49	-13	21.49	Pass	401
3445	3449	0.51	RMS	3448.92	-34.52	-13	21.52	Pass	401
3449	3450	0.2	RMS	3449.998	-31.87	-13	18.87	Pass	401
3450	3465	0.1	RMS	3463.275	1.28	30	28.72	Pass	401




14.19. LTE Band Edge_Part22-24-27(Subtest:3, Channel:42165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-41.22	-13	28.22	Pass	401
3445	3449	0.51	RMS	3448.94	-36.41	-13	23.41	Pass	401
3449	3450	0.01	RMS	3449.993	-38.04	-13	25.04	Pass	401
3450	3465	0.1	RMS	3450.825	20.07	30	9.93	Pass	401




14.20. LTE Band Edge_Part22-24-27(Subtest:4, Channel:42165, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-35.96	-13	22.96	Pass	401
3445	3449	0.51	RMS	3448.88	-36.45	-13	23.45	Pass	401
3449	3450	0.2	RMS	3449.97	-33.61	-13	20.61	Pass	401
3450	3465	0.1	RMS	3454.05	0.74	30	29.26	Pass	401




14.21. LTE Band Edge_Part22-24-27(Subtest:5, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.138	20.27	30	9.73	Pass	401
3550	3551	0.01	RMS	3550.003	-38.36	-13	25.36	Pass	401
3551	3555	0.51	RMS	3551	-37.19	-13	24.19	Pass	401
3555	3571	1	RMS	3555	-41.58	-13	28.58	Pass	401




14.22. LTE Band Edge_Part22-24-27(Subtest:6, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3537.7	1.81	30	28.19	Pass	401
3550	3551	0.2	RMS	3550.003	-33.36	-13	20.36	Pass	401
3551	3555	0.51	RMS	3551.78	-34.88	-13	21.88	Pass	401
3555	3571	1	RMS	3555.12	-34.36	-13	21.36	Pass	401




14.23. LTE Band Edge_Part22-24-27(Subtest:7, Channel:43015, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.138	19.55	30	10.45	Pass	401
3550	3551	0.01	RMS	3550.003	-39.06	-13	26.06	Pass	401
3551	3555	0.51	RMS	3551	-37.8	-13	24.8	Pass	401
3555	3571	1	RMS	3556.64	-41.31	-13	28.31	Pass	401




14.24. LTE Band Edge_Part22-24-27(Subtest:8, Channel:43015, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3545.013	0.73	30	29.27	Pass	401
3550	3551	0.2	RMS	3550.003	-33.96	-13	20.96	Pass	401
3551	3555	0.51	RMS	3552.34	-35.68	-13	22.68	Pass	401
3555	3571	1	RMS	3555	-35.24	-13	22.24	Pass	401




14.25. LTE Band Edge_Part22-24-27(Subtest:1, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.64	-41.22	-13	28.22	Pass	401
3445	3449	0.51	RMS	3448.97	-35.87	-13	22.87	Pass	401
3449	3450	0.01	RMS	3449.983	-40.23	-13	27.23	Pass	401
3450	3470	0.1	RMS	3451.1	19.94	30	10.06	Pass	401




14.26. LTE Band Edge_Part22-24-27(Subtest:2, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-35.77	-13	22.77	Pass	401
3445	3449	0.51	RMS	3448.94	-36.02	-13	23.02	Pass	401
3449	3450	0.2	RMS	3449.975	-35.53	-13	22.53	Pass	401
3450	3470	0.1	RMS	3465.95	0.23	30	29.77	Pass	401




14.27. LTE Band Edge_Part22-24-27(Subtest:3, Channel:42190, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3441.04	-38.7	-13	25.7	Pass	401
3445	3449	0.51	RMS	3449	-35.66	-13	22.66	Pass	401
3449	3450	0.01	RMS	3449.993	-39.34	-13	26.34	Pass	401
3450	3470	0.1	RMS	3451.1	20.7	30	9.3	Pass	401




14.28. LTE Band Edge_Part22-24-27(Subtest:4, Channel:42190, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.84	-36.87	-13	23.87	Pass	401
3445	3449	0.51	RMS	3448.9	-36.11	-13	23.11	Pass	401
3449	3450	0.2	RMS	3449.993	-36.31	-13	23.31	Pass	401
3450	3470	0.1	RMS	3465.3	-0.72	30	30.72	Pass	401




14.29. LTE Band Edge_Part22-24-27(Subtest:5, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.9	20.58	30	9.42	Pass	401
3550	3551	0.01	RMS	3550.005	-40.93	-13	27.93	Pass	401
3551	3555	0.51	RMS	3551	-37.3	-13	24.3	Pass	401
3555	3571	1	RMS	3555.2	-41.75	-13	28.75	Pass	401




14.30. LTE Band Edge_Part22-24-27(Subtest:6, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3534.1	0.4	30	29.6	Pass	401
3550	3551	0.2	RMS	3550.035	-36.12	-13	23.12	Pass	401
3551	3555	0.51	RMS	3551.02	-34.94	-13	21.94	Pass	401
3555	3571	1	RMS	3555.28	-34.98	-13	21.98	Pass	401




14.31. LTE Band Edge_Part22-24-27(Subtest:7, Channel:42990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.95	19.18	30	10.82	Pass	401
3550	3551	0.01	RMS	3550.01	-41.07	-13	28.07	Pass	401
3551	3555	0.51	RMS	3551.02	-35.18	-13	22.18	Pass	401
3555	3571	1	RMS	3558.76	-38.5	-13	25.5	Pass	401



14.32. LTE Band Edge_Part22-24-27(Subtest:8, Channel:42990, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3536.4	-0.53	30	30.53	Pass	401
3550	3551	0.2	RMS	3550.003	-35.97	-13	22.97	Pass	401
3551	3555	0.51	RMS	3551.54	-36.51	-13	23.51	Pass	401
3555	3571	1	RMS	3555.08	-35.22	-13	22.22	Pass	401



1. LTE_Band18(part90)


1.1. LTE Band Edge_Part90(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-19.09	-13	6.09	Pass	401
814.9625	815	0.02	RMS	815	-24.03	-20	4.03	Pass	401
815	820	0.1	RMS	815.338	22.33	30	7.67	Pass	401




1.2. LTE Band Edge_Part90(Subtest:2, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-22.01	-13	9.01	Pass	401
814.9625	815	0.051	RMS	815	-23.77	-20	3.77	Pass	401
815	820	0.1	RMS	818.125	7.84	30	22.16	Pass	401




1.3. LTE Band Edge_Part90(Subtest:3, Channel:23875, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-20.03	-13	7.03	Pass	401
814.9625	815	0.02	RMS	814.998	-24.76	-20	4.76	Pass	401
815	820	0.1	RMS	815.35	21.36	30	8.64	Pass	401




1.4. LTE Band Edge_Part90(Subtest:4, Channel:23875, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-23.69	-13	10.69	Pass	401
814.9625	815	0.051	RMS	814.996	-24.94	-20	4.94	Pass	401
815	820	0.1	RMS	818.363	6.92	30	23.08	Pass	401




1.5. LTE Band Edge_Part90(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	22.37	30	7.63	Pass	401
824	824.0375	0.02	RMS	824.001	-24.63	-20	4.63	Pass	401
824.0375	829	0.1	RMS	824.038	-20.11	-13	7.11	Pass	401




1.6. LTE Band Edge_Part90(Subtest:6, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.625	7.86	30	22.14	Pass	401
824	824.0375	0.051	RMS	824.002	-23.81	-20	3.81	Pass	401
824.0375	829	0.1	RMS	824.038	-22.64	-13	9.64	Pass	401




1.7. LTE Band Edge_Part90(Subtest:7, Channel:23915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.688	21.42	30	8.58	Pass	401
824	824.0375	0.02	RMS	824.002	-25.39	-20	5.39	Pass	401
824.0375	829	0.1	RMS	824.038	-21.13	-13	8.13	Pass	401



1.8. LTE Band Edge_Part90(Subtest:8, Channel:23915, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.425	6.93	30	23.07	Pass	401
824	824.0375	0.051	RMS	824.001	-24.91	-20	4.91	Pass	401
824.0375	829	0.1	RMS	824.038	-23.38	-13	10.38	Pass	401



2. LTE_Band26(part90)


2.1. LTE Band Edge_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-15.54	-13	2.54	Pass	51
813.9625	814	0.002	RMS	813.993	-26.63	-20	6.63	Pass	401
814	819	0.1	RMS	814.263	21.62	30	8.38	Pass	401




2.2. LTE Band Edge_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.45	-13	4.45	Pass	401
813.9625	814	0.02	RMS	813.999	-22.5	-20	2.5	Pass	401
814	819	0.1	RMS	814.55	13.73	30	16.27	Pass	401




2.3. LTE Band Edge_Part90(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-15.67	-13	2.67	Pass	51
813.9625	814	0.002	RMS	813.994	-26.44	-20	6.44	Pass	401
814	819	0.1	RMS	814.238	21.15	30	8.85	Pass	401




2.4. LTE Band Edge_Part90(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.22	-13	5.22	Pass	401
813.9625	814	0.02	RMS	813.998	-23.3	-20	3.3	Pass	401
814	819	0.1	RMS	814.475	12.97	30	17.03	Pass	401




2.5. LTE Band Edge_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	21.42	30	8.58	Pass	401
824	824.0375	0.002	RMS	824.007	-27.25	-20	7.25	Pass	401
824.0375	829	0.1	RMS	824.038	-16.48	-13	3.48	Pass	51



2.6. LTE Band Edge_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.175	13.69	30	16.31	Pass	401
824	824.0375	0.02	RMS	824.001	-23.4	-20	3.4	Pass	401
824.0375	829	0.1	RMS	824.038	-18.2	-13	5.2	Pass	401



2.7. LTE Band Edge_Part90(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.738	21.3	30	8.7	Pass	401
824	824.0375	0.002	RMS	824.007	-26.81	-20	6.81	Pass	401
824.0375	829	0.1	RMS	824.038	-15.56	-13	2.56	Pass	51

