Mode	4	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK _CH01_2404MHz	
ANT	7	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2362.19	44.60	74.00	-29.40	42.05	30.73	5.34	33.52	359	242	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2404.00	99.77	------	------	97.22	30.72	5.37	33.54	359	242	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2385.08	36.71	54.00	-17.29	34.17	30.72	5.35	33.53	359	242	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2404.00	97.46	------	------	94.91	30.72	5.37	33.54	359	242	AVERAGE

Mode	4	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSFK _CH01_2404MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 4808.00 42.88 74.00 -31.12 63.07 35.74 8.92 64.85 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 4808.00 42.68 74.00 -31.32 62.87 35.74 8.92 64.85 --- --- Peak

Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSFK _CH19_2440MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4880.00	42.87	74.00	-31.13	63.12	35.91	8.71	64.87	---	---	Peak
2	7320.00	45.52	74.00	-28.48	63.33	36.87	10.18	64.86	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4880.00	43.14	74.00	-30.86	63.39	35.91	8.71	64.87	---	---	Peak
2	7320.00	45.13	74.00	-28.87	62.94	36.87	10.18	64.86	---	---	Peak

Mode	6	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK _CH38_2478MHz	
ANT	7	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2487.86	44.77	74.00	-29.23	42.20	30.70	5.46	33.59	340	265	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2478.00	100.06	------	------	97.50	30.70	5.45	33.59	340	265	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2485.94	36.02	54.00	-17.98	33.45	30.70	5.46	33.59	340	265	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2478.00	97.70	------	------	95.14	30.70	5.45	33.59	340	265	AVERAGE

Mode	6	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK _CH38_2478MHz	
ANT	7	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2492.43	44.31	74.00	-29.69	41.74	30.70	5.47	33.60	379	239	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2478.00	98.77	------	------	96.21	30.70	5.45	33.59	379	239	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2485.35	35.93	54.00	-18.07	33.36	30.70	5.46	33.59	379	239	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2478.00	96.38	------	------	93.82	30.70	5.45	33.59	379	239	AVERAGE

Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSFK _CH38_2478MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4956.00	42.71	74.00	-31.29	63.04	36.09	8.48	64.90	---	---	Peak
2	7434.00	43.56	74.00	-30.44	61.42	36.83	10.17	64.86	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4956.00	43.20	74.00	-30.80	63.53	36.09	8.48	64.90	---	---	Peak
2	7434.00	44.09	74.00	-29.91	61.95	36.83	10.17	64.86	---	---	Peak

Mode	7	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK _CH00_2402MHz	
ANT	16	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2354.42	44.72	74.00	-29.28	42.17	30.73	5.33	33.51	341	126	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2402.00	98.92	------	------	96.37	30.72	5.37	33.54	341	126	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2364.71	33.79	54.00	-20.21	31.24	30.73	5.34	33.52	341	126	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2402.00	94.25	------	------	91.70	30.72	5.37	33.54	341	126	AVERAGE

Mode	7	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK _CH00_2402MHz	
ANT	16	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2384.45	44.52	74.00	-29.48	41.98	30.72	5.35	33.53	353	170	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2402.00	94.39	------	------	91.84	30.72	5.37	33.54	353	170	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2363.76	34.18	54.00	-19.82	31.63	30.73	5.34	33.52	353	170	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2402.00	89.69	------	------	87.14	30.72	5.37	33.54	353	170	AVERAGE

Mode	7	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSFK _CH00_2402MHz	
ANT	16	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 4804.00 43.39 74.00 -30.61 63.56 35.73 8.94 64.84 --- --- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 4804.00 43.50 74.00 -30.50 63.67 35.73 8.94 64.84 --- --- Peak

Mode	8	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSFK _CH19_2440MHz	
ANT	16	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4880.00	43.80	74.00	-30.20	64.05	35.91	8.71	64.87	---	---	Peak
2	7320.00	44.78	74.00	-29.22	62.59	36.87	10.18	64.86	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4880.00	43.79	74.00	-30.21	64.04	35.91	8.71	64.87	---	---	Peak
2	7320.00	44.60	74.00	-29.40	62.41	36.87	10.18	64.86	---	---	Peak

Mode	9	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK _CH39_2480MHz	
ANT	16	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	2483.74	45.15	74.00	-28.85	42.58	30.70	5.46	33.59	238	282	PEAK



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	2480.00	101.21	------	------	98.64	30.70	5.46	33.59	238	282	PEAK

Avg



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	2483.56	34.75	54.00	-19.25	32.18	30.70	5.46	33.59	238	282	AVERAGE



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	2480.00	99.98	------	------	97.41	30.70	5.46	33.59	238	282	AVERAGE

Mode	9	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK _CH39_2480MHz	
ANT	16	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2483.56	44.80	74.00	-29.20	42.23	30.70	5.46	33.59	383	250	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2480.00	99.52	------	------	96.95	30.70	5.46	33.59	383	250	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2483.60	34.53	54.00	-19.47	31.96	30.70	5.46	33.59	383	250	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2480.00	98.33	------	------	95.76	30.70	5.46	33.59	383	250	AVERAGE

Mode	9	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSFK _CH39_2480MHz	
ANT	16	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4960.00	43.63	74.00	-30.37	63.97	36.10	8.46	64.90	---	---	Peak
2	7440.00	44.67	74.00	-29.33	62.54	36.82	10.17	64.86	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4960.00	43.54	74.00	-30.46	63.88	36.10	8.46	64.90	---	---	Peak
2	7440.00	44.89	74.00	-29.11	62.76	36.82	10.17	64.86	---	---	Peak

Mode	10	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK _CH01_2404MHz	
ANT	16	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2353.79	44.64	74.00	-29.36	42.09	30.73	5.33	33.51	344	116	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2404.00	99.24	------	------	96.69	30.72	5.37	33.54	344	116	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2378.57	36.50	54.00	-17.50	33.96	30.72	5.35	33.53	344	116	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2404.00	96.83	------	------	94.28	30.72	5.37	33.54	344	116	AVERAGE

Mode	10	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK _CH01_2404MHz	
ANT	16	
Pol.	Vertical	Fundamental
Peak		
Avg		

Peak — Vertical

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2340.77	44.19	74.00	-29.81	41.64	30.73	5.32	33.50	400	182	PEAK

Peak — Fundamental

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2404.00	95.95	------	------	93.40	30.72	5.37	33.54	400	182	PEAK

Avg — Vertical

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2346.96	36.30	54.00	-17.70	33.76	30.73	5.32	33.51	400	182	AVERAGE

Avg — Fundamental

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2404.00	93.54	------	------	90.99	30.72	5.37	33.54	400	182	AVERAGE

Mode	10	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSFK _CH01_2404MHz	
ANT	16	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 4808.00 42.31 74.00 -31.69 62.50 35.74 8.92 64.85 --- --- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 4808.00 42.74 74.00 -31.26 62.93 35.74 8.92 64.85 --- --- Peak

Mode	11	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSFK _CH19_2440MHz	
ANT	16	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4880.00	43.56	74.00	-30.44	63.81	35.91	8.71	64.87	---	---	Peak
2	7320.00	44.33	74.00	-29.67	62.14	36.87	10.18	64.86	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4880.00	43.40	74.00	-30.60	63.65	35.91	8.71	64.87	---	---	Peak
2	7320.00	44.03	74.00	-29.97	61.84	36.87	10.18	64.86	---	---	Peak

Mode	12	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK _CH38_2478MHz	
ANT	16	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	2490.52	44.47	74.00	-29.53	41.89	30.70	5.47	33.59	322	132	PEAK



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	2478.00	98.06	------	------	95.50	30.70	5.45	33.59	322	132	PEAK

Avg



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	2484.47	36.38	54.00	-17.62	33.81	30.70	5.46	33.59	322	132	AVERAGE



	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	
1	2478.00	95.63	------	------	93.07	30.70	5.45	33.59	322	132	AVERAGE

Mode	12	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK _CH38_2478MHz	
ANT	16	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2493.40	44.57	74.00	-29.43	42.00	30.70	5.47	33.60	331	182	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2478.00	96.24	------	------	93.68	30.70	5.45	33.59	331	182	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2483.76	36.37	54.00	-17.63	33.80	30.70	5.46	33.59	331	182	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	
1	2478.00	93.76	------	------	91.20	30.70	5.45	33.59	331	182	AVERAGE

Mode	12	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSFK _CH38_2478MHz	
ANT	16	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4956.00	43.11	74.00	-30.89	63.44	36.09	8.48	64.90	---	---	Peak
2	7434.00	42.49	74.00	-31.51	60.35	36.83	10.17	64.86	---	---	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	4956.00	43.74	74.00	-30.26	64.07	36.09	8.48	64.90	---	---	Peak
2	7434.00	44.67	74.00	-29.33	62.53	36.83	10.17	64.86	---	---	Peak

Mode	13	
	LF	
	2400-2483.5_Bluetooth-LE_GSFK _CH01_2404MHz LF	
ANT	7	
Pol.	Horizontal	Vertical

QP/ Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	30.00	25.14	40.00	-14.86	31.31	24.90	0.53	31.60	---	---	Peak
2	114.39	18.35	43.50	-25.15	31.43	17.67	1.09	31.84	---	---	Peak
3	234.67	21.23	46.00	-24.77	34.23	17.02	1.58	31.60	---	---	Peak
4	292.87	26.43	46.00	-19.57	36.93	19.23	1.78	31.51	---	---	Peak
5	734.22	28.36	46.00	-17.64	31.20	25.54	2.82	31.20	---	---	Peak
6	935.98	29.24	46.00	-16.76	29.84	27.02	3.21	30.83	---	---	Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	30.00	24.14	40.00	-15.86	30.31	24.90	0.53	31.60	---	---	Peak
2	114.39	17.89	43.50	-25.61	30.97	17.67	1.09	31.84	---	---	Peak
3	403.45	24.03	46.00	-21.97	31.54	21.88	2.11	31.50	---	---	Peak
4	493.66	24.26	46.00	-21.74	29.69	23.67	2.31	31.41	---	---	Peak
5	691.54	27.55	46.00	-18.45	30.94	25.07	2.74	31.20	---	---	Peak
6	945.68	29.67	46.00	-16.33	30.15	27.11	3.22	30.81	---	---	Peak

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Ant 7	Bluetooth LE 1Mbps	61.57	0.386	2.594	3KHz
Ant 7	Bluetooth LE 2Mbps	31.94	0.2	5	10KHZ
Ant 16	Bluetooth LE 1Mbps	61.11	0.383	2.614	3KHz
Ant 16	Bluetooth LE 2Mbps	31.94	0.2	5	10KHZ

Ant 7

Bluetooth LE 1Mbps



Bluetooth LE 2Mbps



Ant 16

Bluetooth LE 1Mbps



Bluetooth LE 2Mbps