Mode	7	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 45.24 74.00 -28.76 53.42 38.20 18.08 64.46 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 45.46 74.00 -28.54 53.64 38.20 18.08 64.46 0.00 -- -- PEAK 2 16500.00 54.49 68.20 -13.71 54.66 41.48 22.87 64.52 0.00 100 265 PEAK

Mode	8	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 46.56 74.00 -27.44 54.25 38.36 18.22 64.27 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 46.28 74.00 -27.72 53.97 38.36 18.22 64.27 0.00 -- -- PEAK

Mode	9	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5728.08 61.77 68.20 -6.43 43.51 34.66 13.33 29.73 0.00 105 116 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 107.35 ------ ------ 89.24 34.58 13.07 29.54 0.00 105 116 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 100.05 ------ ------ 81.94 34.58 13.07 29.54 0.00 105 116 AVERAGE

Mode	9	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5727.68 63.47 68.20 -4.73 45.21 34.66 13.33 29.73 0.00 330 68 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 110.59 ------ ------ 92.46 34.61 13.15 29.63 0.00 330 68 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 103.11 ------ ------ 85.00 34.58 13.07 29.54 0.00 330 68 AVERAGE

Mode	9	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 46.37 74.00 -27.63 53.65 38.30 18.42 64.00 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 46.83 74.00 -27.17 54.11 38.30 18.42 64.00 0.00 -- -- PEAK

Mode	10	
	Band Edge	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5132.65 59.70 74.00 -14.30 43.10 34.23 12.45 30.08 0.00 100 114 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 111.72 ------ ------ 95.07 34.14 12.52 30.01 0.00 100 114 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5145.45 47.68 54.00 -6.32 31.08 34.21 12.45 30.06 0.00 100 114 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 101.82 ------ ------ 85.17 34.14 12.52 30.01 0.00 100 114 AVERAGE

Mode	10	
	Band Edge	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.45 59.26 74.00 -14.74 42.67 34.20 12.45 30.06 0.00 378 55 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 109.56 ------ ------ 92.92 34.15 12.51 30.02 0.00 378 55 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.99 48.25 54.00 -5.75 31.65 34.20 12.45 30.05 0.00 378 55 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 100.64 ------ ------ 84.00 34.15 12.51 30.02 0.00 378 55 AVERAGE

Mode	10	
	Harmonic	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7252.00 45.72 74.00 -28.28 59.80 35.80 14.78 64.66 0.00 -- -- PEAK 2 10360.00 45.56 68.20 -22.64 55.09 37.62 18.04 65.19 0.00 -- -- PEAK 3 15540.00 57.21 74.00 -16.79 58.87 40.24 22.32 64.22 0.00 100 117 PEAK 4 15540.00 45.81 54.00 -8.19 47.49 40.24 22.31 64.23 0.00 100 117 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7252.00 44.22 74.00 -29.78 58.30 35.80 14.78 64.66 0.00 -- -- PEAK 2 10360.00 46.21 68.20 -21.99 55.74 37.62 18.04 65.19 0.00 -- -- PEAK 3 15540.00 58.37 74.00 -15.63 60.03 40.24 22.32 64.22 0.00 100 268 PEAK 4 15540.00 47.40 54.00 -6.60 49.06 40.24 22.32 64.22 0.00 100 268 AVERAGE

Mode	11	
	Harmonic	
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7308.00 44.70 74.00 -29.30 58.78 35.80 14.94 64.82 0.00 -- -- PEAK 2 10440.00 45.48 68.20 -22.72 54.57 37.70 18.31 65.10 0.00 -- -- PEAK 3 15660.00 54.22 74.00 -19.78 56.14 40.36 22.03 64.31 0.00 102 117 PEAK 4 15660.00 44.19 54.00 -9.81 46.11 40.36 22.03 64.31 0.00 102 117 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7308.00 46.53 74.00 -27.47 60.61 35.80 14.94 64.82 0.00 -- -- PEAK 2 10440.00 46.15 68.20 -22.05 55.24 37.70 18.31 65.10 0.00 -- -- PEAK 3 15660.00 59.60 74.00 -14.40 61.52 40.36 22.03 64.31 0.00 101 264 PEAK 4 15660.00 47.89 54.00 -6.11 49.81 40.36 22.03 64.31 0.00 101 264 AVERAGE

Mode	12	
	Harmonic	
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7336.00 44.93 74.00 -29.07 59.00 35.80 15.03 64.90 0.00 -- -- PEAK 2 10480.00 47.45 68.20 -20.75 56.57 37.70 18.24 65.06 0.00 -- -- PEAK 3 15720.00 54.13 74.00 -19.87 55.94 40.42 22.13 64.36 0.00 100 134 PEAK 4 15720.00 43.24 54.00 -10.76 45.05 40.42 22.13 64.36 0.00 100 134 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7336.00 54.16 74.00 -19.84 68.23 35.80 15.03 64.90 0.00 296 100 PEAK 2 7336.00 44.01 54.00 -9.99 58.08 35.80 15.03 64.90 0.00 296 100 AVERAGE 3 10480.00 46.14 68.20 -22.06 55.26 37.70 18.24 65.06 0.00 -- -- PEAK 4 15720.00 59.40 74.00 -14.60 61.21 40.42 22.13 64.36 0.00 101 233 PEAK 5 15720.00 49.15 54.00 -4.85 50.96 40.42 22.13 64.36 0.00 101 233 AVERAGE

Mode	13	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7364.00 46.56 74.00 -27.44 60.74 35.80 15.00 64.98 0.00 -- -- PEAK 2 10520.00 46.10 68.20 -22.10 55.27 37.70 18.14 65.01 0.00 -- -- PEAK 3 15780.00 54.05 74.00 -19.95 55.69 40.48 22.28 64.40 0.00 100 117 PEAK 4 15780.00 41.60 54.00 -12.40 43.26 40.47 22.27 64.40 0.00 100 117 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7364.00 55.65 74.00 -18.35 69.83 35.80 15.00 64.98 0.00 283 99 PEAK 2 7364.00 45.35 54.00 -8.65 59.53 35.80 15.00 64.98 0.00 283 99 AVERAGE 3 10520.00 47.04 68.20 -21.16 56.21 37.70 18.14 65.01 0.00 -- -- PEAK 4 15780.00 57.81 74.00 -16.19 59.45 40.48 22.28 64.40 0.00 100 232 PEAK 5 15780.00 46.71 54.00 -7.29 48.36 40.48 22.27 64.40 0.00 100 232 AVERAGE

Mode	14	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7420.00 44.59 74.00 -29.41 58.92 35.80 15.00 65.13 0.00 -- -- PEAK 2 10600.00 45.33 74.00 -28.67 54.72 37.70 17.83 64.92 0.00 -- -- PEAK 3 15900.00 48.31 74.00 -25.69 49.67 40.70 22.43 64.49 0.00 300 360 PEAK 4 15900.00 37.52 54.00 -16.48 38.89 40.69 22.42 64.48 0.00 300 360 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7420.00 52.83 74.00 -21.17 67.16 35.80 15.00 65.13 0.00 288 89 PEAK 2 7420.00 42.98 54.00 -11.02 57.31 35.80 15.00 65.13 0.00 288 89 AVERAGE 3 10600.00 45.13 74.00 -28.87 54.52 37.70 17.83 64.92 0.00 -- -- PEAK 4 15900.00 56.80 74.00 -17.20 58.16 40.70 22.43 64.49 0.00 100 231 PEAK 5 15900.00 45.47 54.00 -8.53 46.83 40.70 22.43 64.49 0.00 100 231 AVERAGE

Mode	15	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5357.95 63.35 74.00 -10.65 45.85 34.60 12.63 29.73 0.00 117 119 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 110.84 ------ ------ 93.57 34.47 12.59 29.79 0.00 117 119 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5354.63 50.06 54.00 -3.94 32.60 34.60 12.60 29.74 0.00 117 119 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 102.58 ------ ------ 85.31 34.47 12.59 29.79 0.00 117 119 AVERAGE

Mode	15	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5352.45 64.91 74.00 -9.09 47.47 34.60 12.58 29.74 0.00 318 47 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 109.62 ------ ------ 92.35 34.47 12.59 29.79 0.00 318 47 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5352.65 50.42 54.00 -3.58 32.98 34.60 12.58 29.74 0.00 318 47 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 100.58 ------ ------ 83.31 34.47 12.59 29.79 0.00 318 47 AVERAGE

Mode	15	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7448.00 43.84 74.00 -30.16 57.95 35.80 15.30 65.21 0.00 -- -- PEAK 2 10640.00 45.70 74.00 -28.30 54.94 37.74 17.89 64.87 0.00 -- -- PEAK 3 15960.00 48.52 74.00 -25.48 49.99 40.82 22.24 64.53 0.00 300 360 PEAK 4 15960.00 37.67 54.00 -16.33 39.19 40.83 22.19 64.54 0.00 300 360 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7448.00 43.77 74.00 -30.23 57.88 35.80 15.30 65.21 0.00 -- -- PEAK 2 10640.00 45.64 74.00 -28.36 54.88 37.74 17.89 64.87 0.00 -- -- PEAK 3 15960.00 56.29 74.00 -17.71 57.76 40.82 22.24 64.53 0.00 100 270 PEAK 4 15960.00 44.98 54.00 -9.02 46.50 40.84 22.18 64.54 0.00 100 270 AVERAGE

Mode	16	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.13 60.97 74.00 -13.03 43.12 34.60 12.83 29.58 0.00 102 118 PEAK 2 5460.65 61.44 68.20 -6.76 43.56 34.60 12.85 29.57 0.00 102 118 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 112.61 ------ ------ 94.50 34.60 13.03 29.52 0.00 102 118 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.89 50.35 54.00 -3.65 32.48 34.60 12.84 29.57 0.00 102 118 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 104.04 ------ ------ 85.89 34.60 13.06 29.51 0.00 102 118 AVERAGE

Mode	16	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5457.29 60.87 74.00 -13.13 43.02 34.60 12.83 29.58 0.00 287 72 PEAK 2 5469.61 62.72 68.20 -5.48 44.78 34.60 12.90 29.56 0.00 287 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5500.00 112.01 ------ ------ 93.90 34.60 13.03 29.52 0.00 287 72 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5457.12 48.40 54.00 -5.60 30.55 34.60 12.83 29.58 0.00 287 72 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5500.00 103.48 ------ ------ 85.37 34.60 13.03 29.52 0.00 287 72 AVERAGE

Mode	16	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7700.00 43.33 74.00 -30.67 57.33 35.90 15.86 65.76 0.00 -- -- PEAK 2 11000.00 44.96 74.00 -29.04 53.14 38.20 18.08 64.46 0.00 -- -- PEAK 3 16500.00 49.56 68.20 -18.64 49.67 41.52 22.89 64.52 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7700.00 44.40 74.00 -29.60 58.40 35.90 15.86 65.76 0.00 -- -- PEAK 2 11000.00 46.34 74.00 -27.66 54.52 38.20 18.08 64.46 0.00 -- -- PEAK 3 16500.00 55.25 68.20 -12.95 55.41 41.49 22.87 64.52 0.00 100 276 PEAK

Mode	17	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7812.00 43.33 68.20 -24.87 57.89 35.98 15.44 65.98 0.00 -- -- PEAK 2 11160.00 47.48 74.00 -26.52 55.17 38.36 18.22 64.27 0.00 -- -- PEAK 3 16740.00 49.35 68.20 -18.85 48.95 41.94 22.96 64.50 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7812.00 44.32 68.20 -23.88 58.88 35.98 15.44 65.98 0.00 -- -- PEAK 2 11160.00 45.78 74.00 -28.22 53.47 38.36 18.22 64.27 0.00 -- -- PEAK 3 16740.00 48.38 68.20 -19.82 48.01 41.93 22.94 64.50 0.00 -- -- PEAK

Mode	18	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.12 60.01 68.20 -8.19 41.77 34.65 13.31 29.72 0.00 104 117 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 108.54 ------ ------ 90.44 34.59 13.08 29.57 0.00 104 117 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 100.22 ------ ------ 82.12 34.59 13.08 29.57 0.00 104 117 AVERAGE

Mode	18	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.44 64.74 68.20 -3.46 46.50 34.65 13.31 29.72 0.00 314 70 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 110.78 ------ ------ 92.67 34.58 13.07 29.54 0.00 314 70 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 103.03 ------ ------ 84.92 34.58 13.07 29.54 0.00 314 70 AVERAGE

Mode	18	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7980.00 42.81 68.20 -25.39 57.42 35.90 15.80 66.31 0.00 -- -- PEAK 2 11400.00 47.26 74.00 -26.74 54.54 38.30 18.42 64.00 0.00 -- -- PEAK 3 17100.00 48.24 68.20 -19.96 47.76 41.72 23.12 64.36 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7980.00 42.71 68.20 -25.49 57.32 35.90 15.80 66.31 0.00 -- -- PEAK 2 11400.00 46.99 74.00 -27.01 54.27 38.30 18.42 64.00 0.00 -- -- PEAK 3 17100.00 49.09 68.20 -19.11 48.65 41.71 23.09 64.36 0.00 -- -- PEAK

Mode	19	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.69 61.19 74.00 -12.81 44.60 34.20 12.45 30.06 0.00 100 118 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 105.96 ------ ------ 89.30 34.13 12.53 30.00 0.00 100 118 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.95 50.17 54.00 -3.83 33.57 34.20 12.45 30.05 0.00 100 118 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 97.04 ------ ------ 80.38 34.13 12.53 30.00 0.00 100 118 AVERAGE

Mode	19	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5373.74 57.19 74.00 -16.81 39.52 34.60 12.78 29.71 0.00 100 118 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.82 45.58 54.00 -8.42 27.70 34.60 12.85 29.57 0.00 100 118 AVERAGE	Blank

Mode	19	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5146.01 59.89 74.00 -14.11 43.29 34.21 12.45 30.06 0.00 336 47 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 104.38 ------ ------ 87.72 34.13 12.53 30.00 0.00 336 47 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.18 48.77 54.00 -5.23 32.18 34.20 12.45 30.06 0.00 336 47 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 95.90 ------ ------ 79.24 34.13 12.53 30.00 0.00 336 47 AVERAGE

Mode	19	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5421.53 56.79 74.00 -17.21 38.89 34.60 12.93 29.63 0.00 336 47 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.86 45.53 54.00 -8.47 27.66 34.60 12.84 29.57 0.00 336 47 AVERAGE	Blank

Mode	19	
	Harmonic	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7266.00 44.12 74.00 -29.88 58.21 35.80 14.81 64.70 0.00 -- -- PEAK 2 10380.00 45.44 68.20 -22.76 54.74 37.66 18.21 65.17 0.00 -- -- PEAK 3 15570.00 47.96 74.00 -26.04 49.79 40.27 22.15 64.25 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7266.00 44.27 74.00 -29.73 58.36 35.80 14.81 64.70 0.00 -- -- PEAK 2 10380.00 45.31 68.20 -22.89 54.61 37.66 18.21 65.17 0.00 -- -- PEAK 3 15570.00 53.33 74.00 -20.67 55.16 40.27 22.15 64.25 0.00 100 260 PEAK 4 15570.00 41.93 54.00 -12.07 43.76 40.27 22.15 64.25 0.00 100 260 AVERAGE

Mode	20	
	Harmonic	
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7322.00 43.41 74.00 -30.59 57.49 35.80 14.98 64.86 0.00 -- -- PEAK 2 10460.00 46.12 68.20 -22.08 55.22 37.70 18.28 65.08 0.00 -- -- PEAK 3 15690.00 47.41 74.00 -26.59 49.28 40.39 22.07 64.33 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7322.00 43.68 74.00 -30.32 57.76 35.80 14.98 64.86 0.00 -- -- PEAK 2 10460.00 45.72 68.20 -22.48 54.82 37.70 18.28 65.08 0.00 -- -- PEAK 3 15690.00 53.58 74.00 -20.42 55.45 40.39 22.07 64.33 0.00 100 233 PEAK 4 15690.00 42.89 54.00 -11.11 44.76 40.39 22.07 64.33 0.00 100 233 AVERAGE

Mode	21	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7378.00 44.69 74.00 -29.31 58.99 35.80 14.92 65.02 0.00 -- -- PEAK 2 10540.00 45.29 68.20 -22.91 54.51 37.70 18.07 64.99 0.00 -- -- PEAK 3 15810.00 47.71 74.00 -26.29 49.26 40.52 22.35 64.42 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7378.00 43.25 74.00 -30.75 57.55 35.80 14.92 65.02 0.00 -- -- PEAK 2 10540.00 46.47 68.20 -21.73 55.69 37.70 18.07 64.99 0.00 -- -- PEAK 3 15810.00 47.17 74.00 -26.83 48.72 40.52 22.35 64.42 0.00 -- -- PEAK

Mode	22	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.53 57.56 74.00 -16.44 40.97 34.20 12.45 30.06 0.00 100 118 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 109.40 ------ ------ 92.30 34.35 12.59 29.84 0.00 100 118 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5100.57 46.05 54.00 -7.95 29.44 34.30 12.44 30.13 0.00 100 118 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 98.12 ------ ------ 81.02 34.35 12.59 29.84 0.00 100 118 AVERAGE

Mode	22	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5365.55 61.32 74.00 -12.68 43.73 34.60 12.71 29.72 0.00 100 118 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.05 49.69 54.00 -4.31 32.27 34.60 12.56 29.74 0.00 100 118 AVERAGE	Blank

Mode	22	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5135.13 57.60 74.00 -16.40 41.00 34.23 12.45 30.08 0.00 304 45 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 105.25 ------ ------ 88.04 34.42 12.60 29.81 0.00 304 45 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5100.40 45.98 54.00 -8.02 29.37 34.30 12.44 30.13 0.00 304 45 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 96.37 ------ ------ 79.16 34.42 12.60 29.81 0.00 304 45 AVERAGE

Mode	22	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5365.25 58.13 74.00 -15.87 40.55 34.60 12.70 29.72 0.00 304 45 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.00 47.84 54.00 -6.16 30.42 34.60 12.56 29.74 0.00 304 45 AVERAGE	Blank

Mode	22	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7434.00 44.09 74.00 -29.91 58.31 35.80 15.15 65.17 0.00 -- -- PEAK 2 10620.00 46.15 74.00 -27.85 55.46 37.72 17.86 64.89 0.00 -- -- PEAK 3 15930.00 47.72 74.00 -26.28 49.11 40.76 22.36 64.51 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7434.00 43.66 74.00 -30.34 57.88 35.80 15.15 65.17 0.00 -- -- PEAK 2 10620.00 46.08 74.00 -27.92 55.39 37.72 17.86 64.89 0.00 -- -- PEAK 3 15930.00 47.17 74.00 -26.83 48.56 40.76 22.36 64.51 0.00 -- -- PEAK

Mode	23	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5453.93 64.45 74.00 -9.55 46.62 34.60 12.81 29.58 0.00 115 118 PEAK 2 5469.13 62.78 68.20 -5.42 44.84 34.60 12.90 29.56 0.00 115 118 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 107.30 ------ ------ 89.11 34.61 13.08 29.50 0.00 115 118 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5448.78 49.71 54.00 -4.29 31.90 34.60 12.80 29.59 0.00 115 118 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 98.39 ------ ------ 80.20 34.61 13.08 29.50 0.00 115 118 AVERAGE

Mode	23	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5739.76 57.01 68.20 -11.19 38.69 34.68 13.43 29.79 0.00 115 118 PEAK	Blank

Mode	23	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5452.65 58.78 74.00 -15.22 40.95 34.60 12.81 29.58 0.00 0 0 PEAK 2 5466.41 58.70 68.20 -9.50 40.77 34.60 12.89 29.56 0.00 0 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 100.95 ------ ------ 82.76 34.61 13.08 29.50 0.00 0 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.85 47.35 54.00 -6.65 29.47 34.60 12.85 29.57 0.00 0 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 91.31 ------ ------ 73.06 34.68 13.05 29.48 0.00 0 0 AVERAGE

Mode	23	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5730.72 58.46 68.20 -9.74 40.20 34.66 13.35 29.75 0.00 0 0 PEAK	Blank

Mode	23	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7714.00 43.53 74.00 -30.47 57.55 35.90 15.86 65.78 0.00 -- -- PEAK 2 11020.00 45.28 74.00 -28.72 53.37 38.22 18.12 64.43 0.00 -- -- PEAK 3 16530.00 49.12 68.20 -19.08 49.21 41.55 22.88 64.52 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7714.00 43.25 74.00 -30.75 57.27 35.90 15.86 65.78 0.00 -- -- PEAK 2 11020.00 45.82 74.00 -28.18 53.91 38.22 18.12 64.43 0.00 -- -- PEAK 3 16530.00 48.31 68.20 -19.89 48.39 41.56 22.88 64.52 0.00 -- -- PEAK

Mode	24	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7770.00 42.87 68.20 -25.33 57.16 35.94 15.66 65.89 0.00 -- -- PEAK 2 11100.00 46.56 74.00 -27.44 54.44 38.30 18.16 64.34 0.00 -- -- PEAK 3 16650.00 48.80 68.20 -19.40 48.66 41.79 22.86 64.51 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7770.00 44.28 68.20 -23.92 58.57 35.94 15.66 65.89 0.00 -- -- PEAK 2 11100.00 46.03 74.00 -27.97 53.91 38.30 18.16 64.34 0.00 -- -- PEAK 3 16650.00 48.24 68.20 -19.96 48.09 41.79 22.87 64.51 0.00 -- -- PEAK

Mode	25	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5455.05 56.82 74.00 -17.18 38.98 34.60 12.82 29.58 0.00 117 119 PEAK 2 5461.93 56.42 68.20 -11.78 38.53 34.60 12.86 29.57 0.00 117 119 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 104.63 ------ ------ 86.48 34.52 13.02 29.39 0.00 117 119 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.68 45.63 54.00 -8.37 27.75 34.60 12.85 29.57 0.00 117 119 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 97.02 ------ ------ 78.88 34.53 13.03 29.42 0.00 117 119 AVERAGE

Mode	25	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.60 58.81 68.20 -9.39 40.57 34.65 13.31 29.72 0.00 117 119 PEAK	Blank

Mode	25	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5445.93 56.41 74.00 -17.59 38.59 34.60 12.81 29.59 0.00 318 72 PEAK 2 5468.65 56.57 68.20 -11.63 38.63 34.60 12.90 29.56 0.00 318 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 107.60 ------ ------ 89.45 34.52 13.02 29.39 0.00 318 72 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.85 45.60 54.00 -8.40 27.72 34.60 12.85 29.57 0.00 318 72 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 99.59 ------ ------ 81.44 34.52 13.02 29.39 0.00 318 72 AVERAGE

Mode	25	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5742.48 58.35 68.20 -9.85 40.02 34.68 13.46 29.81 0.00 318 72 PEAK	Blank

Mode	25	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7938.00 43.37 68.20 -24.83 57.85 35.90 15.85 66.23 0.00 -- -- PEAK 2 11340.00 45.75 74.00 -28.25 53.11 38.36 18.34 64.06 0.00 -- -- PEAK 3 17010.00 49.35 68.20 -18.85 48.91 41.85 23.04 64.45 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7938.00 43.08 68.20 -25.12 57.56 35.90 15.85 66.23 0.00 -- -- PEAK 2 11340.00 46.02 74.00 -27.98 53.38 38.36 18.34 64.06 0.00 -- -- PEAK 3 17010.00 47.88 68.20 -20.32 47.40 41.84 23.08 64.44 0.00 -- -- PEAK

Mode	26	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.53 60.16 74.00 -13.84 43.57 34.20 12.45 30.06 0.00 100 118 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 102.90 ------ ------ 86.22 34.12 12.55 29.99 0.00 100 118 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.85 50.90 54.00 -3.10 34.30 34.20 12.45 30.05 0.00 100 118 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 94.54 ------ ------ 77.74 34.19 12.52 29.91 0.00 100 118 AVERAGE

Mode	26	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5366.98 57.35 74.00 -16.65 39.75 34.60 12.72 29.72 0.00 100 118 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.21 46.18 54.00 -7.82 28.76 34.60 12.56 29.74 0.00 100 118 AVERAGE	Blank

Mode	26	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5149.69 62.14 74.00 -11.86 45.55 34.20 12.45 30.06 0.00 328 43 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5210.00 101.02 ------ ------ 84.22 34.19 12.52 29.91 0.00 328 43 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5149.98 48.97 54.00 -5.03 32.37 34.20 12.45 30.05 0.00 328 43 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5210.00 92.99 ------ ------ 76.19 34.19 12.52 29.91 0.00 328 43 AVERAGE

Mode	26	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.42 56.22 74.00 -17.78 38.80 34.60 12.56 29.74 0.00 328 43 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5399.14 45.50 54.00 -8.50 27.55 34.60 13.02 29.67 0.00 328 43 AVERAGE	Blank

Mode	26	
	Harmonic	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7294.00 43.16 74.00 -30.84 57.25 35.80 14.89 64.78 0.00 -- -- PEAK 2 10420.00 44.92 68.20 -23.28 54.01 37.70 18.34 65.13 0.00 -- -- PEAK 3 15630.00 47.71 74.00 -26.29 49.68 40.33 21.99 64.29 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7294.00 43.45 74.00 -30.55 57.54 35.80 14.89 64.78 0.00 -- -- PEAK 2 10420.00 45.75 68.20 -22.45 54.84 37.70 18.34 65.13 0.00 -- -- PEAK 3 15630.00 45.94 74.00 -28.06 47.91 40.33 21.99 64.29 0.00 -- -- PEAK

Mode	27	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5146.49 58.13 74.00 -15.87 41.53 34.21 12.45 30.06 0.00 111 118 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5290.00 102.83 ------ ------ 85.53 34.49 12.59 29.78 0.00 111 118 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5101.52 46.13 54.00 -7.87 29.52 34.30 12.44 30.13 0.00 111 118 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5290.00 94.24 ------ ------ 76.94 34.49 12.59 29.78 0.00 111 118 AVERAGE

Mode	27	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5371.45 58.50 74.00 -15.50 40.85 34.60 12.76 29.71 0.00 111 118 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5389.31 47.93 54.00 -6.07 30.08 34.60 12.93 29.68 0.00 111 118 AVERAGE	Blank

Mode	27	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5129.21 57.43 74.00 -16.57 40.83 34.24 12.45 30.09 0.00 300 46 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5290.00 101.97 ------ ------ 84.76 34.42 12.60 29.81 0.00 300 46 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5104.57 46.04 54.00 -7.96 29.44 34.29 12.44 30.13 0.00 300 46 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5290.00 92.29 ------ ------ 74.99 34.49 12.59 29.78 0.00 300 46 AVERAGE

Mode	27	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5386.35 58.62 74.00 -15.38 40.81 34.60 12.90 29.69 0.00 300 46 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5387.65 46.73 54.00 -7.27 28.90 34.60 12.91 29.68 0.00 300 46 AVERAGE	Blank

Mode	27	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7406.00 43.63 74.00 -30.37 58.07 35.80 14.85 65.09 0.00 -- -- PEAK 2 10580.00 46.39 68.20 -21.81 55.72 37.70 17.91 64.94 0.00 -- -- PEAK 3 15870.00 48.00 74.00 -26.00 49.44 40.64 22.39 64.47 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7406.00 43.07 74.00 -30.93 57.51 35.80 14.85 65.09 0.00 -- -- PEAK 2 10580.00 45.89 68.20 -22.31 55.22 37.70 17.91 64.94 0.00 -- -- PEAK 3 15870.00 47.06 74.00 -26.94 48.50 40.64 22.39 64.47 0.00 -- -- PEAK

Mode	28	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.09 60.33 74.00 -13.67 42.53 34.60 12.79 29.59 0.00 103 117 PEAK 2 5468.81 60.92 68.20 -7.28 42.98 34.60 12.90 29.56 0.00 103 117 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 103.88 ------ ------ 85.69 34.61 13.08 29.50 0.00 103 117 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5448.48 49.62 54.00 -4.38 31.81 34.60 12.80 29.59 0.00 103 117 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 95.08 ------ ------ 76.72 34.72 13.05 29.41 0.00 103 117 AVERAGE

Mode	28	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5746.48 57.00 68.20 -11.20 38.65 34.69 13.49 29.83 0.00 103 117 PEAK	Blank

Mode	28	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5424.65 60.87 74.00 -13.13 42.99 34.60 12.91 29.63 0.00 311 71 PEAK 2 5465.29 60.84 68.20 -7.36 42.92 34.60 12.88 29.56 0.00 311 71 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 106.39 ------ ------ 88.03 34.72 13.05 29.41 0.00 311 71 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5444.78 48.81 54.00 -5.19 30.98 34.60 12.82 29.59 0.00 311 71 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 95.93 ------ ------ 77.55 34.76 13.04 29.42 0.00 311 71 AVERAGE

Mode	28	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5756.72 56.99 68.20 -11.21 38.53 34.71 13.63 29.88 0.00 311 71 PEAK	Blank

Mode	28	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7742.00 44.05 74.00 -29.95 58.13 35.90 15.86 65.84 0.00 -- -- PEAK 2 11060.00 46.63 74.00 -27.37 54.58 38.26 18.18 64.39 0.00 -- -- PEAK 3 16590.00 47.76 68.20 -20.44 47.73 41.64 22.90 64.51 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7742.00 43.91 74.00 -30.09 57.99 35.90 15.86 65.84 0.00 -- -- PEAK 2 11060.00 45.33 74.00 -28.67 53.28 38.26 18.18 64.39 0.00 -- -- PEAK 3 16590.00 46.65 68.20 -21.55 46.51 41.72 22.93 64.51 0.00 -- -- PEAK

Mode	29	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5440.65 57.20 74.00 -16.80 39.37 34.60 12.83 29.60 0.00 100 118 PEAK 2 5467.53 58.32 68.20 -9.88 40.39 34.60 12.89 29.56 0.00 100 118 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 105.50 ------ ------ 87.17 34.61 13.10 29.38 0.00 100 118 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5448.13 46.17 54.00 -7.83 28.36 34.60 12.80 29.59 0.00 100 118 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 95.17 ------ ------ 76.84 34.61 13.10 29.38 0.00 100 118 AVERAGE

Mode	29	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5744.40 58.03 68.20 -10.17 39.68 34.69 13.47 29.81 0.00 100 118 PEAK	Blank

Mode	29	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5446.57 57.31 74.00 -16.69 39.49 34.60 12.81 29.59 0.00 320 70 PEAK 2 5465.45 57.45 68.20 -10.75 39.53 34.60 12.88 29.56 0.00 320 70 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 105.97 ------ ------ 87.74 34.50 13.03 29.30 0.00 320 70 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.98 46.23 54.00 -7.77 28.35 34.60 12.85 29.57 0.00 320 70 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 96.90 ------ ------ 78.67 34.50 13.03 29.30 0.00 320 70 AVERAGE

Mode	29	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.20 58.43 68.20 -9.77 40.19 34.65 13.31 29.72 0.00 320 70 PEAK	Blank

Mode	29	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7854.00 42.53 68.20 -25.67 56.96 35.90 15.73 66.06 0.00 -- -- PEAK 2 11220.00 46.61 74.00 -27.39 54.12 38.40 18.29 64.20 0.00 -- -- PEAK 3 16830.00 47.70 68.20 -20.50 47.09 41.99 23.12 64.50 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7854.00 42.60 68.20 -25.60 57.03 35.90 15.73 66.06 0.00 -- -- PEAK 2 11220.00 46.19 74.00 -27.81 53.70 38.40 18.29 64.20 0.00 -- -- PEAK 3 16830.00 46.95 68.20 -21.25 46.34 41.99 23.12 64.50 0.00 -- -- PEAK

Mode	30	
	Band Edge - L	
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5115.88 58.49 74.00 -15.51 41.89 34.27 12.44 30.11 0.00 100 118 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 100.21 ------ ------ 83.39 34.20 12.52 29.90 0.00 100 118 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5110.07 47.21 54.00 -6.79 30.61 34.28 12.44 30.12 0.00 100 118 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 90.84 ------ ------ 74.02 34.20 12.52 29.90 0.00 100 118 AVERAGE

Mode	30	
	Band Edge - R	
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5394.80 59.29 74.00 -14.71 41.38 34.60 12.98 29.67 0.00 100 118 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5408.44 47.67 54.00 -6.33 29.73 34.60 12.99 29.65 0.00 100 118 AVERAGE	Blank

Mode	30	
	Band Edge - L	
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5124.88 57.73 74.00 -16.27 41.13 34.25 12.44 30.09 0.00 328 44 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 99.86 ------ ------ 82.95 34.25 12.54 29.88 0.00 328 44 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5107.12 46.95 54.00 -7.05 30.34 34.29 12.44 30.12 0.00 328 44 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 89.41 ------ ------ 72.61 34.19 12.52 29.91 0.00 328 44 AVERAGE

Mode	30	
	Band Edge - R	
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5382.41 59.13 74.00 -14.87 41.36 34.60 12.86 29.69 0.00 328 44 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5404.15 46.93 54.00 -7.07 28.98 34.60 13.01 29.66 0.00 328 44 AVERAGE	Blank

Mode	30	
	Harmonic	
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7350.00 43.02 74.00 -30.98 57.08 35.80 15.08 64.94 0.00 -- -- PEAK 2 10500.00 46.48 68.20 -21.72 55.61 37.70 18.20 65.03 0.00 -- -- PEAK 3 15750.00 47.25 74.00 -26.75 48.98 40.45 22.20 64.38 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7350.00 42.87 74.00 -31.13 56.93 35.80 15.08 64.94 0.00 -- -- PEAK 2 10500.00 45.71 68.20 -22.49 54.84 37.70 18.20 65.03 0.00 -- -- PEAK 3 15750.00 46.64 74.00 -27.36 48.37 40.45 22.20 64.38 0.00 -- -- PEAK

Mode	31	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5413.26 58.30 74.00 -15.70 40.37 34.60 12.97 29.64 0.00 102 117 PEAK 2 5466.92 56.68 68.20 -11.52 38.75 34.60 12.89 29.56 0.00 102 117 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 100.37 ------ ------ 82.01 34.72 13.05 29.41 0.00 102 117 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5443.84 47.76 54.00 -6.24 29.94 34.60 12.82 29.60 0.00 102 117 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 91.25 ------ ------ 72.89 34.72 13.05 29.41 0.00 102 117 AVERAGE

Mode	31	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5740.14 57.14 68.20 -11.06 38.81 34.68 13.44 29.79 0.00 102 117 PEAK	Blank

Mode	31	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5429.10 57.89 74.00 -16.11 40.02 34.60 12.89 29.62 0.00 295 72 PEAK 2 5463.42 56.67 68.20 -11.53 38.77 34.60 12.87 29.57 0.00 295 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 102.58 ------ ------ 84.25 34.61 13.10 29.38 0.00 295 72 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5438.32 46.96 54.00 -7.04 29.11 34.60 12.85 29.60 0.00 295 72 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 92.12 ------ ------ 73.74 34.76 13.04 29.42 0.00 295 72 AVERAGE

Mode	31	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5754.77 58.39 68.20 -9.81 39.95 34.71 13.60 29.87 0.00 295 72 PEAK	Blank

Mode	31	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7798.00 43.27 68.20 -24.93 57.85 36.00 15.37 65.95 0.00 -- -- PEAK 2 11140.00 47.25 74.00 -26.75 55.02 38.34 18.19 64.30 0.00 -- -- PEAK 3 16710.00 48.51 68.20 -19.69 47.94 41.98 23.09 64.50 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7798.00 42.43 68.20 -25.77 57.01 36.00 15.37 65.95 0.00 -- -- PEAK 2 11140.00 45.88 74.00 -28.12 53.65 38.34 18.19 64.30 0.00 -- -- PEAK 3 16710.00 47.51 68.20 -20.69 46.93 41.98 23.10 64.50 0.00 -- -- PEAK

Mode	32	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5648.00 55.51 68.20 -12.69 42.28 34.60 10.28 31.65 0.00 100 40 PEAK 2 5651.91 55.43 69.62 -14.19 42.20 34.60 10.29 31.66 0.00 100 40 PEAK 3 5719.77 64.92 110.84 -45.92 51.77 34.64 10.34 31.83 0.00 100 40 PEAK 4 5720.21 66.25 111.37 -45.12 53.10 34.64 10.34 31.83 0.00 100 40 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 108.13 ------ ------ 94.97 34.68 10.36 31.88 0.00 100 40 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 100.35 ------ ------ 87.19 34.68 10.36 31.88 0.00 100 40 AVERAGE

Mode	32	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5647.71 54.57 68.20 -13.63 41.34 34.60 10.28 31.65 0.00 186 360 PEAK 2 5650.03 53.78 68.22 -14.44 40.55 34.60 10.28 31.65 0.00 186 360 PEAK 3 5717.60 65.92 110.23 -44.31 52.76 34.64 10.34 31.82 0.00 186 360 PEAK 4 5722.09 74.33 115.67 -41.34 61.18 34.64 10.34 31.83 0.00 186 360 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 109.84 ------ ------ 96.68 34.69 10.36 31.89 0.00 186 360 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 101.83 ------ ------ 88.67 34.69 10.36 31.89 0.00 186 360 AVERAGE

Mode	32	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 47.63 74.00 -26.37 54.48 38.30 18.74 63.89 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 46.46 74.00 -27.54 53.31 38.30 18.74 63.89 0.00 -- -- PEAK

Mode	33	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 46.97 74.00 -27.03 53.96 38.44 18.63 64.06 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 46.27 74.00 -27.73 53.26 38.44 18.63 64.06 0.00 -- -- PEAK

Mode	34	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.88 55.29 111.18 -55.89 42.07 34.93 10.45 32.16 0.00 127 41 PEAK 2 5872.75 54.35 105.93 -51.58 41.00 35.04 10.47 32.16 0.00 127 41 PEAK 3 5924.50 55.56 68.57 -13.01 42.00 35.20 10.52 32.16 0.00 127 41 PEAK 4 5927.63 55.85 68.20 -12.35 42.29 35.20 10.52 32.16 0.00 127 41 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 106.83 ------ ------ 93.71 34.77 10.42 32.07 0.00 127 41 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 99.75 ------ ------ 86.63 34.77 10.42 32.07 0.00 127 41 AVERAGE

Mode	34	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5853.13 59.10 115.17 -56.07 45.89 34.92 10.45 32.16 0.00 160 345 PEAK 2 5872.00 55.62 106.14 -50.52 42.28 35.03 10.47 32.16 0.00 160 345 PEAK 3 5925.00 53.60 68.20 -14.60 40.04 35.20 10.52 32.16 0.00 160 345 PEAK 4 5938.50 55.28 68.20 -12.92 41.72 35.20 10.53 32.17 0.00 160 345 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 108.85 ------ ------ 95.70 34.82 10.43 32.10 0.00 160 345 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 102.31 ------ ------ 89.16 34.82 10.43 32.10 0.00 160 345 AVERAGE

Mode	34	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 47.12 74.00 -26.88 54.22 38.50 18.67 64.27 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 47.51 74.00 -26.49 54.61 38.50 18.67 64.27 0.00 -- -- PEAK

Mode	35	
	Band Edge	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5640.60 55.45 68.20 -12.75 42.22 34.58 10.28 31.63 0.00 100 38 PEAK 2 5651.77 52.60 69.52 -16.92 39.37 34.60 10.29 31.66 0.00 100 38 PEAK 3 5700.20 54.67 105.35 -50.68 41.53 34.60 10.32 31.78 0.00 100 38 PEAK 4 5721.22 65.24 113.68 -48.44 52.09 34.64 10.34 31.83 0.00 100 38 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 105.32 ------ ------ 92.16 34.69 10.36 31.89 0.00 100 38 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 98.74 ------ ------ 85.58 34.69 10.36 31.89 0.00 100 38 AVERAGE

Mode	35	
	Band Edge	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5626.10 54.30 68.20 -13.90 41.12 34.55 10.27 31.64 0.00 199 342 PEAK 2 5650.03 52.60 68.22 -15.62 39.37 34.60 10.28 31.65 0.00 199 342 PEAK 3 5719.19 66.65 110.67 -44.02 53.50 34.64 10.34 31.83 0.00 199 342 PEAK 4 5720.35 65.13 111.70 -46.57 51.98 34.64 10.34 31.83 0.00 199 342 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 109.01 ------ ------ 95.85 34.68 10.36 31.88 0.00 199 342 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 101.28 ------ ------ 88.12 34.70 10.37 31.91 0.00 199 342 AVERAGE

Mode	35	
	Harmonic	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 46.83 74.00 -27.17 53.68 38.30 18.74 63.89 0.00 -- -- PEAK 2 17235.00 49.71 68.20 -18.49 49.00 41.47 23.43 64.19 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 46.31 74.00 -27.69 53.16 38.30 18.74 63.89 0.00 -- -- PEAK 2 17235.00 48.12 68.20 -20.08 47.38 41.46 23.45 64.17 0.00 -- -- PEAK

Mode	36	
	Harmonic	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 46.96 74.00 -27.04 53.95 38.44 18.63 64.06 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 46.23 74.00 -27.77 53.22 38.44 18.63 64.06 0.00 -- -- PEAK

Mode	37	
	Band Edge	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.13 56.72 112.89 -56.17 43.51 34.92 10.45 32.16 0.00 113 41 PEAK 2 5872.63 55.00 105.96 -50.96 41.65 35.04 10.47 32.16 0.00 113 41 PEAK 3 5925.00 54.08 68.20 -14.12 40.52 35.20 10.52 32.16 0.00 113 41 PEAK 4 5945.63 56.11 68.20 -12.09 42.55 35.20 10.53 32.17 0.00 113 41 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 107.86 ------ ------ 94.71 34.82 10.43 32.10 0.00 113 41 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 99.71 ------ ------ 86.56 34.82 10.43 32.10 0.00 113 41 AVERAGE

Mode	37	
	Band Edge	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5855.00 57.80 110.90 -53.10 44.58 34.93 10.45 32.16 0.00 177 360 PEAK 2 5874.50 54.58 105.44 -50.86 41.22 35.05 10.47 32.16 0.00 177 360 PEAK 3 5924.75 55.56 68.38 -12.82 42.00 35.20 10.52 32.16 0.00 177 360 PEAK 4 5950.00 56.35 68.20 -11.85 42.78 35.20 10.54 32.17 0.00 177 360 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 107.94 ------ ------ 94.82 34.77 10.42 32.07 0.00 177 360 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 100.88 ------ ------ 87.76 34.77 10.42 32.07 0.00 177 360 AVERAGE

Mode	37	
	Harmonic	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 47.08 74.00 -26.92 54.18 38.50 18.67 64.27 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 46.50 74.00 -27.50 53.60 38.50 18.67 64.27 0.00 -- -- PEAK

Mode	38	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5611.16 58.30 68.20 -9.90 40.01 34.50 13.12 29.33 0.00 106 118 PEAK 2 5650.38 55.32 68.48 -13.16 37.15 34.50 13.01 29.34 0.00 106 118 PEAK 3 5710.83 66.22 108.33 -42.11 48.07 34.62 13.18 29.65 0.00 106 118 PEAK 4 5720.13 58.49 111.19 -52.70 40.28 34.64 13.26 29.69 0.00 106 118 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 103.66 ------ ------ 85.30 34.69 13.49 29.82 0.00 106 118 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 95.75 ------ ------ 77.35 34.70 13.55 29.85 0.00 106 118 AVERAGE

Mode	38	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.84 54.21 111.26 -57.05 35.78 34.92 13.88 30.37 0.00 106 118 PEAK 2 5874.15 55.76 105.54 -49.78 37.29 35.00 13.85 30.38 0.00 106 118 PEAK 3 5923.48 56.25 69.32 -13.07 37.77 35.15 13.73 30.40 0.00 106 118 PEAK 4 5934.79 58.70 68.20 -9.50 40.24 35.17 13.70 30.41 0.00 106 118 PEAK	Blank

Mode	38	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5640.77 59.14 68.20 -9.06 40.89 34.50 13.04 29.29 0.00 322 69 PEAK 2 5650.53 57.48 68.59 -11.11 39.31 34.50 13.01 29.34 0.00 322 69 PEAK 3 5708.81 65.85 107.77 -41.92 47.70 34.62 13.17 29.64 0.00 322 69 PEAK 4 5721.37 70.09 114.01 -43.92 51.88 34.64 13.27 29.70 0.00 322 69 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 108.34 ------ ------ 89.98 34.69 13.49 29.82 0.00 322 69 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 98.96 ------ ------ 80.60 34.69 13.49 29.82 0.00 322 69 AVERAGE

Mode	38	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.06 55.46 113.04 -57.58 37.03 34.92 13.88 30.37 0.00 322 69 PEAK 2 5873.37 55.95 105.76 -49.81 37.49 34.99 13.85 30.38 0.00 322 69 PEAK 3 5923.87 55.50 69.03 -13.53 37.02 35.15 13.73 30.40 0.00 322 69 PEAK 4 5946.10 57.36 68.20 -10.84 38.93 35.19 13.66 30.42 0.00 322 69 PEAK	Blank

Mode	38	
	Harmonic	
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11510.00 46.46 74.00 -27.54 53.30 38.32 18.75 63.91 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11510.00 47.43 74.00 -26.57 54.27 38.32 18.75 63.91 0.00 -- -- PEAK

Mode	39	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5615.60 56.79 68.20 -11.41 38.51 34.50 13.11 29.33 0.00 298 238 PEAK 2 5650.40 55.51 68.50 -12.99 37.34 34.50 13.01 29.34 0.00 298 238 PEAK 3 5708.40 57.64 107.65 -50.01 39.49 34.62 13.16 29.63 0.00 298 238 PEAK 4 5720.40 55.06 111.81 -56.75 36.84 34.64 13.27 29.69 0.00 298 238 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 103.88 ------ ------ 84.88 34.81 14.31 30.12 0.00 298 238 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 95.65 ------ ------ 76.57 34.80 14.37 30.09 0.00 298 238 AVERAGE

Mode	39	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 54.77 111.36 -56.59 36.34 34.92 13.88 30.37 0.00 298 238 PEAK 2 5874.40 56.83 105.47 -48.64 38.36 35.00 13.85 30.38 0.00 298 238 PEAK 3 5923.20 55.62 69.53 -13.91 37.14 35.15 13.73 30.40 0.00 298 238 PEAK 4 5986.80 57.59 68.20 -10.61 39.18 35.27 13.58 30.44 0.00 298 238 PEAK	Blank

Mode	39	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5646.80 58.45 68.20 -9.75 40.25 34.50 13.02 29.32 0.00 287 73 PEAK 2 5650.00 55.13 68.20 -13.07 36.96 34.50 13.01 29.34 0.00 287 73 PEAK 3 5700.00 56.77 105.30 -48.53 38.67 34.60 13.09 29.59 0.00 287 73 PEAK 4 5720.00 57.99 110.90 -52.91 39.78 34.64 13.26 29.69 0.00 287 73 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 108.26 ------ ------ 89.26 34.81 14.31 30.12 0.00 287 73 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 99.15 ------ ------ 80.15 34.81 14.31 30.12 0.00 287 73 AVERAGE

Mode	39	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 57.62 111.36 -53.74 39.19 34.92 13.88 30.37 0.00 287 73 PEAK 2 5872.40 56.41 106.03 -49.62 37.95 34.99 13.85 30.38 0.00 287 73 PEAK 3 5923.60 55.53 69.23 -13.70 37.05 35.15 13.73 30.40 0.00 287 73 PEAK 4 5960.00 57.99 68.20 -10.21 39.56 35.22 13.63 30.42 0.00 287 73 PEAK	Blank

Mode	39	
	Harmonic	
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 46.51 74.00 -27.49 53.56 38.48 18.58 64.11 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 45.87 74.00 -28.13 52.92 38.48 18.58 64.11 0.00 -- -- PEAK

Mode	40	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5608.80 57.39 68.20 -10.81 39.10 34.50 13.13 29.34 0.00 301 233 PEAK 2 5650.00 55.72 68.20 -12.48 37.55 34.50 13.01 29.34 0.00 301 233 PEAK 3 5704.40 59.36 106.53 -47.17 41.23 34.61 13.13 29.61 0.00 301 233 PEAK 4 5720.00 59.88 110.90 -51.02 41.67 34.64 13.26 29.69 0.00 301 233 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 100.89 ------ ------ 81.81 34.80 14.37 30.09 0.00 301 233 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 92.46 ------ ------ 73.38 34.80 14.37 30.09 0.00 301 233 AVERAGE

Mode	40	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 55.63 111.36 -55.73 37.20 34.92 13.88 30.37 0.00 301 233 PEAK 2 5872.40 56.08 106.03 -49.95 37.62 34.99 13.85 30.38 0.00 301 233 PEAK 3 5923.60 56.02 69.23 -13.21 37.54 35.15 13.73 30.40 0.00 301 233 PEAK 4 5944.00 56.28 68.20 -11.92 37.83 35.19 13.67 30.41 0.00 301 233 PEAK	Blank

Mode	40	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5624.80 58.85 68.20 -9.35 40.58 34.50 13.08 29.31 0.00 317 72 PEAK 2 5650.00 56.97 68.20 -11.23 38.80 34.50 13.01 29.34 0.00 317 72 PEAK 3 5705.60 61.37 106.87 -45.50 43.24 34.61 13.14 29.62 0.00 317 72 PEAK 4 5721.20 62.86 113.64 -50.78 44.65 34.64 13.27 29.70 0.00 317 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 105.47 ------ ------ 86.47 34.81 14.31 30.12 0.00 317 72 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 96.13 ------ ------ 77.13 34.81 14.31 30.12 0.00 317 72 AVERAGE

Mode	40	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.00 58.28 113.18 -54.90 39.85 34.92 13.88 30.37 0.00 317 72 PEAK 2 5867.60 58.86 107.37 -48.51 40.41 34.97 13.86 30.38 0.00 317 72 PEAK 3 5924.40 54.47 68.64 -14.17 35.99 35.15 13.73 30.40 0.00 317 72 PEAK 4 5942.00 57.13 68.20 -11.07 38.69 35.18 13.67 30.41 0.00 317 72 PEAK	Blank

Mode	40	
	Harmonic	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 46.13 74.00 -27.87 53.07 38.40 18.67 64.01 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 45.98 74.00 -28.02 52.92 38.40 18.67 64.01 0.00 -- -- PEAK

Mode	41	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 47.48 74.00 -26.52 54.54 38.30 18.59 63.95 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 46.10 74.00 -27.90 53.16 38.30 18.59 63.95 0.00 -- -- PEAK

Mode	42	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11be EHT20_CH144_Full_5720MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 46.34 74.00 -27.66 53.40 38.30 18.59 63.95 0.00 -- -- PEAK 2 17164.73 51.70 68.20 -16.50 51.13 41.57 23.27 64.27 0.00 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 46.27 74.00 -27.73 53.33 38.30 18.59 63.95 0.00 -- -- PEAK 2 17160.33 54.98 68.20 -13.22 54.43 41.58 23.25 64.28 0.00 -- -- Peak

Mode	43	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11be EHT40_CH142_Full_5710MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 46.40 74.00 -27.60 53.57 38.30 18.50 63.97 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 46.41 74.00 -27.59 53.58 38.30 18.50 63.97 0.00 -- -- PEAK

Mode	44	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11be EHT80_CH138_Full_5690MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 46.28 74.00 -27.72 53.59 38.32 18.39 64.02 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 45.47 74.00 -28.53 52.78 38.32 18.39 64.02 0.00 -- -- PEAK

Mode	45	
	Band Edge	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 26/0_5180MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5137.35 56.83 74.00 -17.17 40.22 34.23 12.45 30.07 0.00 100 113 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5180.00 101.59 ------ ------ 84.96 34.17 12.49 30.03 0.00 100 113 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5110.95 47.11 54.00 -6.89 30.51 34.28 12.44 30.12 0.00 100 113 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5180.00 95.81 ------ ------ 79.18 34.17 12.49 30.03 0.00 100 113 AVERAGE

Mode	45	
	Band Edge	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 26/0_5180MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5104.05 57.35 74.00 -16.65 40.75 34.29 12.44 30.13 0.00 377 61 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 105.86 ------ ------ 89.23 34.17 12.49 30.03 0.00 377 61 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5100.00 47.11 54.00 -6.89 30.50 34.30 12.44 30.13 0.00 377 61 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5180.00 99.73 ------ ------ 83.10 34.17 12.49 30.03 0.00 377 61 AVERAGE

Mode	46	
	Band Edge	
	U-NII-2A_5.15-5.25_802.11be EHT20_CH64_Single RU 52/40_5320MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5386.85 55.56 74.00 -18.44 37.74 34.60 12.91 29.69 0.00 100 114 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 101.58 ------ ------ 84.28 34.49 12.59 29.78 0.00 100 114 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5393.65 46.40 54.00 -7.60 28.50 34.60 12.97 29.67 0.00 100 114 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 94.61 ------ ------ 77.31 34.49 12.59 29.78 0.00 100 114 AVERAGE

Mode	46	
	Band Edge	
	U-NII-2A_5.15-5.25_802.11be EHT20_CH64_Single RU 52/40_5320MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5372.95 55.51 74.00 -18.49 37.84 34.60 12.78 29.71 0.00 338 73 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 99.71 ------ ------ 82.41 34.49 12.59 29.78 0.00 338 73 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5392.65 46.02 54.00 -7.98 28.14 34.60 12.96 29.68 0.00 338 73 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 92.58 ------ ------ 75.28 34.49 12.59 29.78 0.00 338 73 AVERAGE

Mode	47	
	Band Edge	
	U-NII-2C_5.25-5.35_802.11be EHT20_CH100_Single RU 106/53_5500MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.29 57.89 74.00 -16.11 40.04 34.60 12.83 29.58 0.00 103 106 PEAK 2 5461.13 56.31 68.20 -11.89 38.43 34.60 12.85 29.57 0.00 103 106 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 113.19 ------ ------ 95.08 34.60 13.03 29.52 0.00 103 106 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5444.17 46.89 54.00 -7.11 29.07 34.60 12.82 29.60 0.00 103 106 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 103.67 ------ ------ 85.52 34.60 13.06 29.51 0.00 103 106 AVERAGE

Mode	47	
	Band Edge	
	U-NII-2C_5.25-5.35_802.11be EHT20_CH100_Single RU 106/53_5500MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5454.89 58.00 74.00 -16.00 40.16 34.60 12.82 29.58 0.00 332 47 PEAK 2 5469.61 56.53 68.20 -11.67 38.59 34.60 12.90 29.56 0.00 332 47 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 111.00 ------ ------ 92.89 34.60 13.03 29.52 0.00 332 47 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5434.41 46.80 54.00 -7.20 28.95 34.60 12.86 29.61 0.00 332 47 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 102.71 ------ ------ 84.60 34.60 13.03 29.52 0.00 332 47 AVERAGE

Mode	48	
	Band Edge	
	U-NII-2C_5.25-5.35_802.11be EHT20_CH140_Single RU 106/54_5700MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5728.16 61.05 68.20 -7.15 42.79 34.66 13.33 29.73 0.00 100 264 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 107.01 ------ ------ 88.88 34.61 13.15 29.63 0.00 100 264 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 98.39 ------ ------ 80.26 34.61 13.15 29.63 0.00 100 264 AVERAGE

Mode	48	
	Band Edge	
	U-NII-2C_5.25-5.35_802.11be EHT20_CH140_Single RU 106/54_5700MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.24 61.82 68.20 -6.38 43.57 34.65 13.32 29.72 0.00 281 70 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 107.82 ------ ------ 89.69 34.61 13.15 29.63 0.00 281 70 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 101.58 ------ ------ 83.45 34.61 13.15 29.63 0.00 281 70 AVERAGE

Mode	49	
	Band Edge	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Single RU 106/53_5745MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5641.62 55.22 68.20 -12.98 41.99 34.58 10.28 31.63 0.00 141 133 PEAK 2 5652.20 54.14 69.84 -15.70 40.91 34.60 10.29 31.66 0.00 141 133 PEAK 3 5702.23 54.21 105.92 -51.71 41.06 34.60 10.33 31.78 0.00 141 133 PEAK 4 5720.21 53.56 111.37 -57.81 40.41 34.64 10.34 31.83 0.00 141 133 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 106.49 ------ ------ 93.33 34.68 10.36 31.88 0.00 141 133 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 98.53 ------ ------ 85.37 34.68 10.36 31.88 0.00 141 133 AVERAGE