




Band48_15MHz_256QAM_MCH_3625MHz_RB_75_0_NTNV




Band48_15MHz_256QAM_HCH_3692.5MHz_RB_75_0_NTNV




Band48 20MHz QPSK LCH 3560MHz RB 100 0 NTNV




Band48 20MHz QPSK MCH 3625MHz RB 100 0 NTNV




Band48 20MHz QPSK HCH 3690MHz RB 100 0 NTV




Band48 20MHz 16QAM LCH 3560MHz RB 100 0 NTV




Band48_20MHz_16QAM_MCH_3625MHz_RB_100_0_NTNV




Band48_20MHz_16QAM_HCH_3690MHz_RB_100_0_NTNV




Band48 20MHz 64QAM LCH 3560MHz RB 100 0 NTV




Band48 20MHz 64QAM MCH 3625MHz RB 100 0 NTV




Band48 20MHz 64QAM HCH 3690MHz RB 100 0 NTN




Band48 20MHz 256QAM LCH 3560MHz RB 100 0 NTN



Band48 20MHz 256QAM MCH 3625MHz RB 100 0 NTN



Band48 20MHz 256QAM HCH 3690MHz RB 100 0 NTN



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B48_20MHz


Band: 48 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	3625	100	0	7.72	<=13	Pass
16QAM	3625	100	0	8.44	<=13	Pass
64QAM	3625	100	0	8.64	<=13	Pass
256QAM	3625	100	0	8.62	<=13	Pass

4.2 Test Graph


4.2.1 B48_20MHz



Band48 20MHz 64QAM MCH 3625MHz RB 100 0 NTN



Band48 20MHz 256QAM MCH 3625MHz RB 100 0 NTN



5. Spurious Emission

5.1 Test Result

5.1.1 B48_5MHz

Band: 48 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3552.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B48_10MHz

Band: 48 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3555	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3695	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.3 B48_15MHz


Band: 48 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3557.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3692.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.4 B48_20MHz


Band: 48 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3560	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B48_5MHz




Band48 5MHz QPSK LCH 3552.5MHz RB 1 0 NTNV



Band48 5MHz QPSK LCH 3552.5MHz RB 1 0 NTNV




Band48 5MHz QPSK LCH 3552.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.055	-46.04	-40	Pass
3530	3545	1	CHP	2	3544.915	-42.94	-25	Pass
3545	3549	1	CHP	3	3548.500	-31.72	-13	Pass
3549	3550	0.052	CHP	4	3549.985	-33.35	-13	Pass
3550	3555	0.052	CHP	/	/	/	/	/
3555	3556	0.052	CHP	5	3555.010	-34.34	-13	Pass
3556	3560	1	CHP	6	3556.510	-31.44	-13	Pass
3560	3720	1	CHP	7	3560.005	-42.86	-25	Pass
3720	3730	1	CHP	8	3726.910	-44.71	-40	Pass


Band48 5MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 5MHz QPSK MCH 3625MHz RB 1 0 NTN




Band48 5MHz QPSK MCH 3625MHz RB 1 0 NTN




Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTN




Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTN



Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTV




Band48 5MHz QPSK HCH 3697.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.785	-71.30	-40	Pass
3530	3690	1	CHP	2	3689.995	-56.74	-25	Pass
3690	3694	1	CHP	3	3691.165	-52.22	-13	Pass
3694	3695	0.03	/	4	3694.525	-62.11	-13	Pass
3695	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.015	-33.00	-13	Pass
3701	3705	1	CHP	6	3701.515	-42.58	-13	Pass
3705	3720	1	CHP	7	3705.010	-53.04	-25	Pass
3720	3730	1	CHP	8	3720.010	-62.33	-40	Pass

Band48 5MHz QPSK HCH 3697.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.455	-71.84	-40	Pass
3530	3690	1	CHP	2	3689.995	-47.16	-25	Pass
3690	3694	1	CHP	3	3693.490	-32.14	-13	Pass
3694	3695	0.052	CHP	4	3694.990	-35.09	-13	Pass
3695	3700	0.052	CHP	/	/	/	/	/
3700	3701	0.052	CHP	5	3700.015	-35.14	-13	Pass
3701	3705	1	CHP	6	3701.500	-32.29	-13	Pass
3705	3720	1	CHP	7	3705.010	-47.24	-25	Pass
3720	3730	1	CHP	8	3720.145	-63.67	-40	Pass


5.2.2 B48_10MHz




Band48 10MHz QPSK LCH 3555MHz RB 1 0 NTN



Band48 10MHz QPSK LCH 3555MHz RB 1 0 NTN




Band48 10MHz QPSK LCH 3555MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.990	-62.24	-40	Pass
3530	3540	1	CHP	2	3539.380	-49.04	-25	Pass
3540	3549	1	CHP	3	3548.470	-33.26	-13	Pass
3549	3550	0.098	CHP	4	3549.955	-37.38	-13	Pass
3550	3560	0.098	CHP	/	/	/	/	/
3560	3561	0.098	CHP	5	3560.005	-37.97	-13	Pass
3561	3570	1	CHP	6	3561.505	-32.10	-13	Pass
3570	3720	1	CHP	7	3570.235	-49.94	-25	Pass
3720	3730	1	CHP	8	3722.020	-72.99	-40	Pass


Band48 10MHz QPSK MCH 3625MHz RB 1 0 NTV




Band48 10MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 10MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTN




Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTN



Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTV




Band48 10MHz QPSK HCH 3695MHz RB 1 49 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.640	-71.35	-40	Pass
3530	3680	1	CHP	2	3679.960	-60.99	-25	Pass
3680	3689	1	CHP	3	3688.420	-55.72	-13	Pass
3689	3690	0.03	/	4	3689.965	-60.73	-13	Pass
3690	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.060	-43.63	-13	Pass
3701	3710	1	CHP	6	3701.530	-44.64	-13	Pass
3710	3720	1	CHP	7	3710.050	-57.63	-25	Pass
3720	3730	1	CHP	8	3720.010	-62.27	-40	Pass

Band48 10MHz QPSK HCH 3695MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.655	-71.79	-40	Pass
3530	3680	1	CHP	2	3679.750	-47.98	-25	Pass
3680	3689	1	CHP	3	3688.480	-38.53	-13	Pass
3689	3690	0.098	CHP	4	3689.995	-39.44	-13	Pass
3690	3700	0.098	CHP	/	/	/	/	/
3700	3701	0.098	CHP	5	3700.015	-40.12	-13	Pass
3701	3710	1	CHP	6	3701.500	-37.21	-13	Pass
3710	3720	1	CHP	7	3710.005	-47.64	-25	Pass
3720	3730	1	CHP	8	3720.010	-61.45	-40	Pass


5.2.3 B48_15MHz




Band48_15MHz_QPSK_LCH_3557.5MHz_RB_1_0_NTNV



Band48_15MHz_QPSK_LCH_3557.5MHz_RB_1_0_NTNV




Band48 15MHz QPSK LCH 3557.5MHz RB 75 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.150	-52.69	-40	Pass
3530	3540	1	CHP	2	3539.950	-40.90	-25	Pass
3540	3549	1	CHP	3	3548.500	-31.82	-13	Pass
3549	3550	0.149	CHP	4	3549.850	-38.60	-13	Pass
3550	3565	0.149	CHP	/	/	/	/	/
3565	3566	0.149	CHP	5	3565.150	-39.27	-13	Pass
3566	3580	1	CHP	6	3567.250	-31.66	-13	Pass
3580	3720	1	CHP	7	3580.950	-49.57	-25	Pass
3720	3730	1	CHP	8	3721.250	-73.27	-40	Pass


Band48 15MHz QPSK MCH 3625MHz RB 1 0 NTN




Band48_15MHz_QPSK_MCH_3625MHz_RB_1_0_NTNV




Band48_15MHz_QPSK_MCH_3625MHz_RB_1_0_NTNV




Band48 15MHz QPSK HCH 3692.5MHz RB 1 0 NTV




Band48 15MHz QPSK HCH 3692.5MHz RB 1 0 NTV



Band48 15MHz QPSK HCH 3692.5MHz RB 1 0 NTNV




Band48 15MHz QPSK HCH 3692.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.075	-50.31	-40	Pass
3530	3670	1	CHP	2	3668.215	-49.12	-25	Pass
3670	3684	1	CHP	3	3683.500	-47.96	-13	Pass
3684	3685	0.03	/	4	3684.670	-61.14	-13	Pass
3685	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.030	-41.96	-13	Pass
3701	3710	1	CHP	6	3701.500	-43.03	-13	Pass
3710	3720	1	CHP	7	3712.060	-48.45	-25	Pass
3720	3730	1	CHP	8	3728.290	-48.69	-40	Pass

Band48 15MHz QPSK HCH 3692.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.900	-50.27	-40	Pass
3530	3670	1	CHP	2	3666.700	-46.92	-25	Pass
3670	3684	1	CHP	3	3679.400	-38.47	-13	Pass
3684	3685	0.149	CHP	4	3684.650	-41.90	-13	Pass
3685	3700	0.149	CHP	/	/	/	/	/
3700	3701	0.149	CHP	5	3700.200	-41.87	-13	Pass
3701	3710	1	CHP	6	3701.500	-37.90	-13	Pass
3710	3720	1	CHP	7	3713.000	-43.51	-25	Pass
3720	3730	1	CHP	8	3720.050	-47.81	-40	Pass


5.2.4 B48_20MHz




Band48 20MHz QPSK LCH 3560MHz RB 1 0 NTN



Band48 20MHz QPSK LCH 3560MHz RB 1 0 NTN




Band48 20MHz QPSK LCH 3560MHz RB 100 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3530.000	-48.87	-40	Pass
3530	3540	1	CHP	2	3540.000	-43.11	-25	Pass
3540	3549	1	CHP	3	3547.550	-39.30	-13	Pass
3549	3550	0.195	CHP	4	3549.800	-43.28	-13	Pass
3550	3570	0.195	CHP	/	/	/	/	/
3570	3571	0.195	CHP	5	3570.050	-44.28	-13	Pass
3571	3590	1	CHP	6	3572.300	-39.83	-13	Pass
3590	3720	1	CHP	7	3592.200	-48.78	-25	Pass
3720	3730	1	CHP	8	3725.300	-48.73	-40	Pass


Band48 20MHz QPSK MCH 3625MHz RB 1 0 NTV




Band48 20MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 20MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 20MHz QPSK HCH 3690MHz RB 1 0 NTN




Band48 20MHz QPSK HCH 3690MHz RB 1 0 NTN



Band48 20MHz QPSK HCH 3690MHz RB 1 0 NTV




Band48 20MHz QPSK HCH 3690MHz RB 1 99 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.010	-50.32	-40	Pass
3530	3660	1	CHP	2	3657.205	-49.18	-25	Pass
3660	3679	1	CHP	3	3675.160	-48.95	-13	Pass
3679	3680	0.03	/	4	3679.690	-62.59	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.045	-44.37	-13	Pass
3701	3710	1	CHP	6	3701.500	-43.17	-13	Pass
3710	3720	1	CHP	7	3710.005	-48.41	-25	Pass
3720	3730	1	CHP	8	3720.325	-48.83	-40	Pass

Band48 20MHz QPSK HCH 3690MHz RB 100 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.550	-50.23	-40	Pass
3530	3660	1	CHP	2	3657.500	-47.82	-25	Pass
3660	3679	1	CHP	3	3677.400	-43.15	-13	Pass
3679	3680	0.195	CHP	4	3679.950	-45.50	-13	Pass
3680	3700	0.195	CHP	/	/	/	/	/
3700	3701	0.195	CHP	5	3700.050	-44.38	-13	Pass
3701	3710	1	CHP	6	3702.250	-41.76	-13	Pass
3710	3720	1	CHP	7	3710.900	-46.06	-25	Pass
3720	3730	1	CHP	8	3720.050	-47.57	-40	Pass

6. Adjacent Channel Leakage Ratio

6.1 Test Result

6.1.1 B48_5MHz

Band: 48 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
64QAM	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
256QAM	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

6.1.2 B48_10MHz

Band: 48 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3555	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

	3625	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3695	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	3555	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3695	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
64QAM	3555	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3695	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
256QAM	3555	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3695	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

6.1.3 B48_15MHz

Band: 48 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3557.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3692.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	3557.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3692.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

64QAM	3557.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	3692.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
256QAM	3557.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	3625	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	3692.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass


6.1.4 B48_20MHz

Band: 48 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3560	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	3625	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	3690	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
16QAM	3560	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	3625	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	3690	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
64QAM	3560	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	3625	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	3690	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
256QAM	3560	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	3625	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	


	3690	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph

6.2.1 B48_5MHz




Band48 5MHz QPSK LCH 3552.5MHz RB 25 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	13.23	/	/	/	/
Adjacent	-5	5.00	-30.60	-43.83	-30	13.83	Pass
Adjacent	5	5.00	-28.75	-41.98	-30	11.98	Pass

Band48 5MHz QPSK MCH 3625MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	12.94	/	/	/	/
Adjacent	-5	5.00	-29.32	-42.26	-30	12.26	Pass
Adjacent	5	5.00	-40.15	-53.09	-30	23.09	Pass

Band48 5MHz QPSK MCH 3625MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	13.82	/	/	/	/
Adjacent	-5	5.00	-40.28	-54.10	-30	24.10	Pass
Adjacent	5	5.00	-28.50	-42.32	-30	12.32	Pass

Band48 5MHz QPSK MCH 3625MHz RB 25 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	12.64	/	/	/	/
Adjacent	-5	5.00	-29.95	-42.59	-30	12.59	Pass
Adjacent	5	5.00	-30.82	-43.46	-30	13.46	Pass

Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	14.55	/	/	/	/
Adjacent	-5	5.00	-27.13	-41.68	-30	11.68	Pass
Adjacent	5	5.00	-39.77	-54.32	-30	24.32	Pass

Band48 5MHz QPSK HCH 3697.5MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	14.06	/	/	/	/
Adjacent	-5	5.00	-39.83	-53.89	-30	23.89	Pass
Adjacent	5	5.00	-28.25	-42.31	-30	12.31	Pass

Band48 5MHz QPSK HCH 3697.5MHz RB 25 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	13.20	/	/	/	/
Adjacent	-5	5.00	-30.26	-43.46	-30	13.46	Pass
Adjacent	5	5.00	-29.72	-42.92	-30	12.92	Pass

Band48 5MHz 16QAM LCH 3552.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	12.18	/	/	/	/
Adjacent	-5	5.00	-31.51	-43.69	-30	13.69	Pass
Adjacent	5	5.00	-43.60	-55.78	-30	25.78	Pass

Band48 5MHz 16QAM LCH 3552.5MHz RB 1 24 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	12.79	/	/	/	/
Adjacent	-5	5.00	-43.56	-56.35	-30	26.35	Pass
Adjacent	5	5.00	-28.77	-41.56	-30	11.56	Pass

Band48 5MHz 16QAM LCH 3552.5MHz RB 25 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	11.97	/	/	/	/
Adjacent	-5	5.00	-30.47	-42.44	-30	12.44	Pass
Adjacent	5	5.00	-32.20	-44.17	-30	14.17	Pass


Band48 5MHz 16QAM MCH 3625MHz RB 1 0 NTV



Band48 5MHz 16QAM MCH 3625MHz RB 1 24 NTV




Band48 5MHz 16QAM MCH 3625MHz RB 25 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	11.65	/	/	/	/
Adjacent	-5	5.00	-31.03	-42.68	-30	12.68	Pass
Adjacent	5	5.00	-30.62	-42.27	-30	12.27	Pass

Band48 5MHz 16QAM HCH 3697.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	13.12	/	/	/	/
Adjacent	-5	5.00	-29.18	-42.30	-30	12.30	Pass
Adjacent	5	5.00	-39.89	-53.01	-30	23.01	Pass

Band48 5MHz 16QAM HCH 3697.5MHz RB 1 24 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	13.53	/	/	/	/
Adjacent	-5	5.00	-39.91	-53.44	-30	23.44	Pass
Adjacent	5	5.00	-28.35	-41.88	-30	11.88	Pass

Band48 5MHz 16QAM HCH 3697.5MHz RB 25 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	11.78	/	/	/	/
Adjacent	-5	5.00	-28.72	-40.50	-30	10.50	Pass
Adjacent	5	5.00	-30.25	-42.03	-30	12.03	Pass

Band48 5MHz 64QAM LCH 3552.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	12.50	/	/	/	/
Adjacent	-5	5.00	-28.93	-41.43	-30	11.43	Pass
Adjacent	5	5.00	-43.73	-56.23	-30	26.23	Pass

Band48 5MHz 64QAM LCH 3552.5MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	11.51	/	/	/	/
Adjacent	-5	5.00	-43.59	-55.10	-30	25.10	Pass
Adjacent	5	5.00	-32.24	-43.75	-30	13.75	Pass

Band48 5MHz 64QAM LCH 3552.5MHz RB 25 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	11.83	/	/	/	/
Adjacent	-5	5.00	-31.99	-43.82	-30	13.82	Pass
Adjacent	5	5.00	-31.61	-43.44	-30	13.44	Pass

Band48 5MHz 64QAM MCH 3625MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	12.47	/	/	/	/
Adjacent	-5	5.00	-30.85	-43.32	-30	13.32	Pass
Adjacent	5	5.00	-40.33	-52.80	-30	22.80	Pass

Band48 5MHz 64QAM MCH 3625MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	11.41	/	/	/	/
Adjacent	-5	5.00	-40.54	-51.95	-30	21.95	Pass
Adjacent	5	5.00	-30.09	-41.50	-30	11.50	Pass

Band48 5MHz 64QAM MCH 3625MHz RB 25 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	11.06	/	/	/	/
Adjacent	-5	5.00	-31.70	-42.76	-30	12.76	Pass
Adjacent	5	5.00	-33.38	-44.44	-30	14.44	Pass

Band48 5MHz 64QAM HCH 3697.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	12.17	/	/	/	/
Adjacent	-5	5.00	-30.99	-43.16	-30	13.16	Pass
Adjacent	5	5.00	-39.91	-52.08	-30	22.08	Pass

Band48 5MHz 64QAM HCH 3697.5MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	12.23	/	/	/	/
Adjacent	-5	5.00	-40.06	-52.29	-30	22.29	Pass
Adjacent	5	5.00	-31.20	-43.43	-30	13.43	Pass

Band48 5MHz 64QAM HCH 3697.5MHz RB 25 0 NTN




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	11.04	/	/	/	/
Adjacent	-5	5.00	-34.26	-45.30	-30	15.30	Pass
Adjacent	5	5.00	-33.56	-44.60	-30	14.60	Pass

Band48 5MHz 256QAM LCH 3552.5MHz RB 1 0 NTN




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	10.09	/	/	/	/
Adjacent	-5	5.00	-32.98	-43.07	-30	13.07	Pass
Adjacent	5	5.00	-44.32	-54.41	-30	24.41	Pass


Band48 5MHz 256QAM LCH 3552.5MHz RB 1 24 NTN



Band48 5MHz 256QAM LCH 3552.5MHz RB 25 0 NTN




Band48 5MHz 256QAM MCH 3625MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	8.72	/	/	/	/
Adjacent	-5	5.00	-34.92	-43.64	-30	13.64	Pass
Adjacent	5	5.00	-40.55	-49.27	-30	19.27	Pass

Band48 5MHz 256QAM MCH 3625MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	9.07	/	/	/	/
Adjacent	-5	5.00	-40.65	-49.72	-30	19.72	Pass
Adjacent	5	5.00	-33.99	-43.06	-30	13.06	Pass

Band48 5MHz 256QAM MCH 3625MHz RB 25 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	8.73	/	/	/	/
Adjacent	-5	5.00	-34.56	-43.29	-30	13.29	Pass
Adjacent	5	5.00	-34.82	-43.55	-30	13.55	Pass

Band48 5MHz 256QAM HCH 3697.5MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	9.59	/	/	/	/
Adjacent	-5	5.00	-35.32	-44.91	-30	14.91	Pass
Adjacent	5	5.00	-40.15	-49.74	-30	19.74	Pass

Band48_5MHz_256QAM_HCH_3697.5MHz_RB_1_24_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	8.72	/	/	/	/
Adjacent	-5	5.00	-40.22	-48.94	-30	18.94	Pass
Adjacent	5	5.00	-33.57	-42.29	-30	12.29	Pass

Band48_5MHz_256QAM_HCH_3697.5MHz_RB_25_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	9.44	/	/	/	/
Adjacent	-5	5.00	-34.30	-43.74	-30	13.74	Pass
Adjacent	5	5.00	-34.56	-44.00	-30	14.00	Pass

6.2.2 B48_10MHz




Band48 10MHz QPSK LCH 3555MHz RB 50 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.01	/	/	/	/
Adjacent	-10	10.00	-30.40	-43.41	-30	13.41	Pass
Adjacent	10	10.00	-31.40	-44.41	-30	14.41	Pass

Band48 10MHz QPSK MCH 3625MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.77	/	/	/	/
Adjacent	-10	10.00	-34.29	-48.06	-30	18.06	Pass
Adjacent	10	10.00	-37.46	-51.23	-30	21.23	Pass

Band48_10MHz_QPSK_MCH_3625MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.96	/	/	/	/
Adjacent	-10	10.00	-37.60	-51.56	-30	21.56	Pass
Adjacent	10	10.00	-33.23	-47.19	-30	17.19	Pass

Band48_10MHz_QPSK_MCH_3625MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.91	/	/	/	/
Adjacent	-10	10.00	-31.19	-44.10	-30	14.10	Pass
Adjacent	10	10.00	-31.18	-44.09	-30	14.09	Pass


Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTV



Band48 10MHz QPSK HCH 3695MHz RB 1 49 NTV




Band48_10MHz_QPSK_HCH_3695MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.45	/	/	/	/
Adjacent	-10	10.00	-32.38	-45.83	-30	15.83	Pass
Adjacent	10	10.00	-32.00	-45.45	-30	15.45	Pass

Band48_10MHz_16QAM_LCH_3555MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.63	/	/	/	/
Adjacent	-10	10.00	-33.89	-47.52	-30	17.52	Pass
Adjacent	10	10.00	-41.19	-54.82	-30	24.82	Pass

Band48 10MHz 16QAM LCH 3555MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.41	/	/	/	/
Adjacent	-10	10.00	-41.29	-54.70	-30	24.70	Pass
Adjacent	10	10.00	-35.97	-49.38	-30	19.38	Pass

Band48 10MHz 16QAM LCH 3555MHz RB 50 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.11	/	/	/	/
Adjacent	-10	10.00	-32.84	-44.95	-30	14.95	Pass
Adjacent	10	10.00	-32.86	-44.97	-30	14.97	Pass

Band48 10MHz 16QAM MCH 3625MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.63	/	/	/	/
Adjacent	-10	10.00	-34.56	-47.19	-30	17.19	Pass
Adjacent	10	10.00	-37.44	-50.07	-30	20.07	Pass

Band48 10MHz 16QAM MCH 3625MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.18	/	/	/	/
Adjacent	-10	10.00	-37.75	-50.93	-30	20.93	Pass
Adjacent	10	10.00	-34.62	-47.80	-30	17.80	Pass

Band48 10MHz 16QAM MCH 3625MHz RB 50 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.75	/	/	/	/
Adjacent	-10	10.00	-32.73	-44.48	-30	14.48	Pass
Adjacent	10	10.00	-32.66	-44.41	-30	14.41	Pass

Band48 10MHz 16QAM HCH 3695MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.76	/	/	/	/
Adjacent	-10	10.00	-33.70	-46.46	-30	16.46	Pass
Adjacent	10	10.00	-37.15	-49.91	-30	19.91	Pass

Band48 10MHz 16QAM HCH 3695MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.95	/	/	/	/
Adjacent	-10	10.00	-37.30	-50.25	-30	20.25	Pass
Adjacent	10	10.00	-34.34	-47.29	-30	17.29	Pass

Band48 10MHz 16QAM HCH 3695MHz RB 50 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.21	/	/	/	/
Adjacent	-10	10.00	-33.15	-45.36	-30	15.36	Pass
Adjacent	10	10.00	-33.18	-45.39	-30	15.39	Pass

Band48 10MHz 64QAM LCH 3555MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.22	/	/	/	/
Adjacent	-10	10.00	-36.62	-48.84	-30	18.84	Pass
Adjacent	10	10.00	-41.28	-53.50	-30	23.50	Pass

Band48 10MHz 64QAM LCH 3555MHz RB 1 49 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.30	/	/	/	/
Adjacent	-10	10.00	-41.22	-53.52	-30	23.52	Pass
Adjacent	10	10.00	-35.81	-48.11	-30	18.11	Pass

Band48 10MHz 64QAM LCH 3555MHz RB 50 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.33	/	/	/	/
Adjacent	-10	10.00	-33.95	-45.28	-30	15.28	Pass
Adjacent	10	10.00	-33.91	-45.24	-30	15.24	Pass

Band48 10MHz 64QAM MCH 3625MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.81	/	/	/	/
Adjacent	-10	10.00	-35.41	-47.22	-30	17.22	Pass
Adjacent	10	10.00	-37.54	-49.35	-30	19.35	Pass

Band48 10MHz 64QAM MCH 3625MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.60	/	/	/	/
Adjacent	-10	10.00	-37.77	-49.37	-30	19.37	Pass
Adjacent	10	10.00	-35.21	-46.81	-30	16.81	Pass

Band48 10MHz 64QAM MCH 3625MHz RB 50 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.87	/	/	/	/
Adjacent	-10	10.00	-35.13	-46.00	-30	16.00	Pass
Adjacent	10	10.00	-35.18	-46.05	-30	16.05	Pass

Band48_10MHz_64QAM_HCH_3695MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.21	/	/	/	/
Adjacent	-10	10.00	-35.07	-47.28	-30	17.28	Pass
Adjacent	10	10.00	-37.19	-49.40	-30	19.40	Pass

Band48_10MHz_64QAM_HCH_3695MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.39	/	/	/	/
Adjacent	-10	10.00	-37.35	-48.74	-30	18.74	Pass
Adjacent	10	10.00	-35.06	-46.45	-30	16.45	Pass

Band48 10MHz 64QAM HCH 3695MHz RB 50 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.18	/	/	/	/
Adjacent	-10	10.00	-34.80	-45.98	-30	15.98	Pass
Adjacent	10	10.00	-34.96	-46.14	-30	16.14	Pass

Band48 10MHz 256QAM LCH 3555MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.08	/	/	/	/
Adjacent	-10	10.00	-38.99	-48.07	-30	18.07	Pass
Adjacent	10	10.00	-41.62	-50.70	-30	20.70	Pass

Band48 10MHz 256QAM LCH 3555MHz RB 1 49 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	8.75	/	/	/	/
Adjacent	-10	10.00	-41.62	-50.37	-30	20.37	Pass
Adjacent	10	10.00	-38.06	-46.81	-30	16.81	Pass

Band48 10MHz 256QAM LCH 3555MHz RB 50 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.28	/	/	/	/
Adjacent	-10	10.00	-36.25	-45.53	-30	15.53	Pass
Adjacent	10	10.00	-37.04	-46.32	-30	16.32	Pass

Band48 10MHz 256QAM MCH 3625MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	8.59	/	/	/	/
Adjacent	-10	10.00	-36.29	-44.88	-30	14.88	Pass
Adjacent	10	10.00	-37.64	-46.23	-30	16.23	Pass

Band48 10MHz 256QAM MCH 3625MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	8.85	/	/	/	/
Adjacent	-10	10.00	-37.83	-46.68	-30	16.68	Pass
Adjacent	10	10.00	-36.37	-45.22	-30	15.22	Pass

Band48_10MHz_256QAM_MCH_3625MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	8.54	/	/	/	/
Adjacent	-10	10.00	-35.78	-44.32	-30	14.32	Pass
Adjacent	10	10.00	-35.83	-44.37	-30	14.37	Pass

Band48_10MHz_256QAM_HCH_3695MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.47	/	/	/	/
Adjacent	-10	10.00	-36.00	-45.47	-30	15.47	Pass
Adjacent	10	10.00	-37.37	-46.84	-30	16.84	Pass

Band48 10MHz 256QAM HCH 3695MHz RB 1 49 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.52	/	/	/	/
Adjacent	-10	10.00	-37.49	-47.01	-30	17.01	Pass
Adjacent	10	10.00	-35.79	-45.31	-30	15.31	Pass

Band48 10MHz 256QAM HCH 3695MHz RB 50 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.37	/	/	/	/
Adjacent	-10	10.00	-34.25	-43.62	-30	13.62	Pass
Adjacent	10	10.00	-34.10	-43.47	-30	13.47	Pass

6.2.3 B48_15MHz




Band48 15MHz QPSK LCH 3557.5MHz RB 75 0 NTV




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.88	/	/	/	/
Adjacent	-15	15.00	-26.17	-39.05	-30	9.05	Pass
Adjacent	15	15.00	-26.89	-39.77	-30	9.77	Pass

Band48 15MHz QPSK MCH 3625MHz RB 1 0 NTV




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.25	/	/	/	/
Adjacent	-15	15.00	-33.08	-46.33	-30	16.33	Pass
Adjacent	15	15.00	-35.68	-48.93	-30	18.93	Pass

Band48_15MHz_QPSK_MCH_3625MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.78	/	/	/	/
Adjacent	-15	15.00	-36.01	-49.79	-30	19.79	Pass
Adjacent	15	15.00	-33.22	-47.00	-30	17.00	Pass

Band48_15MHz_QPSK_MCH_3625MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.51	/	/	/	/
Adjacent	-15	15.00	-29.65	-42.16	-30	12.16	Pass
Adjacent	15	15.00	-29.83	-42.34	-30	12.34	Pass

Band48 15MHz QPSK HCH 3692.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.52	/	/	/	/
Adjacent	-15	15.00	-33.28	-46.80	-30	16.80	Pass
Adjacent	15	15.00	-35.40	-48.92	-30	18.92	Pass

Band48 15MHz QPSK HCH 3692.5MHz RB 1 74 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.97	/	/	/	/
Adjacent	-15	15.00	-35.64	-49.61	-30	19.61	Pass
Adjacent	15	15.00	-32.65	-46.62	-30	16.62	Pass

Band48 15MHz QPSK HCH 3692.5MHz RB 75 0 NTN




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.99	/	/	/	/
Adjacent	-15	15.00	-30.22	-43.21	-30	13.21	Pass
Adjacent	15	15.00	-30.39	-43.38	-30	13.38	Pass

Band48 15MHz 16QAM LCH 3557.5MHz RB 1 0 NTN




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.90	/	/	/	/
Adjacent	-15	15.00	-34.90	-47.80	-30	17.80	Pass
Adjacent	15	15.00	-39.57	-52.47	-30	22.47	Pass

Band48 15MHz 16QAM LCH 3557.5MHz RB 1 74 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.77	/	/	/	/
Adjacent	-15	15.00	-39.76	-52.53	-30	22.53	Pass
Adjacent	15	15.00	-34.84	-47.61	-30	17.61	Pass

Band48 15MHz 16QAM LCH 3557.5MHz RB 75 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.09	/	/	/	/
Adjacent	-15	15.00	-32.42	-44.51	-30	14.51	Pass
Adjacent	15	15.00	-33.27	-45.36	-30	15.36	Pass

Band48 15MHz 16QAM MCH 3625MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.24	/	/	/	/
Adjacent	-15	15.00	-33.21	-46.45	-30	16.45	Pass
Adjacent	15	15.00	-35.77	-49.01	-30	19.01	Pass

Band48 15MHz 16QAM MCH 3625MHz RB 1 74 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.08	/	/	/	/
Adjacent	-15	15.00	-36.04	-49.12	-30	19.12	Pass
Adjacent	15	15.00	-33.02	-46.10	-30	16.10	Pass


Band48 15MHz 16QAM MCH 3625MHz RB 75 0 NTN



Band48 15MHz 16QAM HCH 3692.5MHz RB 1 0 NTN




Band48_15MHz_16QAM_HCH_3692.5MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.03	/	/	/	/
Adjacent	-15	15.00	-35.70	-48.73	-30	18.73	Pass
Adjacent	15	15.00	-33.48	-46.51	-30	16.51	Pass

Band48_15MHz_16QAM_HCH_3692.5MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.83	/	/	/	/
Adjacent	-15	15.00	-32.66	-44.49	-30	14.49	Pass
Adjacent	15	15.00	-32.72	-44.55	-30	14.55	Pass

Band48 15MHz 64QAM LCH 3557.5MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.16	/	/	/	/
Adjacent	-15	15.00	-33.11	-45.27	-30	15.27	Pass
Adjacent	15	15.00	-39.64	-51.80	-30	21.80	Pass

Band48 15MHz 64QAM LCH 3557.5MHz RB 1 74 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.47	/	/	/	/
Adjacent	-15	15.00	-39.78	-51.25	-30	21.25	Pass
Adjacent	15	15.00	-34.31	-45.78	-30	15.78	Pass


Band48_15MHz_64QAM_LCH_3557.5MHz_RB_75_0_NTNV



Band48_15MHz_64QAM_MCH_3625MHz_RB_1_0_NTNV




Band48 15MHz 64QAM MCH 3625MHz RB 1 74 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.86	/	/	/	/
Adjacent	-15	15.00	-36.10	-47.96	-30	17.96	Pass
Adjacent	15	15.00	-34.03	-45.89	-30	15.89	Pass

Band48 15MHz 64QAM MCH 3625MHz RB 75_0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	10.54	/	/	/	/
Adjacent	-15	15.00	-34.42	-44.96	-30	14.96	Pass
Adjacent	15	15.00	-34.49	-45.03	-30	15.03	Pass

Band48 15MHz 64QAM HCH 3692.5MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.57	/	/	/	/
Adjacent	-15	15.00	-34.29	-45.86	-30	15.86	Pass
Adjacent	15	15.00	-35.54	-47.11	-30	17.11	Pass

Band48 15MHz 64QAM HCH 3692.5MHz RB 1 74 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.13	/	/	/	/
Adjacent	-15	15.00	-35.76	-47.89	-30	17.89	Pass
Adjacent	15	15.00	-33.61	-45.74	-30	15.74	Pass

Band48 15MHz 64QAM HCH 3692.5MHz RB 75 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.01	/	/	/	/
Adjacent	-15	15.00	-34.63	-45.64	-30	15.64	Pass
Adjacent	15	15.00	-34.52	-45.53	-30	15.53	Pass

Band48 15MHz 256QAM LCH 3557.5MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	9.41	/	/	/	/
Adjacent	-15	15.00	-37.02	-46.43	-30	16.43	Pass
Adjacent	15	15.00	-39.78	-49.19	-30	19.19	Pass

Band48 15MHz 256QAM LCH 3557.5MHz RB 1 74 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	8.51	/	/	/	/
Adjacent	-15	15.00	-39.91	-48.42	-30	18.42	Pass
Adjacent	15	15.00	-37.74	-46.25	-30	16.25	Pass

Band48 15MHz 256QAM LCH 3557.5MHz RB 75 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	9.11	/	/	/	/
Adjacent	-15	15.00	-35.79	-44.90	-30	14.90	Pass
Adjacent	15	15.00	-36.58	-45.69	-30	15.69	Pass

Band48 15MHz 256QAM MCH 3625MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	9.03	/	/	/	/
Adjacent	-15	15.00	-34.78	-43.81	-30	13.81	Pass
Adjacent	15	15.00	-35.80	-44.83	-30	14.83	Pass

Band48 15MHz 256QAM MCH 3625MHz RB 1 74 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	8.49	/	/	/	/
Adjacent	-15	15.00	-36.09	-44.58	-30	14.58	Pass
Adjacent	15	15.00	-34.91	-43.40	-30	13.40	Pass

Band48 15MHz 256QAM MCH 3625MHz RB 75 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	8.77	/	/	/	/
Adjacent	-15	15.00	-34.74	-43.51	-30	13.51	Pass
Adjacent	15	15.00	-34.66	-43.43	-30	13.43	Pass

Band48 15MHz 256QAM HCH 3692.5MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	8.87	/	/	/	/
Adjacent	-15	15.00	-34.74	-43.61	-30	13.61	Pass
Adjacent	15	15.00	-35.52	-44.39	-30	14.39	Pass

Band48 15MHz 256QAM HCH 3692.5MHz RB 1 74 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	9.39	/	/	/	/
Adjacent	-15	15.00	-35.77	-45.16	-30	15.16	Pass
Adjacent	15	15.00	-34.43	-43.82	-30	13.82	Pass

Band48 15MHz 256QAM HCH 3692.5MHz RB 75 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	9.04	/	/	/	/
Adjacent	-15	15.00	-33.77	-42.81	-30	12.81	Pass
Adjacent	15	15.00	-33.29	-42.33	-30	12.33	Pass

6.2.4 B48_20MHz




Band48 20MHz QPSK LCH 3560MHz RB 100 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	12.89	/	/	/	/
Adjacent	-20	20.00	-30.32	-43.21	-30	13.21	Pass
Adjacent	20	20.00	-31.48	-44.37	-30	14.37	Pass

Band48 20MHz QPSK MCH 3625MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	13.89	/	/	/	/
Adjacent	-20	20.00	-32.54	-46.43	-30	16.43	Pass
Adjacent	20	20.00	-34.50	-48.39	-30	18.39	Pass

Band48 20MHz QPSK MCH 3625MHz RB 1 99 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	13.60	/	/	/	/
Adjacent	-20	20.00	-34.90	-48.50	-30	18.50	Pass
Adjacent	20	20.00	-32.66	-46.26	-30	16.26	Pass

Band48 20MHz QPSK MCH 3625MHz RB 100 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	12.82	/	/	/	/
Adjacent	-20	20.00	-31.06	-43.88	-30	13.88	Pass
Adjacent	20	20.00	-31.61	-44.43	-30	14.43	Pass

Band48 20MHz QPSK HCH 3690MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	14.65	/	/	/	/
Adjacent	-20	20.00	-32.32	-46.97	-30	16.97	Pass
Adjacent	20	20.00	-34.23	-48.88	-30	18.88	Pass

Band48 20MHz QPSK HCH 3690MHz RB 1 99 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	12.82	/	/	/	/
Adjacent	-20	20.00	-34.41	-47.23	-30	17.23	Pass
Adjacent	20	20.00	-32.45	-45.27	-30	15.27	Pass


Band48 20MHz QPSK HCH 3690MHz RB 100 0 NTV



Band48 20MHz 16QAM LCH 3560MHz RB 1 0 NTV




Band48 20MHz 16QAM LCH 3560MHz RB 1 99 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	12.47	/	/	/	/
Adjacent	-20	20.00	-35.43	-47.90	-30	17.90	Pass
Adjacent	20	20.00	-33.54	-46.01	-30	16.01	Pass

Band48 20MHz 16QAM LCH 3560MHz RB 100 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	11.85	/	/	/	/
Adjacent	-20	20.00	-31.69	-43.54	-30	13.54	Pass
Adjacent	20	20.00	-32.39	-44.24	-30	14.24	Pass

Band48 20MHz 16QAM MCH 3625MHz RB 1 0 NTV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	12.36	/	/	/	/
Adjacent	-20	20.00	-33.07	-45.43	-30	15.43	Pass
Adjacent	20	20.00	-34.54	-46.90	-30	16.90	Pass

Band48 20MHz 16QAM MCH 3625MHz RB 1 99 NTV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	12.37	/	/	/	/
Adjacent	-20	20.00	-34.94	-47.31	-30	17.31	Pass
Adjacent	20	20.00	-33.05	-45.42	-30	15.42	Pass