

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	24.81	-2.84	21.97	<=30	Pass
			2	24.89	-2.84	22.05	<=30	Pass
			5	24.84	-2.84	22.00	<=30	Pass
		3	0	24.87	-2.84	22.03	<=30	Pass
			2	24.88	-2.84	22.04	<=30	Pass
			3	24.88	-2.84	22.04	<=30	Pass
		6	0	23.88	-2.84	21.04	<=30	Pass
	1745	1	0	24.94	-2.84	22.10	<=30	Pass
			2	24.97	-2.84	22.13	<=30	Pass
			5	24.91	-2.84	22.07	<=30	Pass
		3	0	24.97	-2.84	22.13	<=30	Pass
			2	24.92	-2.84	22.08	<=30	Pass
			3	24.94	-2.84	22.10	<=30	Pass
		6	0	23.93	-2.84	21.09	<=30	Pass
	1779.3	1	0	24.48	-2.84	21.64	<=30	Pass
			2	24.48	-2.84	21.64	<=30	Pass
			5	24.51	-2.84	21.67	<=30	Pass
		3	0	24.48	-2.84	21.64	<=30	Pass
			2	24.47	-2.84	21.63	<=30	Pass
			3	24.46	-2.84	21.62	<=30	Pass
		6	0	23.45	-2.84	20.61	<=30	Pass
16QAM	1710.7	1	0	23.98	-2.84	21.14	<=30	Pass
			2	23.99	-2.84	21.15	<=30	Pass
			5	23.95	-2.84	21.11	<=30	Pass
		3	0	23.93	-2.84	21.09	<=30	Pass
			2	23.90	-2.84	21.06	<=30	Pass
			3	23.94	-2.84	21.10	<=30	Pass
		6	0	22.88	-2.84	20.04	<=30	Pass
	1745	1	0	24.06	-2.84	21.22	<=30	Pass
			2	24.06	-2.84	21.22	<=30	Pass
			5	23.93	-2.84	21.09	<=30	Pass
		3	0	24.05	-2.84	21.21	<=30	Pass
			2	24.04	-2.84	21.20	<=30	Pass
			3	24.05	-2.84	21.21	<=30	Pass
		6	0	22.94	-2.84	20.10	<=30	Pass
	1779.3	1	0	23.49	-2.84	20.65	<=30	Pass
			2	23.56	-2.84	20.72	<=30	Pass
			5	23.39	-2.84	20.55	<=30	Pass
		3	0	23.55	-2.84	20.71	<=30	Pass
			2	23.56	-2.84	20.72	<=30	Pass
			3	23.52	-2.84	20.68	<=30	Pass
		6	0	22.39	-2.84	19.55	<=30	Pass
64QAM	1710.7	1	0	23.01	-2.84	20.17	<=30	Pass
			2	23.10	-2.84	20.26	<=30	Pass
			5	23.08	-2.84	20.24	<=30	Pass
		3	0	22.97	-2.84	20.13	<=30	Pass
			2	23.05	-2.84	20.21	<=30	Pass
			3	22.97	-2.84	20.13	<=30	Pass
		6	0	21.91	-2.84	19.07	<=30	Pass

	1745	1	0	23.11	-2.84	20.27	<=30	Pass
			2	23.14	-2.84	20.30	<=30	Pass
			5	23.01	-2.84	20.17	<=30	Pass
		3	0	23.11	-2.84	20.27	<=30	Pass
			2	23.08	-2.84	20.24	<=30	Pass
			3	23.09	-2.84	20.25	<=30	Pass
		6	0	21.98	-2.84	19.14	<=30	Pass
	1779.3	1	0	22.76	-2.84	19.92	<=30	Pass
			2	22.78	-2.84	19.94	<=30	Pass
			5	22.76	-2.84	19.92	<=30	Pass
		3	0	22.59	-2.84	19.75	<=30	Pass
			2	22.57	-2.84	19.73	<=30	Pass
			3	22.59	-2.84	19.75	<=30	Pass
		6	0	21.51	-2.84	18.67	<=30	Pass
256QAM	1710.7	1	0	19.98	-2.84	17.14	<=30	Pass
			2	20.02	-2.84	17.18	<=30	Pass
			5	20.04	-2.84	17.20	<=30	Pass
		3	0	19.94	-2.84	17.10	<=30	Pass
			2	19.94	-2.84	17.10	<=30	Pass
			3	19.96	-2.84	17.12	<=30	Pass
		6	0	19.89	-2.84	17.05	<=30	Pass
	1745	1	0	20.05	-2.84	17.21	<=30	Pass
			2	20.12	-2.84	17.28	<=30	Pass
			5	20.04	-2.84	17.20	<=30	Pass
		3	0	20.01	-2.84	17.17	<=30	Pass
			2	20.04	-2.84	17.20	<=30	Pass
			3	19.97	-2.84	17.13	<=30	Pass
		6	0	19.96	-2.84	17.12	<=30	Pass
	1779.3	1	0	19.53	-2.84	16.69	<=30	Pass
			2	19.53	-2.84	16.69	<=30	Pass
			5	19.48	-2.84	16.64	<=30	Pass
		3	0	19.54	-2.84	16.70	<=30	Pass
			2	19.54	-2.84	16.70	<=30	Pass
			3	19.58	-2.84	16.74	<=30	Pass
		6	0	19.46	-2.84	16.62	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	24.80	-2.84	21.96	<=30	Pass
			7	24.95	-2.84	22.11	<=30	Pass
			14	24.85	-2.84	22.01	<=30	Pass
		8	0	23.94	-2.84	21.10	<=30	Pass
			4	23.94	-2.84	21.10	<=30	Pass
			7	23.94	-2.84	21.10	<=30	Pass
		15	0	23.94	-2.84	21.10	<=30	Pass
	1745	1	0	24.86	-2.84	22.02	<=30	Pass
			7	24.99	-2.84	22.15	<=30	Pass
			14	24.89	-2.84	22.05	<=30	Pass
		8	0	23.97	-2.84	21.13	<=30	Pass
			4	23.97	-2.84	21.13	<=30	Pass
			7	23.94	-2.84	21.10	<=30	Pass
	1778.5	15	0	23.98	-2.84	21.14	<=30	Pass
	1778.5	1	0	24.42	-2.84	21.58	<=30	Pass

		8	7	24.48	-2.84	21.64	<=30	Pass
			14	24.42	-2.84	21.58	<=30	Pass
			0	23.49	-2.84	20.65	<=30	Pass
			4	23.52	-2.84	20.68	<=30	Pass
			7	23.48	-2.84	20.64	<=30	Pass
		15	0	23.46	-2.84	20.62	<=30	Pass
16QAM	1711.5	1	0	24.01	-2.84	21.17	<=30	Pass
			7	24.16	-2.84	21.32	<=30	Pass
			14	24.01	-2.84	21.17	<=30	Pass
		8	0	22.91	-2.84	20.07	<=30	Pass
			4	22.97	-2.84	20.13	<=30	Pass
			7	22.97	-2.84	20.13	<=30	Pass
		15	0	22.92	-2.84	20.08	<=30	Pass
	1745	1	0	24.01	-2.84	21.17	<=30	Pass
			7	24.15	-2.84	21.31	<=30	Pass
			14	23.97	-2.84	21.13	<=30	Pass
		8	0	23.00	-2.84	20.16	<=30	Pass
			4	23.05	-2.84	20.21	<=30	Pass
			7	22.96	-2.84	20.12	<=30	Pass
		15	0	22.97	-2.84	20.13	<=30	Pass
	1778.5	1	0	23.50	-2.84	20.66	<=30	Pass
			7	23.59	-2.84	20.75	<=30	Pass
			14	23.52	-2.84	20.68	<=30	Pass
		8	0	22.45	-2.84	19.61	<=30	Pass
			4	22.51	-2.84	19.67	<=30	Pass
			7	22.49	-2.84	19.65	<=30	Pass
		15	0	22.47	-2.84	19.63	<=30	Pass
64QAM	1711.5	1	0	23.04	-2.84	20.20	<=30	Pass
			7	23.18	-2.84	20.34	<=30	Pass
			14	23.10	-2.84	20.26	<=30	Pass
		8	0	21.97	-2.84	19.13	<=30	Pass
			4	22.01	-2.84	19.17	<=30	Pass
			7	21.93	-2.84	19.09	<=30	Pass
		15	0	21.94	-2.84	19.10	<=30	Pass
	1745	1	0	23.23	-2.84	20.39	<=30	Pass
			7	23.13	-2.84	20.29	<=30	Pass
			14	23.14	-2.84	20.30	<=30	Pass
		8	0	22.00	-2.84	19.16	<=30	Pass
			4	21.99	-2.84	19.15	<=30	Pass
			7	22.01	-2.84	19.17	<=30	Pass
		15	0	21.99	-2.84	19.15	<=30	Pass
	1778.5	1	0	22.59	-2.84	19.75	<=30	Pass
			7	22.58	-2.84	19.74	<=30	Pass
			14	22.58	-2.84	19.74	<=30	Pass
		8	0	21.50	-2.84	18.66	<=30	Pass
			4	21.56	-2.84	18.72	<=30	Pass
			7	21.49	-2.84	18.65	<=30	Pass
		15	0	21.42	-2.84	18.58	<=30	Pass
256QAM	1711.5	1	0	20.03	-2.84	17.19	<=30	Pass
			7	20.08	-2.84	17.24	<=30	Pass
			14	20.01	-2.84	17.17	<=30	Pass
		8	0	19.91	-2.84	17.07	<=30	Pass
			4	19.94	-2.84	17.10	<=30	Pass
			7	19.98	-2.84	17.14	<=30	Pass
		15	0	19.92	-2.84	17.08	<=30	Pass
	1745	1	0	19.99	-2.84	17.15	<=30	Pass
			7	20.17	-2.84	17.33	<=30	Pass
			14	20.00	-2.84	17.16	<=30	Pass
		8	0	20.01	-2.84	17.17	<=30	Pass

			4	19.99	-2.84	17.15	<=30	Pass
			7	19.94	-2.84	17.10	<=30	Pass
		15	0	19.97	-2.84	17.13	<=30	Pass
	1778.5	1	0	19.56	-2.84	16.72	<=30	Pass
			7	19.61	-2.84	16.77	<=30	Pass
			14	19.48	-2.84	16.64	<=30	Pass
		8	0	19.51	-2.84	16.67	<=30	Pass
			4	19.50	-2.84	16.66	<=30	Pass
			7	19.42	-2.84	16.58	<=30	Pass
		15	0	19.47	-2.84	16.63	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	24.82	-2.84	21.98	<=30	Pass
			13	24.99	-2.84	22.15	<=30	Pass
			24	24.94	-2.84	22.10	<=30	Pass
		12	0	23.91	-2.84	21.07	<=30	Pass
			6	23.96	-2.84	21.12	<=30	Pass
			13	23.95	-2.84	21.11	<=30	Pass
		25	0	23.96	-2.84	21.12	<=30	Pass
	1745	1	0	24.94	-2.84	22.10	<=30	Pass
			13	24.98	-2.84	22.14	<=30	Pass
			24	24.87	-2.84	22.03	<=30	Pass
		12	0	23.99	-2.84	21.15	<=30	Pass
			6	23.98	-2.84	21.14	<=30	Pass
			13	23.96	-2.84	21.12	<=30	Pass
		25	0	23.96	-2.84	21.12	<=30	Pass
	1777.5	1	0	24.46	-2.84	21.62	<=30	Pass
			13	24.58	-2.84	21.74	<=30	Pass
			24	24.43	-2.84	21.59	<=30	Pass
		12	0	23.39	-2.84	20.55	<=30	Pass
			6	23.43	-2.84	20.59	<=30	Pass
			13	23.44	-2.84	20.60	<=30	Pass
		25	0	23.41	-2.84	20.57	<=30	Pass
16QAM	1712.5	1	0	23.87	-2.84	21.03	<=30	Pass
			13	24.07	-2.84	21.23	<=30	Pass
			24	23.97	-2.84	21.13	<=30	Pass
		12	0	22.88	-2.84	20.04	<=30	Pass
			6	22.93	-2.84	20.09	<=30	Pass
			13	22.87	-2.84	20.03	<=30	Pass
		25	0	22.95	-2.84	20.11	<=30	Pass
	1745	1	0	24.06	-2.84	21.22	<=30	Pass
			13	24.15	-2.84	21.31	<=30	Pass
			24	23.95	-2.84	21.11	<=30	Pass
		12	0	22.98	-2.84	20.14	<=30	Pass
			6	22.98	-2.84	20.14	<=30	Pass
			13	22.90	-2.84	20.06	<=30	Pass
		25	0	22.98	-2.84	20.14	<=30	Pass
	1777.5	1	0	23.55	-2.84	20.71	<=30	Pass
			13	23.68	-2.84	20.84	<=30	Pass
			24	23.54	-2.84	20.70	<=30	Pass
		12	0	22.47	-2.84	19.63	<=30	Pass
			6	22.41	-2.84	19.57	<=30	Pass

			13	22.50	-2.84	19.66	<=30	Pass	
		25	0	22.39	-2.84	19.55	<=30	Pass	
64QAM	1712.5	1	0	23.00	-2.84	20.16	<=30	Pass	
			13	23.07	-2.84	20.23	<=30	Pass	
			24	23.02	-2.84	20.18	<=30	Pass	
			0	21.84	-2.84	19.00	<=30	Pass	
		12	6	21.97	-2.84	19.13	<=30	Pass	
			13	21.98	-2.84	19.14	<=30	Pass	
			25	0	21.92	-2.84	19.08	<=30	Pass
		1745	1	0	23.12	-2.84	20.28	<=30	Pass
				13	23.10	-2.84	20.26	<=30	Pass
				24	22.97	-2.84	20.13	<=30	Pass
	0			21.94	-2.84	19.10	<=30	Pass	
	12		6	22.10	-2.84	19.26	<=30	Pass	
			13	22.01	-2.84	19.17	<=30	Pass	
			25	0	21.95	-2.84	19.11	<=30	Pass
	1777.5		1	0	22.70	-2.84	19.86	<=30	Pass
		13		22.76	-2.84	19.92	<=30	Pass	
		24		22.67	-2.84	19.83	<=30	Pass	
		0		21.46	-2.84	18.62	<=30	Pass	
		12	6	21.45	-2.84	18.61	<=30	Pass	
			13	21.47	-2.84	18.63	<=30	Pass	
			25	0	21.39	-2.84	18.55	<=30	Pass
		256QAM	1712.5	1	0	19.88	-2.84	17.04	<=30
	13				20.06	-2.84	17.22	<=30	Pass
24	20.15				-2.84	17.31	<=30	Pass	
12	0			19.91	-2.84	17.07	<=30	Pass	
	6			19.95	-2.84	17.11	<=30	Pass	
	13			19.98	-2.84	17.14	<=30	Pass	
25	0			19.93	-2.84	17.09	<=30	Pass	
1745	1		0	19.99	-2.84	17.15	<=30	Pass	
			13	20.09	-2.84	17.25	<=30	Pass	
			24	20.00	-2.84	17.16	<=30	Pass	
	12		0	20.00	-2.84	17.16	<=30	Pass	
			6	20.03	-2.84	17.19	<=30	Pass	
			13	19.91	-2.84	17.07	<=30	Pass	
1777.5	25		0	19.95	-2.84	17.11	<=30	Pass	
			1	0	19.47	-2.84	16.63	<=30	Pass
				13	19.55	-2.84	16.71	<=30	Pass
	24			19.50	-2.84	16.66	<=30	Pass	
	12		0	19.41	-2.84	16.57	<=30	Pass	
			6	19.41	-2.84	16.57	<=30	Pass	
			13	19.46	-2.84	16.62	<=30	Pass	
25	0		19.41	-2.84	16.57	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	24.86	-2.84	22.02	<=30	Pass
			25	24.98	-2.84	22.14	<=30	Pass
			49	24.92	-2.84	22.08	<=30	Pass
		25	0	23.96	-2.84	21.12	<=30	Pass
			13	24.04	-2.84	21.20	<=30	Pass
			25	24.03	-2.84	21.19	<=30	Pass

		50	0	23.97	-2.84	21.13	<=30	Pass
	1745	1	0	24.93	-2.84	22.09	<=30	Pass
			25	24.94	-2.84	22.10	<=30	Pass
			49	24.76	-2.84	21.92	<=30	Pass
			0	23.95	-2.84	21.11	<=30	Pass
		25	13	24.00	-2.84	21.16	<=30	Pass
			25	23.90	-2.84	21.06	<=30	Pass
			50	0	23.89	-2.84	21.05	<=30
	1775	1	0	24.54	-2.84	21.70	<=30	Pass
			25	24.54	-2.84	21.70	<=30	Pass
			49	24.41	-2.84	21.57	<=30	Pass
		25	0	23.49	-2.84	20.65	<=30	Pass
			13	23.54	-2.84	20.70	<=30	Pass
			25	23.48	-2.84	20.64	<=30	Pass
		50	0	23.56	-2.84	20.72	<=30	Pass
16QAM	1715	1	0	24.04	-2.84	21.20	<=30	Pass
			25	24.13	-2.84	21.29	<=30	Pass
			49	24.17	-2.84	21.33	<=30	Pass
		25	0	22.94	-2.84	20.10	<=30	Pass
			13	23.04	-2.84	20.20	<=30	Pass
			25	23.03	-2.84	20.19	<=30	Pass
		50	0	22.99	-2.84	20.15	<=30	Pass
	1745	1	0	24.08	-2.84	21.24	<=30	Pass
			25	24.13	-2.84	21.29	<=30	Pass
			49	23.86	-2.84	21.02	<=30	Pass
		25	0	22.90	-2.84	20.06	<=30	Pass
			13	23.01	-2.84	20.17	<=30	Pass
			25	22.93	-2.84	20.09	<=30	Pass
	50	0	22.86	-2.84	20.02	<=30	Pass	
	1775	1	0	23.65	-2.84	20.81	<=30	Pass
			25	23.61	-2.84	20.77	<=30	Pass
			49	23.47	-2.84	20.63	<=30	Pass
		25	0	22.51	-2.84	19.67	<=30	Pass
			13	22.55	-2.84	19.71	<=30	Pass
			25	22.48	-2.84	19.64	<=30	Pass
		50	0	22.52	-2.84	19.68	<=30	Pass
64QAM	1715	1	0	22.98	-2.84	20.14	<=30	Pass
			25	23.25	-2.84	20.41	<=30	Pass
			49	23.19	-2.84	20.35	<=30	Pass
		25	0	21.95	-2.84	19.11	<=30	Pass
			13	22.05	-2.84	19.21	<=30	Pass
			25	22.01	-2.84	19.17	<=30	Pass
		50	0	21.95	-2.84	19.11	<=30	Pass
	1745	1	0	23.17	-2.84	20.33	<=30	Pass
			25	23.18	-2.84	20.34	<=30	Pass
			49	23.01	-2.84	20.17	<=30	Pass
		25	0	21.94	-2.84	19.10	<=30	Pass
			13	21.99	-2.84	19.15	<=30	Pass
			25	21.90	-2.84	19.06	<=30	Pass
	50	0	21.89	-2.84	19.05	<=30	Pass	
	1775	1	0	22.70	-2.84	19.86	<=30	Pass
			25	22.71	-2.84	19.87	<=30	Pass
			49	22.62	-2.84	19.78	<=30	Pass
		25	0	21.50	-2.84	18.66	<=30	Pass
			13	21.52	-2.84	18.68	<=30	Pass
			25	21.47	-2.84	18.63	<=30	Pass
		50	0	21.51	-2.84	18.67	<=30	Pass
	256QAM	1715	1	0	19.95	-2.84	17.11	<=30
25				20.18	-2.84	17.34	<=30	Pass

		25	49	19.95	-2.84	17.11	<=30	Pass
			0	19.95	-2.84	17.11	<=30	Pass
			13	20.00	-2.84	17.16	<=30	Pass
			25	19.98	-2.84	17.14	<=30	Pass
		50	0	19.99	-2.84	17.15	<=30	Pass
	1745	1	0	20.04	-2.84	17.20	<=30	Pass
			25	20.14	-2.84	17.30	<=30	Pass
			49	19.99	-2.84	17.15	<=30	Pass
		25	0	19.91	-2.84	17.07	<=30	Pass
			13	19.98	-2.84	17.14	<=30	Pass
			25	19.89	-2.84	17.05	<=30	Pass
		50	0	19.86	-2.84	17.02	<=30	Pass
		1775	1	0	19.60	-2.84	16.76	<=30
	25			19.62	-2.84	16.78	<=30	Pass
	49			19.61	-2.84	16.77	<=30	Pass
	25		0	19.52	-2.84	16.68	<=30	Pass
			13	19.55	-2.84	16.71	<=30	Pass
			25	19.48	-2.84	16.64	<=30	Pass
	50		0	19.53	-2.84	16.69	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	24.69	-2.84	21.85	<=30	Pass
			38	24.79	-2.84	21.95	<=30	Pass
			74	24.76	-2.84	21.92	<=30	Pass
		36	0	23.86	-2.84	21.02	<=30	Pass
			18	23.90	-2.84	21.06	<=30	Pass
			39	23.90	-2.84	21.06	<=30	Pass
		75	0	23.87	-2.84	21.03	<=30	Pass
	1745	1	0	24.79	-2.84	21.95	<=30	Pass
			38	24.76	-2.84	21.92	<=30	Pass
			74	24.58	-2.84	21.74	<=30	Pass
		36	0	23.83	-2.84	20.99	<=30	Pass
			18	23.77	-2.84	20.93	<=30	Pass
			39	23.75	-2.84	20.91	<=30	Pass
		75	0	23.74	-2.84	20.90	<=30	Pass
	1772.5	1	0	24.46	-2.84	21.62	<=30	Pass
			38	24.41	-2.84	21.57	<=30	Pass
			74	24.21	-2.84	21.37	<=30	Pass
		36	0	23.46	-2.84	20.62	<=30	Pass
			18	23.38	-2.84	20.54	<=30	Pass
			39	23.36	-2.84	20.52	<=30	Pass
		75	0	23.37	-2.84	20.53	<=30	Pass
16QAM	1717.5	1	0	23.91	-2.84	21.07	<=30	Pass
			38	24.10	-2.84	21.26	<=30	Pass
			74	24.01	-2.84	21.17	<=30	Pass
		36	0	22.90	-2.84	20.06	<=30	Pass
			18	22.91	-2.84	20.07	<=30	Pass
			39	22.89	-2.84	20.05	<=30	Pass
		75	0	22.90	-2.84	20.06	<=30	Pass
	1745	1	0	23.93	-2.84	21.09	<=30	Pass
			38	23.94	-2.84	21.10	<=30	Pass
			74	23.78	-2.84	20.94	<=30	Pass

		36	0	22.83	-2.84	19.99	<=30	Pass
			18	22.78	-2.84	19.94	<=30	Pass
			39	22.74	-2.84	19.90	<=30	Pass
		75	0	22.73	-2.84	19.89	<=30	Pass
	1772.5	1	0	23.63	-2.84	20.79	<=30	Pass
			38	23.57	-2.84	20.73	<=30	Pass
			74	23.43	-2.84	20.59	<=30	Pass
		36	0	22.47	-2.84	19.63	<=30	Pass
			18	22.39	-2.84	19.55	<=30	Pass
			39	22.39	-2.84	19.55	<=30	Pass
		75	0	22.40	-2.84	19.56	<=30	Pass
64QAM	1717.5	1	0	22.90	-2.84	20.06	<=30	Pass
			38	23.04	-2.84	20.20	<=30	Pass
			74	23.01	-2.84	20.17	<=30	Pass
		36	0	21.87	-2.84	19.03	<=30	Pass
			18	21.91	-2.84	19.07	<=30	Pass
			39	21.87	-2.84	19.03	<=30	Pass
		75	0	21.89	-2.84	19.05	<=30	Pass
	1745	1	0	23.11	-2.84	20.27	<=30	Pass
			38	23.15	-2.84	20.31	<=30	Pass
			74	22.91	-2.84	20.07	<=30	Pass
		36	0	21.81	-2.84	18.97	<=30	Pass
			18	21.74	-2.84	18.90	<=30	Pass
			39	21.74	-2.84	18.90	<=30	Pass
		75	0	21.76	-2.84	18.92	<=30	Pass
	1772.5	1	0	22.71	-2.84	19.87	<=30	Pass
			38	22.59	-2.84	19.75	<=30	Pass
			74	22.35	-2.84	19.51	<=30	Pass
		36	0	21.47	-2.84	18.63	<=30	Pass
			18	21.36	-2.84	18.52	<=30	Pass
			39	21.34	-2.84	18.50	<=30	Pass
		75	0	21.37	-2.84	18.53	<=30	Pass
256QAM	1717.5	1	0	19.82	-2.84	16.98	<=30	Pass
			38	19.95	-2.84	17.11	<=30	Pass
			74	19.92	-2.84	17.08	<=30	Pass
		36	0	19.87	-2.84	17.03	<=30	Pass
			18	19.89	-2.84	17.05	<=30	Pass
			39	19.85	-2.84	17.01	<=30	Pass
		75	0	19.82	-2.84	16.98	<=30	Pass
	1745	1	0	19.95	-2.84	17.11	<=30	Pass
			38	19.92	-2.84	17.08	<=30	Pass
			74	19.82	-2.84	16.98	<=30	Pass
		36	0	19.85	-2.84	17.01	<=30	Pass
			18	19.79	-2.84	16.95	<=30	Pass
			39	19.74	-2.84	16.90	<=30	Pass
		75	0	19.77	-2.84	16.93	<=30	Pass
	1772.5	1	0	19.60	-2.84	16.76	<=30	Pass
			38	19.56	-2.84	16.72	<=30	Pass
			74	19.52	-2.84	16.68	<=30	Pass
		36	0	19.47	-2.84	16.63	<=30	Pass
			18	19.41	-2.84	16.57	<=30	Pass
			39	19.39	-2.84	16.55	<=30	Pass
		75	0	19.40	-2.84	16.56	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	24.68	-2.84	21.84	<=30	Pass
			50	24.81	-2.84	21.97	<=30	Pass
			99	24.76	-2.84	21.92	<=30	Pass
		50	0	23.88	-2.84	21.04	<=30	Pass
			25	23.91	-2.84	21.07	<=30	Pass
			50	23.84	-2.84	21.00	<=30	Pass
		100	0	23.86	-2.84	21.02	<=30	Pass
	1745	1	0	24.80	-2.84	21.96	<=30	Pass
			50	24.77	-2.84	21.93	<=30	Pass
			99	24.53	-2.84	21.69	<=30	Pass
		50	0	23.84	-2.84	21.00	<=30	Pass
			25	23.80	-2.84	20.96	<=30	Pass
			50	23.70	-2.84	20.86	<=30	Pass
		100	0	23.75	-2.84	20.91	<=30	Pass
	1770	1	0	24.40	-2.84	21.56	<=30	Pass
			50	24.40	-2.84	21.56	<=30	Pass
			99	24.18	-2.84	21.34	<=30	Pass
		50	0	23.50	-2.84	20.66	<=30	Pass
			25	23.50	-2.84	20.66	<=30	Pass
			50	23.41	-2.84	20.57	<=30	Pass
		100	0	23.51	-2.84	20.67	<=30	Pass
16QAM	1720	1	0	23.80	-2.84	20.96	<=30	Pass
			50	24.01	-2.84	21.17	<=30	Pass
			99	23.88	-2.84	21.04	<=30	Pass
		50	0	22.89	-2.84	20.05	<=30	Pass
			25	22.91	-2.84	20.07	<=30	Pass
			50	22.85	-2.84	20.01	<=30	Pass
		100	0	22.88	-2.84	20.04	<=30	Pass
	1745	1	0	24.00	-2.84	21.16	<=30	Pass
			50	24.08	-2.84	21.24	<=30	Pass
			99	23.72	-2.84	20.88	<=30	Pass
		50	0	22.82	-2.84	19.98	<=30	Pass
			25	22.78	-2.84	19.94	<=30	Pass
			50	22.74	-2.84	19.90	<=30	Pass
		100	0	22.75	-2.84	19.91	<=30	Pass
	1770	1	0	23.65	-2.84	20.81	<=30	Pass
			50	23.61	-2.84	20.77	<=30	Pass
			99	23.47	-2.84	20.63	<=30	Pass
		50	0	22.49	-2.84	19.65	<=30	Pass
			25	22.53	-2.84	19.69	<=30	Pass
			50	22.42	-2.84	19.58	<=30	Pass
		100	0	22.49	-2.84	19.65	<=30	Pass
64QAM	1720	1	0	22.90	-2.84	20.06	<=30	Pass
			50	22.91	-2.84	20.07	<=30	Pass
			99	22.90	-2.84	20.06	<=30	Pass
		50	0	21.89	-2.84	19.05	<=30	Pass
			25	21.88	-2.84	19.04	<=30	Pass
			50	21.84	-2.84	19.00	<=30	Pass
		100	0	21.85	-2.84	19.01	<=30	Pass
	1745	1	0	23.01	-2.84	20.17	<=30	Pass
			50	22.97	-2.84	20.13	<=30	Pass
			99	22.77	-2.84	19.93	<=30	Pass
		50	0	21.80	-2.84	18.96	<=30	Pass
			25	21.77	-2.84	18.93	<=30	Pass
			50	21.72	-2.84	18.88	<=30	Pass
		100	0	21.72	-2.84	18.88	<=30	Pass

	1770	1	0	22.65	-2.84	19.81	<=30	Pass		
			50	22.59	-2.84	19.75	<=30	Pass		
			99	22.34	-2.84	19.50	<=30	Pass		
		50	0	21.49	-2.84	18.65	<=30	Pass		
			25	21.50	-2.84	18.66	<=30	Pass		
			50	21.40	-2.84	18.56	<=30	Pass		
		100	0	21.51	-2.84	18.67	<=30	Pass		
		256QAM	1720	1	0	19.73	-2.84	16.89	<=30	Pass
					50	19.96	-2.84	17.12	<=30	Pass
99	19.91				-2.84	17.07	<=30	Pass		
50	0			19.85	-2.84	17.01	<=30	Pass		
	25			19.86	-2.84	17.02	<=30	Pass		
	50			19.78	-2.84	16.94	<=30	Pass		
100	0			19.83	-2.84	16.99	<=30	Pass		
1745	1			0	19.99	-2.84	17.15	<=30	Pass	
				50	20.09	-2.84	17.25	<=30	Pass	
			99	19.85	-2.84	17.01	<=30	Pass		
	50		0	19.85	-2.84	17.01	<=30	Pass		
			25	19.80	-2.84	16.96	<=30	Pass		
			50	19.76	-2.84	16.92	<=30	Pass		
	100		0	19.73	-2.84	16.89	<=30	Pass		
	1770		1	0	19.75	-2.84	16.91	<=30	Pass	
				50	19.61	-2.84	16.77	<=30	Pass	
99				19.57	-2.84	16.73	<=30	Pass		
50			0	19.51	-2.84	16.67	<=30	Pass		
			25	19.52	-2.84	16.68	<=30	Pass		
			50	19.44	-2.84	16.60	<=30	Pass		
100			0	19.51	-2.84	16.67	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 B66_10MHz

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1745	50	0	20	LV	-1.228	-0.0007	-2.5 to 2.5	Pass
					NV	-0.191	-0.0001	-2.5 to 2.5	Pass
					HV	-1.026	-0.0006	-2.5 to 2.5	Pass
				-30	NV	-0.399	-0.0002	-2.5 to 2.5	Pass
				-20	NV	-0.478	-0.0003	-2.5 to 2.5	Pass
				-10	NV	-1.343	-0.0008	-2.5 to 2.5	Pass
				0	NV	0.799	0.0005	-2.5 to 2.5	Pass
				10	NV	-0.042	0.0000	-2.5 to 2.5	Pass
				30	NV	0.096	0.0001	-2.5 to 2.5	Pass
				40	NV	-0.323	-0.0002	-2.5 to 2.5	Pass
				50	NV	0.100	0.0001	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band66_OBW

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.114	/	Pass
		1745	6	0	1.103	/	Pass
		1779.3	6	0	1.110	/	Pass
	16QAM	1710.7	6	0	1.099	/	Pass
		1745	6	0	1.116	/	Pass
		1779.3	6	0	1.116	/	Pass
	64QAM	1710.7	6	0	1.113	/	Pass
		1745	6	0	1.107	/	Pass
		1779.3	6	0	1.103	/	Pass
	256QAM	1710.7	6	0	1.115	/	Pass
		1745	6	0	1.115	/	Pass
		1779.3	6	0	1.104	/	Pass
3	QPSK	1711.5	15	0	2.728	/	Pass
		1745	15	0	2.732	/	Pass
		1778.5	15	0	2.739	/	Pass
	16QAM	1711.5	15	0	2.732	/	Pass
		1745	15	0	2.731	/	Pass
		1778.5	15	0	2.720	/	Pass
	64QAM	1711.5	15	0	2.730	/	Pass
		1745	15	0	2.718	/	Pass
		1778.5	15	0	2.722	/	Pass
	256QAM	1711.5	15	0	2.729	/	Pass
		1745	15	0	2.746	/	Pass
		1778.5	15	0	2.727	/	Pass
5	QPSK	1712.5	25	0	4.556	/	Pass
		1745	25	0	4.562	/	Pass
		1777.5	25	0	4.551	/	Pass
	16QAM	1712.5	25	0	4.531	/	Pass
		1745	25	0	4.536	/	Pass
		1777.5	25	0	4.554	/	Pass
	64QAM	1712.5	25	0	4.548	/	Pass
		1745	25	0	4.550	/	Pass
		1777.5	25	0	4.545	/	Pass
	256QAM	1712.5	25	0	4.542	/	Pass
		1745	25	0	4.552	/	Pass
		1777.5	25	0	4.561	/	Pass
10	QPSK	1715	50	0	9.049	/	Pass
		1745	50	0	9.061	/	Pass
		1775	50	0	9.064	/	Pass
	16QAM	1715	50	0	9.082	/	Pass
		1745	50	0	9.051	/	Pass
		1775	50	0	9.063	/	Pass
	64QAM	1715	50	0	9.048	/	Pass
		1745	50	0	9.052	/	Pass
		1775	50	0	9.032	/	Pass
	256QAM	1715	50	0	9.046	/	Pass
		1745	50	0	9.034	/	Pass

		1775	50	0	9.102	/	Pass
15	QPSK	1717.5	75	0	13.623	/	Pass
		1745	75	0	13.577	/	Pass
		1772.5	75	0	13.586	/	Pass
		1717.5	75	0	13.561	/	Pass
	16QAM	1745	75	0	13.563	/	Pass
		1772.5	75	0	13.611	/	Pass
		1717.5	75	0	13.602	/	Pass
	64QAM	1745	75	0	13.598	/	Pass
		1772.5	75	0	13.585	/	Pass
		1717.5	75	0	13.588	/	Pass
	256QAM	1745	75	0	13.606	/	Pass
		1772.5	75	0	13.615	/	Pass
20	QPSK	1720	100	0	18.122	/	Pass
		1745	100	0	18.118	/	Pass
		1770	100	0	18.100	/	Pass
	16QAM	1720	100	0	18.152	/	Pass
		1745	100	0	18.108	/	Pass
		1770	100	0	18.090	/	Pass
	64QAM	1720	100	0	18.059	/	Pass
		1745	100	0	18.110	/	Pass
		1770	100	0	18.089	/	Pass
	256QAM	1720	100	0	18.125	/	Pass
		1745	100	0	18.123	/	Pass
		1770	100	0	18.097	/	Pass


3.1.2 Band66_XDB


Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.317	/	Pass
		1745	6	0	1.321	/	Pass
		1779.3	6	0	1.323	/	Pass
	16QAM	1710.7	6	0	1.306	/	Pass
		1745	6	0	1.312	/	Pass
		1779.3	6	0	1.341	/	Pass
	64QAM	1710.7	6	0	1.340	/	Pass
		1745	6	0	1.314	/	Pass
		1779.3	6	0	1.323	/	Pass
	256QAM	1710.7	6	0	1.328	/	Pass
		1745	6	0	1.338	/	Pass
		1779.3	6	0	1.311	/	Pass
3	QPSK	1711.5	15	0	3.050	/	Pass
		1745	15	0	3.035	/	Pass
		1778.5	15	0	3.031	/	Pass
	16QAM	1711.5	15	0	3.046	/	Pass
		1745	15	0	3.020	/	Pass
		1778.5	15	0	3.029	/	Pass
	64QAM	1711.5	15	0	3.022	/	Pass
		1745	15	0	3.004	/	Pass
		1778.5	15	0	3.015	/	Pass
	256QAM	1711.5	15	0	3.049	/	Pass
		1745	15	0	3.031	/	Pass
		1778.5	15	0	3.018	/	Pass
5	QPSK	1712.5	25	0	5.059	/	Pass
		1745	25	0	5.043	/	Pass

	16QAM	1777.5	25	0	5.081	/	Pass
		1712.5	25	0	5.367	/	Pass
		1745	25	0	5.041	/	Pass
		1777.5	25	0	5.089	/	Pass
	64QAM	1712.5	25	0	5.066	/	Pass
		1745	25	0	5.042	/	Pass
		1777.5	25	0	5.080	/	Pass
	256QAM	1712.5	25	0	5.070	/	Pass
		1745	25	0	5.075	/	Pass
		1777.5	25	0	5.023	/	Pass
10	QPSK	1715	50	0	10.043	/	Pass
		1745	50	0	10.049	/	Pass
		1775	50	0	9.979	/	Pass
	16QAM	1715	50	0	10.007	/	Pass
		1745	50	0	9.955	/	Pass
		1775	50	0	10.001	/	Pass
	64QAM	1715	50	0	9.973	/	Pass
		1745	50	0	9.989	/	Pass
		1775	50	0	9.970	/	Pass
	256QAM	1715	50	0	9.998	/	Pass
		1745	50	0	9.982	/	Pass
		1775	50	0	10.048	/	Pass
15	QPSK	1717.5	75	0	15.078	/	Pass
		1745	75	0	15.102	/	Pass
		1772.5	75	0	14.960	/	Pass
	16QAM	1717.5	75	0	14.934	/	Pass
		1745	75	0	14.927	/	Pass
		1772.5	75	0	14.914	/	Pass
	64QAM	1717.5	75	0	14.999	/	Pass
		1745	75	0	14.921	/	Pass
		1772.5	75	0	15.002	/	Pass
	256QAM	1717.5	75	0	15.039	/	Pass
		1745	75	0	14.941	/	Pass
		1772.5	75	0	14.958	/	Pass
20	QPSK	1720	100	0	19.779	/	Pass
		1745	100	0	19.746	/	Pass
		1770	100	0	19.914	/	Pass
	16QAM	1720	100	0	19.829	/	Pass
		1745	100	0	19.885	/	Pass
		1770	100	0	19.690	/	Pass
	64QAM	1720	100	0	19.828	/	Pass
		1745	100	0	19.638	/	Pass
		1770	100	0	19.733	/	Pass
	256QAM	1720	100	0	19.879	/	Pass
		1745	100	0	19.815	/	Pass
		1770	100	0	19.634	/	Pass


3.2 Test Graph

3.2.1 Band66_OBW







Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66 1.4MHz 16QAM MCH 1745MHz RB 6 0 NTV




Band66 1.4MHz 16QAM HCH 1779.3MHz RB 6 0 NTV




Band66 1.4MHz 64QAM LCH 1710.7MHz RB 6 0 NTV




Band66 1.4MHz 64QAM MCH 1745MHz RB 6 0 NTV




Band66 1.4MHz 64QAM HCH 1779.3MHz RB 6 0 NTN




Band66 1.4MHz 256QAM LCH 1710.7MHz RB 6 0 NTN




Band66 1.4MHz 256QAM MCH 1745MHz RB 6 0 NTN




Band66 1.4MHz 256QAM HCH 1779.3MHz RB 6 0 NTN




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66 3MHz QPSK HCH 1778.5MHz RB 15 0 NTN




Band66 3MHz 16QAM LCH 1711.5MHz RB 15 0 NTN




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66 3MHz 64QAM LCH 1711.5MHz RB 15 0 NTNV




Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV




Band66 3MHz 64QAM HCH 1778.5MHz RB 15 0 NTNV




Band66 3MHz 256QAM LCH 1711.5MHz RB 15 0 NTNV




Band66 3MHz 256QAM MCH 1745MHz RB 15 0 NTNV




Band66 3MHz 256QAM HCH 1778.5MHz RB 15 0 NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66 5MHz QPSK HCH 1777.5MHz RB 25 0 NTNV




Band66 5MHz 16QAM LCH 1712.5MHz RB 25 0 NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66 5MHz 64QAM LCH 1712.5MHz RB 25 0 NTNV




Band66 5MHz 64QAM MCH 1745MHz RB 25 0 NTNV




Band66 5MHz 64QAM HCH 1777.5MHz RB 25 0 NTN




Band66_5MHz_256QAM_LCH_1712.5MHz_RB_25_0 NTN




Band66 5MHz 256QAM MCH 1745MHz RB 25 0 NTNV




Band66_5MHz 256QAM HCH 1777.5MHz RB 25 0 NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66 10MHz 16QAM MCH 1745MHz RB 50 0 NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66 10MHz 64QAM HCH 1775MHz RB 50 0 NTV




Band66 10MHz 256QAM LCH 1715MHz RB 50 0 NTV




Band66_10MHz_256QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_256QAM_HCH_1775MHz_RB_50_0_NTNV




Band66 15MHz QPSK LCH 1717.5MHz RB 75 0 NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66 15MHz QPSK HCH 1772.5MHz RB 75 0 NTN




Band66 15MHz 16QAM LCH 1717.5MHz RB 75 0 NTN




Band66 15MHz 16QAM MCH 1745MHz RB 75 0 NTNV




Band66 15MHz 16QAM HCH 1772.5MHz RB 75 0 NTNV




Band66_15MHz_64QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_256QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_256QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_256QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66 20MHz QPSK HCH 1770MHz RB 100 0 NTV




Band66 20MHz 16QAM LCH 1720MHz RB 100 0 NTV




Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




Band66 20MHz 64QAM LCH 1720MHz RB 100 0 NTN




Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0 NTN




Band66_20MHz_64QAM_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_256QAM_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_256QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_256QAM_HCH_1770MHz_RB_100_0_NTNV




3.2.2 Band66_XDB







Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66 1.4MHz 16QAM MCH 1745MHz RB 6 0 NTNV




Band66 1.4MHz 16QAM HCH 1779.3MHz RB 6 0 NTNV




Band66 1.4MHz 64QAM LCH 1710.7MHz RB 6 0 NTV




Band66 1.4MHz 64QAM MCH 1745MHz RB 6 0 NTV




Band66 1.4MHz 64QAM HCH 1779.3MHz RB 6 0 NTV




Band66 1.4MHz 256QAM LCH 1710.7MHz RB 6 0 NTV




Band66 1.4MHz 256QAM MCH 1745MHz RB 6 0 NTN




Band66 1.4MHz 256QAM HCH 1779.3MHz RB 6 0 NTN




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66 3MHz QPSK HCH 1778.5MHz RB 15 0 NTN




Band66 3MHz 16QAM LCH 1711.5MHz RB 15 0 NTN




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66 3MHz 64QAM LCH 1711.5MHz RB 15 0 NTNV




Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV




Band66 3MHz 64QAM HCH 1778.5MHz RB 15 0 NTN




Band66 3MHz 256QAM LCH 1711.5MHz RB 15 0 NTN




Band66 3MHz 256QAM MCH 1745MHz RB 15 0 NTV




Band66_3MHz_256QAM_HCH_1778.5MHz_RB_15_0_NTV




Band66 5MHz QPSK LCH 1712.5MHz RB 25 0 NTN




Band66 5MHz QPSK MCH 1745MHz RB 25 0 NTN




Band66 5MHz QPSK HCH 1777.5MHz RB 25 0 NTNV




Band66 5MHz 16QAM LCH 1712.5MHz RB 25 0 NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66 5MHz 64QAM LCH 1712.5MHz RB 25 0 NTNV




Band66 5MHz 64QAM MCH 1745MHz RB 25 0 NTNV




Band66 5MHz 64QAM HCH 1777.5MHz RB 25 0 NTN




Band66_5MHz_256QAM_LCH_1712.5MHz_RB_25_0 NTN




Band66 5MHz 256QAM MCH 1745MHz RB 25 0 NTNV




Band66_5MHz 256QAM HCH 1777.5MHz RB 25 0 NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66 10MHz 16QAM MCH 1745MHz RB 50 0 NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66 10MHz 64QAM HCH 1775MHz RB 50 0 NTV




Band66 10MHz 256QAM LCH 1715MHz RB 50 0 NTV




Band66_10MHz_256QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_256QAM_HCH_1775MHz_RB_50_0_NTNV




Band66 15MHz QPSK LCH 1717.5MHz RB 75 0 NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66 15MHz QPSK HCH 1772.5MHz RB 75 0 NTN




Band66 15MHz 16QAM LCH 1717.5MHz RB 75 0 NTN




Band66 15MHz 16QAM MCH 1745MHz RB 75 0 NTNV




Band66 15MHz 16QAM HCH 1772.5MHz RB 75 0 NTNV




Band66_15MHz_64QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_256QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_256QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_256QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66 20MHz QPSK LCH 1720MHz RB 100 0 NTN




Band66 20MHz QPSK MCH 1745MHz RB 100 0 NTN




Band66 20MHz QPSK HCH 1770MHz RB 100 0 NTV




Band66 20MHz 16QAM LCH 1720MHz RB 100 0 NTV




Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




Band66 20MHz 64QAM LCH 1720MHz RB 100 0 NTV




Band66 20MHz 64QAM MCH 1745MHz RB 100 0 NTV




Band66 20MHz 64QAM HCH 1770MHz RB 100 0 NTN




Band66 20MHz 256QAM LCH 1720MHz RB 100 0 NTN



Band66_20MHz_256QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_256QAM_HCH_1770MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B66_20MHz


Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	5.17	<=13	Pass
16QAM	1745	100	0	6.02	<=13	Pass
64QAM	1745	100	0	6.43	<=13	Pass
256QAM	1745	100	0	6.66	<=13	Pass

4.2 Test Graph


4.2.1 B66_20MHz



Band66 20MHz 64QAM MCH 1745MHz RB 100 0 NTN



Band66 20MHz 256QAM MCH 1745MHz RB 100 0 NTN



5. Spurious Emission

5.1 Test Result

5.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B66_15MHz


Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B66_20MHz


Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B66_1.4MHz



Band66 1.4MHz QPSK LCH 1710.7MHz RB 1 0 NTV




Band66 1.4MHz QPSK LCH 1710.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-29.62	-13	Pass
1709	1710	0.014	CHP	2	1709.995	-28.04	-13	Pass
1710	1713	0.014	CHP	/	/	/	/	/


Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 0 NTV



Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 0 NTV




Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.006	-26.25	-13	Pass
1781	1783	1	CHP	2	1781.500	-42.47	-13	Pass

Band66 1.4MHz QPSK HCH 1779.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.014	CHP	/	/	/	/	/
1780	1781	0.014	CHP	1	1780.005	-29.19	-13	Pass
1781	1783	1	CHP	2	1781.500	-31.11	-13	Pass


5.2.2 B66_3MHz



Band66 3MHz QPSK LCH 1711.5MHz RB 1 0 NTV




Band66 3MHz QPSK LCH 1711.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-30.89	-13	Pass
1709	1710	0.031	CHP	2	1709.994	-25.92	-13	Pass
1710	1713	0.031	CHP	/	/	/	/	/


Band66 3MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 3MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66 3MHz QPSK HCH 1778.5MHz RB 1 14 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.002	-31.65	-13	Pass
1781	1783	1	CHP	2	1781.500	-42.29	-13	Pass

Band66 3MHz QPSK HCH 1778.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.031	CHP	/	/	/	/	/
1780	1781	0.031	CHP	1	1780.006	-27.10	-13	Pass
1781	1783	1	CHP	2	1781.500	-25.63	-13	Pass


5.2.3 B66_5MHz



Band66 5MHz QPSK LCH 1712.5MHz RB 1 0 NTV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-30.02	-13	Pass
1709	1710	0.052	CHP	2	1709.990	-27.30	-13	Pass
1710	1715	0.052	CHP	/	/	/	/	/


Band66 5MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 5MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV



Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66 5MHz QPSK HCH 1777.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.012	-35.36	-13	Pass
1781	1785	1	CHP	2	1781.500	-40.86	-13	Pass

Band66 5MHz QPSK HCH 1777.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.052	CHP	/	/	/	/	/
1780	1781	0.052	CHP	1	1780.010	-28.05	-13	Pass
1781	1785	1	CHP	2	1781.500	-25.52	-13	Pass


5.2.4 B66_10MHz



Band66 10MHz QPSK LCH 1715MHz RB 1 0 NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.500	-32.56	-13	Pass
1709	1710	0.102	CHP	2	1709.980	-30.06	-13	Pass
1710	1720	0.102	CHP	/	/	/	/	/


Band66 10MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 10MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 10MHz QPSK HCH 1775MHz RB 1 0 NTNV



Band66 10MHz QPSK HCH 1775MHz RB 1 0 NTNV




Band66 10MHz QPSK HCH 1775MHz RB 1 49 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.001	-45.28	-13	Pass
1781	1790	1	CHP	2	1781.501	-44.67	-13	Pass

Band66 10MHz QPSK HCH 1775MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.102	CHP	/	/	/	/	/
1780	1781	0.102	CHP	1	1780.100	-32.64	-13	Pass
1781	1790	1	CHP	2	1781.500	-26.85	-13	Pass


5.2.5 B66_15MHz



Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1706.910	-30.71	-13	Pass
1709	1710	0.151	CHP	2	1709.970	-34.99	-13	Pass
1710	1725	0.151	CHP	/	/	/	/	/


Band66 15MHz QPSK MCH 1745MHz RB 1 0 NTV




Band66 15MHz QPSK MCH 1745MHz RB 1 0 NTV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV



Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66 15MHz QPSK HCH 1772.5MHz RB 1 74 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.014	-45.16	-13	Pass
1781	1795	1	CHP	2	1781.500	-44.91	-13	Pass

Band66 15MHz QPSK HCH 1772.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.153	CHP	/	/	/	/	/
1780	1781	0.153	CHP	1	1780.030	-32.60	-13	Pass
1781	1795	1	CHP	2	1782.940	-26.07	-13	Pass


5.2.6 B66_20MHz



Band66 20MHz QPSK LCH 1720MHz RB 1 0 NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1707.840	-33.64	-13	Pass
1709	1710	0.201	CHP	2	1709.960	-37.50	-13	Pass
1710	1730	0.201	CHP	/	/	/	/	/


Band66 20MHz QPSK MCH 1745MHz RB 1 0 NTV




Band66 20MHz QPSK MCH 1745MHz RB 1 0 NTV




Band66 20MHz QPSK HCH 1770MHz RB 1 0 NTNV



Band66 20MHz QPSK HCH 1770MHz RB 1 0 NTNV




Band66 20MHz QPSK HCH 1770MHz RB 1 99 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.002	-45.85	-13	Pass
1781	1800	1	CHP	2	1781.500	-45.32	-13	Pass

Band66 20MHz QPSK HCH 1770MHz RB 100 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.201	CHP	/	/	/	/	/
1780	1781	0.201	CHP	1	1780.040	-33.32	-13	Pass
1781	1800	1	CHP	2	1781.520	-29.43	-13	Pass