

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.62	-1.98	21.64	<=33.01	Pass
			2	23.64	-1.98	21.66	<=33.01	Pass
			5	23.56	-1.98	21.58	<=33.01	Pass
		3	0	23.64	-1.98	21.66	<=33.01	Pass
			2	23.62	-1.98	21.64	<=33.01	Pass
			3	23.63	-1.98	21.65	<=33.01	Pass
		6	0	22.62	-1.98	20.64	<=33.01	Pass
	1880	1	0	23.43	-1.98	21.45	<=33.01	Pass
			2	23.49	-1.98	21.51	<=33.01	Pass
			5	23.46	-1.98	21.48	<=33.01	Pass
		3	0	23.40	-1.98	21.42	<=33.01	Pass
			2	23.42	-1.98	21.44	<=33.01	Pass
			3	23.40	-1.98	21.42	<=33.01	Pass
		6	0	22.41	-1.98	20.43	<=33.01	Pass
	1909.3	1	0	23.56	-1.98	21.58	<=33.01	Pass
			2	23.51	-1.98	21.53	<=33.01	Pass
			5	23.54	-1.98	21.56	<=33.01	Pass
		3	0	23.53	-1.98	21.55	<=33.01	Pass
			2	23.60	-1.98	21.62	<=33.01	Pass
			3	23.55	-1.98	21.57	<=33.01	Pass
		6	0	22.56	-1.98	20.58	<=33.01	Pass
16QAM	1850.7	1	0	22.77	-1.98	20.79	<=33.01	Pass
			2	22.85	-1.98	20.87	<=33.01	Pass
			5	22.68	-1.98	20.70	<=33.01	Pass
		3	0	22.71	-1.98	20.73	<=33.01	Pass
			2	22.61	-1.98	20.63	<=33.01	Pass
			3	22.70	-1.98	20.72	<=33.01	Pass
		6	0	21.68	-1.98	19.70	<=33.01	Pass
	1880	1	0	22.38	-1.98	20.40	<=33.01	Pass
			2	22.46	-1.98	20.48	<=33.01	Pass
			5	22.48	-1.98	20.50	<=33.01	Pass
		3	0	22.50	-1.98	20.52	<=33.01	Pass
			2	22.52	-1.98	20.54	<=33.01	Pass
			3	22.55	-1.98	20.57	<=33.01	Pass
		6	0	21.45	-1.98	19.47	<=33.01	Pass
	1909.3	1	0	22.75	-1.98	20.77	<=33.01	Pass
			2	22.75	-1.98	20.77	<=33.01	Pass
			5	22.63	-1.98	20.65	<=33.01	Pass
		3	0	22.63	-1.98	20.65	<=33.01	Pass
			2	22.61	-1.98	20.63	<=33.01	Pass
			3	22.65	-1.98	20.67	<=33.01	Pass
		6	0	21.57	-1.98	19.59	<=33.01	Pass
64QAM	1850.7	1	0	21.88	-1.98	19.90	<=33.01	Pass
			2	21.89	-1.98	19.91	<=33.01	Pass
			5	21.89	-1.98	19.91	<=33.01	Pass
		3	0	21.75	-1.98	19.77	<=33.01	Pass
			2	21.82	-1.98	19.84	<=33.01	Pass
			3	21.77	-1.98	19.79	<=33.01	Pass
		6	0	20.66	-1.98	18.68	<=33.01	Pass

	1880	1	0	21.74	-1.98	19.76	<=33.01	Pass
			2	21.72	-1.98	19.74	<=33.01	Pass
			5	21.72	-1.98	19.74	<=33.01	Pass
		3	0	21.54	-1.98	19.56	<=33.01	Pass
			2	21.58	-1.98	19.60	<=33.01	Pass
			3	21.61	-1.98	19.63	<=33.01	Pass
		6	0	20.46	-1.98	18.48	<=33.01	Pass
	1909.3	1	0	21.87	-1.98	19.89	<=33.01	Pass
			2	21.86	-1.98	19.88	<=33.01	Pass
			5	21.83	-1.98	19.85	<=33.01	Pass
		3	0	21.74	-1.98	19.76	<=33.01	Pass
			2	21.69	-1.98	19.71	<=33.01	Pass
			3	21.68	-1.98	19.70	<=33.01	Pass
		6	0	20.58	-1.98	18.60	<=33.01	Pass
256QAM	1850.7	1	0	18.65	-1.98	16.67	<=33.01	Pass
			2	18.82	-1.98	16.84	<=33.01	Pass
			5	18.73	-1.98	16.75	<=33.01	Pass
		3	0	18.70	-1.98	16.72	<=33.01	Pass
			2	18.67	-1.98	16.69	<=33.01	Pass
			3	18.70	-1.98	16.72	<=33.01	Pass
		6	0	18.58	-1.98	16.60	<=33.01	Pass
	1880	1	0	18.53	-1.98	16.55	<=33.01	Pass
			2	18.47	-1.98	16.49	<=33.01	Pass
			5	18.55	-1.98	16.57	<=33.01	Pass
		3	0	18.55	-1.98	16.57	<=33.01	Pass
			2	18.57	-1.98	16.59	<=33.01	Pass
			3	18.56	-1.98	16.58	<=33.01	Pass
		6	0	18.53	-1.98	16.55	<=33.01	Pass
	1909.3	1	0	18.71	-1.98	16.73	<=33.01	Pass
			2	18.70	-1.98	16.72	<=33.01	Pass
			5	18.62	-1.98	16.64	<=33.01	Pass
		3	0	18.64	-1.98	16.66	<=33.01	Pass
			2	18.62	-1.98	16.64	<=33.01	Pass
			3	18.60	-1.98	16.62	<=33.01	Pass
		6	0	18.48	-1.98	16.50	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.58	-1.98	21.60	<=33.01	Pass
			7	23.59	-1.98	21.61	<=33.01	Pass
			14	23.38	-1.98	21.40	<=33.01	Pass
		8	0	22.65	-1.98	20.67	<=33.01	Pass
			4	22.65	-1.98	20.67	<=33.01	Pass
			7	22.54	-1.98	20.56	<=33.01	Pass
		15	0	22.61	-1.98	20.63	<=33.01	Pass
	1880	1	0	23.23	-1.98	21.25	<=33.01	Pass
			7	23.37	-1.98	21.39	<=33.01	Pass
			14	23.32	-1.98	21.34	<=33.01	Pass
		8	0	22.30	-1.98	20.32	<=33.01	Pass
			4	22.42	-1.98	20.44	<=33.01	Pass
			7	22.42	-1.98	20.44	<=33.01	Pass
		15	0	22.29	-1.98	20.31	<=33.01	Pass
	1908.5	1	0	23.39	-1.98	21.41	<=33.01	Pass

		8	7	23.52	-1.98	21.54	<=33.01	Pass
			14	23.41	-1.98	21.43	<=33.01	Pass
			0	22.47	-1.98	20.49	<=33.01	Pass
			4	22.51	-1.98	20.53	<=33.01	Pass
			7	22.50	-1.98	20.52	<=33.01	Pass
		15	0	22.50	-1.98	20.52	<=33.01	Pass
16QAM	1851.5	1	0	22.87	-1.98	20.89	<=33.01	Pass
			7	22.82	-1.98	20.84	<=33.01	Pass
			14	22.59	-1.98	20.61	<=33.01	Pass
		8	0	21.66	-1.98	19.68	<=33.01	Pass
			4	21.66	-1.98	19.68	<=33.01	Pass
			7	21.59	-1.98	19.61	<=33.01	Pass
		15	0	21.61	-1.98	19.63	<=33.01	Pass
	1880	1	0	22.46	-1.98	20.48	<=33.01	Pass
			7	22.52	-1.98	20.54	<=33.01	Pass
			14	22.40	-1.98	20.42	<=33.01	Pass
		8	0	21.31	-1.98	19.33	<=33.01	Pass
			4	21.47	-1.98	19.49	<=33.01	Pass
			7	21.39	-1.98	19.41	<=33.01	Pass
		15	0	21.34	-1.98	19.36	<=33.01	Pass
	1908.5	1	0	22.48	-1.98	20.50	<=33.01	Pass
			7	22.66	-1.98	20.68	<=33.01	Pass
			14	22.54	-1.98	20.56	<=33.01	Pass
		8	0	21.53	-1.98	19.55	<=33.01	Pass
			4	21.55	-1.98	19.57	<=33.01	Pass
			7	21.53	-1.98	19.55	<=33.01	Pass
		15	0	21.51	-1.98	19.53	<=33.01	Pass
64QAM	1851.5	1	0	21.76	-1.98	19.78	<=33.01	Pass
			7	21.88	-1.98	19.90	<=33.01	Pass
			14	21.69	-1.98	19.71	<=33.01	Pass
		8	0	20.65	-1.98	18.67	<=33.01	Pass
			4	20.64	-1.98	18.66	<=33.01	Pass
			7	20.56	-1.98	18.58	<=33.01	Pass
		15	0	20.60	-1.98	18.62	<=33.01	Pass
	1880	1	0	21.49	-1.98	19.51	<=33.01	Pass
			7	21.74	-1.98	19.76	<=33.01	Pass
			14	21.58	-1.98	19.60	<=33.01	Pass
		8	0	20.32	-1.98	18.34	<=33.01	Pass
			4	20.47	-1.98	18.49	<=33.01	Pass
			7	20.41	-1.98	18.43	<=33.01	Pass
		15	0	20.28	-1.98	18.30	<=33.01	Pass
	1908.5	1	0	21.52	-1.98	19.54	<=33.01	Pass
			7	21.73	-1.98	19.75	<=33.01	Pass
			14	21.56	-1.98	19.58	<=33.01	Pass
		8	0	20.54	-1.98	18.56	<=33.01	Pass
			4	20.54	-1.98	18.56	<=33.01	Pass
			7	20.54	-1.98	18.56	<=33.01	Pass
		15	0	20.48	-1.98	18.50	<=33.01	Pass
256QAM	1851.5	1	0	18.62	-1.98	16.64	<=33.01	Pass
			7	18.69	-1.98	16.71	<=33.01	Pass
			14	18.56	-1.98	16.58	<=33.01	Pass
		8	0	18.62	-1.98	16.64	<=33.01	Pass
			4	18.60	-1.98	16.62	<=33.01	Pass
			7	18.51	-1.98	16.53	<=33.01	Pass
		15	0	18.54	-1.98	16.56	<=33.01	Pass
	1880	1	0	18.39	-1.98	16.41	<=33.01	Pass
			7	18.60	-1.98	16.62	<=33.01	Pass
			14	18.60	-1.98	16.62	<=33.01	Pass
		8	0	18.34	-1.98	16.36	<=33.01	Pass

			4	18.51	-1.98	16.53	<=33.01	Pass
			7	18.43	-1.98	16.45	<=33.01	Pass
		15	0	18.37	-1.98	16.39	<=33.01	Pass
	1908.5	1	0	18.64	-1.98	16.66	<=33.01	Pass
			7	18.57	-1.98	16.59	<=33.01	Pass
			14	18.61	-1.98	16.63	<=33.01	Pass
		8	0	18.51	-1.98	16.53	<=33.01	Pass
			4	18.59	-1.98	16.61	<=33.01	Pass
			7	18.50	-1.98	16.52	<=33.01	Pass
		15	0	18.50	-1.98	16.52	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.58	-1.98	21.60	<=33.01	Pass
			13	23.54	-1.98	21.56	<=33.01	Pass
			24	23.32	-1.98	21.34	<=33.01	Pass
		12	0	22.60	-1.98	20.62	<=33.01	Pass
			6	22.54	-1.98	20.56	<=33.01	Pass
			13	22.43	-1.98	20.45	<=33.01	Pass
		25	0	22.50	-1.98	20.52	<=33.01	Pass
	1880	1	0	23.31	-1.98	21.33	<=33.01	Pass
			13	23.44	-1.98	21.46	<=33.01	Pass
			24	23.40	-1.98	21.42	<=33.01	Pass
		12	0	22.30	-1.98	20.32	<=33.01	Pass
			6	22.38	-1.98	20.40	<=33.01	Pass
			13	22.41	-1.98	20.43	<=33.01	Pass
		25	0	22.32	-1.98	20.34	<=33.01	Pass
	1907.5	1	0	23.42	-1.98	21.44	<=33.01	Pass
			13	23.59	-1.98	21.61	<=33.01	Pass
			24	23.52	-1.98	21.54	<=33.01	Pass
		12	0	22.43	-1.98	20.45	<=33.01	Pass
			6	22.45	-1.98	20.47	<=33.01	Pass
			13	22.52	-1.98	20.54	<=33.01	Pass
		25	0	22.43	-1.98	20.45	<=33.01	Pass
16QAM	1852.5	1	0	22.63	-1.98	20.65	<=33.01	Pass
			13	22.61	-1.98	20.63	<=33.01	Pass
			24	22.37	-1.98	20.39	<=33.01	Pass
		12	0	21.60	-1.98	19.62	<=33.01	Pass
			6	21.56	-1.98	19.58	<=33.01	Pass
			13	21.46	-1.98	19.48	<=33.01	Pass
		25	0	21.54	-1.98	19.56	<=33.01	Pass
	1880	1	0	22.39	-1.98	20.41	<=33.01	Pass
			13	22.55	-1.98	20.57	<=33.01	Pass
			24	22.54	-1.98	20.56	<=33.01	Pass
		12	0	21.31	-1.98	19.33	<=33.01	Pass
			6	21.30	-1.98	19.32	<=33.01	Pass
			13	21.42	-1.98	19.44	<=33.01	Pass
		25	0	21.33	-1.98	19.35	<=33.01	Pass
	1907.5	1	0	22.58	-1.98	20.60	<=33.01	Pass
			13	22.72	-1.98	20.74	<=33.01	Pass
			24	22.65	-1.98	20.67	<=33.01	Pass
		12	0	21.47	-1.98	19.49	<=33.01	Pass
			6	21.50	-1.98	19.52	<=33.01	Pass

			13	21.52	-1.98	19.54	<=33.01	Pass	
		25	0	21.43	-1.98	19.45	<=33.01	Pass	
64QAM	1852.5	1	0	21.83	-1.98	19.85	<=33.01	Pass	
			13	21.73	-1.98	19.75	<=33.01	Pass	
			24	21.46	-1.98	19.48	<=33.01	Pass	
			0	20.65	-1.98	18.67	<=33.01	Pass	
		12	6	20.59	-1.98	18.61	<=33.01	Pass	
			13	20.51	-1.98	18.53	<=33.01	Pass	
			25	0	20.51	-1.98	18.53	<=33.01	Pass
		1880	1	0	21.45	-1.98	19.47	<=33.01	Pass
				13	21.60	-1.98	19.62	<=33.01	Pass
				24	21.53	-1.98	19.55	<=33.01	Pass
	12		0	20.30	-1.98	18.32	<=33.01	Pass	
			6	20.35	-1.98	18.37	<=33.01	Pass	
			13	20.53	-1.98	18.55	<=33.01	Pass	
	25		0	20.31	-1.98	18.33	<=33.01	Pass	
	1907.5	1	0	21.73	-1.98	19.75	<=33.01	Pass	
			13	21.75	-1.98	19.77	<=33.01	Pass	
			24	21.74	-1.98	19.76	<=33.01	Pass	
		12	0	20.40	-1.98	18.42	<=33.01	Pass	
			6	20.48	-1.98	18.50	<=33.01	Pass	
			13	20.55	-1.98	18.57	<=33.01	Pass	
		25	0	20.43	-1.98	18.45	<=33.01	Pass	
		256QAM	1852.5	1	0	18.67	-1.98	16.69	<=33.01
	13				18.66	-1.98	16.68	<=33.01	Pass
24	18.53				-1.98	16.55	<=33.01	Pass	
12	0			18.59	-1.98	16.61	<=33.01	Pass	
	6			18.54	-1.98	16.56	<=33.01	Pass	
	13			18.44	-1.98	16.46	<=33.01	Pass	
25	0			18.47	-1.98	16.49	<=33.01	Pass	
1880	1		0	18.37	-1.98	16.39	<=33.01	Pass	
			13	18.67	-1.98	16.69	<=33.01	Pass	
			24	18.58	-1.98	16.60	<=33.01	Pass	
	12		0	18.33	-1.98	16.35	<=33.01	Pass	
			6	18.39	-1.98	16.41	<=33.01	Pass	
			13	18.48	-1.98	16.50	<=33.01	Pass	
	25		0	18.34	-1.98	16.36	<=33.01	Pass	
1907.5	1		0	18.64	-1.98	16.66	<=33.01	Pass	
			13	18.71	-1.98	16.73	<=33.01	Pass	
			24	18.73	-1.98	16.75	<=33.01	Pass	
	12		0	18.46	-1.98	16.48	<=33.01	Pass	
			6	18.52	-1.98	16.54	<=33.01	Pass	
			13	18.58	-1.98	16.60	<=33.01	Pass	
	25		0	18.49	-1.98	16.51	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.55	-1.98	21.57	<=33.01	Pass
			25	23.38	-1.98	21.40	<=33.01	Pass
			49	23.21	-1.98	21.23	<=33.01	Pass
		25	0	22.44	-1.98	20.46	<=33.01	Pass
			13	22.38	-1.98	20.40	<=33.01	Pass
			25	22.34	-1.98	20.36	<=33.01	Pass

		50	0	22.39	-1.98	20.41	<=33.01	Pass	
	1880	1	0	23.24	-1.98	21.26	<=33.01	Pass	
			25	23.37	-1.98	21.39	<=33.01	Pass	
			49	23.51	-1.98	21.53	<=33.01	Pass	
			0	22.31	-1.98	20.33	<=33.01	Pass	
		25	13	22.36	-1.98	20.38	<=33.01	Pass	
			25	22.51	-1.98	20.53	<=33.01	Pass	
	50	0	22.35	-1.98	20.37	<=33.01	Pass		
	1905	1	0	23.54	-1.98	21.56	<=33.01	Pass	
			25	23.49	-1.98	21.51	<=33.01	Pass	
			49	23.50	-1.98	21.52	<=33.01	Pass	
		25	0	22.47	-1.98	20.49	<=33.01	Pass	
			13	22.53	-1.98	20.55	<=33.01	Pass	
			25	22.49	-1.98	20.51	<=33.01	Pass	
		50	0	22.54	-1.98	20.56	<=33.01	Pass	
		16QAM	1855	1	0	22.74	-1.98	20.76	<=33.01
25	22.51				-1.98	20.53	<=33.01	Pass	
49	22.41				-1.98	20.43	<=33.01	Pass	
25	0			21.45	-1.98	19.47	<=33.01	Pass	
	13			21.42	-1.98	19.44	<=33.01	Pass	
	25			21.33	-1.98	19.35	<=33.01	Pass	
50	0			21.44	-1.98	19.46	<=33.01	Pass	
1880	1		0	22.37	-1.98	20.39	<=33.01	Pass	
			25	22.49	-1.98	20.51	<=33.01	Pass	
			49	22.65	-1.98	20.67	<=33.01	Pass	
	25		0	21.37	-1.98	19.39	<=33.01	Pass	
			13	21.40	-1.98	19.42	<=33.01	Pass	
			25	21.51	-1.98	19.53	<=33.01	Pass	
	50		0	21.36	-1.98	19.38	<=33.01	Pass	
1905	1		0	22.61	-1.98	20.63	<=33.01	Pass	
			25	22.67	-1.98	20.69	<=33.01	Pass	
			49	22.60	-1.98	20.62	<=33.01	Pass	
	25		0	21.48	-1.98	19.50	<=33.01	Pass	
			13	21.57	-1.98	19.59	<=33.01	Pass	
			25	21.52	-1.98	19.54	<=33.01	Pass	
	50		0	21.52	-1.98	19.54	<=33.01	Pass	
64QAM	1855		1	0	21.79	-1.98	19.81	<=33.01	Pass
				25	21.65	-1.98	19.67	<=33.01	Pass
				49	21.46	-1.98	19.48	<=33.01	Pass
			25	0	20.44	-1.98	18.46	<=33.01	Pass
				13	20.42	-1.98	18.44	<=33.01	Pass
				25	20.32	-1.98	18.34	<=33.01	Pass
			50	0	20.40	-1.98	18.42	<=33.01	Pass
	1880	1	0	21.59	-1.98	19.61	<=33.01	Pass	
			25	21.74	-1.98	19.76	<=33.01	Pass	
			49	21.80	-1.98	19.82	<=33.01	Pass	
		25	0	20.33	-1.98	18.35	<=33.01	Pass	
			13	20.38	-1.98	18.40	<=33.01	Pass	
			25	20.49	-1.98	18.51	<=33.01	Pass	
		50	0	20.34	-1.98	18.36	<=33.01	Pass	
	1905	1	0	21.77	-1.98	19.79	<=33.01	Pass	
			25	21.70	-1.98	19.72	<=33.01	Pass	
			49	21.64	-1.98	19.66	<=33.01	Pass	
		25	0	20.45	-1.98	18.47	<=33.01	Pass	
			13	20.58	-1.98	18.60	<=33.01	Pass	
			25	20.52	-1.98	18.54	<=33.01	Pass	
		50	0	20.53	-1.98	18.55	<=33.01	Pass	
	256QAM	1855	1	0	18.60	-1.98	16.62	<=33.01	Pass
	25	18.53		-1.98	16.55	<=33.01	Pass		

		25	49	18.37	-1.98	16.39	<=33.01	Pass
			0	18.43	-1.98	16.45	<=33.01	Pass
			13	18.40	-1.98	16.42	<=33.01	Pass
			25	18.33	-1.98	16.35	<=33.01	Pass
		50	0	18.40	-1.98	16.42	<=33.01	Pass
	1880	1	0	18.48	-1.98	16.50	<=33.01	Pass
			25	18.59	-1.98	16.61	<=33.01	Pass
			49	18.74	-1.98	16.76	<=33.01	Pass
		25	0	18.34	-1.98	16.36	<=33.01	Pass
			13	18.41	-1.98	16.43	<=33.01	Pass
			25	18.50	-1.98	16.52	<=33.01	Pass
		50	0	18.37	-1.98	16.39	<=33.01	Pass
		1905	1	0	18.66	-1.98	16.68	<=33.01
	25			18.68	-1.98	16.70	<=33.01	Pass
	49			18.66	-1.98	16.68	<=33.01	Pass
	25		0	18.49	-1.98	16.51	<=33.01	Pass
			13	18.56	-1.98	16.58	<=33.01	Pass
			25	18.54	-1.98	16.56	<=33.01	Pass
	50		0	18.57	-1.98	16.59	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.38	-1.98	21.40	<=33.01	Pass
			38	23.11	-1.98	21.13	<=33.01	Pass
			74	23.14	-1.98	21.16	<=33.01	Pass
		36	0	22.27	-1.98	20.29	<=33.01	Pass
			18	22.22	-1.98	20.24	<=33.01	Pass
			39	22.23	-1.98	20.25	<=33.01	Pass
		75	0	22.27	-1.98	20.29	<=33.01	Pass
	1880	1	0	23.13	-1.98	21.15	<=33.01	Pass
			38	23.22	-1.98	21.24	<=33.01	Pass
			74	23.36	-1.98	21.38	<=33.01	Pass
		36	0	22.19	-1.98	20.21	<=33.01	Pass
			18	22.23	-1.98	20.25	<=33.01	Pass
			39	22.41	-1.98	20.43	<=33.01	Pass
		75	0	22.27	-1.98	20.29	<=33.01	Pass
	1902.5	1	0	23.51	-1.98	21.53	<=33.01	Pass
			38	23.44	-1.98	21.46	<=33.01	Pass
			74	23.31	-1.98	21.33	<=33.01	Pass
		36	0	22.47	-1.98	20.49	<=33.01	Pass
			18	22.35	-1.98	20.37	<=33.01	Pass
			39	22.41	-1.98	20.43	<=33.01	Pass
		75	0	22.41	-1.98	20.43	<=33.01	Pass
16QAM	1857.5	1	0	22.59	-1.98	20.61	<=33.01	Pass
			38	22.26	-1.98	20.28	<=33.01	Pass
			74	22.46	-1.98	20.48	<=33.01	Pass
		36	0	21.23	-1.98	19.25	<=33.01	Pass
			18	21.20	-1.98	19.22	<=33.01	Pass
			39	21.24	-1.98	19.26	<=33.01	Pass
		75	0	21.26	-1.98	19.28	<=33.01	Pass
	1880	1	0	22.32	-1.98	20.34	<=33.01	Pass
			38	22.32	-1.98	20.34	<=33.01	Pass
			74	22.56	-1.98	20.58	<=33.01	Pass

		36	0	21.19	-1.98	19.21	<=33.01	Pass
			18	21.23	-1.98	19.25	<=33.01	Pass
			39	21.43	-1.98	19.45	<=33.01	Pass
		75	0	21.24	-1.98	19.26	<=33.01	Pass
	1902.5	1	0	22.61	-1.98	20.63	<=33.01	Pass
			38	22.44	-1.98	20.46	<=33.01	Pass
			74	22.41	-1.98	20.43	<=33.01	Pass
		36	0	21.48	-1.98	19.50	<=33.01	Pass
			18	21.40	-1.98	19.42	<=33.01	Pass
			39	21.42	-1.98	19.44	<=33.01	Pass
		75	0	21.40	-1.98	19.42	<=33.01	Pass
64QAM		1857.5	1	0	21.64	-1.98	19.66	<=33.01
	38			21.37	-1.98	19.39	<=33.01	Pass
	74			21.48	-1.98	19.50	<=33.01	Pass
	36		0	20.27	-1.98	18.29	<=33.01	Pass
			18	20.20	-1.98	18.22	<=33.01	Pass
			39	20.22	-1.98	18.24	<=33.01	Pass
	75		0	20.26	-1.98	18.28	<=33.01	Pass
	1880	1	0	21.44	-1.98	19.46	<=33.01	Pass
			38	21.48	-1.98	19.50	<=33.01	Pass
			74	21.69	-1.98	19.71	<=33.01	Pass
		36	0	20.23	-1.98	18.25	<=33.01	Pass
			18	20.24	-1.98	18.26	<=33.01	Pass
			39	20.43	-1.98	18.45	<=33.01	Pass
		75	0	20.27	-1.98	18.29	<=33.01	Pass
	1902.5	1	0	21.78	-1.98	19.80	<=33.01	Pass
			38	21.56	-1.98	19.58	<=33.01	Pass
			74	21.47	-1.98	19.49	<=33.01	Pass
		36	0	20.49	-1.98	18.51	<=33.01	Pass
			18	20.37	-1.98	18.39	<=33.01	Pass
			39	20.38	-1.98	18.40	<=33.01	Pass
		75	0	20.39	-1.98	18.41	<=33.01	Pass
256QAM		1857.5	1	0	18.47	-1.98	16.49	<=33.01
	38			18.28	-1.98	16.30	<=33.01	Pass
	74			18.29	-1.98	16.31	<=33.01	Pass
	36		0	18.25	-1.98	16.27	<=33.01	Pass
			18	18.19	-1.98	16.21	<=33.01	Pass
			39	18.19	-1.98	16.21	<=33.01	Pass
	75		0	18.22	-1.98	16.24	<=33.01	Pass
	1880	1	0	18.34	-1.98	16.36	<=33.01	Pass
			38	18.31	-1.98	16.33	<=33.01	Pass
			74	18.66	-1.98	16.68	<=33.01	Pass
		36	0	18.19	-1.98	16.21	<=33.01	Pass
			18	18.21	-1.98	16.23	<=33.01	Pass
			39	18.39	-1.98	16.41	<=33.01	Pass
		75	0	18.27	-1.98	16.29	<=33.01	Pass
	1902.5	1	0	18.70	-1.98	16.72	<=33.01	Pass
			38	18.50	-1.98	16.52	<=33.01	Pass
			74	18.52	-1.98	16.54	<=33.01	Pass
		36	0	18.45	-1.98	16.47	<=33.01	Pass
			18	18.35	-1.98	16.37	<=33.01	Pass
			39	18.43	-1.98	16.45	<=33.01	Pass
		75	0	18.41	-1.98	16.43	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.59	-1.98	21.61	<=33.01	Pass
			50	23.09	-1.98	21.11	<=33.01	Pass
			99	23.19	-1.98	21.21	<=33.01	Pass
		50	0	22.22	-1.98	20.24	<=33.01	Pass
			25	22.23	-1.98	20.25	<=33.01	Pass
			50	22.28	-1.98	20.30	<=33.01	Pass
		100	0	22.29	-1.98	20.31	<=33.01	Pass
	1880	1	0	23.16	-1.98	21.18	<=33.01	Pass
			50	23.17	-1.98	21.19	<=33.01	Pass
			99	23.49	-1.98	21.51	<=33.01	Pass
		50	0	22.23	-1.98	20.25	<=33.01	Pass
			25	22.26	-1.98	20.28	<=33.01	Pass
			50	22.48	-1.98	20.50	<=33.01	Pass
		100	0	22.34	-1.98	20.36	<=33.01	Pass
	1900	1	0	23.50	-1.98	21.52	<=33.01	Pass
			50	23.44	-1.98	21.46	<=33.01	Pass
			99	23.32	-1.98	21.34	<=33.01	Pass
		50	0	22.59	-1.98	20.61	<=33.01	Pass
			25	22.58	-1.98	20.60	<=33.01	Pass
			50	22.49	-1.98	20.51	<=33.01	Pass
		100	0	22.58	-1.98	20.60	<=33.01	Pass
16QAM	1860	1	0	22.51	-1.98	20.53	<=33.01	Pass
			50	22.24	-1.98	20.26	<=33.01	Pass
			99	22.26	-1.98	20.28	<=33.01	Pass
		50	0	21.22	-1.98	19.24	<=33.01	Pass
			25	21.24	-1.98	19.26	<=33.01	Pass
			50	21.29	-1.98	19.31	<=33.01	Pass
		100	0	21.31	-1.98	19.33	<=33.01	Pass
	1880	1	0	22.30	-1.98	20.32	<=33.01	Pass
			50	22.33	-1.98	20.35	<=33.01	Pass
			99	22.63	-1.98	20.65	<=33.01	Pass
		50	0	21.21	-1.98	19.23	<=33.01	Pass
			25	21.27	-1.98	19.29	<=33.01	Pass
			50	21.49	-1.98	19.51	<=33.01	Pass
		100	0	21.29	-1.98	19.31	<=33.01	Pass
	1900	1	0	22.72	-1.98	20.74	<=33.01	Pass
			50	22.68	-1.98	20.70	<=33.01	Pass
			99	22.53	-1.98	20.55	<=33.01	Pass
		50	0	21.57	-1.98	19.59	<=33.01	Pass
			25	21.57	-1.98	19.59	<=33.01	Pass
			50	21.43	-1.98	19.45	<=33.01	Pass
		100	0	21.55	-1.98	19.57	<=33.01	Pass
64QAM	1860	1	0	21.52	-1.98	19.54	<=33.01	Pass
			50	21.19	-1.98	19.21	<=33.01	Pass
			99	21.36	-1.98	19.38	<=33.01	Pass
		50	0	20.19	-1.98	18.21	<=33.01	Pass
			25	20.25	-1.98	18.27	<=33.01	Pass
			50	20.30	-1.98	18.32	<=33.01	Pass
		100	0	20.27	-1.98	18.29	<=33.01	Pass
	1880	1	0	21.39	-1.98	19.41	<=33.01	Pass
			50	21.46	-1.98	19.48	<=33.01	Pass
			99	21.71	-1.98	19.73	<=33.01	Pass
		50	0	20.22	-1.98	18.24	<=33.01	Pass
			25	20.26	-1.98	18.28	<=33.01	Pass
			50	20.46	-1.98	18.48	<=33.01	Pass
		100	0	20.32	-1.98	18.34	<=33.01	Pass

	1900	1	0	21.73	-1.98	19.75	<=33.01	Pass		
			50	21.67	-1.98	19.69	<=33.01	Pass		
			99	21.46	-1.98	19.48	<=33.01	Pass		
		50	0	20.56	-1.98	18.58	<=33.01	Pass		
			25	20.55	-1.98	18.57	<=33.01	Pass		
			50	20.48	-1.98	18.50	<=33.01	Pass		
		100	0	20.55	-1.98	18.57	<=33.01	Pass		
		256QAM	1860	1	0	18.53	-1.98	16.55	<=33.01	Pass
					50	18.19	-1.98	16.21	<=33.01	Pass
99	18.53				-1.98	16.55	<=33.01	Pass		
50	0			18.17	-1.98	16.19	<=33.01	Pass		
	25			18.23	-1.98	16.25	<=33.01	Pass		
	50			18.30	-1.98	16.32	<=33.01	Pass		
100	0			18.28	-1.98	16.30	<=33.01	Pass		
1880	1			0	18.39	-1.98	16.41	<=33.01	Pass	
				50	18.41	-1.98	16.43	<=33.01	Pass	
			99	18.87	-1.98	16.89	<=33.01	Pass		
	50		0	18.20	-1.98	16.22	<=33.01	Pass		
			25	18.23	-1.98	16.25	<=33.01	Pass		
			50	18.45	-1.98	16.47	<=33.01	Pass		
	100		0	18.28	-1.98	16.30	<=33.01	Pass		
	1900		1	0	18.75	-1.98	16.77	<=33.01	Pass	
				50	18.68	-1.98	16.70	<=33.01	Pass	
99				18.48	-1.98	16.50	<=33.01	Pass		
50			0	18.50	-1.98	16.52	<=33.01	Pass		
			25	18.50	-1.98	16.52	<=33.01	Pass		
			50	18.42	-1.98	16.44	<=33.01	Pass		
100			0	18.54	-1.98	16.56	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	LV	-1.590	-0.0008	-2.5 to 2.5	Pass
					NV	0.359	0.0002	-2.5 to 2.5	Pass
					HV	-0.487	-0.0003	-2.5 to 2.5	Pass
				-30	NV	-1.107	-0.0006	-2.5 to 2.5	Pass
				-20	NV	0.655	0.0003	-2.5 to 2.5	Pass
				-10	NV	-0.054	0.0000	-2.5 to 2.5	Pass
				0	NV	1.276	0.0007	-2.5 to 2.5	Pass
				10	NV	-0.515	-0.0003	-2.5 to 2.5	Pass
				30	NV	0.064	0.0000	-2.5 to 2.5	Pass
				40	NV	0.870	0.0005	-2.5 to 2.5	Pass
				50	NV	-0.078	0.0000	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.126	/	Pass
		1880	6	0	1.121	/	Pass
		1909.3	6	0	1.125	/	Pass
	16QAM	1850.7	6	0	1.112	/	Pass
		1880	6	0	1.121	/	Pass
		1909.3	6	0	1.127	/	Pass
	64QAM	1850.7	6	0	1.134	/	Pass
		1880	6	0	1.120	/	Pass
		1909.3	6	0	1.123	/	Pass
	256QAM	1850.7	6	0	1.120	/	Pass
		1880	6	0	1.115	/	Pass
		1909.3	6	0	1.112	/	Pass
3	QPSK	1851.5	15	0	2.744	/	Pass
		1880	15	0	2.748	/	Pass
		1908.5	15	0	2.760	/	Pass
	16QAM	1851.5	15	0	2.750	/	Pass
		1880	15	0	2.748	/	Pass
		1908.5	15	0	2.751	/	Pass
	64QAM	1851.5	15	0	2.736	/	Pass
		1880	15	0	2.740	/	Pass
		1908.5	15	0	2.753	/	Pass
	256QAM	1851.5	15	0	2.749	/	Pass
		1880	15	0	2.748	/	Pass
		1908.5	15	0	2.755	/	Pass
5	QPSK	1852.5	25	0	4.576	/	Pass
		1880	25	0	4.571	/	Pass
		1907.5	25	0	4.565	/	Pass
	16QAM	1852.5	25	0	4.594	/	Pass
		1880	25	0	4.564	/	Pass
		1907.5	25	0	4.570	/	Pass
	64QAM	1852.5	25	0	4.586	/	Pass
		1880	25	0	4.590	/	Pass
		1907.5	25	0	4.572	/	Pass
	256QAM	1852.5	25	0	4.570	/	Pass
		1880	25	0	4.570	/	Pass
		1907.5	25	0	4.578	/	Pass
10	QPSK	1855	50	0	9.069	/	Pass
		1880	50	0	9.070	/	Pass
		1905	50	0	9.071	/	Pass
	16QAM	1855	50	0	9.091	/	Pass
		1880	50	0	9.085	/	Pass
		1905	50	0	9.071	/	Pass
	64QAM	1855	50	0	9.076	/	Pass
		1880	50	0	9.068	/	Pass
		1905	50	0	9.061	/	Pass
	256QAM	1855	50	0	9.094	/	Pass
		1880	50	0	9.076	/	Pass

		1905	50	0	9.055	/	Pass
15	QPSK	1857.5	75	0	13.604	/	Pass
		1880	75	0	13.659	/	Pass
		1902.5	75	0	13.599	/	Pass
		1857.5	75	0	13.627	/	Pass
	16QAM	1880	75	0	13.630	/	Pass
		1902.5	75	0	13.602	/	Pass
		1857.5	75	0	13.625	/	Pass
	64QAM	1880	75	0	13.624	/	Pass
		1902.5	75	0	13.611	/	Pass
		1857.5	75	0	13.599	/	Pass
	256QAM	1880	75	0	13.649	/	Pass
		1902.5	75	0	13.544	/	Pass
20	QPSK	1860	100	0	18.067	/	Pass
		1880	100	0	18.168	/	Pass
		1900	100	0	18.090	/	Pass
	16QAM	1860	100	0	18.125	/	Pass
		1880	100	0	18.143	/	Pass
		1900	100	0	18.147	/	Pass
	64QAM	1860	100	0	18.101	/	Pass
		1880	100	0	18.132	/	Pass
		1900	100	0	18.101	/	Pass
	256QAM	1860	100	0	18.040	/	Pass
		1880	100	0	18.172	/	Pass
		1900	100	0	18.100	/	Pass


3.1.2 Band2_XDB


Band: 2 / NTN-V							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.391	/	Pass
		1880	6	0	1.384	/	Pass
		1909.3	6	0	1.401	/	Pass
	16QAM	1850.7	6	0	1.411	/	Pass
		1880	6	0	1.392	/	Pass
		1909.3	6	0	1.400	/	Pass
	64QAM	1850.7	6	0	1.391	/	Pass
		1880	6	0	1.410	/	Pass
		1909.3	6	0	1.418	/	Pass
	256QAM	1850.7	6	0	1.378	/	Pass
		1880	6	0	1.402	/	Pass
		1909.3	6	0	1.363	/	Pass
3	QPSK	1851.5	15	0	3.130	/	Pass
		1880	15	0	3.118	/	Pass
		1908.5	15	0	3.178	/	Pass
	16QAM	1851.5	15	0	3.159	/	Pass
		1880	15	0	3.064	/	Pass
		1908.5	15	0	3.162	/	Pass
	64QAM	1851.5	15	0	3.093	/	Pass
		1880	15	0	3.118	/	Pass
		1908.5	15	0	3.106	/	Pass
	256QAM	1851.5	15	0	3.137	/	Pass
		1880	15	0	3.124	/	Pass
		1908.5	15	0	3.155	/	Pass
5	QPSK	1852.5	25	0	5.307	/	Pass
		1880	25	0	5.253	/	Pass

	16QAM	1907.5	25	0	5.289	/	Pass
		1852.5	25	0	5.248	/	Pass
		1880	25	0	5.277	/	Pass
		1907.5	25	0	5.283	/	Pass
	64QAM	1852.5	25	0	5.318	/	Pass
		1880	25	0	5.255	/	Pass
		1907.5	25	0	5.229	/	Pass
	256QAM	1852.5	25	0	5.287	/	Pass
		1880	25	0	5.174	/	Pass
		1907.5	25	0	5.271	/	Pass
10	QPSK	1855	50	0	10.291	/	Pass
		1880	50	0	10.230	/	Pass
		1905	50	0	10.303	/	Pass
	16QAM	1855	50	0	10.201	/	Pass
		1880	50	0	10.205	/	Pass
		1905	50	0	10.271	/	Pass
	64QAM	1855	50	0	10.261	/	Pass
		1880	50	0	10.130	/	Pass
		1905	50	0	10.119	/	Pass
	256QAM	1855	50	0	10.279	/	Pass
		1880	50	0	10.201	/	Pass
		1905	50	0	10.170	/	Pass
15	QPSK	1857.5	75	0	15.201	/	Pass
		1880	75	0	15.465	/	Pass
		1902.5	75	0	15.097	/	Pass
	16QAM	1857.5	75	0	15.053	/	Pass
		1880	75	0	15.320	/	Pass
		1902.5	75	0	15.050	/	Pass
	64QAM	1857.5	75	0	15.241	/	Pass
		1880	75	0	15.187	/	Pass
		1902.5	75	0	15.057	/	Pass
	256QAM	1857.5	75	0	15.278	/	Pass
		1880	75	0	15.277	/	Pass
		1902.5	75	0	15.117	/	Pass
20	QPSK	1860	100	0	19.838	/	Pass
		1880	100	0	20.116	/	Pass
		1900	100	0	20.195	/	Pass
	16QAM	1860	100	0	19.986	/	Pass
		1880	100	0	19.962	/	Pass
		1900	100	0	20.037	/	Pass
	64QAM	1860	100	0	20.035	/	Pass
		1880	100	0	20.198	/	Pass
		1900	100	0	20.143	/	Pass
	256QAM	1860	100	0	20.024	/	Pass
		1880	100	0	20.205	/	Pass
		1900	100	0	20.067	/	Pass


3.2 Test Graph

3.2.1 Band2_OBW







Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 64QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 256QAM LCH 1850.7MHz RB 6 0 NTV




Band2 1.4MHz 256QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 256QAM HCH 1909.3MHz RB 6 0 NTV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2 3MHz 64QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 64QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 64QAM HCH 1908.5MHz RB 15 0 NTN




Band2 3MHz 256QAM LCH 1851.5MHz RB 15 0 NTN




Band2 3MHz 256QAM MCH 1880MHz RB 15 0 NTV




Band2 3MHz 256QAM HCH 1908.5MHz RB 15 0 NTV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTN




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2 5MHz 64QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 64QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 64QAM HCH 1907.5MHz RB 25 0 NTN




Band2 5MHz 256QAM LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz 256QAM MCH 1880MHz RB 25 0 NTV




Band2 5MHz 256QAM HCH 1907.5MHz RB 25 0 NTV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_LCH_1855MHz_RB_50_0_NTNV




Band2 10MHz 256QAM MCH 1880MHz RB 50 0 NTN




Band2 10MHz 256QAM HCH 1905MHz RB 50 0 NTN




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2 15MHz 64QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 64QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 64QAM HCH 1902.5MHz RB 75 0 NTN




Band2 15MHz 256QAM LCH 1857.5MHz RB 75 0 NTN




Band2_15MHz_256QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 64QAM LCH 1860MHz RB 100 0 NTNV




Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 64QAM HCH 1900MHz RB 100 0 NTV




Band2 20MHz 256QAM LCH 1860MHz RB 100 0 NTV




Band2_20MHz_256QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_256QAM_HCH_1900MHz_RB_100_0_NTNV




3.2.2 Band2_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 256QAM LCH 1850.7MHz RB 6 0 NTV




Band2 1.4MHz 256QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 256QAM HCH 1909.3MHz RB 6 0 NTV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTN




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTN




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTV




Band2 3MHz 64QAM LCH 1851.5MHz RB 15 0 NTN




Band2 3MHz 64QAM MCH 1880MHz RB 15 0 NTN




Band2 3MHz 64QAM HCH 1908.5MHz RB 15 0 NTN




Band2 3MHz 256QAM LCH 1851.5MHz RB 15 0 NTN




Band2 3MHz 256QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 256QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2 5MHz 64QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 64QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 64QAM HCH 1907.5MHz RB 25 0 NTN




Band2 5MHz 256QAM LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz 256QAM MCH 1880MHz RB 25 0 NTV




Band2 5MHz 256QAM HCH 1907.5MHz RB 25 0 NTV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_LCH_1855MHz_RB_50_0_NTNV




Band2 10MHz 256QAM MCH 1880MHz RB 50 0 NTN




Band2 10MHz 256QAM HCH 1905MHz RB 50 0 NTN




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2 15MHz 64QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 256QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 256QAM MCH 1880MHz RB 75 0 NTN




Band2 15MHz 256QAM HCH 1902.5MHz RB 75 0 NTN




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTN




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTN




Band2 20MHz 64QAM LCH 1860MHz RB 100 0 NTNV




Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 64QAM HCH 1900MHz RB 100 0 NTV




Band2 20MHz 256QAM LCH 1860MHz RB 100 0 NTV



Band2_20MHz_256QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_256QAM_HCH_1900MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	5.17	<=13	Pass
16QAM	1880	100	0	5.97	<=13	Pass
64QAM	1880	100	0	6.39	<=13	Pass
256QAM	1880	100	0	6.58	<=13	Pass

4.2 Test Graph


4.2.1 B2_20MHz



Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTV



Band2 20MHz 256QAM MCH 1880MHz RB 100 0 NTV



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-27.92	-13	Pass
1849	1850	0.014	CHP	2	1849.995	-27.06	-13	Pass
1850	1853	0.014	CHP	/	/	/	/	/


Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-26.25	-13	Pass
1911	1913	1	CHP	2	1911.500	-42.19	-13	Pass

Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.014	CHP	/	/	/	/	/
1910	1911	0.014	CHP	1	1910.005	-27.30	-13	Pass
1911	1913	1	CHP	2	1911.500	-27.03	-13	Pass


5.2.2 B2_3MHz



Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-25.91	-13	Pass
1849	1850	0.031	CHP	2	1849.976	-27.84	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN



Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN




Band2 3MHz QPSK HCH 1908.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-30.83	-13	Pass
1911	1913	1	CHP	2	1911.500	-39.86	-13	Pass

Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.031	CHP	/	/	/	/	/
1910	1911	0.031	CHP	1	1910.006	-27.26	-13	Pass
1911	1913	1	CHP	2	1911.500	-20.60	-13	Pass


5.2.3 B2_5MHz



Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-26.19	-13	Pass
1849	1850	0.053	CHP	2	1849.990	-28.18	-13	Pass
1850	1855	0.053	CHP	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN



Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-33.88	-13	Pass
1911	1915	1	CHP	2	1911.500	-39.87	-13	Pass

Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.053	CHP	/	/	/	/	/
1910	1911	0.053	CHP	1	1910.010	-27.24	-13	Pass
1911	1915	1	CHP	2	1911.500	-20.51	-13	Pass


5.2.4 B2_10MHz



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-26.55	-13	Pass
1849	1850	0.102	CHP	2	1849.940	-32.33	-13	Pass
1850	1860	0.102	CHP	/	/	/	/	/


Band2 10MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2 10MHz QPSK HCH 1905MHz RB 1 49 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.001	-45.11	-13	Pass
1911	1920	1	CHP	2	1911.501	-43.45	-13	Pass

Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.102	CHP	/	/	/	/	/
1910	1911	0.102	CHP	1	1910.020	-30.01	-13	Pass
1911	1920	1	CHP	2	1911.600	-23.08	-13	Pass


5.2.5 B2_15MHz



Band2 15MHz QPSK LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1846.640	-26.66	-13	Pass
1849	1850	0.153	CHP	2	1849.970	-30.23	-13	Pass
1850	1865	0.153	CHP	/	/	/	/	/


Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-42.96	-13	Pass
1911	1925	1	CHP	2	1911.500	-43.03	-13	Pass

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.155	CHP	/	/	/	/	/
1910	1911	0.155	CHP	1	1910.030	-31.17	-13	Pass
1911	1925	1	CHP	2	1913.090	-24.76	-13	Pass


5.2.6 B2_20MHz



Band2 20MHz QPSK LCH 1860MHz RB 1 0 NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.400	-28.68	-13	Pass
1849	1850	0.201	CHP	2	1849.960	-33.09	-13	Pass
1850	1870	0.201	CHP	/	/	/	/	/


Band2 20MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 20MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN



Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN




Band2 20MHz QPSK HCH 1900MHz RB 1 99 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-44.86	-13	Pass
1911	1930	1	CHP	2	1911.500	-43.53	-13	Pass

Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.201	CHP	/	/	/	/	/
1910	1911	0.201	CHP	1	1910.040	-32.77	-13	Pass
1911	1930	1	CHP	2	1911.560	-27.25	-13	Pass