


1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.07	-13	Pass	2986
30	1000	0.1	RMS	933.6	-59.64	-13	Pass	9701
1000	3000	1	RMS	2970	-44.18	-13	Pass	2001
3000	3430	1	RMS	3229	-43.72	-13	Pass	431
3430	3570	1	RMS	3535.7	23.57	60	Pass	401
3570	6500	1	RMS	3843	-45.69	-13	Pass	2931
6500	36000	1	RMS	35600	-46.46	-13	Pass	29501



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:42190, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-67.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.96	-13	Pass	2986
30	1000	0.1	RMS	958.3	-59.64	-13	Pass	9701
1000	3000	1	RMS	2989	-44.22	-13	Pass	2001
3000	3430	1	RMS	3144	-43.63	-13	Pass	431
3430	3570	1	RMS	3451.35	23.84	60	Pass	401
3570	6500	1	RMS	3758	-45.32	-13	Pass	2931
6500	36000	1	RMS	35589	-46.51	-13	Pass	29501



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-67.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.09	-13	Pass	2986
30	1000	0.1	RMS	883.5	-59.63	-13	Pass	9701
1000	3000	1	RMS	2991	-44.16	-13	Pass	2001
3000	3430	1	RMS	3144	-43.63	-13	Pass	431
3430	3570	1	RMS	3451	23.54	60	Pass	401
3570	6500	1	RMS	6291	-46.94	-13	Pass	2931
6500	36000	1	RMS	35598	-46.63	-13	Pass	29501



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:42590, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-66.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.8	-13	Pass	2986
30	1000	0.1	RMS	901.3	-59.54	-13	Pass	9701
1000	3000	1	RMS	2970	-44.14	-13	Pass	2001
3000	3430	1	RMS	3184	-43.62	-13	Pass	431
3430	3570	1	RMS	3491.25	23.86	60	Pass	401
3570	6500	1	RMS	3798	-45.88	-13	Pass	2931
6500	36000	1	RMS	35585	-46.64	-13	Pass	29501



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-67.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.06	-13	Pass	2986
30	1000	0.1	RMS	994.3	-59.59	-13	Pass	9701
1000	3000	1	RMS	3000	-44.17	-13	Pass	2001
3000	3430	1	RMS	3184	-43.68	-13	Pass	431
3430	3570	1	RMS	3491.25	22.93	60	Pass	401
3570	6500	1	RMS	3798	-46.37	-13	Pass	2931
6500	36000	1	RMS	35550	-46.59	-13	Pass	29501



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:42990, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.133	-67.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.53	-13	Pass	2986
30	1000	0.1	RMS	910.5	-59.59	-13	Pass	9701
1000	3000	1	RMS	3000	-44.22	-13	Pass	2001
3000	3430	1	RMS	3224	-43.64	-13	Pass	431
3430	3570	1	RMS	3531.15	23.95	60	Pass	401
3570	6500	1	RMS	6271	-46.94	-13	Pass	2931
6500	36000	1	RMS	35578	-46.65	-13	Pass	29501



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-67.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.64	-13	Pass	2986
30	1000	0.1	RMS	899.4	-59.62	-13	Pass	9701
1000	3000	1	RMS	2993	-44.27	-13	Pass	2001
3000	3430	1	RMS	3224	-43.6	-13	Pass	431
3430	3570	1	RMS	3531.15	23.2	60	Pass	401
3570	6500	1	RMS	6285	-46.86	-13	Pass	2931
6500	36000	1	RMS	35608	-46.54	-13	Pass	29501



1. LTE_Band48


1.1. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.56	-40	Pass	401
0.15	30	0.01	RMS	0.15	-64.65	-40	Pass	2986
30	1000	0.1	RMS	992.6	-63.63	-40	Pass	9701
1000	3000	1	RMS	2995	-48.65	-40	Pass	2001
3000	3500	1	RMS	3243	-46.6	-40	Pass	501
3500	3750	1	RMS	3550	20.73	60	Pass	401
3750	6500	1	RMS	6280	-46.91	-40	Pass	2751
6500	37000	1	RMS	35626	-46.62	-40	Pass	30501




1.2. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-71.58	-40	Pass	401
0.15	30	0.01	RMS	0.15	-64.96	-40	Pass	2986
30	1000	0.1	RMS	989.1	-63.24	-40	Pass	9701
1000	3000	1	RMS	2997	-48.65	-40	Pass	2001
3000	3500	1	RMS	3243	-46.89	-40	Pass	501
3500	3750	1	RMS	3550	19.7	60	Pass	401
3750	6500	1	RMS	6274	-46.92	-40	Pass	2751
6500	37000	1	RMS	35614	-46.62	-40	Pass	30501




1.3. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-72.22	-40	Pass	401
0.15	30	0.01	RMS	0.15	-65.95	-40	Pass	2986
30	1000	0.1	RMS	927.2	-63.82	-40	Pass	9701
1000	3000	1	RMS	2982	-48.7	-40	Pass	2001
3000	3500	1	RMS	3316	-46.74	-40	Pass	501
3500	3750	1	RMS	3623.125	20.56	60	Pass	401
3750	6500	1	RMS	3930	-46.63	-40	Pass	2751
6500	37000	1	RMS	35592	-46.62	-40	Pass	30501




1.4. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:4, Channel:55990, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-71.55	-40	Pass	401
0.15	30	0.01	RMS	0.15	-65.12	-40	Pass	2986
30	1000	0.1	RMS	856.3	-63.94	-40	Pass	9701
1000	3000	1	RMS	2974	-48.66	-40	Pass	2001
3000	3500	1	RMS	3316	-46.72	-40	Pass	501
3500	3750	1	RMS	3623.125	19.5	60	Pass	401
3750	6500	1	RMS	3930	-46.9	-40	Pass	2751
6500	37000	1	RMS	35586	-46.51	-40	Pass	30501




1.5. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-71.84	-40	Pass	401
0.15	30	0.01	RMS	0.15	-66.33	-40	Pass	2986
30	1000	0.1	RMS	907.9	-63.92	-40	Pass	9701
1000	3000	1	RMS	2999	-48.56	-40	Pass	2001
3000	3500	1	RMS	3388	-45.76	-40	Pass	501
3500	3750	1	RMS	3695.625	20.39	60	Pass	401
3750	6500	1	RMS	4003	-46.88	-40	Pass	2751
6500	37000	1	RMS	35587	-46.56	-40	Pass	30501




1.6. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:6, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-71.81	-40	Pass	401
0.15	30	0.01	RMS	0.16	-66.52	-40	Pass	2986
30	1000	0.1	RMS	999	-63.76	-40	Pass	9701
1000	3000	1	RMS	2998	-48.62	-40	Pass	2001
3000	3500	1	RMS	3388	-46.49	-40	Pass	501
3500	3750	1	RMS	3695.625	19.62	60	Pass	401
3750	6500	1	RMS	6281	-46.94	-40	Pass	2751
6500	37000	1	RMS	35593	-46.54	-40	Pass	30501




**1.7. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:7,
Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.147	-71.23	-40	Pass	401
0.15	30	0.01	RMS	0.15	-64.92	-40	Pass	2986
30	1000	0.1	RMS	915.6	-63.78	-40	Pass	9701
1000	3000	1	RMS	2997	-48.69	-40	Pass	2001
3000	3500	1	RMS	3243	-47.35	-40	Pass	501
3500	3750	1	RMS	3550.625	21.61	60	Pass	401
3750	6500	1	RMS	6275	-46.91	-40	Pass	2751
6500	37000	1	RMS	35598	-46.57	-40	Pass	30501




1.8. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:8, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.99	-40	Pass	401
0.15	30	0.01	RMS	0.15	-64.4	-40	Pass	2986
30	1000	0.1	RMS	890.7	-63.79	-40	Pass	9701
1000	3000	1	RMS	2970	-48.65	-40	Pass	2001
3000	3500	1	RMS	3243	-47.29	-40	Pass	501
3500	3750	1	RMS	3550.625	20.77	60	Pass	401
3750	6500	1	RMS	6278	-46.93	-40	Pass	2751
6500	37000	1	RMS	35601	-46.62	-40	Pass	30501




1.9. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:9, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-71.13	-40	Pass	401
0.15	30	0.01	RMS	0.15	-65.43	-40	Pass	2986
30	1000	0.1	RMS	881.9	-63.87	-40	Pass	9701
1000	3000	1	RMS	2971	-48.68	-40	Pass	2001
3000	3500	1	RMS	3313	-46.6	-40	Pass	501
3500	3750	1	RMS	3620.625	21.28	60	Pass	401
3750	6500	1	RMS	6281	-46.95	-40	Pass	2751
6500	37000	1	RMS	35611	-46.58	-40	Pass	30501




1.10. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-70.72	-40	Pass	401
0.15	30	0.01	RMS	0.16	-65.2	-40	Pass	2986
30	1000	0.1	RMS	913.9	-63.79	-40	Pass	9701
1000	3000	1	RMS	2992	-48.64	-40	Pass	2001
3000	3500	1	RMS	3313	-46.85	-40	Pass	501
3500	3750	1	RMS	3620.625	20.35	60	Pass	401
3750	6500	1	RMS	6274	-46.94	-40	Pass	2751
6500	37000	1	RMS	35600	-46.55	-40	Pass	30501




**1.11. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:11,
Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.146	-72.08	-40	Pass	401
0.15	30	0.01	RMS	0.15	-63.36	-40	Pass	2986
30	1000	0.1	RMS	901.8	-63.77	-40	Pass	9701
1000	3000	1	RMS	3000	-48.67	-40	Pass	2001
3000	3500	1	RMS	3383	-46.47	-40	Pass	501
3500	3750	1	RMS	3690.625	21.29	60	Pass	401
3750	6500	1	RMS	3998	-46	-40	Pass	2751
6500	37000	1	RMS	35581	-46.59	-40	Pass	30501




1.12. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.131	-71.31	-40	Pass	401
0.15	30	0.01	RMS	0.16	-65.3	-40	Pass	2986
30	1000	0.1	RMS	907.1	-63.93	-40	Pass	9701
1000	3000	1	RMS	3000	-48.7	-40	Pass	2001
3000	3500	1	RMS	3383	-46.79	-40	Pass	501
3500	3750	1	RMS	3690.625	20.25	60	Pass	401
3750	6500	1	RMS	6284	-46.98	-40	Pass	2751
6500	37000	1	RMS	35589	-46.61	-40	Pass	30501




1.13. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-71.72	-40	Pass	401
0.15	30	0.01	RMS	0.15	-65.8	-40	Pass	2986
30	1000	0.1	RMS	896.5	-63.89	-40	Pass	9701
1000	3000	1	RMS	2998	-48.63	-40	Pass	2001
3000	3500	1	RMS	3244	-47.22	-40	Pass	501
3500	3750	1	RMS	3550.625	20.92	60	Pass	401
3750	6500	1	RMS	6260	-46.94	-40	Pass	2751
6500	37000	1	RMS	35597	-46.51	-40	Pass	30501




1.14. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.102	-70.98	-40	Pass	401
0.15	30	0.01	RMS	0.15	-65.02	-40	Pass	2986
30	1000	0.1	RMS	863.9	-63.86	-40	Pass	9701
1000	3000	1	RMS	2997	-48.69	-40	Pass	2001
3000	3500	1	RMS	3244	-47.07	-40	Pass	501
3500	3750	1	RMS	3550.625	20.2	60	Pass	401
3750	6500	1	RMS	6276	-46.94	-40	Pass	2751
6500	37000	1	RMS	35584	-46.42	-40	Pass	30501




1.15. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-71.54	-40	Pass	401
0.15	30	0.01	RMS	0.15	-65.66	-40	Pass	2986
30	1000	0.1	RMS	901.6	-63.76	-40	Pass	9701
1000	3000	1	RMS	3000	-48.67	-40	Pass	2001
3000	3500	1	RMS	3311	-46.19	-40	Pass	501
3500	3750	1	RMS	3618.125	20.63	60	Pass	401
3750	6500	1	RMS	6277	-46.94	-40	Pass	2751
6500	37000	1	RMS	35600	-46.53	-40	Pass	30501




1.16. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.14	-71.63	-40	Pass	401
0.15	30	0.01	RMS	0.15	-65.25	-40	Pass	2986
30	1000	0.1	RMS	881.5	-63.67	-40	Pass	9701
1000	3000	1	RMS	3000	-48.66	-40	Pass	2001
3000	3500	1	RMS	3311	-46.81	-40	Pass	501
3500	3750	1	RMS	3618.125	19.6	60	Pass	401
3750	6500	1	RMS	6285	-46.93	-40	Pass	2751
6500	37000	1	RMS	35582	-46.55	-40	Pass	30501




**1.17. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:17,
Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-71.54	-40	Pass	401
0.15	30	0.01	RMS	0.15	-64.53	-40	Pass	2986
30	1000	0.1	RMS	872.7	-63.9	-40	Pass	9701
1000	3000	1	RMS	3000	-48.61	-40	Pass	2001
3000	3500	1	RMS	3379	-46.62	-40	Pass	501
3500	3750	1	RMS	3685.625	20.45	60	Pass	401
3750	6500	1	RMS	3993	-46.24	-40	Pass	2751
6500	37000	1	RMS	35599	-46.63	-40	Pass	30501




1.18. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:18, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.134	-71.59	-40	Pass	401
0.15	30	0.01	RMS	0.15	-65.05	-40	Pass	2986
30	1000	0.1	RMS	924.9	-63.78	-40	Pass	9701
1000	3000	1	RMS	2995	-48.68	-40	Pass	2001
3000	3500	1	RMS	3379	-46.93	-40	Pass	501
3500	3750	1	RMS	3685.625	19.71	60	Pass	401
3750	6500	1	RMS	3993	-46.31	-40	Pass	2751
6500	37000	1	RMS	35599	-46.62	-40	Pass	30501




**1.19. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:19,
Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-70.78	-40	Pass	401
0.15	30	0.01	RMS	0.15	-65.3	-40	Pass	2986
30	1000	0.1	RMS	989.8	-63.83	-40	Pass	9701
1000	3000	1	RMS	2970	-48.7	-40	Pass	2001
3000	3500	1	RMS	3244	-46.86	-40	Pass	501
3500	3750	1	RMS	3551.25	21.21	60	Pass	401
3750	6500	1	RMS	6286	-46.97	-40	Pass	2751
6500	37000	1	RMS	35590	-46.55	-40	Pass	30501




1.20. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.15	-71.72	-40	Pass	401
0.15	30	0.01	RMS	0.15	-64.95	-40	Pass	2986
30	1000	0.1	RMS	916.7	-63.84	-40	Pass	9701
1000	3000	1	RMS	2999	-48.57	-40	Pass	2001
3000	3500	1	RMS	3244	-47.14	-40	Pass	501
3500	3750	1	RMS	3551.25	20.21	60	Pass	401
3750	6500	1	RMS	6276	-46.94	-40	Pass	2751
6500	37000	1	RMS	35614	-46.31	-40	Pass	30501




**1.21. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:21,
Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-71.29	-40	Pass	401
0.15	30	0.01	RMS	0.15	-65.6	-40	Pass	2986
30	1000	0.1	RMS	901.9	-63.9	-40	Pass	9701
1000	3000	1	RMS	2993	-48.71	-40	Pass	2001
3000	3500	1	RMS	3309	-46.31	-40	Pass	501
3500	3750	1	RMS	3616.25	20.76	60	Pass	401
3750	6500	1	RMS	6281	-46.99	-40	Pass	2751
6500	37000	1	RMS	35598	-46.54	-40	Pass	30501




1.22. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-71.62	-40	Pass	401
0.15	30	0.01	RMS	0.15	-65.29	-40	Pass	2986
30	1000	0.1	RMS	926.9	-63.9	-40	Pass	9701
1000	3000	1	RMS	2996	-48.65	-40	Pass	2001
3000	3500	1	RMS	3309	-46.76	-40	Pass	501
3500	3750	1	RMS	3616.25	19.66	60	Pass	401
3750	6500	1	RMS	6284	-46.91	-40	Pass	2751
6500	37000	1	RMS	35585	-46.48	-40	Pass	30501




**1.23. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:23,
Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-71.04	-40	Pass	401
0.15	30	0.01	RMS	0.15	-64.93	-40	Pass	2986
30	1000	0.1	RMS	891.5	-63.79	-40	Pass	9701
1000	3000	1	RMS	2998	-48.63	-40	Pass	2001
3000	3500	1	RMS	3374	-46.27	-40	Pass	501
3500	3750	1	RMS	3681.25	20.62	60	Pass	401
3750	6500	1	RMS	6282	-46.95	-40	Pass	2751
6500	37000	1	RMS	35604	-46.63	-40	Pass	30501



1.24. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-71.22	-40	Pass	401
0.15	30	0.01	RMS	0.17	-65.94	-40	Pass	2986
30	1000	0.1	RMS	885.5	-63.83	-40	Pass	9701
1000	3000	1	RMS	2999	-48.65	-40	Pass	2001
3000	3500	1	RMS	3374	-46.65	-40	Pass	501
3500	3750	1	RMS	3681.25	19.88	60	Pass	401
3750	6500	1	RMS	6276	-46.9	-40	Pass	2751
6500	37000	1	RMS	35570	-46.61	-40	Pass	30501



4. LTE_Band66


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.18	-13	Pass	2986
30	1000	0.1	RMS	890.3	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1790	1	RMS	1710.35	24.35	60	Pass	401
1790	3000	1	RMS	2651	-46.52	-13	Pass	1211
3000	12000	1	RMS	11849	-40.02	-13	Pass	9001
12000	20000	1	RMS	19999	-27.65	-13	Pass	8001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.63	-13	Pass	2986
30	1000	0.1	RMS	931.8	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	Pass	701
1700	1790	1	RMS	1710.35	23.36	60	Pass	401
1790	3000	1	RMS	2650	-46.53	-13	Pass	1211
3000	12000	1	RMS	11930	-40.02	-13	Pass	9001
12000	20000	1	RMS	19999	-27.63	-13	Pass	8001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-13	Pass	2986
30	1000	0.1	RMS	937.6	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1790	1	RMS	1744.55	24.6	60	Pass	401
1790	3000	1	RMS	2652	-46.59	-13	Pass	1211
3000	12000	1	RMS	11942	-40.05	-13	Pass	9001
12000	20000	1	RMS	20000	-27.57	-13	Pass	8001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.47	-13	Pass	2986
30	1000	0.1	RMS	921.6	-62.08	-13	Pass	9701
1000	1700	1	RMS	1699	-51.11	-13	Pass	701
1700	1790	1	RMS	1744.55	23.6	60	Pass	401
1790	3000	1	RMS	2648	-46.57	-13	Pass	1211
3000	12000	1	RMS	11846	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.6	-13	Pass	8001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.87	-13	Pass	2986
30	1000	0.1	RMS	936	-62.17	-13	Pass	9701
1000	1700	1	RMS	1605	-51.08	-13	Pass	701
1700	1790	1	RMS	1778.75	24.49	60	Pass	401
1790	3000	1	RMS	2648	-46.58	-13	Pass	1211
3000	12000	1	RMS	11845	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.55	-13	Pass	8001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.93	-13	Pass	2986
30	1000	0.1	RMS	937.3	-62.01	-13	Pass	9701
1000	1700	1	RMS	1585	-51.06	-13	Pass	701
1700	1790	1	RMS	1778.75	23.45	60	Pass	401
1790	3000	1	RMS	2652	-46.51	-13	Pass	1211
3000	12000	1	RMS	11956	-40	-13	Pass	9001
12000	20000	1	RMS	19991	-27.62	-13	Pass	8001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.5	-13	Pass	2986
30	1000	0.1	RMS	919.7	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-49.62	-13	Pass	701
1700	1790	1	RMS	1710.125	24.12	60	Pass	401
1790	3000	1	RMS	2653	-46.6	-13	Pass	1211
3000	12000	1	RMS	11853	-39.98	-13	Pass	9001
12000	20000	1	RMS	19997	-27.62	-13	Pass	8001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.67	-13	Pass	701
1700	1790	1	RMS	1710.35	23.35	60	Pass	401
1790	3000	1	RMS	2647	-46.56	-13	Pass	1211
3000	12000	1	RMS	11940	-40.08	-13	Pass	9001
12000	20000	1	RMS	20000	-27.53	-13	Pass	8001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.18	-13	Pass	2986
30	1000	0.1	RMS	913.3	-62.09	-13	Pass	9701
1000	1700	1	RMS	1660	-51.08	-13	Pass	701
1700	1790	1	RMS	1743.65	24.35	60	Pass	401
1790	3000	1	RMS	2657	-46.57	-13	Pass	1211
3000	12000	1	RMS	11853	-39.97	-13	Pass	9001
12000	20000	1	RMS	20000	-27.61	-13	Pass	8001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.81	-13	Pass	2986
30	1000	0.1	RMS	928.2	-62.01	-13	Pass	9701
1000	1700	1	RMS	1697	-51.1	-13	Pass	701
1700	1790	1	RMS	1743.65	23.62	60	Pass	401
1790	3000	1	RMS	2649	-46.59	-13	Pass	1211
3000	12000	1	RMS	11858	-40.02	-13	Pass	9001
12000	20000	1	RMS	19999	-27.62	-13	Pass	8001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.58	-13	Pass	2986
30	1000	0.1	RMS	918.6	-62.11	-13	Pass	9701
1000	1700	1	RMS	1689	-51.1	-13	Pass	701
1700	1790	1	RMS	1777.175	24.59	60	Pass	401
1790	3000	1	RMS	2653	-46.54	-13	Pass	1211
3000	12000	1	RMS	11835	-40.06	-13	Pass	9001
12000	20000	1	RMS	19997	-27.64	-13	Pass	8001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.44	-13	Pass	2986
30	1000	0.1	RMS	927.5	-62.2	-13	Pass	9701
1000	1700	1	RMS	1699	-51.09	-13	Pass	701
1700	1790	1	RMS	1777.175	23.53	60	Pass	401
1790	3000	1	RMS	2655	-46.53	-13	Pass	1211
3000	12000	1	RMS	11973	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.58	-13	Pass	8001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.15	-13	Pass	2986
30	1000	0.1	RMS	927.6	-61.97	-13	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	Pass	701
1700	1790	1	RMS	1710.35	24.39	60	Pass	401
1790	3000	1	RMS	2655	-46.59	-13	Pass	1211
3000	12000	1	RMS	11959	-39.99	-13	Pass	9001
12000	20000	1	RMS	19997	-27.62	-13	Pass	8001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.7	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.66	-13	Pass	701
1700	1790	1	RMS	1710.35	23.27	60	Pass	401
1790	3000	1	RMS	2652	-46.58	-13	Pass	1211
3000	12000	1	RMS	11927	-40.07	-13	Pass	9001
12000	20000	1	RMS	20000	-27.57	-13	Pass	8001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2986
30	1000	0.1	RMS	945.5	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1790	1	RMS	1742.75	24.35	60	Pass	401
1790	3000	1	RMS	2662	-46.61	-13	Pass	1211
3000	12000	1	RMS	11935	-40.02	-13	Pass	9001
12000	20000	1	RMS	20000	-27.64	-13	Pass	8001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.13	-13	Pass	2986
30	1000	0.1	RMS	913	-62.09	-13	Pass	9701
1000	1700	1	RMS	1656	-51.09	-13	Pass	701
1700	1790	1	RMS	1742.75	23.38	60	Pass	401
1790	3000	1	RMS	2645	-46.57	-13	Pass	1211
3000	12000	1	RMS	11944	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.7	-13	Pass	8001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.21	-13	Pass	2986
30	1000	0.1	RMS	921	-62.04	-13	Pass	9701
1000	1700	1	RMS	1610	-51.09	-13	Pass	701
1700	1790	1	RMS	1775.375	24.66	60	Pass	401
1790	3000	1	RMS	2641	-46.56	-13	Pass	1211
3000	12000	1	RMS	11949	-40.01	-13	Pass	9001
12000	20000	1	RMS	19999	-27.51	-13	Pass	8001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.79	-13	Pass	2986
30	1000	0.1	RMS	904.8	-62.09	-13	Pass	9701
1000	1700	1	RMS	1698	-51.06	-13	Pass	701
1700	1790	1	RMS	1775.375	23.73	60	Pass	401
1790	3000	1	RMS	2649	-46.58	-13	Pass	1211
3000	12000	1	RMS	11925	-39.96	-13	Pass	9001
12000	20000	1	RMS	19996	-27.62	-13	Pass	8001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.54	-13	Pass	2986
30	1000	0.1	RMS	936.1	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.39	-13	Pass	701
1700	1790	1	RMS	1710.575	24.39	60	Pass	401
1790	3000	1	RMS	2656	-46.63	-13	Pass	1211
3000	12000	1	RMS	11942	-40.07	-13	Pass	9001
12000	20000	1	RMS	19996	-27.64	-13	Pass	8001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.41	-13	Pass	2986
30	1000	0.1	RMS	913	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-50.63	-13	Pass	701
1700	1790	1	RMS	1710.575	23.56	60	Pass	401
1790	3000	1	RMS	2652	-46.59	-13	Pass	1211
3000	12000	1	RMS	11959	-40.06	-13	Pass	9001
12000	20000	1	RMS	20000	-27.62	-13	Pass	8001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.77	-13	Pass	2986
30	1000	0.1	RMS	895	-62.09	-13	Pass	9701
1000	1700	1	RMS	1601	-51.06	-13	Pass	701
1700	1790	1	RMS	1740.5	24.45	60	Pass	401
1790	3000	1	RMS	2645	-46.6	-13	Pass	1211
3000	12000	1	RMS	11857	-40.05	-13	Pass	9001
12000	20000	1	RMS	20000	-27.59	-13	Pass	8001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.9	-13	Pass	2986
30	1000	0.1	RMS	925.8	-61.83	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1790	1	RMS	1740.5	23.72	60	Pass	401
1790	3000	1	RMS	2651	-46.59	-13	Pass	1211
3000	12000	1	RMS	11955	-40.05	-13	Pass	9001
12000	20000	1	RMS	19997	-27.62	-13	Pass	8001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.63	-13	Pass	2986
30	1000	0.1	RMS	918	-62.05	-13	Pass	9701
1000	1700	1	RMS	1591	-51.08	-13	Pass	701
1700	1790	1	RMS	1770.65	24.57	60	Pass	401
1790	3000	1	RMS	2659	-46.58	-13	Pass	1211
3000	12000	1	RMS	11957	-40.07	-13	Pass	9001
12000	20000	1	RMS	19997	-27.54	-13	Pass	8001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.34	-13	Pass	2986
30	1000	0.1	RMS	930.4	-62.11	-13	Pass	9701
1000	1700	1	RMS	1698	-51.08	-13	Pass	701
1700	1790	1	RMS	1770.65	23.74	60	Pass	401
1790	3000	1	RMS	2654	-46.56	-13	Pass	1211
3000	12000	1	RMS	11949	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.62	-13	Pass	8001



4.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.29	-13	Pass	2986
30	1000	0.1	RMS	918.4	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-50.1	-13	Pass	701
1700	1790	1	RMS	1710.8	24.19	60	Pass	401
1790	3000	1	RMS	2649	-46.59	-13	Pass	1211
3000	12000	1	RMS	11930	-40.03	-13	Pass	9001
12000	20000	1	RMS	19999	-27.62	-13	Pass	8001



4.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.04	-13	Pass	2986
30	1000	0.1	RMS	908.1	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-50.57	-13	Pass	701
1700	1790	1	RMS	1710.8	23.23	60	Pass	401
1790	3000	1	RMS	2654	-46.55	-13	Pass	1211
3000	12000	1	RMS	11970	-40.05	-13	Pass	9001
12000	20000	1	RMS	19996	-27.68	-13	Pass	8001



4.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.39	-13	Pass	2986
30	1000	0.1	RMS	937.6	-61.99	-13	Pass	9701
1000	1700	1	RMS	1698	-51.08	-13	Pass	701
1700	1790	1	RMS	1738.25	24.54	60	Pass	401
1790	3000	1	RMS	2652	-46.55	-13	Pass	1211
3000	12000	1	RMS	11944	-40.03	-13	Pass	9001
12000	20000	1	RMS	19998	-27.62	-13	Pass	8001



4.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.05	-13	Pass	2986
30	1000	0.1	RMS	944.6	-62.09	-13	Pass	9701
1000	1700	1	RMS	1699	-51.1	-13	Pass	701
1700	1790	1	RMS	1738.25	23.52	60	Pass	401
1790	3000	1	RMS	2646	-46.59	-13	Pass	1211
3000	12000	1	RMS	11960	-40.05	-13	Pass	9001
12000	20000	1	RMS	20000	-27.56	-13	Pass	8001



4.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.94	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.01	-13	Pass	9701
1000	1700	1	RMS	1697	-51.05	-13	Pass	701
1700	1790	1	RMS	1765.925	24.33	60	Pass	401
1790	3000	1	RMS	2650	-46.54	-13	Pass	1211
3000	12000	1	RMS	11953	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.58	-13	Pass	8001



4.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.58	-13	Pass	2986
30	1000	0.1	RMS	965.3	-62.15	-13	Pass	9701
1000	1700	1	RMS	1697	-51.1	-13	Pass	701
1700	1790	1	RMS	1765.925	23.77	60	Pass	401
1790	3000	1	RMS	2649	-46.6	-13	Pass	1211
3000	12000	1	RMS	11849	-40.06	-13	Pass	9001
12000	20000	1	RMS	19994	-27.64	-13	Pass	8001



4.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.91	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-50.29	-13	Pass	701
1700	1790	1	RMS	1711.025	24.2	60	Pass	401
1790	3000	1	RMS	2649	-46.57	-13	Pass	1211
3000	12000	1	RMS	11949	-39.99	-13	Pass	9001
12000	20000	1	RMS	19997	-27.56	-13	Pass	8001



4.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.71	-13	Pass	2986
30	1000	0.1	RMS	943.1	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-50.65	-13	Pass	701
1700	1790	1	RMS	1711.025	23.35	60	Pass	401
1790	3000	1	RMS	2653	-46.64	-13	Pass	1211
3000	12000	1	RMS	11953	-40.06	-13	Pass	9001
12000	20000	1	RMS	20000	-27.65	-13	Pass	8001



4.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2986
30	1000	0.1	RMS	895.4	-62.17	-13	Pass	9701
1000	1700	1	RMS	1698	-51.08	-13	Pass	701
1700	1790	1	RMS	1736	24.34	60	Pass	401
1790	3000	1	RMS	2660	-46.55	-13	Pass	1211
3000	12000	1	RMS	11957	-40.04	-13	Pass	9001
12000	20000	1	RMS	19998	-27.61	-13	Pass	8001



4.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.44	-13	Pass	2986
30	1000	0.1	RMS	914.6	-62.1	-13	Pass	9701
1000	1700	1	RMS	1684	-51.06	-13	Pass	701
1700	1790	1	RMS	1736	23.44	60	Pass	401
1790	3000	1	RMS	2650	-46.57	-13	Pass	1211
3000	12000	1	RMS	11893	-40.1	-13	Pass	9001
12000	20000	1	RMS	19996	-27.61	-13	Pass	8001



4.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2986
30	1000	0.1	RMS	918.9	-62.13	-13	Pass	9701
1000	1700	1	RMS	1601	-51.05	-13	Pass	701
1700	1790	1	RMS	1761.2	24.41	60	Pass	401
1790	3000	1	RMS	2653	-46.49	-13	Pass	1211
3000	12000	1	RMS	11940	-40.03	-13	Pass	9001
12000	20000	1	RMS	20000	-27.58	-13	Pass	8001



4.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.46	-13	Pass	2986
30	1000	0.1	RMS	940.9	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-51.05	-13	Pass	701
1700	1790	1	RMS	1760.975	23.6	60	Pass	401
1790	3000	1	RMS	2648	-46.56	-13	Pass	1211
3000	12000	1	RMS	11944	-40.02	-13	Pass	9001
12000	20000	1	RMS	19997	-27.63	-13	Pass	8001




1. CA_7C

1.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-71.57	-25	Pass	401
0.15	30	0.01	RMS	20.98	-68.52	-25	Pass	2986
30	1000	0.1	RMS	916.945	-59.18	-25	Pass	9701
1000	2475	1	RMS	2473	-42.47	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.7	60	Pass	401
2735	3000	1	RMS	2967.538	-45.68	-25	Pass	401
3000	12000	1	RMS	11856	-45.8	-25	Pass	9002
12000	26000	1	RMS	25102	-34.05	-25	Pass	14002



1.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.73	-25	Pass	401
0.15	30	0.01	RMS	14.85	-68.3	-25	Pass	2986
30	1000	0.1	RMS	488.2	-59.26	-25	Pass	9701
1000	2475	1	RMS	2475	-44.35	-25	Pass	1476
2475	2735	1	RMS	2521.8	9.57	60	Pass	401
2735	3000	1	RMS	2973.5	-45.74	-25	Pass	401
3000	12000	1	RMS	10549	-45.93	-25	Pass	9002
12000	26000	1	RMS	25789	-34.34	-25	Pass	14002



1.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.87	-67.92	-25	Pass	2986
30	1000	0.1	RMS	997.999	-58.86	-25	Pass	9701
1000	2475	1	RMS	2473	-41.79	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.36	60	Pass	401
2735	3000	1	RMS	2956.938	-45.68	-25	Pass	401
3000	12000	1	RMS	11854	-45.85	-25	Pass	9002
12000	26000	1	RMS	25827	-34.34	-25	Pass	14002



1.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-71.34	-25	Pass	401
0.15	30	0.01	RMS	0.34	-67.83	-25	Pass	2986
30	1000	0.1	RMS	919.146	-59.11	-25	Pass	9701
1000	2475	1	RMS	2475	-45.29	-25	Pass	1476
2475	2735	1	RMS	2522.45	8.56	60	Pass	401
2735	3000	1	RMS	2959.588	-45.58	-25	Pass	401
3000	12000	1	RMS	11503	-45.81	-25	Pass	9002
12000	26000	1	RMS	25094	-34.13	-25	Pass	14002



1.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.37	-25	Pass	401
0.15	30	0.01	RMS	25.54	-68.11	-25	Pass	2986
30	1000	0.1	RMS	895.03	-58.86	-25	Pass	9701
1000	2475	1	RMS	2470	-47.05	-25	Pass	1476
2475	2735	1	RMS	2548.45	11.67	60	Pass	401
2735	3000	1	RMS	2956.938	-45.68	-25	Pass	401
3000	12000	1	RMS	11857	-45.94	-25	Pass	9002
12000	26000	1	RMS	25104	-33.96	-25	Pass	14002



1.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.01	-25	Pass	401
0.15	30	0.01	RMS	29.15	-68.24	-25	Pass	2986
30	1000	0.1	RMS	870.514	-59.64	-25	Pass	9701
1000	2475	1	RMS	2474	-46.46	-25	Pass	1476
2475	2735	1	RMS	2546.5	9.65	60	Pass	401
2735	3000	1	RMS	2961.575	-45.77	-25	Pass	401
3000	12000	1	RMS	11860	-45.98	-25	Pass	9002
12000	26000	1	RMS	25819	-34.34	-25	Pass	14002



1.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.58	-25	Pass	401
0.15	30	0.01	RMS	26.81	-68.18	-25	Pass	2986
30	1000	0.1	RMS	838	-58.99	-25	Pass	9701
1000	2475	1	RMS	2468	-47.1	-25	Pass	1476
2475	2735	1	RMS	2548.45	11.58	60	Pass	401
2735	3000	1	RMS	2970.188	-45.69	-25	Pass	401
3000	12000	1	RMS	11861	-45.85	-25	Pass	9002
12000	26000	1	RMS	25117	-34.22	-25	Pass	14002



1.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.86	-25	Pass	401
0.15	30	0.01	RMS	29.45	-67.29	-25	Pass	2986
30	1000	0.1	RMS	913.743	-58.63	-25	Pass	9701
1000	2475	1	RMS	2474	-46.63	-25	Pass	1476
2475	2735	1	RMS	2547.15	8.61	60	Pass	401
2735	3000	1	RMS	2946.338	-45.66	-25	Pass	401
3000	12000	1	RMS	11859	-45.93	-25	Pass	9002
12000	26000	1	RMS	25101	-34.12	-25	Pass	14002



1.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.7	-25	Pass	401
0.15	30	0.01	RMS	0.38	-67.71	-25	Pass	2986
30	1000	0.1	RMS	873.616	-58.71	-25	Pass	9701
1000	2475	1	RMS	2469	-47.18	-25	Pass	1476
2475	2735	1	RMS	2568.6	11.61	60	Pass	401
2735	3000	1	RMS	2962.9	-45.61	-25	Pass	401
3000	12000	1	RMS	11849	-45.59	-25	Pass	9002
12000	26000	1	RMS	25122	-34.21	-25	Pass	14002



1.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.56	-25	Pass	401
0.15	30	0.01	RMS	29.87	-67.7	-25	Pass	2986
30	1000	0.1	RMS	865.611	-58.88	-25	Pass	9701
1000	2475	1	RMS	2474	-46.64	-25	Pass	1476
2475	2735	1	RMS	2560.8	9.25	60	Pass	401
2735	3000	1	RMS	2940.375	-45.6	-25	Pass	401
3000	12000	1	RMS	11466	-45.73	-25	Pass	9002
12000	26000	1	RMS	25107	-34.2	-25	Pass	14002



1.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-71.77	-25	Pass	401
0.15	30	0.01	RMS	29.87	-68.17	-25	Pass	2986
30	1000	0.1	RMS	871.315	-59.46	-25	Pass	9701
1000	2475	1	RMS	2475	-47.47	-25	Pass	1476
2475	2735	1	RMS	2568.6	11.61	60	Pass	401
2735	3000	1	RMS	2964.225	-45.71	-25	Pass	401
3000	12000	1	RMS	10545	-45.86	-25	Pass	9002
12000	26000	1	RMS	25101	-33.94	-25	Pass	14002



1.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.76	-25	Pass	401
0.15	30	0.01	RMS	15.32	-68.08	-25	Pass	2986
30	1000	0.1	RMS	839.6	-59.13	-25	Pass	9701
1000	2475	1	RMS	2472	-46.83	-25	Pass	1476
2475	2735	1	RMS	2562.1	8.38	60	Pass	401
2735	3000	1	RMS	2970.188	-45.57	-25	Pass	401
3000	12000	1	RMS	11456	-45.83	-25	Pass	9002
12000	26000	1	RMS	25083	-34.15	-25	Pass	14002



1.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-71.03	-25	Pass	401
0.15	30	0.01	RMS	6.34	-67.71	-25	Pass	2986
30	1000	0.1	RMS	997.498	-58.83	-25	Pass	9701
1000	2475	1	RMS	2474	-47.15	-25	Pass	1476
2475	2735	1	RMS	2501	11.26	60	Pass	401
2735	3000	1	RMS	2958.925	-45.58	-25	Pass	401
3000	12000	1	RMS	11494	-45.85	-25	Pass	9002
12000	26000	1	RMS	25102	-34.32	-25	Pass	14002



1.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.63	-25	Pass	401
0.15	30	0.01	RMS	0.75	-67.93	-25	Pass	2986
30	1000	0.1	RMS	883.323	-58.79	-25	Pass	9701
1000	2475	1	RMS	2475	-39.24	-25	Pass	1476
2475	2735	1	RMS	2525.7	6.66	60	Pass	401
2735	3000	1	RMS	2960.913	-45.58	-25	Pass	401
3000	12000	1	RMS	11850	-45.84	-25	Pass	9002
12000	26000	1	RMS	25105	-34.02	-25	Pass	14002



1.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.078	-71.38	-25	Pass	401
0.15	30	0.01	RMS	3.68	-67.78	-25	Pass	2986
30	1000	0.1	RMS	919.246	-58.87	-25	Pass	9701
1000	2475	1	RMS	2475	-47.07	-25	Pass	1476
2475	2735	1	RMS	2501	11	60	Pass	401
2735	3000	1	RMS	2958.263	-45.55	-25	Pass	401
3000	12000	1	RMS	11860	-45.9	-25	Pass	9002
12000	26000	1	RMS	25732	-34.22	-25	Pass	14002



1.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.058	-71.26	-25	Pass	401
0.15	30	0.01	RMS	15.72	-68.28	-25	Pass	2986
30	1000	0.1	RMS	904.637	-59.26	-25	Pass	9701
1000	2475	1	RMS	2475	-43.17	-25	Pass	1476
2475	2735	1	RMS	2521.8	5.76	60	Pass	401
2735	3000	1	RMS	2963.563	-45.76	-25	Pass	401
3000	12000	1	RMS	11861	-45.91	-25	Pass	9002
12000	26000	1	RMS	25843	-34.28	-25	Pass	14002



1.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-71.1	-25	Pass	401
0.15	30	0.01	RMS	13.07	-68.27	-25	Pass	2986
30	1000	0.1	RMS	902.435	-58.89	-25	Pass	9701
1000	2475	1	RMS	2474	-47.11	-25	Pass	1476
2475	2735	1	RMS	2553.65	11.67	60	Pass	401
2735	3000	1	RMS	2956.275	-45.58	-25	Pass	401
3000	12000	1	RMS	11878	-45.9	-25	Pass	9002
12000	26000	1	RMS	25124	-34.16	-25	Pass	14002



1.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-71.07	-25	Pass	401
0.15	30	0.01	RMS	29.89	-67.89	-25	Pass	2986
30	1000	0.1	RMS	931.054	-58.93	-25	Pass	9701
1000	2475	1	RMS	2475	-45.54	-25	Pass	1476
2475	2735	1	RMS	2552.35	6.57	60	Pass	401
2735	3000	1	RMS	2960.25	-45.55	-25	Pass	401
3000	12000	1	RMS	11856	-45.7	-25	Pass	9002
12000	26000	1	RMS	25109	-34.12	-25	Pass	14002



1.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.83	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.27	-25	Pass	2986
30	1000	0.1	RMS	867.112	-58.92	-25	Pass	9701
1000	2475	1	RMS	2467	-47.12	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.79	60	Pass	401
2735	3000	1	RMS	2963.563	-45.54	-25	Pass	401
3000	12000	1	RMS	11859	-45.93	-25	Pass	9002
12000	26000	1	RMS	25812	-34.12	-25	Pass	14002



1.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-70.5	-25	Pass	401
0.15	30	0.01	RMS	3.3	-67.96	-25	Pass	2986
30	1000	0.1	RMS	929.553	-58.89	-25	Pass	9701
1000	2475	1	RMS	2475	-45.72	-25	Pass	1476
2475	2735	1	RMS	2552.35	5.8	60	Pass	401
2735	3000	1	RMS	2980.125	-45.6	-25	Pass	401
3000	12000	1	RMS	11854	-45.82	-25	Pass	9002
12000	26000	1	RMS	25089	-34.11	-25	Pass	14002



1.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.131	-71.57	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.96	-25	Pass	2986
30	1000	0.1	RMS	894.93	-59.08	-25	Pass	9701
1000	2475	1	RMS	2442	-47.4	-25	Pass	1476
2475	2735	1	RMS	2530.9	11.82	60	Pass	401
2735	3000	1	RMS	2979.463	-45.82	-25	Pass	401
3000	12000	1	RMS	11848	-46.12	-25	Pass	9002
12000	26000	1	RMS	25105	-34.3	-25	Pass	14002



1.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-71.05	-25	Pass	401
0.15	30	0.01	RMS	24.18	-67.87	-25	Pass	2986
30	1000	0.1	RMS	485.1	-58.83	-25	Pass	9701
1000	2475	1	RMS	2474	-46.16	-25	Pass	1476
2475	2735	1	RMS	2556.25	6.36	60	Pass	401
2735	3000	1	RMS	2961.575	-45.57	-25	Pass	401
3000	12000	1	RMS	11850	-45.73	-25	Pass	9002
12000	26000	1	RMS	25094	-34.05	-25	Pass	14002



1.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.128	-71.42	-25	Pass	401
0.15	30	0.01	RMS	21.39	-68.16	-25	Pass	2986
30	1000	0.1	RMS	915.844	-58.85	-25	Pass	9701
1000	2475	1	RMS	2434	-47.26	-25	Pass	1476
2475	2735	1	RMS	2530.9	11.71	60	Pass	401
2735	3000	1	RMS	2959.588	-45.65	-25	Pass	401
3000	12000	1	RMS	11472	-45.85	-25	Pass	9002
12000	26000	1	RMS	25114	-34.2	-25	Pass	14002



1.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.07	-25	Pass	401
0.15	30	0.01	RMS	19.82	-68.04	-25	Pass	2986
30	1000	0.1	RMS	890.728	-58.87	-25	Pass	9701
1000	2475	1	RMS	2475	-46.58	-25	Pass	1476
2475	2735	1	RMS	2557.55	5.59	60	Pass	401
2735	3000	1	RMS	2968.2	-45.67	-25	Pass	401
3000	12000	1	RMS	11471	-45.74	-25	Pass	9002
12000	26000	1	RMS	25094	-34.26	-25	Pass	14002




2. CA_38C

2.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.42	-25	Pass	401
0.15	30	0.01	RMS	0.34	-63.84	-25	Pass	2986
30	1000	0.1	RMS	997.899	-54.52	-25	Pass	9701
1000	2525	1	RMS	2514	-37.23	-25	Pass	1526
2525	2665	1	RMS	2598.85	12.54	60	Pass	401
2665	3000	1	RMS	2683.425	-39.81	-25	Pass	401
3000	12000	1	RMS	11854	-45.95	-25	Pass	9002
12000	26500	1	RMS	25108	-33.92	-25	Pass	14502



2.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.88	-25	Pass	401
0.15	30	0.01	RMS	6.98	-64.12	-25	Pass	2986
30	1000	0.1	RMS	977.985	-55.65	-25	Pass	9701
1000	2525	1	RMS	2525	-40.59	-25	Pass	1526
2525	2665	1	RMS	2597.1	8.42	60	Pass	401
2665	3000	1	RMS	2665.838	-41.52	-25	Pass	401
3000	12000	1	RMS	11847	-45.97	-25	Pass	9002
12000	26500	1	RMS	25094	-34.04	-25	Pass	14502



2.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-66.87	-25	Pass	401
0.15	30	0.01	RMS	0.18	-63.74	-25	Pass	2986
30	1000	0.1	RMS	947.865	-55.17	-25	Pass	9701
1000	2525	1	RMS	2515	-39.14	-25	Pass	1526
2525	2665	1	RMS	2598.85	11.84	60	Pass	401
2665	3000	1	RMS	2683.425	-40.74	-25	Pass	401
3000	12000	1	RMS	11464	-45.73	-25	Pass	9002
12000	26500	1	RMS	25092	-34	-25	Pass	14502



2.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.53	-25	Pass	401
0.15	30	0.01	RMS	21.18	-64.38	-25	Pass	2986
30	1000	0.1	RMS	987.392	-54.73	-25	Pass	9701
1000	2525	1	RMS	2523	-41.73	-25	Pass	1526
2525	2665	1	RMS	2598.15	7.2	60	Pass	401
2665	3000	1	RMS	2962.313	-41.72	-25	Pass	401
3000	12000	1	RMS	11849	-45.82	-25	Pass	9002
12000	26500	1	RMS	25108	-34.05	-25	Pass	14502



2.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.99	-25	Pass	401
0.15	30	0.01	RMS	8.97	-63.99	-25	Pass	2986
30	1000	0.1	RMS	884.824	-54.7	-25	Pass	9701
1000	2525	1	RMS	2524	-36.45	-25	Pass	1526
2525	2665	1	RMS	2609	12.16	60	Pass	401
2665	3000	1	RMS	2665	-39.1	-25	Pass	401
3000	12000	1	RMS	11451	-45.82	-25	Pass	9002
12000	26500	1	RMS	25819	-33.93	-25	Pass	14502



2.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.19	-25	Pass	401
0.15	30	0.01	RMS	18.99	-63.62	-25	Pass	2986
30	1000	0.1	RMS	905.537	-54.79	-25	Pass	9701
1000	2525	1	RMS	2523	-41.63	-25	Pass	1526
2525	2665	1	RMS	2606.55	8.1	60	Pass	401
2665	3000	1	RMS	2668.35	-41.28	-25	Pass	401
3000	12000	1	RMS	11848	-45.69	-25	Pass	9002
12000	26500	1	RMS	25102	-33.77	-25	Pass	14502



2.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-66.53	-25	Pass	401
0.15	30	0.01	RMS	22.73	-64.39	-25	Pass	2986
30	1000	0.1	RMS	831.2	-55.57	-25	Pass	9701
1000	2525	1	RMS	2496	-40.21	-25	Pass	1526
2525	2665	1	RMS	2580.65	11.98	60	Pass	401
2665	3000	1	RMS	2665	-38.81	-25	Pass	401
3000	12000	1	RMS	11855	-45.91	-25	Pass	9002
12000	26500	1	RMS	25772	-34.05	-25	Pass	14502



2.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-67.41	-25	Pass	401
0.15	30	0.01	RMS	15.66	-64.17	-25	Pass	2986
30	1000	0.1	RMS	902.736	-55.36	-25	Pass	9701
1000	2525	1	RMS	2515	-42.27	-25	Pass	1526
2525	2665	1	RMS	2582.05	11.94	60	Pass	401
2665	3000	1	RMS	2964.825	-41.81	-25	Pass	401
3000	12000	1	RMS	11473	-46.01	-25	Pass	9002
12000	26500	1	RMS	25811	-34.03	-25	Pass	14502



2.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-66.42	-25	Pass	401
0.15	30	0.01	RMS	29.93	-64.2	-25	Pass	2986
30	1000	0.1	RMS	912.142	-55.15	-25	Pass	9701
1000	2525	1	RMS	2506	-39.35	-25	Pass	1526
2525	2665	1	RMS	2619.15	12.52	60	Pass	401
2665	3000	1	RMS	2675.05	-40	-25	Pass	401
3000	12000	1	RMS	11860	-45.74	-25	Pass	9002
12000	26500	1	RMS	25104	-34.12	-25	Pass	14502



2.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-67.35	-25	Pass	401
0.15	30	0.01	RMS	19.63	-64.05	-25	Pass	2986
30	1000	0.1	RMS	868.213	-54.86	-25	Pass	9701
1000	2525	1	RMS	2515	-42.19	-25	Pass	1526
2525	2665	1	RMS	2617.75	7.93	60	Pass	401
2665	3000	1	RMS	2665.838	-40.85	-25	Pass	401
3000	12000	1	RMS	11457	-45.84	-25	Pass	9002
12000	26500	1	RMS	25098	-33.83	-25	Pass	14502



2.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-63.57	-25	Pass	2986
30	1000	0.1	RMS	909.54	-55.06	-25	Pass	9701
1000	2525	1	RMS	2506	-41.44	-25	Pass	1526
2525	2665	1	RMS	2590.8	12.2	60	Pass	401
2665	3000	1	RMS	2675.05	-39.94	-25	Pass	401
3000	12000	1	RMS	11849	-45.75	-25	Pass	9002
12000	26500	1	RMS	25097	-33.98	-25	Pass	14502



2.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-67.17	-25	Pass	401
0.15	30	0.01	RMS	21.01	-64.27	-25	Pass	2986
30	1000	0.1	RMS	851.201	-55.36	-25	Pass	9701
1000	2525	1	RMS	2503	-42.55	-25	Pass	1526
2525	2665	1	RMS	2617.75	7	60	Pass	401
2665	3000	1	RMS	2665.838	-41.56	-25	Pass	401
3000	12000	1	RMS	11854	-45.86	-25	Pass	9002
12000	26500	1	RMS	25113	-34.08	-25	Pass	14502



2.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.33	-25	Pass	401
0.15	30	0.01	RMS	0.18	-64.18	-25	Pass	2986
30	1000	0.1	RMS	867.812	-55.65	-25	Pass	9701
1000	2525	1	RMS	2495	-37.78	-25	Pass	1526
2525	2665	1	RMS	2570.85	12.24	60	Pass	401
2665	3000	1	RMS	2683.425	-37.75	-25	Pass	401
3000	12000	1	RMS	11848	-45.99	-25	Pass	9002
12000	26500	1	RMS	25085	-33.98	-25	Pass	14502



2.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-67.85	-25	Pass	401
0.15	30	0.01	RMS	17.14	-64.13	-25	Pass	2986
30	1000	0.1	RMS	912.442	-55	-25	Pass	9701
1000	2525	1	RMS	2525	-40.6	-25	Pass	1526
2525	2665	1	RMS	2606.55	7.56	60	Pass	401
2665	3000	1	RMS	2665.838	-40.67	-25	Pass	401
3000	12000	1	RMS	11841	-45.75	-25	Pass	9002
12000	26500	1	RMS	25108	-33.96	-25	Pass	14502



2.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-67.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.41	-25	Pass	2986
30	1000	0.1	RMS	906.638	-54.88	-25	Pass	9701
1000	2525	1	RMS	2496	-37.44	-25	Pass	1526
2525	2665	1	RMS	2570.85	11.98	60	Pass	401
2665	3000	1	RMS	2683.425	-37.43	-25	Pass	401
3000	12000	1	RMS	11850	-45.87	-25	Pass	9002
12000	26500	1	RMS	25797	-34.08	-25	Pass	14502



2.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-66.9	-25	Pass	401
0.15	30	0.01	RMS	0.22	-63.58	-25	Pass	2986
30	1000	0.1	RMS	897.432	-54.97	-25	Pass	9701
1000	2525	1	RMS	2523	-41.43	-25	Pass	1526
2525	2665	1	RMS	2606.9	5.88	60	Pass	401
2665	3000	1	RMS	2665.838	-41.15	-25	Pass	401
3000	12000	1	RMS	11844	-45.76	-25	Pass	9002
12000	26500	1	RMS	25821	-33.98	-25	Pass	14502



2.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.85	-25	Pass	401
0.15	30	0.01	RMS	14.07	-64.79	-25	Pass	2986
30	1000	0.1	RMS	885.124	-55.29	-25	Pass	9701
1000	2525	1	RMS	2501	-34.18	-25	Pass	1526
2525	2665	1	RMS	2613.55	12.7	60	Pass	401
2665	3000	1	RMS	2688.45	-37.64	-25	Pass	401
3000	12000	1	RMS	11862	-45.95	-25	Pass	9002
12000	26500	1	RMS	25097	-33.98	-25	Pass	14502



2.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.2	-25	Pass	401
0.15	30	0.01	RMS	0.42	-63.48	-25	Pass	2986
30	1000	0.1	RMS	996.398	-55.37	-25	Pass	9701
1000	2525	1	RMS	2525	-41.16	-25	Pass	1526
2525	2665	1	RMS	2612.15	7.39	60	Pass	401
2665	3000	1	RMS	2665	-40.81	-25	Pass	401
3000	12000	1	RMS	11465	-46.02	-25	Pass	9002
12000	26500	1	RMS	25815	-33.97	-25	Pass	14502



2.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-67.43	-25	Pass	401
0.15	30	0.01	RMS	10.48	-64.08	-25	Pass	2986
30	1000	0.1	RMS	900.734	-55	-25	Pass	9701
1000	2525	1	RMS	2501	-39.68	-25	Pass	1526
2525	2665	1	RMS	2576.1	11.82	60	Pass	401
2665	3000	1	RMS	2688.45	-38.15	-25	Pass	401
3000	12000	1	RMS	11473	-45.86	-25	Pass	9002
12000	26500	1	RMS	25097	-33.96	-25	Pass	14502



2.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.078	-67.29	-25	Pass	401
0.15	30	0.01	RMS	8.98	-64.04	-25	Pass	2986
30	1000	0.1	RMS	883.223	-55.01	-25	Pass	9701
1000	2525	1	RMS	2524	-41.79	-25	Pass	1526
2525	2665	1	RMS	2612.5	6.17	60	Pass	401
2665	3000	1	RMS	2665	-41.05	-25	Pass	401
3000	12000	1	RMS	11848	-45.74	-25	Pass	9002
12000	26500	1	RMS	25098	-34	-25	Pass	14502



2.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.81	-25	Pass	401
0.15	30	0.01	RMS	25.5	-64.11	-25	Pass	2986
30	1000	0.1	RMS	903.936	-54.7	-25	Pass	9701
1000	2525	1	RMS	2506	-37.23	-25	Pass	1526
2525	2665	1	RMS	2618.8	11.72	60	Pass	401
2665	3000	1	RMS	2693.475	-38.35	-25	Pass	401
3000	12000	1	RMS	11466	-45.89	-25	Pass	9002
12000	26500	1	RMS	25101	-33.79	-25	Pass	14502



2.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.29	-25	Pass	401
0.15	30	0.01	RMS	0.38	-64.14	-25	Pass	2986
30	1000	0.1	RMS	922.549	-54.98	-25	Pass	9701
1000	2525	1	RMS	2525	-41.58	-25	Pass	1526
2525	2665	1	RMS	2617.05	7.55	60	Pass	401
2665	3000	1	RMS	2665.838	-40.45	-25	Pass	401
3000	12000	1	RMS	11845	-45.73	-25	Pass	9002
12000	26500	1	RMS	25101	-34.04	-25	Pass	14502



2.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-67.01	-25	Pass	401
0.15	30	0.01	RMS	22.54	-64.89	-25	Pass	2986
30	1000	0.1	RMS	831.8	-55.42	-25	Pass	9701
1000	2525	1	RMS	2506	-34.57	-25	Pass	1526
2525	2665	1	RMS	2618.8	11.75	60	Pass	401
2665	3000	1	RMS	2693.475	-37.6	-25	Pass	401
3000	12000	1	RMS	11851	-45.82	-25	Pass	9002
12000	26500	1	RMS	25099	-34.17	-25	Pass	14502



2.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.6	-25	Pass	401
0.15	30	0.01	RMS	29.3	-64.1	-25	Pass	2986
30	1000	0.1	RMS	996.097	-55.47	-25	Pass	9701
1000	2525	1	RMS	2525	-42.09	-25	Pass	1526
2525	2665	1	RMS	2597.45	11.06	60	Pass	401
2665	3000	1	RMS	2666.675	-41.15	-25	Pass	401
3000	12000	1	RMS	11866	-45.78	-25	Pass	9002
12000	26500	1	RMS	25100	-33.89	-25	Pass	14502



5. n2 15kHz


5.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.78	-13	60.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	1000	0.1	RMS	997.198	-63.76	-13	50.76	Pass	9701
1000	1840	1	RMS	1840	-46.94	-13	33.94	Pass	841
1840	1920	1	RMS	1853.6	13.26	60	46.74	Pass	401
1920	3000	1	RMS	2875	-48.57	-13	35.57	Pass	1081
3000	6500	1	RMS	3705	-61	-13	48	Pass	3501
6500	20000	1	RMS	18283	-50.25	-13	37.25	Pass	13502




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	925.15	-63.81	-13	50.81	Pass	9701
1000	1840	1	RMS	1840	-52.05	-13	39.05	Pass	841
1840	1920	1	RMS	1850.2	19.36	60	40.64	Pass	401
1920	3000	1	RMS	2864	-48.54	-13	35.54	Pass	1081
3000	6500	1	RMS	3701	-58.38	-13	45.38	Pass	3501
6500	20000	1	RMS	18283	-50.26	-13	37.26	Pass	13502




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	895.231	-63.91	-13	50.91	Pass	9701
1000	1840	1	RMS	1840	-52.08	-13	39.08	Pass	841
1840	1920	1	RMS	1854.6	19.16	60	40.84	Pass	401
1920	3000	1	RMS	2872	-48.55	-13	35.55	Pass	1081
3000	6500	1	RMS	3709	-58.09	-13	45.09	Pass	3501
6500	20000	1	RMS	18280	-50.27	-13	37.27	Pass	13502




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.2	-70.83	-13	57.83	Pass	2986
30	1000	0.1	RMS	998.199	-63.87	-13	50.87	Pass	9701
1000	1840	1	RMS	1840	-52.08	-13	39.08	Pass	841
1840	1920	1	RMS	1881	13.22	60	46.78	Pass	401
1920	3000	1	RMS	2868	-48.58	-13	35.58	Pass	1081
3000	6500	1	RMS	3760	-60.37	-13	47.37	Pass	3501
6500	20000	1	RMS	18279	-50.18	-13	37.18	Pass	13502




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.18	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	893.129	-63.8	-13	50.8	Pass	9701
1000	1840	1	RMS	1839	-52.14	-13	39.14	Pass	841
1840	1920	1	RMS	1877.8	19.28	60	40.72	Pass	401
1920	3000	1	RMS	2870	-48.56	-13	35.56	Pass	1081
3000	6500	1	RMS	3756	-56.76	-13	43.76	Pass	3501
6500	20000	1	RMS	18282	-50.21	-13	37.21	Pass	13502




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	895.131	-63.65	-13	50.65	Pass	9701
1000	1840	1	RMS	1839	-52.15	-13	39.15	Pass	841
1840	1920	1	RMS	1882	19.28	60	40.72	Pass	401
1920	3000	1	RMS	2869	-48.56	-13	35.56	Pass	1081
3000	6500	1	RMS	3764	-56.62	-13	43.62	Pass	3501
6500	20000	1	RMS	18264	-50.2	-13	37.2	Pass	13502




**5.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.17	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	897.232	-63.8	-13	50.8	Pass	9701
1000	1840	1	RMS	1840	-52.11	-13	39.11	Pass	841
1840	1920	1	RMS	1908.6	13.1	60	46.9	Pass	401
1920	3000	1	RMS	1920	-46.69	-13	33.69	Pass	1081
3000	6500	1	RMS	3815	-60.76	-13	47.76	Pass	3501
6500	20000	1	RMS	19902	-50.2	-13	37.2	Pass	13502




**5.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.18	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	892.329	-63.85	-13	50.85	Pass	9701
1000	1840	1	RMS	1839	-52.12	-13	39.12	Pass	841
1840	1920	1	RMS	1905.2	19.38	60	40.62	Pass	401
1920	3000	1	RMS	2869	-48.56	-13	35.56	Pass	1081
3000	6500	1	RMS	3811	-57.81	-13	44.81	Pass	3501
6500	20000	1	RMS	19900	-50.19	-13	37.19	Pass	13502




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.23	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	895.331	-63.88	-13	50.88	Pass	9701
1000	1840	1	RMS	1833	-52.13	-13	39.13	Pass	841
1840	1920	1	RMS	1909.6	19.22	60	40.78	Pass	401
1920	3000	1	RMS	2877	-48.61	-13	35.61	Pass	1081
3000	6500	1	RMS	3819	-57.08	-13	44.08	Pass	3501
6500	20000	1	RMS	18282	-50.16	-13	37.16	Pass	13502




**5.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.7	-13	60.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	889.527	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1840	-39.34	-13	26.34	Pass	841
1840	1920	1	RMS	1862.2	8.59	60	51.41	Pass	401
1920	3000	1	RMS	2869	-48.57	-13	35.57	Pass	1081
3000	6500	1	RMS	6200	-62.77	-13	49.77	Pass	3501
6500	20000	1	RMS	18301	-50.19	-13	37.19	Pass	13502




**5.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.18	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	898.233	-63.73	-13	50.73	Pass	9701
1000	1840	1	RMS	1840	-51.98	-13	38.98	Pass	841
1840	1920	1	RMS	1850.4	19.55	60	40.45	Pass	401
1920	3000	1	RMS	2866	-48.62	-13	35.62	Pass	1081
3000	6500	1	RMS	3701	-56.71	-13	43.71	Pass	3501
6500	20000	1	RMS	19914	-50.2	-13	37.2	Pass	13502




5.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.2	-71.25	-13	58.25	Pass	2986
30	1000	0.1	RMS	896.631	-63.77	-13	50.77	Pass	9701
1000	1840	1	RMS	1840	-52.12	-13	39.12	Pass	841
1840	1920	1	RMS	1864.4	19.45	60	40.55	Pass	401
1920	3000	1	RMS	2868	-48.49	-13	35.49	Pass	1081
3000	6500	1	RMS	3729	-57.91	-13	44.91	Pass	3501
6500	20000	1	RMS	18301	-50.26	-13	37.26	Pass	13502




**5.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.18	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	991.394	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1840	-49.15	-13	36.15	Pass	841
1840	1920	1	RMS	1885.8	8.82	60	51.18	Pass	401
1920	3000	1	RMS	2867	-48.61	-13	35.61	Pass	1081
3000	6500	1	RMS	3761	-62.55	-13	49.55	Pass	3501
6500	20000	1	RMS	18284	-50.17	-13	37.17	Pass	13502




**5.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.23	-70.86	-13	57.86	Pass	2986
30	1000	0.1	RMS	885.024	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1833	-52.09	-13	39.09	Pass	841
1840	1920	1	RMS	1872.8	19.49	60	40.51	Pass	401
1920	3000	1	RMS	2873	-48.56	-13	35.56	Pass	1081
3000	6500	1	RMS	3746	-56.73	-13	43.73	Pass	3501
6500	20000	1	RMS	19920	-50.23	-13	37.23	Pass	13502




**5.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	893.129	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1836	-52.09	-13	39.09	Pass	841
1840	1920	1	RMS	1886.8	19.52	60	40.48	Pass	401
1920	3000	1	RMS	2869	-48.59	-13	35.59	Pass	1081
3000	6500	1	RMS	3774	-56.72	-13	43.72	Pass	3501
6500	20000	1	RMS	18299	-50.2	-13	37.2	Pass	13502




**5.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	899.734	-63.87	-13	50.87	Pass	9701
1000	1840	1	RMS	1840	-52	-13	39	Pass	841
1840	1920	1	RMS	1896.4	9.13	60	50.87	Pass	401
1920	3000	1	RMS	1920	-39.65	-13	26.65	Pass	1081
3000	6500	1	RMS	3806	-62.64	-13	49.64	Pass	3501
6500	20000	1	RMS	18301	-50.15	-13	37.15	Pass	13502




**5.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:380500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.72	-13	60.72	Pass	401
0.15	30	0.01	RMS	0.2	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	885.624	-63.82	-13	50.82	Pass	9701
1000	1840	1	RMS	1836	-52.1	-13	39.1	Pass	841
1840	1920	1	RMS	1895.4	19.53	60	40.47	Pass	401
1920	3000	1	RMS	2872	-48.59	-13	35.59	Pass	1081
3000	6500	1	RMS	3791	-57.3	-13	44.3	Pass	3501
6500	20000	1	RMS	19894	-50.2	-13	37.2	Pass	13502




**5.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.62	-13	60.62	Pass	401
0.15	30	0.01	RMS	0.2	-71.4	-13	58.4	Pass	2986
30	1000	0.1	RMS	914.744	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1831	-52.09	-13	39.09	Pass	841
1840	1920	1	RMS	1909.4	19.29	60	40.71	Pass	401
1920	3000	1	RMS	2868	-48.64	-13	35.64	Pass	1081
3000	6500	1	RMS	3819	-56.52	-13	43.52	Pass	3501
6500	20000	1	RMS	18269	-50.2	-13	37.2	Pass	13502




**5.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.19	-70.97	-13	57.97	Pass	2986
30	1000	0.1	RMS	995.697	-63.84	-13	50.84	Pass	9701
1000	1840	1	RMS	1840	-39.5	-13	26.5	Pass	841
1840	1920	1	RMS	1867	7.13	60	52.87	Pass	401
1920	3000	1	RMS	2872	-48.6	-13	35.6	Pass	1081
3000	6500	1	RMS	6200	-62.86	-13	49.86	Pass	3501
6500	20000	1	RMS	18276	-50.22	-13	37.22	Pass	13502




**5.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.19	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	740.8	-63.9	-13	50.9	Pass	9701
1000	1840	1	RMS	1840	-51.71	-13	38.71	Pass	841
1840	1920	1	RMS	1850.4	19.47	60	40.53	Pass	401
1920	3000	1	RMS	2869	-48.62	-13	35.62	Pass	1081
3000	6500	1	RMS	3701	-56.72	-13	43.72	Pass	3501
6500	20000	1	RMS	19902	-50.18	-13	37.18	Pass	13502




5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	60.61	Pass	401
0.15	30	0.01	RMS	0.18	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	897.332	-63.77	-13	50.77	Pass	9701
1000	1840	1	RMS	1840	-52.14	-13	39.14	Pass	841
1840	1920	1	RMS	1869.4	19.45	60	40.55	Pass	401
1920	3000	1	RMS	2871	-48.61	-13	35.61	Pass	1081
3000	6500	1	RMS	3739	-57.69	-13	44.69	Pass	3501
6500	20000	1	RMS	18286	-50.15	-13	37.15	Pass	13502




5.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.19	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	890.828	-63.87	-13	50.87	Pass	9701
1000	1840	1	RMS	1840	-46.06	-13	33.06	Pass	841
1840	1920	1	RMS	1887.4	7.59	60	52.41	Pass	401
1920	3000	1	RMS	1920	-47.27	-13	34.27	Pass	1081
3000	6500	1	RMS	6203	-62.77	-13	49.77	Pass	3501
6500	20000	1	RMS	18297	-50.15	-13	37.15	Pass	13502




**5.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.22	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	886.225	-63.76	-13	50.76	Pass	9701
1000	1840	1	RMS	1839	-52.1	-13	39.1	Pass	841
1840	1920	1	RMS	1870.4	19.44	60	40.56	Pass	401
1920	3000	1	RMS	2867	-48.59	-13	35.59	Pass	1081
3000	6500	1	RMS	3741	-57.31	-13	44.31	Pass	3501
6500	20000	1	RMS	18296	-50.03	-13	37.03	Pass	13502




**5.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.75	-13	60.75	Pass	401
0.15	30	0.01	RMS	0.16	-70.67	-13	57.67	Pass	2986
30	1000	0.1	RMS	875.217	-63.81	-13	50.81	Pass	9701
1000	1840	1	RMS	1840	-52.13	-13	39.13	Pass	841
1840	1920	1	RMS	1889.4	19.59	60	40.41	Pass	401
1920	3000	1	RMS	2872	-48.61	-13	35.61	Pass	1081
3000	6500	1	RMS	3779	-57.45	-13	44.45	Pass	3501
6500	20000	1	RMS	18206	-50.19	-13	37.19	Pass	13502




**5.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	60.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	887.726	-63.9	-13	50.9	Pass	9701
1000	1840	1	RMS	1840	-50.77	-13	37.77	Pass	841
1840	1920	1	RMS	1891.6	7.99	60	52.01	Pass	401
1920	3000	1	RMS	1920	-40.72	-13	27.72	Pass	1081
3000	6500	1	RMS	6200	-62.79	-13	49.79	Pass	3501
6500	20000	1	RMS	18294	-50.14	-13	37.14	Pass	13502




**5.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.18	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	895.831	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1840	-52.1	-13	39.1	Pass	841
1840	1920	1	RMS	1890.4	19.57	60	40.43	Pass	401
1920	3000	1	RMS	2874	-48.58	-13	35.58	Pass	1081
3000	6500	1	RMS	3781	-57.51	-13	44.51	Pass	3501
6500	20000	1	RMS	18279	-50.23	-13	37.23	Pass	13502



5.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.17	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	870.614	-63.75	-13	50.75	Pass	9701
1000	1840	1	RMS	1829	-52.16	-13	39.16	Pass	841
1840	1920	1	RMS	1909.4	19.33	60	40.67	Pass	401
1920	3000	1	RMS	2870	-48.6	-13	35.6	Pass	1081
3000	6500	1	RMS	3819	-56.37	-13	43.37	Pass	3501
6500	20000	1	RMS	19921	-50.22	-13	37.22	Pass	13502



1. n5


1.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.6	-13	Pass	2986
30	814	0.1	RMS	814	-52.48	-13	Pass	7841
814	859	0.1	RMS	825.1	5.36	60	Pass	451
859	1000	0.1	RMS	982.1	-64.08	-13	Pass	1411
1000	3000	1	RMS	2870	-48.87	-13	Pass	2001
3000	10000	1	RMS	8912	-58.94	-13	Pass	7001




**1.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2986
30	814	0.1	RMS	812.7	-63.91	-13	Pass	7841
814	859	0.1	RMS	824.3	18.51	60	Pass	451
859	1000	0.1	RMS	891.1	-64.04	-13	Pass	1411
1000	3000	1	RMS	2870	-48.85	-13	Pass	2001
3000	10000	1	RMS	8901	-58.92	-13	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.88	-13	Pass	2986
30	814	0.1	RMS	811.4	-63.62	-13	Pass	7841
814	859	0.1	RMS	828.7	17.97	60	Pass	451
859	1000	0.1	RMS	890.7	-63.92	-13	Pass	1411
1000	3000	1	RMS	2872	-48.89	-13	Pass	2001
3000	10000	1	RMS	8902	-58.89	-13	Pass	7001




**1.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.43	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.18	-13	Pass	2986
30	814	0.1	RMS	813.8	-63.77	-13	Pass	7841
814	859	0.1	RMS	834.5	5.23	60	Pass	451
859	1000	0.1	RMS	920.1	-64.05	-13	Pass	1411
1000	3000	1	RMS	2869	-48.9	-13	Pass	2001
3000	10000	1	RMS	8908	-58.95	-13	Pass	7001




**1.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.78	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.27	-13	Pass	2986
30	814	0.1	RMS	747.4	-64.22	-13	Pass	7841
814	859	0.1	RMS	834.3	18.18	60	Pass	451
859	1000	0.1	RMS	881	-63.8	-13	Pass	1411
1000	3000	1	RMS	1668	-48.11	-13	Pass	2001
3000	10000	1	RMS	8911	-58.92	-13	Pass	7001




**1.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-13	Pass	2986
30	814	0.1	RMS	751.8	-64.22	-13	Pass	7841
814	859	0.1	RMS	838.7	17.84	60	Pass	451
859	1000	0.1	RMS	875.6	-63.82	-13	Pass	1411
1000	3000	1	RMS	2869	-48.87	-13	Pass	2001
3000	10000	1	RMS	8996	-58.96	-13	Pass	7001




**1.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.05	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.01	-13	Pass	2986
30	814	0.1	RMS	740.5	-64.29	-13	Pass	7841
814	859	0.1	RMS	845.1	5.75	60	Pass	451
859	1000	0.1	RMS	893.8	-63.94	-13	Pass	1411
1000	3000	1	RMS	2869	-48.88	-13	Pass	2001
3000	10000	1	RMS	8912	-58.93	-13	Pass	7001




**1.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.97	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.35	-13	Pass	2986
30	814	0.1	RMS	741.4	-64.32	-13	Pass	7841
814	859	0.1	RMS	844.3	18.3	60	Pass	451
859	1000	0.1	RMS	897.1	-63.91	-13	Pass	1411
1000	3000	1	RMS	2867	-48.9	-13	Pass	2001
3000	10000	1	RMS	8959	-58.91	-13	Pass	7001




**1.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	Pass	2986
30	814	0.1	RMS	747.1	-64.33	-13	Pass	7841
814	859	0.1	RMS	848.6	17.83	60	Pass	451
859	1000	0.1	RMS	862.5	-63.91	-13	Pass	1411
1000	3000	1	RMS	1697	-48.73	-13	Pass	2001
3000	10000	1	RMS	8902	-58.94	-13	Pass	7001




**1.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	Pass	2986
30	814	0.1	RMS	814	-43.24	-13	Pass	7841
814	859	0.1	RMS	836.2	0.56	60	Pass	451
859	1000	0.1	RMS	902.5	-64	-13	Pass	1411
1000	3000	1	RMS	2872	-48.87	-13	Pass	2001
3000	10000	1	RMS	8921	-58.86	-13	Pass	7001




**1.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.26	-13	Pass	7841
814	859	0.1	RMS	824.5	18.61	60	Pass	451
859	1000	0.1	RMS	895.5	-64.04	-13	Pass	1411
1000	3000	1	RMS	2869	-48.87	-13	Pass	2001
3000	10000	1	RMS	8898	-58.93	-13	Pass	7001




**1.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	Pass	2986
30	814	0.1	RMS	737.5	-64.26	-13	Pass	7841
814	859	0.1	RMS	838.5	18.64	60	Pass	451
859	1000	0.1	RMS	902.7	-64	-13	Pass	1411
1000	3000	1	RMS	2869	-48.85	-13	Pass	2001
3000	10000	1	RMS	8952	-58.93	-13	Pass	7001




**1.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.93	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.13	-13	Pass	2986
30	814	0.1	RMS	813.9	-49	-13	Pass	7841
814	859	0.1	RMS	832.4	0.41	60	Pass	451
859	1000	0.1	RMS	893.4	-63.97	-13	Pass	1411
1000	3000	1	RMS	2869	-48.87	-13	Pass	2001
3000	10000	1	RMS	8902	-58.92	-13	Pass	7001




**1.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.17	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.47	-13	Pass	2986
30	814	0.1	RMS	813.3	-63.97	-13	Pass	7841
814	859	0.1	RMS	829.5	18.47	60	Pass	451
859	1000	0.1	RMS	895.8	-63.88	-13	Pass	1411
1000	3000	1	RMS	2869	-48.85	-13	Pass	2001
3000	10000	1	RMS	8907	-58.86	-13	Pass	7001




**1.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-13	Pass	2986
30	814	0.1	RMS	748.1	-64.35	-13	Pass	7841
814	859	0.1	RMS	843.5	18.63	60	Pass	451
859	1000	0.1	RMS	881.3	-63.96	-13	Pass	1411
1000	3000	1	RMS	2869	-48.88	-13	Pass	2001
3000	10000	1	RMS	8912	-58.83	-13	Pass	7001




**1.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2986
30	814	0.1	RMS	813.7	-51.25	-13	Pass	7841
814	859	0.1	RMS	837.3	0.63	60	Pass	451
859	1000	0.1	RMS	882.6	-63.95	-13	Pass	1411
1000	3000	1	RMS	2870	-48.85	-13	Pass	2001
3000	10000	1	RMS	8997	-58.91	-13	Pass	7001




**1.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.37	-13	Pass	2986
30	814	0.1	RMS	732.7	-64.22	-13	Pass	7841
814	859	0.1	RMS	834.5	18.4	60	Pass	451
859	1000	0.1	RMS	900.9	-63.96	-13	Pass	1411
1000	3000	1	RMS	1668	-48.77	-13	Pass	2001
3000	10000	1	RMS	9000	-58.91	-13	Pass	7001




**1.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.71	-13	Pass	2986
30	814	0.1	RMS	752.2	-64.12	-13	Pass	7841
814	859	0.1	RMS	848.5	18.67	60	Pass	451
859	1000	0.1	RMS	906.7	-64.01	-13	Pass	1411
1000	3000	1	RMS	2870	-48.88	-13	Pass	2001
3000	10000	1	RMS	8931	-58.94	-13	Pass	7001




**1.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.17	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.68	-13	Pass	2986
30	814	0.1	RMS	813.9	-42.38	-13	Pass	7841
814	859	0.1	RMS	834.2	-0.51	60	Pass	451
859	1000	0.1	RMS	897.9	-64	-13	Pass	1411
1000	3000	1	RMS	2876	-48.86	-13	Pass	2001
3000	10000	1	RMS	8911	-58.85	-13	Pass	7001




**1.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.34	-13	Pass	2986
30	814	0.1	RMS	814	-62.79	-13	Pass	7841
814	859	0.1	RMS	824.5	18.27	60	Pass	451
859	1000	0.1	RMS	908.4	-63.92	-13	Pass	1411
1000	3000	1	RMS	2869	-48.84	-13	Pass	2001
3000	10000	1	RMS	8904	-58.88	-13	Pass	7001




**1.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	814	0.1	RMS	749.9	-64.29	-13	Pass	7841
814	859	0.1	RMS	843.4	18.19	60	Pass	451
859	1000	0.1	RMS	907.3	-63.9	-13	Pass	1411
1000	3000	1	RMS	2873	-48.84	-13	Pass	2001
3000	10000	1	RMS	8990	-58.93	-13	Pass	7001




**1.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	814	0.1	RMS	813.8	-45.27	-13	Pass	7841
814	859	0.1	RMS	836.8	-0.75	60	Pass	451
859	1000	0.1	RMS	904.4	-63.97	-13	Pass	1411
1000	3000	1	RMS	2866	-48.88	-13	Pass	2001
3000	10000	1	RMS	8933	-58.96	-13	Pass	7001




**1.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	Pass	2986
30	814	0.1	RMS	814	-63.52	-13	Pass	7841
814	859	0.1	RMS	827	18.19	60	Pass	451
859	1000	0.1	RMS	896.3	-63.83	-13	Pass	1411
1000	3000	1	RMS	2873	-48.87	-13	Pass	2001
3000	10000	1	RMS	8993	-58.89	-13	Pass	7001




**1.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2986
30	814	0.1	RMS	747.5	-64.3	-13	Pass	7841
814	859	0.1	RMS	845.9	18.27	60	Pass	451
859	1000	0.1	RMS	899.1	-63.91	-13	Pass	1411
1000	3000	1	RMS	1691	-48.7	-13	Pass	2001
3000	10000	1	RMS	9002	-58.92	-13	Pass	7001




**1.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.39	-13	Pass	2986
30	814	0.1	RMS	813.8	-47.65	-13	Pass	7841
814	859	0.1	RMS	834.5	-0.74	60	Pass	451
859	1000	0.1	RMS	892.4	-63.92	-13	Pass	1411
1000	3000	1	RMS	2869	-48.89	-13	Pass	2001
3000	10000	1	RMS	8917	-58.9	-13	Pass	7001




**1.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	Pass	2986
30	814	0.1	RMS	813.1	-63.9	-13	Pass	7841
814	859	0.1	RMS	829.5	18.15	60	Pass	451
859	1000	0.1	RMS	882.6	-64.01	-13	Pass	1411
1000	3000	1	RMS	2868	-48.87	-13	Pass	2001
3000	10000	1	RMS	8907	-58.91	-13	Pass	7001



**1.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2986
30	814	0.1	RMS	731.9	-64.31	-13	Pass	7841
814	859	0.1	RMS	848.4	18.29	60	Pass	451
859	1000	0.1	RMS	891.5	-63.98	-13	Pass	1411
1000	3000	1	RMS	2869	-48.87	-13	Pass	2001
3000	10000	1	RMS	8900	-58.89	-13	Pass	7001



1. n7


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.18	-70.87	-13	57.87	Pass	2986
30	1000	0.1	RMS	877.919	-63.44	-13	50.44	Pass	9701
1000	2490	1	RMS	2490	-45.54	-13	32.54	Pass	1491
2490	2580	1	RMS	2503.5	15.17	60	44.83	Pass	401
2580	3000	1	RMS	2873	-48.33	-13	35.33	Pass	421
3000	6500	1	RMS	6201	-62.54	-13	49.54	Pass	3501
6500	26000	1	RMS	25200	-45.92	-13	32.92	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.18	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	903.236	-63.6	-13	50.6	Pass	9701
1000	2490	1	RMS	2490	-49.7	-13	36.7	Pass	1491
2490	2580	1	RMS	2500.125	21.16	60	38.84	Pass	401
2580	3000	1	RMS	2869	-48.35	-13	35.35	Pass	421
3000	6500	1	RMS	6201	-62.64	-13	49.64	Pass	3501
6500	26000	1	RMS	25194	-45.96	-13	32.96	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	931.755	-63.68	-13	50.68	Pass	9701
1000	2490	1	RMS	2488	-49.98	-13	36.98	Pass	1491
2490	2580	1	RMS	2504.625	21.36	60	38.64	Pass	401
2580	3000	1	RMS	2866	-48.36	-13	35.36	Pass	421
3000	6500	1	RMS	6239	-62.67	-13	49.67	Pass	3501
6500	26000	1	RMS	25196	-46.01	-13	33.01	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.27	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	892.028	-63.55	-13	50.55	Pass	9701
1000	2490	1	RMS	2487	-50.35	-13	37.35	Pass	1491
2490	2580	1	RMS	2533.65	14.53	60	45.47	Pass	401
2580	3000	1	RMS	2872	-48.38	-13	35.38	Pass	421
3000	6500	1	RMS	6238	-62.66	-13	49.66	Pass	3501
6500	26000	1	RMS	25201	-45.97	-13	32.97	Pass	19503




**1.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.25	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	896.431	-63.63	-13	50.63	Pass	9701
1000	2490	1	RMS	2489	-50.28	-13	37.28	Pass	1491
2490	2580	1	RMS	2532.75	20.66	60	39.34	Pass	401
2580	3000	1	RMS	2871	-48.36	-13	35.36	Pass	421
3000	6500	1	RMS	6204	-62.61	-13	49.61	Pass	3501
6500	26000	1	RMS	25191	-45.9	-13	32.9	Pass	19503



**1.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.18	-70.69	-13	57.69	Pass	2986
30	1000	0.1	RMS	903.036	-63.48	-13	50.48	Pass	9701
1000	2490	1	RMS	2490	-50.27	-13	37.27	Pass	1491
2490	2580	1	RMS	2537.025	20.66	60	39.34	Pass	401
2580	3000	1	RMS	2868	-48.36	-13	35.36	Pass	421
3000	6500	1	RMS	6201	-62.66	-13	49.66	Pass	3501
6500	26000	1	RMS	25204	-45.91	-13	32.91	Pass	19503



1.7. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-25	47.85	Pass	401
0.15	30	0.01	RMS	0.21	-70.89	-25	45.89	Pass	2986
30	1000	0.1	RMS	895.631	-63.71	-25	38.71	Pass	9701
1000	2495	1	RMS	2491	-50.43	-25	25.43	Pass	1496
2495	2575	1	RMS	2566.2	15.29	60	44.71	Pass	401
2575	3000	1	RMS	2575	-36.46	-25	11.46	Pass	426
3000	7000	1	RMS	6923	-61.04	-25	36.04	Pass	4001
7000	26000	1	RMS	25210	-46.1	-25	21.1	Pass	19003




**1.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.57	-13	60.57	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	903.336	-63.57	-13	50.57	Pass	9701
1000	2490	1	RMS	2489	-50.33	-13	37.33	Pass	1491
2490	2580	1	RMS	2565.15	20.73	60	39.27	Pass	401
2580	3000	1	RMS	2869	-48.31	-13	35.31	Pass	421
3000	6500	1	RMS	6203	-62.63	-13	49.63	Pass	3501
6500	26000	1	RMS	25205	-46.01	-13	33.01	Pass	19503




**1.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.17	-71.03	-13	58.03	Pass	2986
30	1000	0.1	RMS	882.822	-63.62	-13	50.62	Pass	9701
1000	2490	1	RMS	2490	-50.3	-13	37.3	Pass	1491
2490	2580	1	RMS	2569.65	20.44	60	39.56	Pass	401
2580	3000	1	RMS	2865	-48.37	-13	35.37	Pass	421
3000	6500	1	RMS	6200	-62.64	-13	49.64	Pass	3501
6500	26000	1	RMS	25202	-46.02	-13	33.02	Pass	19503




**1.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	864.21	-63.61	-13	50.61	Pass	9701
1000	2490	1	RMS	2490	-33.7	-13	20.7	Pass	1491
2490	2580	1	RMS	2511.15	7.81	60	52.19	Pass	401
2580	3000	1	RMS	2869	-48.38	-13	35.38	Pass	421
3000	6500	1	RMS	6198	-62.61	-13	49.61	Pass	3501
6500	26000	1	RMS	25199	-45.9	-13	32.9	Pass	19503




**1.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	903.536	-63.55	-13	50.55	Pass	9701
1000	2490	1	RMS	2490	-49.25	-13	36.25	Pass	1491
2490	2580	1	RMS	2500.575	21.01	60	38.99	Pass	401
2580	3000	1	RMS	2869	-48.36	-13	35.36	Pass	421
3000	6500	1	RMS	6204	-62.63	-13	49.63	Pass	3501
6500	26000	1	RMS	25203	-45.95	-13	32.95	Pass	19503




**1.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.18	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	884.123	-63.48	-13	50.48	Pass	9701
1000	2490	1	RMS	2489	-50.22	-13	37.22	Pass	1491
2490	2580	1	RMS	2524.2	20.84	60	39.16	Pass	401
2580	3000	1	RMS	2869	-48.36	-13	35.36	Pass	421
3000	6500	1	RMS	6202	-62.64	-13	49.64	Pass	3501
6500	26000	1	RMS	25194	-45.94	-13	32.94	Pass	19503




**1.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.29	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	890.427	-63.64	-13	50.64	Pass	9701
1000	2490	1	RMS	2490	-46.54	-13	33.54	Pass	1491
2490	2580	1	RMS	2523.975	7.53	60	52.47	Pass	401
2580	3000	1	RMS	2580	-45.69	-13	32.69	Pass	421
3000	6500	1	RMS	6240	-62.6	-13	49.6	Pass	3501
6500	26000	1	RMS	25201	-45.97	-13	32.97	Pass	19503




**1.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.17	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	885.024	-63.71	-13	50.71	Pass	9701
1000	2490	1	RMS	2489	-50.18	-13	37.18	Pass	1491
2490	2580	1	RMS	2523.075	20.89	60	39.11	Pass	401
2580	3000	1	RMS	2872	-48.38	-13	35.38	Pass	421
3000	6500	1	RMS	6202	-62.58	-13	49.58	Pass	3501
6500	26000	1	RMS	25200	-45.9	-13	32.9	Pass	19503




**1.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.19	-70.73	-13	57.73	Pass	2986
30	1000	0.1	RMS	882.622	-63.59	-13	50.59	Pass	9701
1000	2490	1	RMS	2483	-50.33	-13	37.33	Pass	1491
2490	2580	1	RMS	2546.7	20.65	60	39.35	Pass	401
2580	3000	1	RMS	2868	-48.38	-13	35.38	Pass	421
3000	6500	1	RMS	6240	-62.66	-13	49.66	Pass	3501
6500	26000	1	RMS	25199	-45.88	-13	32.88	Pass	19503




**1.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:511500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	894.63	-63.57	-13	50.57	Pass	9701
1000	2490	1	RMS	2490	-49.14	-13	36.14	Pass	1491
2490	2580	1	RMS	2556.15	7.57	60	52.43	Pass	401
2580	3000	1	RMS	2580	-36.03	-13	23.03	Pass	421
3000	6500	1	RMS	6203	-62.57	-13	49.57	Pass	3501
6500	26000	1	RMS	25201	-45.88	-13	32.88	Pass	19503




**1.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:511500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	893.029	-63.67	-13	50.67	Pass	9701
1000	2490	1	RMS	2489	-50.32	-13	37.32	Pass	1491
2490	2580	1	RMS	2545.575	20.61	60	39.39	Pass	401
2580	3000	1	RMS	2875	-48.35	-13	35.35	Pass	421
3000	6500	1	RMS	5091	-62.3	-13	49.3	Pass	3501
6500	26000	1	RMS	25214	-45.95	-13	32.95	Pass	19503




**1.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-13	60.48	Pass	401
0.15	30	0.01	RMS	0.24	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	891.428	-63.76	-13	50.76	Pass	9701
1000	2490	1	RMS	2490	-50.28	-13	37.28	Pass	1491
2490	2580	1	RMS	2569.2	20.41	60	39.59	Pass	401
2580	3000	1	RMS	2870	-48.34	-13	35.34	Pass	421
3000	6500	1	RMS	6242	-62.64	-13	49.64	Pass	3501
6500	26000	1	RMS	25200	-45.84	-13	32.84	Pass	19503




**1.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.19	-71.1	-13	58.1	Pass	2986
30	1000	0.1	RMS	899.133	-63.49	-13	50.49	Pass	9701
1000	2490	1	RMS	2490	-35.36	-13	22.36	Pass	1491
2490	2580	1	RMS	2511.375	5.82	60	54.18	Pass	401
2580	3000	1	RMS	2580	-44	-13	31	Pass	421
3000	6500	1	RMS	6201	-62.59	-13	49.59	Pass	3501
6500	26000	1	RMS	25196	-45.88	-13	32.88	Pass	19503




**1.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	57.77	Pass	2986
30	1000	0.1	RMS	887.926	-63.72	-13	50.72	Pass	9701
1000	2490	1	RMS	2489	-49.33	-13	36.33	Pass	1491
2490	2580	1	RMS	2500.575	21.03	60	38.97	Pass	401
2580	3000	1	RMS	2869	-48.38	-13	35.38	Pass	421
3000	6500	1	RMS	5001	-61.09	-13	48.09	Pass	3501
6500	26000	1	RMS	25200	-45.84	-13	32.84	Pass	19503




**1.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:504000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	884.824	-63.62	-13	50.62	Pass	9701
1000	2490	1	RMS	2486	-50.23	-13	37.23	Pass	1491
2490	2580	1	RMS	2539.275	20.43	60	39.57	Pass	401
2580	3000	1	RMS	2870	-48.37	-13	35.37	Pass	421
3000	6500	1	RMS	5079	-62.27	-13	49.27	Pass	3501
6500	26000	1	RMS	25203	-45.93	-13	32.93	Pass	19503




**1.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	903.536	-63.62	-13	50.62	Pass	9701
1000	2490	1	RMS	2490	-39.87	-13	26.87	Pass	1491
2490	2580	1	RMS	2516.775	5.65	60	54.35	Pass	401
2580	3000	1	RMS	2580	-40.63	-13	27.63	Pass	421
3000	6500	1	RMS	6239	-62.69	-13	49.69	Pass	3501
6500	26000	1	RMS	25197	-45.87	-13	32.87	Pass	19503




**1.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.17	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	911.041	-63.61	-13	50.61	Pass	9701
1000	2490	1	RMS	2490	-49.99	-13	36.99	Pass	1491
2490	2580	1	RMS	2515.425	21.17	60	38.83	Pass	401
2580	3000	1	RMS	2870	-48.39	-13	35.39	Pass	421
3000	6500	1	RMS	6202	-62.63	-13	49.63	Pass	3501
6500	26000	1	RMS	25197	-45.87	-13	32.87	Pass	19503




**1.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.17	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	886.325	-63.66	-13	50.66	Pass	9701
1000	2490	1	RMS	2489	-50.24	-13	37.24	Pass	1491
2490	2580	1	RMS	2554.125	20.78	60	39.22	Pass	401
2580	3000	1	RMS	2869	-48.37	-13	35.37	Pass	421
3000	6500	1	RMS	5109	-61.51	-13	48.51	Pass	3501
6500	26000	1	RMS	25202	-45.93	-13	32.93	Pass	19503




**1.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:510000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	897.532	-63.65	-13	50.65	Pass	9701
1000	2490	1	RMS	2490	-44.96	-13	31.96	Pass	1491
2490	2580	1	RMS	2558.625	5.59	60	54.41	Pass	401
2580	3000	1	RMS	2580	-37.34	-13	24.34	Pass	421
3000	6500	1	RMS	6201	-62.58	-13	49.58	Pass	3501
6500	26000	1	RMS	25201	-45.88	-13	32.88	Pass	19503




**1.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:510000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.21	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	893.129	-63.69	-13	50.69	Pass	9701
1000	2490	1	RMS	2488	-50.22	-13	37.22	Pass	1491
2490	2580	1	RMS	2530.5	20.68	60	39.32	Pass	401
2580	3000	1	RMS	2870	-48.4	-13	35.4	Pass	421
3000	6500	1	RMS	6201	-62.65	-13	49.65	Pass	3501
6500	26000	1	RMS	25202	-45.86	-13	32.86	Pass	19503



**1.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:510000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.71	-13	60.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	889.427	-63.64	-13	50.64	Pass	9701
1000	2490	1	RMS	2487	-50.36	-13	37.36	Pass	1491
2490	2580	1	RMS	2569.2	20.45	60	39.55	Pass	401
2580	3000	1	RMS	2872	-48.37	-13	35.37	Pass	421
3000	6500	1	RMS	6240	-62.64	-13	49.64	Pass	3501
6500	26000	1	RMS	25198	-46	-13	33	Pass	19503




2. n12 15kHz

2.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	Pass	2986
30	689	0.1	RMS	476.7	-64.78	-13	Pass	6591
689	726	0.1	RMS	703.523	5.49	60	Pass	401
726	1000	0.1	RMS	891.3	-63.55	-13	Pass	2741
1000	3000	1	RMS	2869	-48.86	-13	Pass	2001
3000	10000	1	RMS	8915	-58.9	-13	Pass	7001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.95	-13	Pass	2986
30	689	0.1	RMS	471.8	-64.75	-13	Pass	6591
689	726	0.1	RMS	699.36	18.39	60	Pass	401
726	1000	0.1	RMS	856.1	-63.86	-13	Pass	2741
1000	3000	1	RMS	1398	-48.43	-13	Pass	2001
3000	10000	1	RMS	8927	-58.88	-13	Pass	7001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-13	Pass	2986
30	689	0.1	RMS	481	-64.7	-13	Pass	6591
689	726	0.1	RMS	703.615	18.31	60	Pass	401
726	1000	0.1	RMS	901.9	-63.76	-13	Pass	2741
1000	3000	1	RMS	2872	-48.84	-13	Pass	2001
3000	10000	1	RMS	8907	-58.92	-13	Pass	7001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.82	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.48	-13	Pass	2986
30	689	0.1	RMS	491.9	-64.77	-13	Pass	6591
689	726	0.1	RMS	706.205	5.4	60	Pass	401
726	1000	0.1	RMS	746.1	-63.8	-13	Pass	2741
1000	3000	1	RMS	2866	-48.87	-13	Pass	2001
3000	10000	1	RMS	8994	-58.93	-13	Pass	7001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.05	-13	Pass	2986
30	689	0.1	RMS	471.5	-64.83	-13	Pass	6591
689	726	0.1	RMS	705.373	18.12	60	Pass	401
726	1000	0.1	RMS	872.3	-63.72	-13	Pass	2741
1000	3000	1	RMS	2869	-48.87	-13	Pass	2001
3000	10000	1	RMS	8922	-58.95	-13	Pass	7001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.77	-13	Pass	2986
30	689	0.1	RMS	479.4	-64.75	-13	Pass	6591
689	726	0.1	RMS	709.628	18.46	60	Pass	401
726	1000	0.1	RMS	896.4	-63.59	-13	Pass	2741
1000	3000	1	RMS	2867	-48.87	-13	Pass	2001
3000	10000	1	RMS	8909	-58.94	-13	Pass	7001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2986
30	689	0.1	RMS	476.9	-64.64	-13	Pass	6591
689	726	0.1	RMS	714.993	5.26	60	Pass	401
726	1000	0.1	RMS	881.4	-63.84	-13	Pass	2741
1000	3000	1	RMS	2870	-48.89	-13	Pass	2001
3000	10000	1	RMS	9000	-58.93	-13	Pass	7001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.58	-13	Pass	2986
30	689	0.1	RMS	470.2	-64.72	-13	Pass	6591
689	726	0.1	RMS	711.293	18.2	60	Pass	401
726	1000	0.1	RMS	882.5	-63.78	-13	Pass	2741
1000	3000	1	RMS	1422	-47.94	-13	Pass	2001
3000	10000	1	RMS	8911	-58.88	-13	Pass	7001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.98	-13	Pass	2986
30	689	0.1	RMS	479.4	-64.8	-13	Pass	6591
689	726	0.1	RMS	715.64	18.71	60	Pass	401
726	1000	0.1	RMS	885.7	-63.66	-13	Pass	2741
1000	3000	1	RMS	2870	-48.83	-13	Pass	2001
3000	10000	1	RMS	8981	-58.95	-13	Pass	7001




**2.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.59	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.94	-13	Pass	2986
30	689	0.1	RMS	477.6	-64.66	-13	Pass	6591
689	726	0.1	RMS	706.39	2.57	60	Pass	401
726	1000	0.1	RMS	892.3	-63.61	-13	Pass	2741
1000	3000	1	RMS	2869	-48.88	-13	Pass	2001
3000	10000	1	RMS	8965	-58.92	-13	Pass	7001




**2.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.95	-13	Pass	2986
30	689	0.1	RMS	478.8	-64.8	-13	Pass	6591
689	726	0.1	RMS	699.36	18.12	60	Pass	401
726	1000	0.1	RMS	896.8	-63.7	-13	Pass	2741
1000	3000	1	RMS	1398	-48.82	-13	Pass	2001
3000	10000	1	RMS	9001	-58.86	-13	Pass	7001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.6	-13	Pass	2986
30	689	0.1	RMS	488.3	-64.57	-13	Pass	6591
689	726	0.1	RMS	708.61	18.35	60	Pass	401
726	1000	0.1	RMS	892.8	-63.63	-13	Pass	2741
1000	3000	1	RMS	1417	-48.48	-13	Pass	2001
3000	10000	1	RMS	8907	-58.87	-13	Pass	7001




**2.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.4	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.17	-13	Pass	2986
30	689	0.1	RMS	480.7	-64.76	-13	Pass	6591
689	726	0.1	RMS	705.373	2.43	60	Pass	401
726	1000	0.1	RMS	999	-63.7	-13	Pass	2741
1000	3000	1	RMS	2871	-48.89	-13	Pass	2001
3000	10000	1	RMS	8908	-58.93	-13	Pass	7001




**2.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.53	-13	Pass	2986
30	689	0.1	RMS	479.3	-64.73	-13	Pass	6591
689	726	0.1	RMS	702.875	18.41	60	Pass	401
726	1000	0.1	RMS	925.1	-63.65	-13	Pass	2741
1000	3000	1	RMS	2865	-48.87	-13	Pass	2001
3000	10000	1	RMS	8918	-58.79	-13	Pass	7001




**2.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.93	-13	Pass	2986
30	689	0.1	RMS	496.4	-64.64	-13	Pass	6591
689	726	0.1	RMS	712.125	18	60	Pass	401
726	1000	0.1	RMS	872.5	-63.63	-13	Pass	2741
1000	3000	1	RMS	2869	-48.87	-13	Pass	2001
3000	10000	1	RMS	8939	-58.86	-13	Pass	7001




**2.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.29	-13	Pass	2986
30	689	0.1	RMS	491.5	-64.69	-13	Pass	6591
689	726	0.1	RMS	707.315	2.5	60	Pass	401
726	1000	0.1	RMS	910.6	-63.77	-13	Pass	2741
1000	3000	1	RMS	2870	-48.89	-13	Pass	2001
3000	10000	1	RMS	8991	-58.9	-13	Pass	7001




**2.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.56	-13	Pass	2986
30	689	0.1	RMS	465.6	-64.68	-13	Pass	6591
689	726	0.1	RMS	706.39	18.66	60	Pass	401
726	1000	0.1	RMS	946.8	-63.8	-13	Pass	2741
1000	3000	1	RMS	2869	-48.88	-13	Pass	2001
3000	10000	1	RMS	9002	-58.91	-13	Pass	7001




**2.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.29	-13	Pass	2986
30	689	0.1	RMS	488.8	-64.74	-13	Pass	6591
689	726	0.1	RMS	715.548	18.38	60	Pass	401
726	1000	0.1	RMS	952.7	-63.83	-13	Pass	2741
1000	3000	1	RMS	2865	-48.89	-13	Pass	2001
3000	10000	1	RMS	8902	-58.9	-13	Pass	7001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.17	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.95	-13	Pass	2986
30	689	0.1	RMS	474.1	-64.76	-13	Pass	6591
689	726	0.1	RMS	707.13	0.78	60	Pass	401
726	1000	0.1	RMS	877.3	-63.49	-13	Pass	2741
1000	3000	1	RMS	2870	-48.84	-13	Pass	2001
3000	10000	1	RMS	8900	-58.9	-13	Pass	7001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-13	Pass	2986
30	689	0.1	RMS	475.7	-64.73	-13	Pass	6591
689	726	0.1	RMS	699.453	18.73	60	Pass	401
726	1000	0.1	RMS	893	-63.69	-13	Pass	2741
1000	3000	1	RMS	2866	-48.89	-13	Pass	2001
3000	10000	1	RMS	8897	-58.9	-13	Pass	7001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.11	-13	Pass	2986
30	689	0.1	RMS	662.2	-64.64	-13	Pass	6591
689	726	0.1	RMS	713.513	18.62	60	Pass	401
726	1000	0.1	RMS	897.7	-63.77	-13	Pass	2741
1000	3000	1	RMS	2869	-48.87	-13	Pass	2001
3000	10000	1	RMS	8899	-58.88	-13	Pass	7001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.83	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.17	-13	Pass	2986
30	689	0.1	RMS	486.1	-64.57	-13	Pass	6591
689	726	0.1	RMS	705.65	0.74	60	Pass	401
726	1000	0.1	RMS	982	-63.48	-13	Pass	2741
1000	3000	1	RMS	2867	-48.84	-13	Pass	2001
3000	10000	1	RMS	8915	-58.87	-13	Pass	7001




**2.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.85	-13	Pass	2986
30	689	0.1	RMS	474.1	-64.8	-13	Pass	6591
689	726	0.1	RMS	700.47	18.71	60	Pass	401
726	1000	0.1	RMS	889.5	-63.66	-13	Pass	2741
1000	3000	1	RMS	2871	-48.86	-13	Pass	2001
3000	10000	1	RMS	8900	-58.86	-13	Pass	7001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.89	-13	Pass	2986
30	689	0.1	RMS	471.6	-64.76	-13	Pass	6591
689	726	0.1	RMS	714.53	18.59	60	Pass	401
726	1000	0.1	RMS	927.2	-63.75	-13	Pass	2741
1000	3000	1	RMS	2868	-48.84	-13	Pass	2001
3000	10000	1	RMS	8911	-58.89	-13	Pass	7001




**2.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	689	0.1	RMS	473	-64.73	-13	Pass	6591
689	726	0.1	RMS	705.465	0.83	60	Pass	401
726	1000	0.1	RMS	999.9	-63.75	-13	Pass	2741
1000	3000	1	RMS	2871	-48.88	-13	Pass	2001
3000	10000	1	RMS	8901	-58.87	-13	Pass	7001




**2.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.53	-13	Pass	2986
30	689	0.1	RMS	478.6	-64.73	-13	Pass	6591
689	726	0.1	RMS	701.488	18.67	60	Pass	401
726	1000	0.1	RMS	910.9	-63.79	-13	Pass	2741
1000	3000	1	RMS	2872	-48.88	-13	Pass	2001
3000	10000	1	RMS	8915	-58.87	-13	Pass	7001



**2.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.12	-13	Pass	2986
30	689	0.1	RMS	488.1	-64.79	-13	Pass	6591
689	726	0.1	RMS	715.548	18.25	60	Pass	401
726	1000	0.1	RMS	885.2	-63.79	-13	Pass	2741
1000	3000	1	RMS	2869	-48.86	-13	Pass	2001
3000	10000	1	RMS	8905	-58.92	-13	Pass	7001




6. n41

6.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.29	-68.68	-13	55.68	Pass	2986
30	1000	0.1	RMS	792.5	-61.48	-13	48.48	Pass	9701
1000	2486	1	RMS	2486	-41.29	-13	28.29	Pass	1487
2486	2700	1	RMS	2504.19	12.27	60	47.73	Pass	401
2700	3000	1	RMS	2865.75	-48.59	-13	35.59	Pass	401
3000	6500	1	RMS	6241	-62.38	-13	49.38	Pass	3501
6500	26500	1	RMS	25469	-45.39	-13	32.39	Pass	20003




6.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.29	-69.31	-13	56.31	Pass	2986
30	1000	0.1	RMS	714.5	-61.51	-13	48.51	Pass	9701
1000	2486	1	RMS	2484	-50.09	-13	37.09	Pass	1487
2486	2700	1	RMS	2496.7	20.63	60	39.37	Pass	401
2700	3000	1	RMS	2869.5	-48.53	-13	35.53	Pass	401
3000	6500	1	RMS	4994	-59.66	-13	46.66	Pass	3501
6500	26500	1	RMS	25201	-45.22	-13	32.22	Pass	20003




6.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.32	-70.19	-13	57.19	Pass	2986
30	1000	0.1	RMS	717.6	-61.21	-13	48.21	Pass	9701
1000	2486	1	RMS	2485	-50.53	-13	37.53	Pass	1487
2486	2700	1	RMS	2505.26	20.62	60	39.38	Pass	401
2700	3000	1	RMS	2867.25	-48.6	-13	35.6	Pass	401
3000	6500	1	RMS	5010	-61.84	-13	48.84	Pass	3501
6500	26500	1	RMS	26201	-45.28	-13	32.28	Pass	20003




6.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.19	-69.55	-13	56.55	Pass	2986
30	1000	0.1	RMS	964.476	-61.36	-13	48.36	Pass	9701
1000	2486	1	RMS	2476	-50.56	-13	37.56	Pass	1487
2486	2700	1	RMS	2596.21	12.2	60	47.8	Pass	401
2700	3000	1	RMS	2872.5	-48.53	-13	35.53	Pass	401
3000	6500	1	RMS	6068	-62.56	-13	49.56	Pass	3501
6500	26500	1	RMS	25885	-45.26	-13	32.26	Pass	20003




6.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.84	-13	57.84	Pass	401
0.15	30	0.01	RMS	0.16	-70.53	-13	57.53	Pass	2986
30	1000	0.1	RMS	877.919	-61.19	-13	48.19	Pass	9701
1000	2486	1	RMS	2483	-50.52	-13	37.52	Pass	1487
2486	2700	1	RMS	2588.72	20.52	60	39.48	Pass	401
2700	3000	1	RMS	2868.75	-48.59	-13	35.59	Pass	401
3000	6500	1	RMS	6199	-62.57	-13	49.57	Pass	3501
6500	26500	1	RMS	25758	-45.08	-13	32.08	Pass	20003




**6.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.19	-70.59	-13	57.59	Pass	2986
30	1000	0.1	RMS	772.1	-61.16	-13	48.16	Pass	9701
1000	2486	1	RMS	2481	-50.56	-13	37.56	Pass	1487
2486	2700	1	RMS	2597.28	20.4	60	39.6	Pass	401
2700	3000	1	RMS	2868	-48.59	-13	35.59	Pass	401
3000	6500	1	RMS	6206	-62.53	-13	49.53	Pass	3501
6500	26500	1	RMS	25199	-45.17	-13	32.17	Pass	20003




**6.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.24	-69.11	-13	56.11	Pass	2986
30	1000	0.1	RMS	970.48	-61.57	-13	48.57	Pass	9701
1000	2486	1	RMS	2485	-50.55	-13	37.55	Pass	1487
2486	2700	1	RMS	2688.23	11.49	60	48.51	Pass	401
2700	3000	1	RMS	2700	-42.62	-13	29.62	Pass	401
3000	6500	1	RMS	6203	-62.47	-13	49.47	Pass	3501
6500	26500	1	RMS	25219	-45.4	-13	32.4	Pass	20003




**6.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.09	-13	57.09	Pass	401
0.15	30	0.01	RMS	0.15	-69.68	-13	56.68	Pass	2986
30	1000	0.1	RMS	925.351	-60.62	-13	47.62	Pass	9701
1000	2486	1	RMS	2485	-50.54	-13	37.54	Pass	1487
2486	2700	1	RMS	2680.74	20.1	60	39.9	Pass	401
2700	3000	1	RMS	2879.25	-48.64	-13	35.64	Pass	401
3000	6500	1	RMS	5233	-62.53	-13	49.53	Pass	3501
6500	26500	1	RMS	25209	-45.22	-13	32.22	Pass	20003




6.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.28	-69.9	-13	56.9	Pass	2986
30	1000	0.1	RMS	886.125	-61.33	-13	48.33	Pass	9701
1000	2486	1	RMS	2480	-50.58	-13	37.58	Pass	1487
2486	2700	1	RMS	2689.3	19.85	60	40.15	Pass	401
2700	3000	1	RMS	2868	-48.6	-13	35.6	Pass	401
3000	6500	1	RMS	6202	-62.51	-13	49.51	Pass	3501
6500	26500	1	RMS	25466	-45.01	-13	32.01	Pass	20003




**6.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.19	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	893.63	-61.22	-13	48.22	Pass	9701
1000	2486	1	RMS	2486	-37.3	-13	24.3	Pass	1487
2486	2700	1	RMS	2512.75	4.31	60	55.69	Pass	401
2700	3000	1	RMS	2873.25	-48.6	-13	35.6	Pass	401
3000	6500	1	RMS	6204	-62.44	-13	49.44	Pass	3501
6500	26500	1	RMS	25508	-45.24	-13	32.24	Pass	20003




**6.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.22	-70.6	-13	57.6	Pass	2986
30	1000	0.1	RMS	910.14	-60.96	-13	47.96	Pass	9701
1000	2486	1	RMS	2486	-50.1	-13	37.1	Pass	1487
2486	2700	1	RMS	2497.235	20.42	60	39.58	Pass	401
2700	3000	1	RMS	2873.25	-48.54	-13	35.54	Pass	401
3000	6500	1	RMS	4994	-59.45	-13	46.45	Pass	3501
6500	26500	1	RMS	25176	-45.41	-13	32.41	Pass	20003




**6.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.19	-69.81	-13	56.81	Pass	2986
30	1000	0.1	RMS	898.032	-61.47	-13	48.47	Pass	9701
1000	2486	1	RMS	2486	-50.19	-13	37.19	Pass	1487
2486	2700	1	RMS	2555.015	20.89	60	39.11	Pass	401
2700	3000	1	RMS	2862.75	-48.62	-13	35.62	Pass	401
3000	6500	1	RMS	5110	-61.88	-13	48.88	Pass	3501
6500	26500	1	RMS	25193	-45.06	-13	32.06	Pass	20003




6.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.15	-70.55	-13	57.55	Pass	2986
30	1000	0.1	RMS	879.92	-61.68	-13	48.68	Pass	9701
1000	2486	1	RMS	2485	-47.84	-13	34.84	Pass	1487
2486	2700	1	RMS	2619.75	5.07	60	54.93	Pass	401
2700	3000	1	RMS	2701.5	-45.75	-13	32.75	Pass	401
3000	6500	1	RMS	6204	-62.47	-13	49.47	Pass	3501
6500	26500	1	RMS	25858	-44.77	-13	31.77	Pass	20003




**6.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.27	-69	-13	56	Pass	2986
30	1000	0.1	RMS	727.7	-60.88	-13	47.88	Pass	9701
1000	2486	1	RMS	2480	-50.47	-13	37.47	Pass	1487
2486	2700	1	RMS	2564.11	20.59	60	39.41	Pass	401
2700	3000	1	RMS	2867.25	-48.63	-13	35.63	Pass	401
3000	6500	1	RMS	5128	-62.27	-13	49.27	Pass	3501
6500	26500	1	RMS	25209	-45.17	-13	32.17	Pass	20003




**6.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.16	-69.23	-13	56.23	Pass	2986
30	1000	0.1	RMS	912.142	-61.43	-13	48.43	Pass	9701
1000	2486	1	RMS	2478	-50.47	-13	37.47	Pass	1487
2486	2700	1	RMS	2621.89	20.83	60	39.17	Pass	401
2700	3000	1	RMS	2869.5	-48.61	-13	35.61	Pass	401
3000	6500	1	RMS	6207	-62.64	-13	49.64	Pass	3501
6500	26500	1	RMS	25193	-45.25	-13	32.25	Pass	20003




**6.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.19	-68.98	-13	55.98	Pass	2986
30	1000	0.1	RMS	792.1	-61.39	-13	48.39	Pass	9701
1000	2486	1	RMS	2484	-50.48	-13	37.48	Pass	1487
2486	2700	1	RMS	2637.94	4.35	60	55.65	Pass	401
2700	3000	1	RMS	2700	-39.45	-13	26.45	Pass	401
3000	6500	1	RMS	6243	-62.44	-13	49.44	Pass	3501
6500	26500	1	RMS	25476	-45.33	-13	32.33	Pass	20003




**6.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.16	-70.02	-13	57.02	Pass	2986
30	1000	0.1	RMS	931.555	-60.57	-13	47.57	Pass	9701
1000	2486	1	RMS	2486	-50.6	-13	37.6	Pass	1487
2486	2700	1	RMS	2630.985	20.63	60	39.37	Pass	401
2700	3000	1	RMS	2874	-48.59	-13	35.59	Pass	401
3000	6500	1	RMS	6202	-62.54	-13	49.54	Pass	3501
6500	26500	1	RMS	25207	-45.06	-13	32.06	Pass	20003




**6.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.11	-13	58.11	Pass	401
0.15	30	0.01	RMS	0.35	-69.39	-13	56.39	Pass	2986
30	1000	0.1	RMS	892.129	-61.4	-13	48.4	Pass	9701
1000	2486	1	RMS	2477	-50.49	-13	37.49	Pass	1487
2486	2700	1	RMS	2688.765	19.93	60	40.07	Pass	401
2700	3000	1	RMS	2866.5	-48.57	-13	35.57	Pass	401
3000	6500	1	RMS	6242	-62.61	-13	49.61	Pass	3501
6500	26500	1	RMS	25196	-45.18	-13	32.18	Pass	20003




**6.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.18	-70.19	-13	57.19	Pass	2986
30	1000	0.1	RMS	725.3	-61.82	-13	48.82	Pass	9701
1000	2486	1	RMS	2486	-38.16	-13	25.16	Pass	1487
2486	2700	1	RMS	2517.565	2.27	60	57.73	Pass	401
2700	3000	1	RMS	2700	-42.02	-13	29.02	Pass	401
3000	6500	1	RMS	6239	-62.45	-13	49.45	Pass	3501
6500	26500	1	RMS	25503	-45.53	-13	32.53	Pass	20003




**6.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.16	-69.7	-13	56.7	Pass	2986
30	1000	0.1	RMS	898.633	-61.06	-13	48.06	Pass	9701
1000	2486	1	RMS	2484	-50.06	-13	37.06	Pass	1487
2486	2700	1	RMS	2497.235	20.31	60	39.69	Pass	401
2700	3000	1	RMS	2868	-48.54	-13	35.54	Pass	401
3000	6500	1	RMS	4994	-59.57	-13	46.57	Pass	3501
6500	26500	1	RMS	25206	-45.1	-13	32.1	Pass	20003




**6.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.15	-67.85	-13	54.85	Pass	2986
30	1000	0.1	RMS	753.2	-61.5	-13	48.5	Pass	9701
1000	2486	1	RMS	2481	-50.34	-13	37.34	Pass	1487
2486	2700	1	RMS	2595.14	20.34	60	39.66	Pass	401
2700	3000	1	RMS	2877.75	-48.59	-13	35.59	Pass	401
3000	6500	1	RMS	6202	-62.55	-13	49.55	Pass	3501
6500	26500	1	RMS	25193	-45.41	-13	32.41	Pass	20003




**6.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.21	-70.08	-13	57.08	Pass	2986
30	1000	0.1	RMS	828	-61.41	-13	48.41	Pass	9701
1000	2486	1	RMS	2486	-41.41	-13	28.41	Pass	1487
2486	2700	1	RMS	2637.94	2.82	60	57.18	Pass	401
2700	3000	1	RMS	2701.5	-40.12	-13	27.12	Pass	401
3000	6500	1	RMS	6233	-62.49	-13	49.49	Pass	3501
6500	26500	1	RMS	25204	-45.4	-13	32.4	Pass	20003




**6.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.26	-69.68	-13	56.68	Pass	2986
30	1000	0.1	RMS	910.341	-60.95	-13	47.95	Pass	9701
1000	2486	1	RMS	2486	-50.42	-13	37.42	Pass	1487
2486	2700	1	RMS	2543.78	20.16	60	39.84	Pass	401
2700	3000	1	RMS	2865.75	-48.57	-13	35.57	Pass	401
3000	6500	1	RMS	5088	-62.22	-13	49.22	Pass	3501
6500	26500	1	RMS	25209	-45.62	-13	32.62	Pass	20003




**6.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.23	-70.72	-13	57.72	Pass	2986
30	1000	0.1	RMS	777.5	-61.51	-13	48.51	Pass	9701
1000	2486	1	RMS	2484	-50.55	-13	37.55	Pass	1487
2486	2700	1	RMS	2641.685	19.93	60	40.07	Pass	401
2700	3000	1	RMS	2866.5	-48.6	-13	35.6	Pass	401
3000	6500	1	RMS	6242	-62.6	-13	49.6	Pass	3501
6500	26500	1	RMS	25177	-45.12	-13	32.12	Pass	20003




**6.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.25	-13	56.25	Pass	401
0.15	30	0.01	RMS	0.26	-68.66	-13	55.66	Pass	2986
30	1000	0.1	RMS	978.486	-61.67	-13	48.67	Pass	9701
1000	2486	1	RMS	2486	-45.03	-13	32.03	Pass	1487
2486	2700	1	RMS	2626.705	1.55	60	58.45	Pass	401
2700	3000	1	RMS	2701.5	-39.79	-13	26.79	Pass	401
3000	6500	1	RMS	6240	-62.43	-13	49.43	Pass	3501
6500	26500	1	RMS	25201	-45.16	-13	32.16	Pass	20003




**6.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.24	-69.83	-13	56.83	Pass	2986
30	1000	0.1	RMS	940.961	-61.32	-13	48.32	Pass	9701
1000	2486	1	RMS	2484	-50.46	-13	37.46	Pass	1487
2486	2700	1	RMS	2590.86	20.38	60	39.62	Pass	401
2700	3000	1	RMS	2867.25	-48.49	-13	35.49	Pass	401
3000	6500	1	RMS	6210	-62.54	-13	49.54	Pass	3501
6500	26500	1	RMS	25213	-45.24	-13	32.24	Pass	20003



**6.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.16	-68.24	-13	55.24	Pass	2986
30	1000	0.1	RMS	672.4	-61.5	-13	48.5	Pass	9701
1000	2486	1	RMS	2484	-50.11	-13	37.11	Pass	1487
2486	2700	1	RMS	2688.765	19.88	60	40.12	Pass	401
2700	3000	1	RMS	2881.5	-48.57	-13	35.57	Pass	401
3000	6500	1	RMS	5378	-62.48	-13	49.48	Pass	3501
6500	26500	1	RMS	25510	-45.31	-13	32.31	Pass	20003



7. n26 15kHz_Part22


**7.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.55	-13	48.55	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	814	0.1	RMS	814	-52.17	-13	39.17	Pass	7841
814	859	0.1	RMS	825.1	5.71	60	54.29	Pass	451
859	1000	0.1	RMS	885.9	-63.67	-13	50.67	Pass	1411
1000	3000	1	RMS	2869	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	8897	-58.83	-13	45.83	Pass	7001




7.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.43	-13	49.43	Pass	401
0.15	30	0.01	RMS	0.23	-71.51	-13	58.51	Pass	2986
30	814	0.1	RMS	813.9	-63.71	-13	50.71	Pass	7841
814	859	0.1	RMS	824.3	18.75	60	41.25	Pass	451
859	1000	0.1	RMS	890.6	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	2869	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8899	-58.85	-13	45.85	Pass	7001




7.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.64	-13	48.64	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	57.62	Pass	2986
30	814	0.1	RMS	813.5	-63.89	-13	50.89	Pass	7841
814	859	0.1	RMS	828.6	18.2	60	41.8	Pass	451
859	1000	0.1	RMS	892.4	-63.66	-13	50.66	Pass	1411
1000	3000	1	RMS	2867	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	8901	-58.78	-13	45.78	Pass	7001




**7.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.88	-13	48.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	58.21	Pass	2986
30	814	0.1	RMS	812.7	-63.87	-13	50.87	Pass	7841
814	859	0.1	RMS	834.5	5.58	60	54.42	Pass	451
859	1000	0.1	RMS	889.9	-63.78	-13	50.78	Pass	1411
1000	3000	1	RMS	2869	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8988	-58.77	-13	45.77	Pass	7001




**7.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.08	-13	49.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	58.23	Pass	2986
30	814	0.1	RMS	759.2	-64.06	-13	51.06	Pass	7841
814	859	0.1	RMS	834.3	18.55	60	41.45	Pass	451
859	1000	0.1	RMS	897.2	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	1668	-47.75	-13	34.75	Pass	2001
3000	10000	1	RMS	8905	-58.79	-13	45.79	Pass	7001




7.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.45	-13	48.45	Pass	401
0.15	30	0.01	RMS	0.16	-70.82	-13	57.82	Pass	2986
30	814	0.1	RMS	750	-64.01	-13	51.01	Pass	7841
814	859	0.1	RMS	838.7	18.23	60	41.77	Pass	451
859	1000	0.1	RMS	893.1	-63.81	-13	50.81	Pass	1411
1000	3000	1	RMS	2870	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8998	-58.81	-13	45.81	Pass	7001




**7.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.81	-13	48.81	Pass	401
0.15	30	0.01	RMS	0.17	-71.51	-13	58.51	Pass	2986
30	814	0.1	RMS	733.3	-64.12	-13	51.12	Pass	7841
814	859	0.1	RMS	845.1	6.11	60	53.89	Pass	451
859	1000	0.1	RMS	900.2	-63.85	-13	50.85	Pass	1411
1000	3000	1	RMS	2870	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	8903	-58.75	-13	45.75	Pass	7001




**7.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.62	-13	41.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	2986
30	814	0.1	RMS	744.9	-64.08	-13	51.08	Pass	7841
814	859	0.1	RMS	844.3	18.66	60	41.34	Pass	451
859	1000	0.1	RMS	883.1	-63.84	-13	50.84	Pass	1411
1000	3000	1	RMS	2869	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8906	-58.82	-13	45.82	Pass	7001




7.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.81	-13	48.81	Pass	401
0.15	30	0.01	RMS	0.16	-70.98	-13	57.98	Pass	2986
30	814	0.1	RMS	742.9	-64.13	-13	51.13	Pass	7841
814	859	0.1	RMS	848.6	17.69	60	42.31	Pass	451
859	1000	0.1	RMS	896.3	-63.68	-13	50.68	Pass	1411
1000	3000	1	RMS	2870	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	8901	-58.8	-13	45.8	Pass	7001




**7.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.79	-13	49.79	Pass	401
0.15	30	0.01	RMS	0.19	-71.38	-13	58.38	Pass	2986
30	814	0.1	RMS	814	-42.67	-13	29.67	Pass	7841
814	859	0.1	RMS	835.6	0.85	60	59.15	Pass	451
859	1000	0.1	RMS	884.3	-63.76	-13	50.76	Pass	1411
1000	3000	1	RMS	2870	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8900	-58.84	-13	45.84	Pass	7001




**7.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.11	-13	43.11	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	57.87	Pass	2986
30	814	0.1	RMS	813.2	-62.13	-13	49.13	Pass	7841
814	859	0.1	RMS	824.5	19.06	60	40.94	Pass	451
859	1000	0.1	RMS	886.2	-63.85	-13	50.85	Pass	1411
1000	3000	1	RMS	2869	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8992	-58.77	-13	45.77	Pass	7001




**7.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.49	-13	41.49	Pass	401
0.15	30	0.01	RMS	0.24	-70.79	-13	57.79	Pass	2986
30	814	0.1	RMS	733.5	-64.13	-13	51.13	Pass	7841
814	859	0.1	RMS	838.5	19.09	60	40.91	Pass	451
859	1000	0.1	RMS	994.2	-63.8	-13	50.8	Pass	1411
1000	3000	1	RMS	2869	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	8998	-58.78	-13	45.78	Pass	7001




**7.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.3	-13	48.3	Pass	401
0.15	30	0.01	RMS	0.21	-71.49	-13	58.49	Pass	2986
30	814	0.1	RMS	813.8	-48.59	-13	35.59	Pass	7841
814	859	0.1	RMS	833.4	0.88	60	59.12	Pass	451
859	1000	0.1	RMS	897.4	-63.76	-13	50.76	Pass	1411
1000	3000	1	RMS	2869	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	9004	-58.83	-13	45.83	Pass	7001




**7.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.6	-13	42.6	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	57.93	Pass	2986
30	814	0.1	RMS	812.7	-63.98	-13	50.98	Pass	7841
814	859	0.1	RMS	829.5	18.96	60	41.04	Pass	451
859	1000	0.1	RMS	884.8	-63.78	-13	50.78	Pass	1411
1000	3000	1	RMS	2869	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8902	-58.82	-13	45.82	Pass	7001




**7.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.93	-13	41.93	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-13	57.74	Pass	2986
30	814	0.1	RMS	757.3	-64.08	-13	51.08	Pass	7841
814	859	0.1	RMS	843.5	19.05	60	40.95	Pass	451
859	1000	0.1	RMS	872.5	-63.7	-13	50.7	Pass	1411
1000	3000	1	RMS	2868	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8902	-58.76	-13	45.76	Pass	7001




**7.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.75	-13	48.75	Pass	401
0.15	30	0.01	RMS	0.18	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	813.7	-51.31	-13	38.31	Pass	7841
814	859	0.1	RMS	837.3	0.94	60	59.06	Pass	451
859	1000	0.1	RMS	891.5	-63.69	-13	50.69	Pass	1411
1000	3000	1	RMS	2869	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8990	-58.82	-13	45.82	Pass	7001




**7.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.75	-13	41.75	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	58.06	Pass	2986
30	814	0.1	RMS	727.8	-64.18	-13	51.18	Pass	7841
814	859	0.1	RMS	834.5	18.78	60	41.22	Pass	451
859	1000	0.1	RMS	895.4	-63.79	-13	50.79	Pass	1411
1000	3000	1	RMS	1668	-48.28	-13	35.28	Pass	2001
3000	10000	1	RMS	8913	-58.78	-13	45.78	Pass	7001




**7.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.06	-13	48.06	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-13	57.5	Pass	2986
30	814	0.1	RMS	759.9	-64.08	-13	51.08	Pass	7841
814	859	0.1	RMS	848.5	18.53	60	41.47	Pass	451
859	1000	0.1	RMS	874	-63.82	-13	50.82	Pass	1411
1000	3000	1	RMS	2865	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8923	-58.8	-13	45.8	Pass	7001




**7.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.36	-13	49.36	Pass	401
0.15	30	0.01	RMS	0.25	-71.56	-13	58.56	Pass	2986
30	814	0.1	RMS	813.9	-41.12	-13	28.12	Pass	7841
814	859	0.1	RMS	834.2	-0.1	60	60.1	Pass	451
859	1000	0.1	RMS	888.1	-63.76	-13	50.76	Pass	1411
1000	3000	1	RMS	2869	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8907	-58.76	-13	45.76	Pass	7001




**7.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.3	-13	42.3	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	57.75	Pass	2986
30	814	0.1	RMS	813.3	-62	-13	49	Pass	7841
814	859	0.1	RMS	824.5	18.77	60	41.23	Pass	451
859	1000	0.1	RMS	891.5	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	2870	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	8900	-58.81	-13	45.81	Pass	7001




**7.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.33	-13	41.33	Pass	401
0.15	30	0.01	RMS	0.18	-70.27	-13	57.27	Pass	2986
30	814	0.1	RMS	744.2	-64.01	-13	51.01	Pass	7841
814	859	0.1	RMS	843.4	18.56	60	41.44	Pass	451
859	1000	0.1	RMS	888.1	-63.58	-13	50.58	Pass	1411
1000	3000	1	RMS	2869	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8998	-58.77	-13	45.77	Pass	7001




**7.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.6	-13	48.6	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-13	58.55	Pass	2986
30	814	0.1	RMS	813.8	-43.92	-13	30.92	Pass	7841
814	859	0.1	RMS	834.7	-0.26	60	60.26	Pass	451
859	1000	0.1	RMS	884.4	-63.86	-13	50.86	Pass	1411
1000	3000	1	RMS	2869	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	8922	-58.83	-13	45.83	Pass	7001




**7.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.64	-13	43.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	814	0.1	RMS	812.8	-63.17	-13	50.17	Pass	7841
814	859	0.1	RMS	827	18.75	60	41.25	Pass	451
859	1000	0.1	RMS	887.9	-63.86	-13	50.86	Pass	1411
1000	3000	1	RMS	2869	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	8987	-58.82	-13	45.82	Pass	7001




**7.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.73	-13	41.73	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	57.72	Pass	2986
30	814	0.1	RMS	752.2	-64.15	-13	51.15	Pass	7841
814	859	0.1	RMS	845.9	18.69	60	41.31	Pass	451
859	1000	0.1	RMS	891.7	-63.67	-13	50.67	Pass	1411
1000	3000	1	RMS	1691	-47.77	-13	34.77	Pass	2001
3000	10000	1	RMS	8986	-58.8	-13	45.8	Pass	7001




**7.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.33	-13	49.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	813.9	-47.14	-13	34.14	Pass	7841
814	859	0.1	RMS	834.5	-0.26	60	60.26	Pass	451
859	1000	0.1	RMS	883.8	-63.82	-13	50.82	Pass	1411
1000	3000	1	RMS	2869	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8901	-58.81	-13	45.81	Pass	7001




**7.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.58	-13	42.58	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-13	58.55	Pass	2986
30	814	0.1	RMS	813.9	-63.76	-13	50.76	Pass	7841
814	859	0.1	RMS	829.5	18.63	60	41.37	Pass	451
859	1000	0.1	RMS	886	-63.78	-13	50.78	Pass	1411
1000	3000	1	RMS	2869	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8986	-58.79	-13	45.79	Pass	7001



**7.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-62.11	-13	49.11	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	57.71	Pass	2986
30	814	0.1	RMS	809.1	-64.13	-13	51.13	Pass	7841
814	859	0.1	RMS	848.4	18.19	60	41.81	Pass	451
859	1000	0.1	RMS	914.1	-63.72	-13	50.72	Pass	1411
1000	3000	1	RMS	2865	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8991	-58.8	-13	45.8	Pass	7001



1. n26 15kHz_Part90


1.1. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.61	-13	49.61	Pass	401
0.15	30	0.01	RMS	0.19	-70.67	-13	57.67	Pass	2986
30	804	0.1	RMS	746.7	-64.09	-13	51.09	Pass	7741
804	834	0.1	RMS	814.875	5.84	60	54.16	Pass	401
834	1000	0.1	RMS	834.1	-60.02	-13	47.02	Pass	1661
1000	3000	1	RMS	2867	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	8994	-58.82	-13	45.82	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.59	-13	49.59	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	57.78	Pass	2986
30	804	0.1	RMS	748.8	-64.24	-13	51.24	Pass	7741
804	834	0.1	RMS	814.35	19.1	60	40.9	Pass	401
834	1000	0.1	RMS	844.8	-63.5	-13	50.5	Pass	1661
1000	3000	1	RMS	1628	-47.78	-13	34.78	Pass	2001
3000	10000	1	RMS	8903	-58.83	-13	45.83	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.88	-13	48.88	Pass	401
0.15	30	0.01	RMS	0.15	-70.37	-13	57.37	Pass	2986
30	804	0.1	RMS	756.9	-64.01	-13	51.01	Pass	7741
804	834	0.1	RMS	818.625	19.23	60	40.77	Pass	401
834	1000	0.1	RMS	844.8	-63.49	-13	50.49	Pass	1661
1000	3000	1	RMS	1637	-47.99	-13	34.99	Pass	2001
3000	10000	1	RMS	8996	-58.81	-13	45.81	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.66	-13	49.66	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	58.09	Pass	2986
30	804	0.1	RMS	747.7	-64.15	-13	51.15	Pass	7741
804	834	0.1	RMS	817.65	5.91	60	54.09	Pass	401
834	1000	0.1	RMS	834	-56.95	-13	43.95	Pass	1661
1000	3000	1	RMS	2869	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	8903	-58.79	-13	45.79	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.69	-13	41.69	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	58.14	Pass	2986
30	804	0.1	RMS	752.2	-64.12	-13	51.12	Pass	7741
804	834	0.1	RMS	816.825	19.31	60	40.69	Pass	401
834	1000	0.1	RMS	884.8	-63.77	-13	50.77	Pass	1661
1000	3000	1	RMS	1633	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	8900	-58.81	-13	45.81	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.66	-13	41.66	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-13	57.16	Pass	2986
30	804	0.1	RMS	747.3	-64.1	-13	51.1	Pass	7741
804	834	0.1	RMS	821.175	19.09	60	40.91	Pass	401
834	1000	0.1	RMS	844.8	-63.69	-13	50.69	Pass	1661
1000	3000	1	RMS	2868	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	8916	-58.82	-13	45.82	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.95	-13	48.95	Pass	401
0.15	30	0.01	RMS	0.17	-71.35	-13	58.35	Pass	2986
30	804	0.1	RMS	741.9	-64.17	-13	51.17	Pass	7741
804	834	0.1	RMS	820.05	5.9	60	54.1	Pass	401
834	1000	0.1	RMS	834.3	-53.04	-13	40.04	Pass	1661
1000	3000	1	RMS	2869	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8908	-58.84	-13	45.84	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.89	-13	41.89	Pass	401
0.15	30	0.01	RMS	0.17	-71.04	-13	58.04	Pass	2986
30	804	0.1	RMS	750.4	-64.05	-13	51.05	Pass	7741
804	834	0.1	RMS	819.3	19.02	60	40.98	Pass	401
834	1000	0.1	RMS	844.8	-63.36	-13	50.36	Pass	1661
1000	3000	1	RMS	1638	-48.13	-13	35.13	Pass	2001
3000	10000	1	RMS	8997	-58.82	-13	45.82	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.07	-13	41.07	Pass	401
0.15	30	0.01	RMS	0.15	-69.34	-13	56.34	Pass	2986
30	804	0.1	RMS	749.6	-64.07	-13	51.07	Pass	7741
804	834	0.1	RMS	823.65	19.13	60	40.87	Pass	401
834	1000	0.1	RMS	844.8	-63.49	-13	50.49	Pass	1661
1000	3000	1	RMS	2869	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	9004	-58.83	-13	45.83	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.2	-13	48.2	Pass	401
0.15	30	0.01	RMS	0.19	-71.43	-13	58.43	Pass	2986
30	804	0.1	RMS	737.4	-64.08	-13	51.08	Pass	7741
804	834	0.1	RMS	817.65	2.76	60	57.24	Pass	401
834	1000	0.1	RMS	834.1	-47.01	-13	34.01	Pass	1661
1000	3000	1	RMS	2870	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	8901	-58.81	-13	45.81	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.5	-13	41.5	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-13	58.15	Pass	2986
30	804	0.1	RMS	751.6	-64.1	-13	51.1	Pass	7741
804	834	0.1	RMS	814.425	19.07	60	40.93	Pass	401
834	1000	0.1	RMS	844.8	-63.52	-13	50.52	Pass	1661
1000	3000	1	RMS	1628	-48.15	-13	35.15	Pass	2001
3000	10000	1	RMS	8904	-58.85	-13	45.85	Pass	7001



1.12. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.24	-13	43.24	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	57.7	Pass	2986
30	804	0.1	RMS	754	-64.13	-13	51.13	Pass	7741
804	834	0.1	RMS	823.575	19.09	60	40.91	Pass	401
834	1000	0.1	RMS	834.5	-63.6	-13	50.6	Pass	1661
1000	3000	1	RMS	2871	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8909	-58.81	-13	45.81	Pass	7001



2. n38_PC3


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.3	-13	57.3	Pass	401
0.15	30	0.01	RMS	0.32	-69.9	-13	56.9	Pass	2986
30	1000	0.1	RMS	925.551	-61.4	-13	48.4	Pass	9701
1000	2560	1	RMS	2560	-42.23	-13	29.23	Pass	1561
2560	2630	1	RMS	2571.9	12.22	60	47.78	Pass	401
2630	3000	1	RMS	2868.65	-48.31	-13	35.31	Pass	401
3000	6500	1	RMS	6237	-62.47	-13	49.47	Pass	3501
6500	26500	1	RMS	25187	-45.26	-13	32.26	Pass	20003




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.17	-69.5	-13	56.5	Pass	2986
30	1000	0.1	RMS	858.206	-61.03	-13	48.03	Pass	9701
1000	2560	1	RMS	2558	-49.91	-13	36.91	Pass	1561
2560	2630	1	RMS	2570.85	20.97	60	39.03	Pass	401
2630	3000	1	RMS	2874.2	-48.25	-13	35.25	Pass	401
3000	6500	1	RMS	5142	-62.39	-13	49.39	Pass	3501
6500	26500	1	RMS	25201	-45.16	-13	32.16	Pass	20003




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.04	-13	57.04	Pass	401
0.15	30	0.01	RMS	0.16	-70.44	-13	57.44	Pass	2986
30	1000	0.1	RMS	999.3	-60.82	-13	47.82	Pass	9701
1000	2560	1	RMS	2500	-49.91	-13	36.91	Pass	1561
2560	2630	1	RMS	2579.075	20.99	60	39.01	Pass	401
2630	3000	1	RMS	2869.575	-48.36	-13	35.36	Pass	401
3000	6500	1	RMS	6237	-62.15	-13	49.15	Pass	3501
6500	26500	1	RMS	25490	-45.18	-13	32.18	Pass	20003




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.17	-69.76	-13	56.76	Pass	2986
30	1000	0.1	RMS	991.094	-60.93	-13	47.93	Pass	9701
1000	2560	1	RMS	2560	-49.24	-13	36.24	Pass	1561
2560	2630	1	RMS	2598.15	12.31	60	47.69	Pass	401
2630	3000	1	RMS	2866.8	-48.3	-13	35.3	Pass	401
3000	6500	1	RMS	6201	-62.39	-13	49.39	Pass	3501
6500	26500	1	RMS	25191	-45.05	-13	32.05	Pass	20003




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.35	-70.2	-13	57.2	Pass	2986
30	1000	0.1	RMS	728.8	-60.88	-13	47.88	Pass	9701
1000	2560	1	RMS	2514	-49.94	-13	36.94	Pass	1561
2560	2630	1	RMS	2590.8	20.99	60	39.01	Pass	401
2630	3000	1	RMS	2881.6	-48.31	-13	35.31	Pass	401
3000	6500	1	RMS	5182	-62.3	-13	49.3	Pass	3501
6500	26500	1	RMS	25509	-44.95	-13	31.95	Pass	20003




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	0.17	-69.89	-13	56.89	Pass	2986
30	1000	0.1	RMS	720.9	-60.94	-13	47.94	Pass	9701
1000	2560	1	RMS	2526	-49.98	-13	36.98	Pass	1561
2560	2630	1	RMS	2599.2	20.93	60	39.07	Pass	401
2630	3000	1	RMS	2867.725	-48.36	-13	35.36	Pass	401
3000	6500	1	RMS	6201	-62.45	-13	49.45	Pass	3501
6500	26500	1	RMS	25832	-45.05	-13	32.05	Pass	20003




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.23	-69.7	-13	56.7	Pass	2986
30	1000	0.1	RMS	909.24	-60.74	-13	47.74	Pass	9701
1000	2560	1	RMS	2523	-49.85	-13	36.85	Pass	1561
2560	2630	1	RMS	2618.275	12.36	60	47.64	Pass	401
2630	3000	1	RMS	2630	-43.25	-13	30.25	Pass	401
3000	6500	1	RMS	6241	-62.32	-13	49.32	Pass	3501
6500	26500	1	RMS	25882	-45.22	-13	32.22	Pass	20003




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.2	-69.81	-13	56.81	Pass	2986
30	1000	0.1	RMS	647.4	-61.14	-13	48.14	Pass	9701
1000	2560	1	RMS	2519	-49.99	-13	36.99	Pass	1561
2560	2630	1	RMS	2610.925	20.98	60	39.02	Pass	401
2630	3000	1	RMS	2873.275	-48.32	-13	35.32	Pass	401
3000	6500	1	RMS	5222	-61.83	-13	48.83	Pass	3501
6500	26500	1	RMS	25223	-45.16	-13	32.16	Pass	20003




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.22	-13	58.22	Pass	401
0.15	30	0.01	RMS	0.5	-69.13	-13	56.13	Pass	2986
30	1000	0.1	RMS	909.24	-61.75	-13	48.75	Pass	9701
1000	2560	1	RMS	2518	-49.94	-13	36.94	Pass	1561
2560	2630	1	RMS	2619.15	20.98	60	39.02	Pass	401
2630	3000	1	RMS	2867.725	-48.18	-13	35.18	Pass	401
3000	6500	1	RMS	5238	-61.78	-13	48.78	Pass	3501
6500	26500	1	RMS	25197	-45.21	-13	32.21	Pass	20003




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.31	-69.1	-13	56.1	Pass	2986
30	1000	0.1	RMS	981.888	-60.9	-13	47.9	Pass	9701
1000	2560	1	RMS	2560	-35.9	-13	22.9	Pass	1561
2560	2630	1	RMS	2587.3	9.26	60	50.74	Pass	401
2630	3000	1	RMS	2630	-46.06	-13	33.06	Pass	401
3000	6500	1	RMS	6210	-62.45	-13	49.45	Pass	3501
6500	26500	1	RMS	25190	-45.18	-13	32.18	Pass	20003




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.16	-70.28	-13	57.28	Pass	2986
30	1000	0.1	RMS	1000	-61.17	-13	48.17	Pass	9701
1000	2560	1	RMS	2553	-47.9	-13	34.9	Pass	1561
2560	2630	1	RMS	2571.025	21.22	60	38.78	Pass	401
2630	3000	1	RMS	2870.5	-48.34	-13	35.34	Pass	401
3000	6500	1	RMS	5142	-61.87	-13	48.87	Pass	3501
6500	26500	1	RMS	25210	-45.25	-13	32.25	Pass	20003




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.64	-13	57.64	Pass	401
0.15	30	0.01	RMS	0.17	-69.1	-13	56.1	Pass	2986
30	1000	0.1	RMS	970.28	-61.48	-13	48.48	Pass	9701
1000	2560	1	RMS	2512	-49.9	-13	36.9	Pass	1561
2560	2630	1	RMS	2589.05	21.32	60	38.68	Pass	401
2630	3000	1	RMS	2868.65	-48.29	-13	35.29	Pass	401
3000	6500	1	RMS	5178	-62.24	-13	49.24	Pass	3501
6500	26500	1	RMS	25784	-45.2	-13	32.2	Pass	20003




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	0.18	-69.45	-13	56.45	Pass	2986
30	1000	0.1	RMS	903.436	-60.93	-13	47.93	Pass	9701
1000	2560	1	RMS	2560	-46.07	-13	33.07	Pass	1561
2560	2630	1	RMS	2602	9.55	60	50.45	Pass	401
2630	3000	1	RMS	2630	-43.5	-13	30.5	Pass	401
3000	6500	1	RMS	6205	-62.35	-13	49.35	Pass	3501
6500	26500	1	RMS	25226	-45.37	-13	32.37	Pass	20003




**2.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.16	-68.21	-13	55.21	Pass	2986
30	1000	0.1	RMS	905.738	-61.31	-13	48.31	Pass	9701
1000	2560	1	RMS	2513	-49.94	-13	36.94	Pass	1561
2560	2630	1	RMS	2586.075	21.1	60	38.9	Pass	401
2630	3000	1	RMS	2875.125	-48.36	-13	35.36	Pass	401
3000	6500	1	RMS	5172	-62.14	-13	49.14	Pass	3501
6500	26500	1	RMS	25201	-45.1	-13	32.1	Pass	20003




**2.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.35	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	900.834	-61.1	-13	48.1	Pass	9701
1000	2560	1	RMS	2533	-49.97	-13	36.97	Pass	1561
2560	2630	1	RMS	2603.925	21.35	60	38.65	Pass	401
2630	3000	1	RMS	2865.875	-48.35	-13	35.35	Pass	401
3000	6500	1	RMS	5208	-61.6	-13	48.6	Pass	3501
6500	26500	1	RMS	25189	-45.22	-13	32.22	Pass	20003




**2.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.33	-70.55	-13	57.55	Pass	2986
30	1000	0.1	RMS	893.93	-61.13	-13	48.13	Pass	9701
1000	2560	1	RMS	2560	-48.75	-13	35.75	Pass	1561
2560	2630	1	RMS	2617.575	9.57	60	50.43	Pass	401
2630	3000	1	RMS	2630	-38.23	-13	25.23	Pass	401
3000	6500	1	RMS	6181	-62.32	-13	49.32	Pass	3501
6500	26500	1	RMS	25203	-45.11	-13	32.11	Pass	20003




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.16	-67.19	-13	54.19	Pass	2986
30	1000	0.1	RMS	927.252	-61	-13	48	Pass	9701
1000	2560	1	RMS	2518	-49.91	-13	36.91	Pass	1561
2560	2630	1	RMS	2600.95	21.4	60	38.6	Pass	401
2630	3000	1	RMS	2869.575	-48.29	-13	35.29	Pass	401
3000	6500	1	RMS	5202	-62.19	-13	49.19	Pass	3501
6500	26500	1	RMS	25804	-45.28	-13	32.28	Pass	20003




**2.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	0.18	-70.26	-13	57.26	Pass	2986
30	1000	0.1	RMS	738.8	-61.3	-13	48.3	Pass	9701
1000	2560	1	RMS	2517	-49.81	-13	36.81	Pass	1561
2560	2630	1	RMS	2618.975	21.32	60	38.68	Pass	401
2630	3000	1	RMS	2637.4	-47.57	-13	34.57	Pass	401
3000	6500	1	RMS	5238	-61.08	-13	48.08	Pass	3501
6500	26500	1	RMS	25186	-44.77	-13	31.77	Pass	20003




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.45	-13	56.45	Pass	401
0.15	30	0.01	RMS	0.32	-68.38	-13	55.38	Pass	2986
30	1000	0.1	RMS	999.4	-61.58	-13	48.58	Pass	9701
1000	2560	1	RMS	2560	-36.92	-13	23.92	Pass	1561
2560	2630	1	RMS	2607.775	6.82	60	53.18	Pass	401
2630	3000	1	RMS	2630	-38.6	-13	25.6	Pass	401
3000	6500	1	RMS	6198	-62.29	-13	49.29	Pass	3501
6500	26500	1	RMS	25788	-45.23	-13	32.23	Pass	20003




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.3	-13	57.3	Pass	401
0.15	30	0.01	RMS	0.19	-69.85	-13	56.85	Pass	2986
30	1000	0.1	RMS	734.6	-60.92	-13	47.92	Pass	9701
1000	2560	1	RMS	2552	-49.04	-13	36.04	Pass	1561
2560	2630	1	RMS	2571.025	21.31	60	38.69	Pass	401
2630	3000	1	RMS	2870.5	-48.32	-13	35.32	Pass	401
3000	6500	1	RMS	5142	-61.54	-13	48.54	Pass	3501
6500	26500	1	RMS	25782	-45.2	-13	32.2	Pass	20003




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.16	-70.66	-13	57.66	Pass	2986
30	1000	0.1	RMS	990.594	-61.33	-13	48.33	Pass	9701
1000	2560	1	RMS	2532	-49.45	-13	36.45	Pass	1561
2560	2630	1	RMS	2608.825	21.44	60	38.56	Pass	401
2630	3000	1	RMS	2865.875	-48.4	-13	35.4	Pass	401
3000	6500	1	RMS	5218	-61.84	-13	48.84	Pass	3501
6500	26500	1	RMS	25206	-45.09	-13	32.09	Pass	20003




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.83	-13	57.83	Pass	401
0.15	30	0.01	RMS	0.18	-70.38	-13	57.38	Pass	2986
30	1000	0.1	RMS	959.673	-61.53	-13	48.53	Pass	9701
1000	2560	1	RMS	2559	-38.75	-13	25.75	Pass	1561
2560	2630	1	RMS	2612.85	6.79	60	53.21	Pass	401
2630	3000	1	RMS	2630	-37.81	-13	24.81	Pass	401
3000	6500	1	RMS	6240	-62.4	-13	49.4	Pass	3501
6500	26500	1	RMS	25200	-45.02	-13	32.02	Pass	20003




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.25	-70.02	-13	57.02	Pass	2986
30	1000	0.1	RMS	919.347	-61.14	-13	48.14	Pass	9701
1000	2560	1	RMS	2557	-49.26	-13	36.26	Pass	1561
2560	2630	1	RMS	2576.1	21.34	60	38.66	Pass	401
2630	3000	1	RMS	2870.5	-48.3	-13	35.3	Pass	401
3000	6500	1	RMS	5152	-61.92	-13	48.92	Pass	3501
6500	26500	1	RMS	25179	-44.99	-13	31.99	Pass	20003



**2.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.25	-69.14	-13	56.14	Pass	2986
30	1000	0.1	RMS	916.645	-61.05	-13	48.05	Pass	9701
1000	2560	1	RMS	2557	-49.59	-13	36.59	Pass	1561
2560	2630	1	RMS	2613.9	21.43	60	38.57	Pass	401
2630	3000	1	RMS	2875.125	-48.38	-13	35.38	Pass	401
3000	6500	1	RMS	5228	-61.25	-13	48.25	Pass	3501
6500	26500	1	RMS	25847	-44.82	-13	31.82	Pass	20003



2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.17	-70.73	-13	57.73	Pass	2986
30	1000	0.1	RMS	925.451	-61.39	-13	48.39	Pass	9701
1000	2560	1	RMS	2559	-40.28	-13	27.28	Pass	1561
2560	2630	1	RMS	2617.575	6.88	60	53.12	Pass	401
2630	3000	1	RMS	2630	-35.92	-13	22.92	Pass	401
3000	6500	1	RMS	6202	-62.34	-13	49.34	Pass	3501
6500	26500	1	RMS	25208	-45.11	-13	32.11	Pass	20003

