

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.09	2.30	24.39	<=33.01	Pass
			2	22.13	2.30	24.43	<=33.01	Pass
			5	22.10	2.30	24.40	<=33.01	Pass
		3	0	22.09	2.30	24.39	<=33.01	Pass
			2	22.12	2.30	24.42	<=33.01	Pass
			3	22.12	2.30	24.42	<=33.01	Pass
		6	0	21.10	2.30	23.40	<=33.01	Pass
	1882.5	1	0	22.03	2.30	24.33	<=33.01	Pass
			2	22.07	2.30	24.37	<=33.01	Pass
			5	22.06	2.30	24.36	<=33.01	Pass
		3	0	22.06	2.30	24.36	<=33.01	Pass
			2	22.07	2.30	24.37	<=33.01	Pass
			3	22.07	2.30	24.37	<=33.01	Pass
		6	0	21.10	2.30	23.40	<=33.01	Pass
	1914.3	1	0	22.39	2.30	24.69	<=33.01	Pass
			2	22.41	2.30	24.71	<=33.01	Pass
			5	22.38	2.30	24.68	<=33.01	Pass
		3	0	22.43	2.30	24.73	<=33.01	Pass
			2	22.43	2.30	24.73	<=33.01	Pass
			3	22.42	2.30	24.72	<=33.01	Pass
		6	0	21.42	2.30	23.72	<=33.01	Pass
16QAM	1850.7	1	0	21.22	2.30	23.52	<=33.01	Pass
			2	21.25	2.30	23.55	<=33.01	Pass
			5	21.28	2.30	23.58	<=33.01	Pass
		3	0	21.24	2.30	23.54	<=33.01	Pass
			2	21.21	2.30	23.51	<=33.01	Pass
			3	21.20	2.30	23.50	<=33.01	Pass
		6	0	20.12	2.30	22.42	<=33.01	Pass
	1882.5	1	0	21.20	2.30	23.50	<=33.01	Pass
			2	21.15	2.30	23.45	<=33.01	Pass
			5	21.22	2.30	23.52	<=33.01	Pass
		3	0	21.16	2.30	23.46	<=33.01	Pass
			2	21.20	2.30	23.50	<=33.01	Pass
			3	21.18	2.30	23.48	<=33.01	Pass
		6	0	20.07	2.30	22.37	<=33.01	Pass
	1914.3	1	0	21.51	2.30	23.81	<=33.01	Pass
			2	21.54	2.30	23.84	<=33.01	Pass
			5	21.49	2.30	23.79	<=33.01	Pass
		3	0	21.55	2.30	23.85	<=33.01	Pass
			2	21.54	2.30	23.84	<=33.01	Pass
			3	21.45	2.30	23.75	<=33.01	Pass
		6	0	20.47	2.30	22.77	<=33.01	Pass
64QAM	1850.7	1	0	20.17	2.30	22.47	<=33.01	Pass
			2	20.29	2.30	22.59	<=33.01	Pass
			5	20.23	2.30	22.53	<=33.01	Pass
		3	0	20.14	2.30	22.44	<=33.01	Pass

	1882.5	6	2	20.14	2.30	22.44	<=33.01	Pass	
			3	20.12	2.30	22.42	<=33.01	Pass	
			0	19.16	2.30	21.46	<=33.01	Pass	
		1	0	20.34	2.30	22.64	<=33.01	Pass	
			2	20.29	2.30	22.59	<=33.01	Pass	
			5	20.33	2.30	22.63	<=33.01	Pass	
			3	0	20.14	2.30	22.44	<=33.01	Pass
				2	20.15	2.30	22.45	<=33.01	Pass
				3	20.15	2.30	22.45	<=33.01	Pass
	6		0	19.10	2.30	21.40	<=33.01	Pass	
	1914.3	1	0	20.49	2.30	22.79	<=33.01	Pass	
			2	20.57	2.30	22.87	<=33.01	Pass	
			5	20.50	2.30	22.80	<=33.01	Pass	
		3	0	20.53	2.30	22.83	<=33.01	Pass	
			2	20.52	2.30	22.82	<=33.01	Pass	
			3	20.45	2.30	22.75	<=33.01	Pass	
		6	0	19.43	2.30	21.73	<=33.01	Pass	
	256QAM	1850.7	1	0	17.21	2.30	19.51	<=33.01	Pass
				2	17.20	2.30	19.50	<=33.01	Pass
				5	17.19	2.30	19.49	<=33.01	Pass
			3	0	17.16	2.30	19.46	<=33.01	Pass
2				17.14	2.30	19.44	<=33.01	Pass	
3				17.17	2.30	19.47	<=33.01	Pass	
6				0	17.13	2.30	19.43	<=33.01	Pass
1882.5			1	0	17.22	2.30	19.52	<=33.01	Pass
				2	17.19	2.30	19.49	<=33.01	Pass
		5		17.21	2.30	19.51	<=33.01	Pass	
		3	0	17.14	2.30	19.44	<=33.01	Pass	
			2	17.14	2.30	19.44	<=33.01	Pass	
			3	17.18	2.30	19.48	<=33.01	Pass	
			6	0	17.05	2.30	19.35	<=33.01	Pass
1914.3		1	0	17.54	2.30	19.84	<=33.01	Pass	
			2	17.59	2.30	19.89	<=33.01	Pass	
			5	17.54	2.30	19.84	<=33.01	Pass	
		3	0	17.45	2.30	19.75	<=33.01	Pass	
			2	17.49	2.30	19.79	<=33.01	Pass	
			3	17.49	2.30	19.79	<=33.01	Pass	
		6	0	17.37	2.30	19.67	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.04	2.30	24.34	<=33.01	Pass
			7	22.09	2.30	24.39	<=33.01	Pass
			14	22.03	2.30	24.33	<=33.01	Pass
		8	0	21.15	2.30	23.45	<=33.01	Pass
			4	21.19	2.30	23.49	<=33.01	Pass
			7	21.11	2.30	23.41	<=33.01	Pass
		15	0	21.17	2.30	23.47	<=33.01	Pass
			0	21.93	2.30	24.23	<=33.01	Pass
	1882.5	1	7	22.14	2.30	24.44	<=33.01	Pass

		8		14	21.99	2.30	24.29	<=33.01	Pass
			0	20.98	2.30	23.28	<=33.01	Pass	
			4	21.11	2.30	23.41	<=33.01	Pass	
			7	21.09	2.30	23.39	<=33.01	Pass	
		15	0	21.07	2.30	23.37	<=33.01	Pass	
	1913.5	1		0	22.29	2.30	24.59	<=33.01	Pass
			7	22.46	2.30	24.76	<=33.01	Pass	
			14	22.36	2.30	24.66	<=33.01	Pass	
		8		0	21.36	2.30	23.66	<=33.01	Pass
			4	21.40	2.30	23.70	<=33.01	Pass	
			7	21.44	2.30	23.74	<=33.01	Pass	
		15	0	21.35	2.30	23.65	<=33.01	Pass	
16QAM	1851.5	1		0	21.28	2.30	23.58	<=33.01	Pass
			7	21.34	2.30	23.64	<=33.01	Pass	
			14	21.16	2.30	23.46	<=33.01	Pass	
		8		0	20.17	2.30	22.47	<=33.01	Pass
			4	20.20	2.30	22.50	<=33.01	Pass	
			7	20.18	2.30	22.48	<=33.01	Pass	
		15	0	20.16	2.30	22.46	<=33.01	Pass	
	1882.5	1		0	21.21	2.30	23.51	<=33.01	Pass
			7	21.29	2.30	23.59	<=33.01	Pass	
			14	21.10	2.30	23.40	<=33.01	Pass	
		8		0	20.02	2.30	22.32	<=33.01	Pass
			4	20.14	2.30	22.44	<=33.01	Pass	
			7	20.08	2.30	22.38	<=33.01	Pass	
		15	0	20.09	2.30	22.39	<=33.01	Pass	
	1913.5	1		0	21.55	2.30	23.85	<=33.01	Pass
			7	21.70	2.30	24.00	<=33.01	Pass	
			14	21.58	2.30	23.88	<=33.01	Pass	
		8		0	20.38	2.30	22.68	<=33.01	Pass
			4	20.42	2.30	22.72	<=33.01	Pass	
			7	20.44	2.30	22.74	<=33.01	Pass	
		15	0	20.39	2.30	22.69	<=33.01	Pass	
64QAM	1851.5	1		0	20.20	2.30	22.50	<=33.01	Pass
			7	20.30	2.30	22.60	<=33.01	Pass	
			14	20.15	2.30	22.45	<=33.01	Pass	
		8		0	19.16	2.30	21.46	<=33.01	Pass
			4	19.19	2.30	21.49	<=33.01	Pass	
			7	19.20	2.30	21.50	<=33.01	Pass	
		15	0	19.15	2.30	21.45	<=33.01	Pass	
	1882.5	1		0	20.15	2.30	22.45	<=33.01	Pass
			7	20.31	2.30	22.61	<=33.01	Pass	
			14	20.21	2.30	22.51	<=33.01	Pass	
		8		0	18.98	2.30	21.28	<=33.01	Pass
			4	19.15	2.30	21.45	<=33.01	Pass	
			7	19.11	2.30	21.41	<=33.01	Pass	
		15	0	19.11	2.30	21.41	<=33.01	Pass	
	1913.5	1		0	20.69	2.30	22.99	<=33.01	Pass
			7	20.77	2.30	23.07	<=33.01	Pass	
			14	20.61	2.30	22.91	<=33.01	Pass	
		8		0	19.38	2.30	21.68	<=33.01	Pass
			4	19.49	2.30	21.79	<=33.01	Pass	
			7	19.46	2.30	21.76	<=33.01	Pass	
		15	0	19.38	2.30	21.68	<=33.01	Pass	
256QAM	1851.5	1		0	17.19	2.30	19.49	<=33.01	Pass
			7	17.37	2.30	19.67	<=33.01	Pass	

			14	17.30	2.30	19.60	<=33.01	Pass
		8	0	17.10	2.30	19.40	<=33.01	Pass
			4	17.21	2.30	19.51	<=33.01	Pass
			7	17.10	2.30	19.40	<=33.01	Pass
		15	0	17.10	2.30	19.40	<=33.01	Pass
	1882.5	1	0	17.02	2.30	19.32	<=33.01	Pass
			7	17.20	2.30	19.50	<=33.01	Pass
			14	16.99	2.30	19.29	<=33.01	Pass
		8	0	17.03	2.30	19.33	<=33.01	Pass
			4	17.15	2.30	19.45	<=33.01	Pass
			7	17.12	2.30	19.42	<=33.01	Pass
		15	0	17.08	2.30	19.38	<=33.01	Pass
	1913.5	1	0	17.34	2.30	19.64	<=33.01	Pass
			7	17.60	2.30	19.90	<=33.01	Pass
			14	17.56	2.30	19.86	<=33.01	Pass
		8	0	17.36	2.30	19.66	<=33.01	Pass
			4	17.44	2.30	19.74	<=33.01	Pass
			7	17.46	2.30	19.76	<=33.01	Pass
		15	0	17.41	2.30	19.71	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.09	2.30	24.39	<=33.01	Pass
			13	22.16	2.30	24.46	<=33.01	Pass
			24	22.12	2.30	24.42	<=33.01	Pass
		12	0	21.17	2.30	23.47	<=33.01	Pass
			6	21.20	2.30	23.50	<=33.01	Pass
			13	21.18	2.30	23.48	<=33.01	Pass
		25	0	21.14	2.30	23.44	<=33.01	Pass
	1882.5	1	0	22.01	2.30	24.31	<=33.01	Pass
			13	22.12	2.30	24.42	<=33.01	Pass
			24	22.05	2.30	24.35	<=33.01	Pass
		12	0	21.02	2.30	23.32	<=33.01	Pass
			6	21.07	2.30	23.37	<=33.01	Pass
			13	21.08	2.30	23.38	<=33.01	Pass
		25	0	21.06	2.30	23.36	<=33.01	Pass
	1912.5	1	0	22.34	2.30	24.64	<=33.01	Pass
			13	22.41	2.30	24.71	<=33.01	Pass
			24	22.39	2.30	24.69	<=33.01	Pass
		12	0	21.35	2.30	23.65	<=33.01	Pass
			6	21.46	2.30	23.76	<=33.01	Pass
			13	21.42	2.30	23.72	<=33.01	Pass
		25	0	21.42	2.30	23.72	<=33.01	Pass
16QAM	1852.5	1	0	21.17	2.30	23.47	<=33.01	Pass
			13	21.32	2.30	23.62	<=33.01	Pass
			24	21.19	2.30	23.49	<=33.01	Pass
		12	0	20.13	2.30	22.43	<=33.01	Pass
			6	20.17	2.30	22.47	<=33.01	Pass
			13	20.18	2.30	22.48	<=33.01	Pass
		25	0	20.18	2.30	22.48	<=33.01	Pass

	1882.5	1	0	21.12	2.30	23.42	<=33.01	Pass
			13	21.29	2.30	23.59	<=33.01	Pass
			24	21.26	2.30	23.56	<=33.01	Pass
		12	0	20.15	2.30	22.45	<=33.01	Pass
			6	20.09	2.30	22.39	<=33.01	Pass
			13	20.11	2.30	22.41	<=33.01	Pass
		25	0	20.13	2.30	22.43	<=33.01	Pass
	1912.5	1	0	21.54	2.30	23.84	<=33.01	Pass
			13	21.68	2.30	23.98	<=33.01	Pass
			24	21.52	2.30	23.82	<=33.01	Pass
		12	0	20.40	2.30	22.70	<=33.01	Pass
			6	20.47	2.30	22.77	<=33.01	Pass
			13	20.45	2.30	22.75	<=33.01	Pass
		25	0	20.44	2.30	22.74	<=33.01	Pass
64QAM	1852.5	1	0	20.27	2.30	22.57	<=33.01	Pass
			13	20.34	2.30	22.64	<=33.01	Pass
			24	20.27	2.30	22.57	<=33.01	Pass
		12	0	19.19	2.30	21.49	<=33.01	Pass
			6	19.18	2.30	21.48	<=33.01	Pass
			13	19.18	2.30	21.48	<=33.01	Pass
		25	0	19.17	2.30	21.47	<=33.01	Pass
	1882.5	1	0	20.22	2.30	22.52	<=33.01	Pass
			13	20.28	2.30	22.58	<=33.01	Pass
			24	20.19	2.30	22.49	<=33.01	Pass
		12	0	19.04	2.30	21.34	<=33.01	Pass
			6	19.09	2.30	21.39	<=33.01	Pass
			13	19.08	2.30	21.38	<=33.01	Pass
		25	0	19.12	2.30	21.42	<=33.01	Pass
	1912.5	1	0	20.41	2.30	22.71	<=33.01	Pass
			13	20.59	2.30	22.89	<=33.01	Pass
			24	20.47	2.30	22.77	<=33.01	Pass
		12	0	19.40	2.30	21.70	<=33.01	Pass
			6	19.46	2.30	21.76	<=33.01	Pass
			13	19.42	2.30	21.72	<=33.01	Pass
		25	0	19.43	2.30	21.73	<=33.01	Pass
256QAM	1852.5	1	0	17.14	2.30	19.44	<=33.01	Pass
			13	17.32	2.30	19.62	<=33.01	Pass
			24	17.29	2.30	19.59	<=33.01	Pass
		12	0	17.19	2.30	19.49	<=33.01	Pass
			6	17.21	2.30	19.51	<=33.01	Pass
			13	17.17	2.30	19.47	<=33.01	Pass
		25	0	17.15	2.30	19.45	<=33.01	Pass
	1882.5	1	0	17.22	2.30	19.52	<=33.01	Pass
			13	17.30	2.30	19.60	<=33.01	Pass
			24	17.14	2.30	19.44	<=33.01	Pass
		12	0	17.03	2.30	19.33	<=33.01	Pass
			6	17.04	2.30	19.34	<=33.01	Pass
			13	17.11	2.30	19.41	<=33.01	Pass
		25	0	17.11	2.30	19.41	<=33.01	Pass
	1912.5	1	0	17.46	2.30	19.76	<=33.01	Pass
			13	17.60	2.30	19.90	<=33.01	Pass
			24	17.50	2.30	19.80	<=33.01	Pass
		12	0	17.36	2.30	19.66	<=33.01	Pass
			6	17.46	2.30	19.76	<=33.01	Pass
			13	17.45	2.30	19.75	<=33.01	Pass
		25	0	17.41	2.30	19.71	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.07	2.30	24.37	<=33.01	Pass
			25	22.17	2.30	24.47	<=33.01	Pass
			49	22.12	2.30	24.42	<=33.01	Pass
		25	0	21.11	2.30	23.41	<=33.01	Pass
			13	21.19	2.30	23.49	<=33.01	Pass
			25	21.19	2.30	23.49	<=33.01	Pass
		50	0	21.17	2.30	23.47	<=33.01	Pass
	1882.5	1	0	22.05	2.30	24.35	<=33.01	Pass
			25	22.09	2.30	24.39	<=33.01	Pass
			49	22.06	2.30	24.36	<=33.01	Pass
		25	0	21.03	2.30	23.33	<=33.01	Pass
			13	21.13	2.30	23.43	<=33.01	Pass
			25	21.10	2.30	23.40	<=33.01	Pass
		50	0	21.00	2.30	23.30	<=33.01	Pass
	1910	1	0	22.33	2.30	24.63	<=33.01	Pass
			25	22.44	2.30	24.74	<=33.01	Pass
			49	22.37	2.30	24.67	<=33.01	Pass
		25	0	21.32	2.30	23.62	<=33.01	Pass
			13	21.36	2.30	23.66	<=33.01	Pass
			25	21.42	2.30	23.72	<=33.01	Pass
		50	0	21.32	2.30	23.62	<=33.01	Pass
16QAM	1855	1	0	21.24	2.30	23.54	<=33.01	Pass
			25	21.35	2.30	23.65	<=33.01	Pass
			49	21.23	2.30	23.53	<=33.01	Pass
		25	0	20.13	2.30	22.43	<=33.01	Pass
			13	20.25	2.30	22.55	<=33.01	Pass
			25	20.21	2.30	22.51	<=33.01	Pass
		50	0	20.21	2.30	22.51	<=33.01	Pass
	1882.5	1	0	21.20	2.30	23.50	<=33.01	Pass
			25	21.23	2.30	23.53	<=33.01	Pass
			49	21.21	2.30	23.51	<=33.01	Pass
		25	0	20.07	2.30	22.37	<=33.01	Pass
			13	20.17	2.30	22.47	<=33.01	Pass
			25	20.15	2.30	22.45	<=33.01	Pass
		50	0	20.04	2.30	22.34	<=33.01	Pass
	1910	1	0	21.46	2.30	23.76	<=33.01	Pass
			25	21.51	2.30	23.81	<=33.01	Pass
			49	21.51	2.30	23.81	<=33.01	Pass
		25	0	20.32	2.30	22.62	<=33.01	Pass
			13	20.38	2.30	22.68	<=33.01	Pass
			25	20.45	2.30	22.75	<=33.01	Pass
		50	0	20.32	2.30	22.62	<=33.01	Pass
64QAM	1855	1	0	20.25	2.30	22.55	<=33.01	Pass
			25	20.34	2.30	22.64	<=33.01	Pass
			49	20.26	2.30	22.56	<=33.01	Pass
		25	0	19.11	2.30	21.41	<=33.01	Pass
			13	19.21	2.30	21.51	<=33.01	Pass

			25	19.22	2.30	21.52	<=33.01	Pass		
		50	0	19.19	2.30	21.49	<=33.01	Pass		
	1882.5	1		0	20.21	2.30	22.51	<=33.01	Pass	
			25	20.28	2.30	22.58	<=33.01	Pass		
			49	20.18	2.30	22.48	<=33.01	Pass		
		25		0	19.03	2.30	21.33	<=33.01	Pass	
			13	19.16	2.30	21.46	<=33.01	Pass		
			25	19.12	2.30	21.42	<=33.01	Pass		
		50	0	19.05	2.30	21.35	<=33.01	Pass		
	1910	1		0	20.53	2.30	22.83	<=33.01	Pass	
			25	20.68	2.30	22.98	<=33.01	Pass		
			49	20.59	2.30	22.89	<=33.01	Pass		
		25		0	19.32	2.30	21.62	<=33.01	Pass	
			13	19.37	2.30	21.67	<=33.01	Pass		
			25	19.43	2.30	21.73	<=33.01	Pass		
		50	0	19.33	2.30	21.63	<=33.01	Pass		
	256QAM	1855	1		0	17.23	2.30	19.53	<=33.01	Pass
				25	17.38	2.30	19.68	<=33.01	Pass	
49				17.30	2.30	19.60	<=33.01	Pass		
25				0	17.11	2.30	19.41	<=33.01	Pass	
			13	17.23	2.30	19.53	<=33.01	Pass		
			25	17.18	2.30	19.48	<=33.01	Pass		
50			0	17.17	2.30	19.47	<=33.01	Pass		
1882.5		1		0	17.10	2.30	19.40	<=33.01	Pass	
			25	17.25	2.30	19.55	<=33.01	Pass		
			49	17.18	2.30	19.48	<=33.01	Pass		
		25		0	17.02	2.30	19.32	<=33.01	Pass	
			13	17.14	2.30	19.44	<=33.01	Pass		
			25	17.11	2.30	19.41	<=33.01	Pass		
		50	0	17.01	2.30	19.31	<=33.01	Pass		
1910		1		0	17.45	2.30	19.75	<=33.01	Pass	
			25	17.60	2.30	19.90	<=33.01	Pass		
			49	17.45	2.30	19.75	<=33.01	Pass		
		25		0	17.34	2.30	19.64	<=33.01	Pass	
			13	17.37	2.30	19.67	<=33.01	Pass		
			25	17.43	2.30	19.73	<=33.01	Pass		
		50	0	17.35	2.30	19.65	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	21.90	2.30	24.20	<=33.01	Pass
			38	21.94	2.30	24.24	<=33.01	Pass
			74	21.94	2.30	24.24	<=33.01	Pass
		36	0	21.00	2.30	23.30	<=33.01	Pass
			18	21.09	2.30	23.39	<=33.01	Pass
			39	21.06	2.30	23.36	<=33.01	Pass
		75	0	21.04	2.30	23.34	<=33.01	Pass
	1882.5	1	0	21.92	2.30	24.22	<=33.01	Pass
			38	21.89	2.30	24.19	<=33.01	Pass
			74	21.89	2.30	24.19	<=33.01	Pass

		36	0	20.92	2.30	23.22	<=33.01	Pass
			18	20.90	2.30	23.20	<=33.01	Pass
			39	20.98	2.30	23.28	<=33.01	Pass
		75	0	20.90	2.30	23.20	<=33.01	Pass
		1907.5	1	0	22.04	2.30	24.34	<=33.01
				38	22.24	2.30	24.54	<=33.01
				74	22.19	2.30	24.49	<=33.01
			36	0	21.15	2.30	23.45	<=33.01
				18	21.26	2.30	23.56	<=33.01
				39	21.28	2.30	23.58	<=33.01
		75	0	21.27	2.30	23.57	<=33.01	Pass
16QAM	1857.5	1	0	21.02	2.30	23.32	<=33.01	Pass
			38	21.11	2.30	23.41	<=33.01	Pass
			74	21.14	2.30	23.44	<=33.01	Pass
		36	0	19.98	2.30	22.28	<=33.01	Pass
			18	20.06	2.30	22.36	<=33.01	Pass
			39	20.05	2.30	22.35	<=33.01	Pass
		75	0	20.05	2.30	22.35	<=33.01	Pass
	1882.5	1	0	21.05	2.30	23.35	<=33.01	Pass
			38	21.04	2.30	23.34	<=33.01	Pass
			74	20.93	2.30	23.23	<=33.01	Pass
		36	0	19.91	2.30	22.21	<=33.01	Pass
			18	19.91	2.30	22.21	<=33.01	Pass
			39	19.99	2.30	22.29	<=33.01	Pass
		75	0	19.89	2.30	22.19	<=33.01	Pass
	1907.5	1	0	21.15	2.30	23.45	<=33.01	Pass
			38	21.21	2.30	23.51	<=33.01	Pass
			74	21.17	2.30	23.47	<=33.01	Pass
		36	0	20.13	2.30	22.43	<=33.01	Pass
			18	20.25	2.30	22.55	<=33.01	Pass
			39	20.29	2.30	22.59	<=33.01	Pass
		75	0	20.27	2.30	22.57	<=33.01	Pass
64QAM	1857.5	1	0	20.18	2.30	22.48	<=33.01	Pass
			38	20.21	2.30	22.51	<=33.01	Pass
			74	20.14	2.30	22.44	<=33.01	Pass
		36	0	18.99	2.30	21.29	<=33.01	Pass
			18	19.07	2.30	21.37	<=33.01	Pass
			39	19.07	2.30	21.37	<=33.01	Pass
		75	0	19.06	2.30	21.36	<=33.01	Pass
	1882.5	1	0	20.21	2.30	22.51	<=33.01	Pass
			38	20.05	2.30	22.35	<=33.01	Pass
			74	20.09	2.30	22.39	<=33.01	Pass
		36	0	18.91	2.30	21.21	<=33.01	Pass
			18	18.92	2.30	21.22	<=33.01	Pass
			39	19.00	2.30	21.30	<=33.01	Pass
		75	0	18.90	2.30	21.20	<=33.01	Pass
	1907.5	1	0	20.17	2.30	22.47	<=33.01	Pass
			38	20.36	2.30	22.66	<=33.01	Pass
			74	20.31	2.30	22.61	<=33.01	Pass
		36	0	19.13	2.30	21.43	<=33.01	Pass
			18	19.24	2.30	21.54	<=33.01	Pass
			39	19.27	2.30	21.57	<=33.01	Pass
		75	0	19.24	2.30	21.54	<=33.01	Pass
256QAM	1857.5	1	0	17.10	2.30	19.40	<=33.01	Pass
			38	17.09	2.30	19.39	<=33.01	Pass
			74	17.19	2.30	19.49	<=33.01	Pass

	1882.5	36	0	17.01	2.30	19.31	<=33.01	Pass
			18	17.06	2.30	19.36	<=33.01	Pass
			39	17.03	2.30	19.33	<=33.01	Pass
		75	0	17.04	2.30	19.34	<=33.01	Pass
			0	16.98	2.30	19.28	<=33.01	Pass
			38	17.00	2.30	19.30	<=33.01	Pass
		36	74	17.05	2.30	19.35	<=33.01	Pass
			0	16.90	2.30	19.20	<=33.01	Pass
			18	16.88	2.30	19.18	<=33.01	Pass
			39	16.98	2.30	19.28	<=33.01	Pass
		75	0	16.90	2.30	19.20	<=33.01	Pass
	1907.5	1	0	17.13	2.30	19.43	<=33.01	Pass
			38	17.23	2.30	19.53	<=33.01	Pass
			74	17.34	2.30	19.64	<=33.01	Pass
		36	0	17.15	2.30	19.45	<=33.01	Pass
			18	17.27	2.30	19.57	<=33.01	Pass
			39	17.29	2.30	19.59	<=33.01	Pass
		75	0	17.25	2.30	19.55	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	21.97	2.30	24.27	<=33.01	Pass
			50	21.99	2.30	24.29	<=33.01	Pass
			99	21.83	2.30	24.13	<=33.01	Pass
		50	0	21.02	2.30	23.32	<=33.01	Pass
			25	21.05	2.30	23.35	<=33.01	Pass
			50	21.00	2.30	23.30	<=33.01	Pass
		100	0	21.06	2.30	23.36	<=33.01	Pass
	1882.5	1	0	21.91	2.30	24.21	<=33.01	Pass
			50	21.87	2.30	24.17	<=33.01	Pass
			99	21.88	2.30	24.18	<=33.01	Pass
		50	0	20.92	2.30	23.22	<=33.01	Pass
			25	20.90	2.30	23.20	<=33.01	Pass
			50	20.97	2.30	23.27	<=33.01	Pass
		100	0	20.90	2.30	23.20	<=33.01	Pass
	1905	1	0	21.95	2.30	24.25	<=33.01	Pass
			50	22.12	2.30	24.42	<=33.01	Pass
			99	22.12	2.30	24.42	<=33.01	Pass
		50	0	21.07	2.30	23.37	<=33.01	Pass
			25	21.16	2.30	23.46	<=33.01	Pass
			50	21.25	2.30	23.55	<=33.01	Pass
		100	0	21.14	2.30	23.44	<=33.01	Pass
16QAM	1860	1	0	21.10	2.30	23.40	<=33.01	Pass
			50	21.11	2.30	23.41	<=33.01	Pass
			99	20.91	2.30	23.21	<=33.01	Pass
		50	0	20.00	2.30	22.30	<=33.01	Pass
			25	20.10	2.30	22.40	<=33.01	Pass
			50	20.01	2.30	22.31	<=33.01	Pass
		100	0	20.06	2.30	22.36	<=33.01	Pass
			0	20.99	2.30	23.29	<=33.01	Pass

			50	20.93	2.30	23.23	<=33.01	Pass	
			99	20.86	2.30	23.16	<=33.01	Pass	
			50	0	19.93	2.30	22.23	<=33.01	Pass
				25	19.93	2.30	22.23	<=33.01	Pass
				50	19.97	2.30	22.27	<=33.01	Pass
			100	0	19.88	2.30	22.18	<=33.01	Pass
		1905	1	0	21.25	2.30	23.55	<=33.01	Pass
				50	21.41	2.30	23.71	<=33.01	Pass
	99			21.42	2.30	23.72	<=33.01	Pass	
	50		0	20.08	2.30	22.38	<=33.01	Pass	
			25	20.14	2.30	22.44	<=33.01	Pass	
			50	20.26	2.30	22.56	<=33.01	Pass	
	100		0	20.17	2.30	22.47	<=33.01	Pass	
	64QAM		1860	1	0	20.15	2.30	22.45	<=33.01
		50			20.21	2.30	22.51	<=33.01	Pass
		99			20.02	2.30	22.32	<=33.01	Pass
50		0		19.01	2.30	21.31	<=33.01	Pass	
		25		19.10	2.30	21.40	<=33.01	Pass	
		50		19.02	2.30	21.32	<=33.01	Pass	
100		0		19.07	2.30	21.37	<=33.01	Pass	
1882.5		1		0	20.11	2.30	22.41	<=33.01	Pass
				50	20.06	2.30	22.36	<=33.01	Pass
			99	20.16	2.30	22.46	<=33.01	Pass	
		50	0	18.92	2.30	21.22	<=33.01	Pass	
			25	18.91	2.30	21.21	<=33.01	Pass	
			50	18.93	2.30	21.23	<=33.01	Pass	
		100	0	18.90	2.30	21.20	<=33.01	Pass	
1905		1	0	20.29	2.30	22.59	<=33.01	Pass	
			50	20.45	2.30	22.75	<=33.01	Pass	
			99	20.44	2.30	22.74	<=33.01	Pass	
		50	0	19.07	2.30	21.37	<=33.01	Pass	
			25	19.17	2.30	21.47	<=33.01	Pass	
			50	19.25	2.30	21.55	<=33.01	Pass	
		100	0	19.18	2.30	21.48	<=33.01	Pass	
		256QAM	1860	1	0	17.18	2.30	19.48	<=33.01
50					17.18	2.30	19.48	<=33.01	Pass
99					17.10	2.30	19.40	<=33.01	Pass
50	0			16.98	2.30	19.28	<=33.01	Pass	
	25			17.04	2.30	19.34	<=33.01	Pass	
	50			16.99	2.30	19.29	<=33.01	Pass	
100	0			17.01	2.30	19.31	<=33.01	Pass	
1882.5	1			0	17.07	2.30	19.37	<=33.01	Pass
				50	17.01	2.30	19.31	<=33.01	Pass
			99	17.03	2.30	19.33	<=33.01	Pass	
	50		0	16.93	2.30	19.23	<=33.01	Pass	
			25	16.90	2.30	19.20	<=33.01	Pass	
			50	16.97	2.30	19.27	<=33.01	Pass	
	100		0	16.91	2.30	19.21	<=33.01	Pass	
1905	1		0	17.17	2.30	19.47	<=33.01	Pass	
			50	17.44	2.30	19.74	<=33.01	Pass	
			99	17.49	2.30	19.79	<=33.01	Pass	
	50		0	17.08	2.30	19.38	<=33.01	Pass	
			25	17.18	2.30	19.48	<=33.01	Pass	
			50	17.30	2.30	19.60	<=33.01	Pass	
	100		0	17.18	2.30	19.48	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								



2. Frequency Stability

2.1 Test Result

2.1.1 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1882.5	50	0	20	LV	-1.371	-0.0007	-2.5 to 2.5	Pass
					NV	-0.952	-0.0005	-2.5 to 2.5	Pass
					HV	-0.147	-0.0001	-2.5 to 2.5	Pass
				-30	NV	-1.351	-0.0007	-2.5 to 2.5	Pass
				-20	NV	-0.083	0.0000	-2.5 to 2.5	Pass
				-10	NV	-0.183	-0.0001	-2.5 to 2.5	Pass
				0	NV	-1.415	-0.0008	-2.5 to 2.5	Pass
				10	NV	-1.081	-0.0006	-2.5 to 2.5	Pass
				30	NV	-2.307	-0.0012	-2.5 to 2.5	Pass
				40	NV	-1.636	-0.0009	-2.5 to 2.5	Pass
				50	NV	-0.789	-0.0004	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band25_OBW

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.116	/	Pass
	16QAM	1882.5	6	0	1.135	/	Pass
	64QAM	1882.5	6	0	1.125	/	Pass
	256QAM	1882.5	6	0	1.119	/	Pass
3	QPSK	1882.5	15	0	2.748	/	Pass
	16QAM	1882.5	15	0	2.745	/	Pass
	64QAM	1882.5	15	0	2.742	/	Pass
	256QAM	1882.5	15	0	2.754	/	Pass
5	QPSK	1882.5	25	0	4.574	/	Pass
	16QAM	1882.5	25	0	4.571	/	Pass
	64QAM	1882.5	25	0	4.559	/	Pass
	256QAM	1882.5	25	0	4.584	/	Pass
10	QPSK	1882.5	50	0	9.103	/	Pass
	16QAM	1882.5	50	0	9.077	/	Pass
	64QAM	1882.5	50	0	9.120	/	Pass
	256QAM	1882.5	50	0	9.118	/	Pass
15	QPSK	1882.5	75	0	13.638	/	Pass
	16QAM	1882.5	75	0	13.645	/	Pass
	64QAM	1882.5	75	0	13.641	/	Pass
	256QAM	1882.5	75	0	13.633	/	Pass
20	QPSK	1882.5	100	0	18.154	/	Pass
	16QAM	1882.5	100	0	18.117	/	Pass
	64QAM	1882.5	100	0	18.154	/	Pass
	256QAM	1882.5	100	0	18.167	/	Pass




3.1.2 Band25_XDB


Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.393	/	Pass
	16QAM	1882.5	6	0	1.379	/	Pass
	64QAM	1882.5	6	0	1.415	/	Pass
	256QAM	1882.5	6	0	1.414	/	Pass
3	QPSK	1882.5	15	0	3.128	/	Pass
	16QAM	1882.5	15	0	3.130	/	Pass
	64QAM	1882.5	15	0	3.112	/	Pass
	256QAM	1882.5	15	0	3.095	/	Pass
5	QPSK	1882.5	25	0	5.222	/	Pass
	16QAM	1882.5	25	0	5.276	/	Pass
	64QAM	1882.5	25	0	5.222	/	Pass
	256QAM	1882.5	25	0	5.268	/	Pass
10	QPSK	1882.5	50	0	10.090	/	Pass
	16QAM	1882.5	50	0	10.124	/	Pass
	64QAM	1882.5	50	0	10.279	/	Pass
	256QAM	1882.5	50	0	10.310	/	Pass
15	QPSK	1882.5	75	0	15.248	/	Pass
	16QAM	1882.5	75	0	15.324	/	Pass
	64QAM	1882.5	75	0	15.199	/	Pass
	256QAM	1882.5	75	0	15.207	/	Pass
20	QPSK	1882.5	100	0	20.042	/	Pass
	16QAM	1882.5	100	0	20.156	/	Pass
	64QAM	1882.5	100	0	20.219	/	Pass
	256QAM	1882.5	100	0	20.099	/	Pass

3.2 Test Graph


3.2.1 Band25_OBW




Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_256QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_256QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_256QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_256QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_256QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_256QAM_MCH_1882.5MHz_RB_100_0_NTNV




3.2.2 Band25_XDB




Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_256QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_256QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_256QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_256QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_256QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_256QAM_MCH_1882.5MHz_RB_100_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	4.89	<=13	Pass
16QAM	1882.5	100	0	5.80	<=13	Pass
64QAM	1882.5	100	0	6.44	<=13	Pass
256QAM	1882.5	100	0	6.62	<=13	Pass

4.2 Test Graph


4.2.1 B25_20MHz



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_256QAM_MCH_1882.5MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1914.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1912.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B25_1.4MHz



Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-33.65	-13	Pass
1849	1850	0.014	CHP	2	1849.995	-29.21	-13	Pass
1850	1853	0.014	CHP	/	/	/	/	/


Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_0_NTNV



Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.005	-28.68	-13	Pass
1916	1918	1	CHP	2	1916.500	-44.38	-13	Pass


Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.014	CHP	/	/	/	/	/
1915	1916	0.014	CHP	1	1915.005	-30.60	-13	Pass
1916	1918	1	CHP	2	1916.500	-33.30	-13	Pass

5.2.2 B25_3MHz


Band25 3MHz QPSK LCH 1851.5MHz RB 1 0 NTV




Band25 3MHz QPSK LCH 1851.5MHz RB 1 0 NTV



Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-28.02	-13	Pass
1849	1850	0.031	CHP	2	1849.994	-29.36	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.002	-31.85	-13	Pass
1916	1918	1	CHP	2	1916.500	-44.49	-13	Pass

Band25_3MHz_QPSK_HCH_1913.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.031	CHP	/	/	/	/	/
1915	1916	0.031	CHP	1	1915.006	-29.56	-13	Pass
1916	1918	1	CHP	2	1916.500	-27.16	-13	Pass


5.2.3 B25_5MHz



Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-27.99	-13	Pass
1849	1850	0.052	CHP	2	1849.990	-30.57	-13	Pass
1850	1855	0.052	CHP	/	/	/	/	/


Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.002	-36.62	-13	Pass
1916	1920	1	CHP	2	1916.500	-45.09	-13	Pass


Band25_5MHz_QPSK_HCH_1912.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.053	CHP	/	/	/	/	/
1915	1916	0.053	CHP	1	1915.010	-28.85	-13	Pass
1916	1920	1	CHP	2	1916.500	-28.05	-13	Pass

5.2.4 B25_10MHz


Band25 10MHz QPSK LCH 1855MHz RB 1 0 NTNV




Band25 10MHz QPSK LCH 1855MHz RB 1 0 NTNV



Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-29.51	-13	Pass
1849	1850	0.101	CHP	2	1849.860	-31.89	-13	Pass
1850	1860	0.101	CHP	/	/	/	/	/


Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.001	-48.09	-13	Pass
1916	1925	1	CHP	2	1916.501	-46.86	-13	Pass

Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.101	CHP	/	/	/	/	/
1915	1916	0.101	CHP	1	1915.020	-33.27	-13	Pass
1916	1925	1	CHP	2	1916.500	-30.14	-13	Pass


5.2.5 B25_15MHz



Band25_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.470	-32.28	-13	Pass
1849	1850	0.152	CHP	2	1849.970	-34.86	-13	Pass
1850	1865	0.152	CHP	/	/	/	/	/


Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.006	-46.25	-13	Pass
1916	1930	1	CHP	2	1916.500	-47.09	-13	Pass


Band25_15MHz_QPSK_HCH_1907.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.152	CHP	/	/	/	/	/
1915	1916	0.152	CHP	1	1915.060	-35.98	-13	Pass
1916	1930	1	CHP	2	1916.500	-32.99	-13	Pass

5.2.6 B25_20MHz


Band25 20MHz QPSK LCH 1860MHz RB 1 0 NTNV




Band25 20MHz QPSK LCH 1860MHz RB 1 0 NTNV



Band25_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-33.56	-13	Pass
1849	1850	0.2	CHP	2	1849.960	-37.54	-13	Pass
1850	1870	0.2	CHP	/	/	/	/	/


Band25_20MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band25_20MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_HCH_1905MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.003	-47.58	-13	Pass
1916	1935	1	CHP	2	1916.500	-46.92	-13	Pass

Band25_20MHz_QPSK_HCH_1905MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.202	CHP	/	/	/	/	/
1915	1916	0.202	CHP	1	1915.040	-36.67	-13	Pass
1916	1935	1	CHP	2	1916.520	-34.57	-13	Pass

---End---