





## Appendix D: Test Data for E-UTRA Band 2

Product Name: Smart POS

Test Model: WIZARPOS Q2

### Environmental Conditions

|                    |                                                                                                 |
|--------------------|-------------------------------------------------------------------------------------------------|
| Temperature:       | 23.5°C                                                                                          |
| Relative Humidity: | 52.2%                                                                                           |
| ATM Pressure:      | 100.0 kPa                                                                                       |
| Test Engineer:     | <br>Ling Zhu |
| Supervised by:     | <br>Li Huan |



## D.1 Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | Verdict |
|-------|-----------|------------|---------|------------------|-------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 21.13       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#2            | 20.83       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | 20.73       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#0            | 20.97       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#1            | 20.91       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#3            | 21.00       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 19.98       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 20.86       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#2            | 20.86       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#5            | 20.96       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#0            | 20.71       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#1            | 20.60       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#3            | 20.78       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 19.69       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 21.87       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#2            | 21.92       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | 21.92       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#0            | 21.75       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#1            | 21.71       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#3            | 21.69       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 20.87       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | 21.17       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#2            | 20.57       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#5            | 20.48       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#0            | 19.75       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#1            | 19.97       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#3            | 19.93       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | 19.40       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | 20.45       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#2            | 20.48       | PASS    |



|       |        |       |       |        |       |      |
|-------|--------|-------|-------|--------|-------|------|
| Band2 | 1.4MHz | 16QAM | 18900 | 1RB#5  | 20.57 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 3RB#0  | 19.72 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 3RB#1  | 19.63 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 3RB#3  | 19.67 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 6RB#0  | 18.91 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#0  | 20.94 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#2  | 20.27 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#5  | 20.31 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#0  | 20.82 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#1  | 20.82 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#3  | 20.78 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0  | 20.06 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#0  | 20.83 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#8  | 22.47 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#14 | 22.57 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#0  | 21.47 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#4  | 21.48 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#7  | 21.50 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | 21.52 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#0  | 20.63 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#8  | 22.49 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#14 | 22.49 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#0  | 21.57 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#4  | 21.67 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#7  | 21.63 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | 21.68 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#0  | 22.67 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#8  | 22.68 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#14 | 22.64 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#0  | 21.63 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#4  | 21.72 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#7  | 21.69 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | 21.59 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#0  | 21.91 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#8  | 21.74 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#14 | 21.66 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 8RB#0  | 20.87 | PASS |



|       |      |       |       |         |        |      |
|-------|------|-------|-------|---------|--------|------|
| Band2 | 3MHz | 16QAM | 18615 | 8RB#4   | 20.75  | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 8RB#7   | 20.88  | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 15RB#0  | 20.59  | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 1RB#0   | 21.74  | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 1RB#8   | 22.42  | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 1RB#14  | 21.71  | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 8RB#0   | 20.80  | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 8RB#4   | 20.95  | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 8RB#7   | 20.96  | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 15RB#0  | 20.87  | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#0   | 21.70  | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#8   | 21.70  | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#14  | 21.75  | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#0   | 20.72  | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#4   | 20.72  | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#7   | -21.05 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0  | 20.82  | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#0   | 20.64  | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#12  | 20.67  | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#24  | 20.93  | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#0  | 19.86  | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#6  | 19.86  | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#13 | 19.80  | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0  | 19.75  | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#0   | 20.66  | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#12  | 20.97  | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#24  | 21.08  | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#0  | 19.88  | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#6  | 19.87  | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#13 | 20.10  | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0  | 19.91  | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#0   | 21.41  | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#12  | 21.54  | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#24  | 21.61  | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#0  | 20.74  | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#6  | 20.74  | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#13 | 20.75  | PASS |



|       |       |       |       |         |       |      |
|-------|-------|-------|-------|---------|-------|------|
| Band2 | 5MHz  | QPSK  | 19175 | 25RB#0  | 20.79 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 1RB#0   | 19.89 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 1RB#12  | 20.19 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 1RB#24  | 20.14 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 12RB#0  | 19.04 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 12RB#6  | 19.04 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 12RB#13 | 18.89 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0  | 18.86 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 1RB#0   | 19.30 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 1RB#12  | 19.50 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 1RB#24  | 19.67 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 12RB#0  | 18.93 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 12RB#6  | 18.92 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 12RB#13 | 19.14 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0  | 19.18 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#0   | 20.62 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#12  | 20.70 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#24  | 20.79 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#0  | 19.82 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#6  | 19.82 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#13 | 19.89 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0  | 19.63 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0   | 20.82 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#24  | 20.76 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#49  | 20.54 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#0  | 19.79 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#12 | 19.79 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#25 | 19.70 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0  | 19.77 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0   | 20.44 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#24  | 20.72 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#49  | 21.04 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#0  | 19.87 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#12 | 19.90 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#25 | 20.19 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0  | 19.96 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0   | 21.37 | PASS |



|       |       |       |       |         |       |      |
|-------|-------|-------|-------|---------|-------|------|
| Band2 | 10MHz | QPSK  | 19150 | 1RB#24  | 21.63 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#49  | 21.77 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#0  | 20.48 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#12 | 20.49 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#25 | 20.80 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0  | 20.65 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0   | 19.25 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#24  | 19.87 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#49  | 19.71 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#0  | 19.07 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#12 | 19.06 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#25 | 18.88 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0  | 18.85 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0   | 19.54 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#24  | 19.98 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#49  | 20.17 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#0  | 18.97 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#12 | 18.97 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#25 | 19.23 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0  | 19.23 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0   | 19.81 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#24  | 20.65 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#49  | 20.87 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#0  | 19.79 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#12 | 19.80 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#25 | 19.98 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0  | 19.71 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0   | 22.26 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#38  | 21.77 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#74  | 22.11 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 38RB#0  | 22.04 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 38RB#18 | 21.68 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 38RB#37 | 21.65 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0  | 21.52 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0   | 22.64 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#38  | 22.19 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#74  | 22.47 | PASS |



|       |       |       |       |         |       |      |
|-------|-------|-------|-------|---------|-------|------|
| Band2 | 15MHz | QPSK  | 18900 | 38RB#0  | 21.97 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 38RB#18 | 21.88 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 38RB#37 | 21.75 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0  | 21.65 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0   | 22.69 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#38  | 22.29 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#74  | 22.59 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 38RB#0  | 22.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 38RB#18 | 21.52 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 38RB#37 | 21.68 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0  | 21.50 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0   | 21.37 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#38  | 21.68 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#74  | 22.14 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 38RB#0  | 21.80 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 38RB#18 | 21.73 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 38RB#37 | 21.66 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0  | 20.66 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0   | 21.95 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#38  | 22.27 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#74  | 21.87 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 38RB#0  | 22.00 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 38RB#18 | 21.78 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 38RB#37 | 21.81 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0  | 20.79 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0   | 21.52 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#38  | 22.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#74  | 22.21 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 38RB#0  | 21.52 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 38RB#18 | 21.37 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 38RB#37 | 21.79 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0  | 20.49 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0   | 21.84 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#49  | 22.14 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#99  | 21.76 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#0  | 21.11 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#25 | 21.07 | PASS |



|       |       |       |       |         |       |      |
|-------|-------|-------|-------|---------|-------|------|
| Band2 | 20MHz | QPSK  | 18700 | 50RB#50 | 21.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | 20.96 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0   | 21.61 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#49  | 21.99 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#99  | 21.45 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#0  | 20.75 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#25 | 20.78 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#50 | 20.68 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | 20.86 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0   | 21.32 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#49  | 21.64 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#99  | 21.82 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#0  | 20.50 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#25 | 20.35 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#50 | 20.53 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | 20.49 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0   | 20.93 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#49  | 20.95 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#99  | 20.60 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#0  | 20.13 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#25 | 20.08 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#50 | 20.16 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | 20.07 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0   | 20.87 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#49  | 21.43 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#99  | 20.36 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#0  | 19.88 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#25 | 19.74 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#50 | 19.76 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | 19.74 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0   | 20.97 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#49  | 20.92 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#99  | 21.23 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 50RB#0  | 19.42 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 50RB#25 | 19.44 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 50RB#50 | 19.76 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 100RB#0 | 19.55 | PASS |



## D.2 Peak-to-Average Ratio(CCDF)

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|-------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 4.21       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 4.86       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 3.68       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 4.52       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 3.64       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 4.39       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | 5.35       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | 5.76       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | 4.53       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | 5.33       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#0            | 4.45       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 6RB#0            | 5.13       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | 4.46       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 15RB#0           | 4.90       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 1RB#0            | 3.92       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 15RB#0           | 4.46       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 1RB#0            | 3.56       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 15RB#0           | 4.28       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 18615   | 1RB#0            | 5.23       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 18615   | 15RB#0           | 5.72       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 18900   | 1RB#0            | 4.69       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 18900   | 15RB#0           | 5.28       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 19185   | 1RB#0            | 4.32       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 19185   | 15RB#0           | 5.07       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 1RB#0            | 4.38       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 25RB#0           | 4.78       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18900   | 1RB#0            | 3.74       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18900   | 25RB#0           | 4.33       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 1RB#0            | 3.51       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 25RB#0           | 4.16       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 18625   | 1RB#0            | 5.34       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 18625   | 25RB#0           | 5.53       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 18900   | 1RB#0            | 4.78       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 18900   | 25RB#0           | 5.07       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 19175   | 1RB#0            | 4.17       | 13        | PASS    |




|       |       |       |       |         |      |    |      |
|-------|-------|-------|-------|---------|------|----|------|
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0  | 4.90 | 13 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0   | 4.30 | 13 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0  | 4.99 | 13 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0   | 3.89 | 13 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0  | 4.51 | 13 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0   | 3.75 | 13 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0  | 4.46 | 13 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0   | 5.21 | 13 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0  | 5.65 | 13 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0   | 4.74 | 13 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0  | 5.22 | 13 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0   | 4.83 | 13 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0  | 5.05 | 13 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0   | 4.18 | 13 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0  | 5.07 | 13 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0   | 4.22 | 13 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0  | 5.11 | 13 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0   | 3.82 | 13 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0  | 4.88 | 13 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0   | 4.91 | 13 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0  | 5.66 | 13 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0   | 4.95 | 13 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0  | 5.61 | 13 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0   | 4.78 | 13 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0  | 5.48 | 13 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0   | 4.30 | 13 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | 5.17 | 13 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0   | 5.58 | 13 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | 5.05 | 13 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0   | 4.60 | 13 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | 5.38 | 13 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0   | 5.24 | 13 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | 6.00 | 13 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0   | 5.91 | 13 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | 5.91 | 13 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0   | 5.85 | 13 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 100RB#0 | 6.16 | 13 | PASS |




## Test Graphs


Band2-1.4MHz-QPSK-18607-1RB#0




Band2-1.4MHz-QPSK-18607-6RB#0




Band2-1.4MHz-QPSK-18900-1RB#0




Band2-1.4MHz-QPSK-18900-6RB#0




Band2-1.4MHz-QPSK-19193-1RB#0




Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-1RB#0




Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-18900-1RB#0




Band2-1.4MHz-16QAM-18900-6RB#0




Band2-1.4MHz-16QAM-19193-1RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-1RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-18900-1RB#0




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-1RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-1RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-18900-1RB#0




Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-1RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-1RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-18900-1RB#0




Band2-5MHz-QPSK-18900-25RB#0




Band2-5MHz-QPSK-19175-1RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-1RB#0




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-18900-1RB#0




Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-1RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-1RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-18900-1RB#0




Band2-10MHz-QPSK-18900-50RB#0



Band2-10MHz-QPSK-19150-1RB#0




Band2-10MHz-QPSK-19150-50RB#0




Band2-10MHz-16QAM-18650-1RB#0


Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-18900-1RB#0




Band2-10MHz-16QAM-18900-50RB#0




Band2-10MHz-16QAM-19150-1RB#0




Band2-10MHz-16QAM-19150-50RB#0




Band2-15MHz-QPSK-18675-1RB#0




Band2-15MHz-QPSK-18675-75RB#0




Band2-15MHz-QPSK-18900-1RB#0




Band2-15MHz-QPSK-18900-75RB#0




Band2-15MHz-QPSK-19125-1RB#0




Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-1RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-18900-1RB#0




Band2-15MHz-16QAM-18900-75RB#0




Band2-15MHz-16QAM-19125-1RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-1RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-18900-1RB#0




Band2-20MHz-QPSK-18900-100RB#0




Band2-20MHz-QPSK-19100-1RB#0




Band2-20MHz-QPSK-19100-100RB#0




Band2-20MHz-16QAM-18700-1RB#0




Band2-20MHz-16QAM-18700-100RB#0




Band2-20MHz-16QAM-18900-1RB#0




Band2-20MHz-16QAM-18900-100RB#0



Band2-20MHz-16QAM-19100-1RB#0



Band2-20MHz-16QAM-19100-100RB#0





## D.3 26dB Bandwidth and Occupied Bandwidth

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|-------|-----------|------------|---------|------------------|--------------------------|----------------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 1.0953                   | 1.302                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 1.0968                   | 1.295                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 1.1002                   | 1.321                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | 1.1008                   | 1.282                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | 1.1015                   | 1.279                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 6RB#0            | 1.0957                   | 1.332                | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 15RB#0           | 2.7131                   | 3.194                | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 15RB#0           | 2.7147                   | 3.209                | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 15RB#0           | 2.7055                   | 3.177                | PASS    |
| Band2 | 3MHz      | 16QAM      | 18615   | 15RB#0           | 2.7023                   | 3.107                | PASS    |
| Band2 | 3MHz      | 16QAM      | 18900   | 15RB#0           | 2.7054                   | 3.093                | PASS    |
| Band2 | 3MHz      | 16QAM      | 19185   | 15RB#0           | 2.7091                   | 3.282                | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 25RB#0           | 4.5115                   | 5.231                | PASS    |
| Band2 | 5MHz      | QPSK       | 18900   | 25RB#0           | 4.5273                   | 5.335                | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 25RB#0           | 4.5157                   | 5.547                | PASS    |
| Band2 | 5MHz      | 16QAM      | 18625   | 25RB#0           | 4.5074                   | 5.338                | PASS    |
| Band2 | 5MHz      | 16QAM      | 18900   | 25RB#0           | 4.5169                   | 5.256                | PASS    |
| Band2 | 5MHz      | 16QAM      | 19175   | 25RB#0           | 4.5291                   | 5.410                | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 50RB#0           | 9.0099                   | 10.07                | PASS    |
| Band2 | 10MHz     | QPSK       | 18900   | 50RB#0           | 8.9955                   | 9.960                | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 50RB#0           | 9.0311                   | 10.30                | PASS    |
| Band2 | 10MHz     | 16QAM      | 18650   | 50RB#0           | 9.0049                   | 10.02                | PASS    |
| Band2 | 10MHz     | 16QAM      | 18900   | 50RB#0           | 9.0016                   | 9.954                | PASS    |
| Band2 | 10MHz     | 16QAM      | 19150   | 50RB#0           | 8.9929                   | 10.48                | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 75RB#0           | 13.517                   | 15.43                | PASS    |
| Band2 | 15MHz     | QPSK       | 18900   | 75RB#0           | 13.519                   | 15.33                | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 75RB#0           | 13.507                   | 15.74                | PASS    |
| Band2 | 15MHz     | 16QAM      | 18675   | 75RB#0           | 13.490                   | 14.92                | PASS    |
| Band2 | 15MHz     | 16QAM      | 18900   | 75RB#0           | 13.509                   | 15.03                | PASS    |
| Band2 | 15MHz     | 16QAM      | 19125   | 75RB#0           | 13.505                   | 14.93                | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 100RB#0          | 17.897                   | 19.47                | PASS    |
| Band2 | 20MHz     | QPSK       | 18900   | 100RB#0          | 17.872                   | 19.37                | PASS    |
| Band2 | 20MHz     | QPSK       | 19100   | 100RB#0          | 17.954                   | 19.60                | PASS    |




|       |       |       |       |         |        |       |      |
|-------|-------|-------|-------|---------|--------|-------|------|
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | 17.951 | 19.41 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | 17.895 | 19.30 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 100RB#0 | 17.947 | 19.44 | PASS |



## Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0




Band2-1.4MHz-QPSK-18900-6RB#0




Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-18900-6RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-18900-25RB#0




Band2-5MHz-QPSK-19175-25RB#0



Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-18900-50RB#0




Band2-10MHz-QPSK-19150-50RB#0




Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-18900-50RB#0




Band2-10MHz-16QAM-19150-50RB#0




Band2-15MHz-QPSK-18675-75RB#0




Band2-15MHz-QPSK-18900-75RB#0




Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-18900-75RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-18900-100RB#0




Band2-20MHz-QPSK-19100-100RB#0




Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-18900-100RB#0



Band2-20MHz-16QAM-19100-100RB#0





## D.4 Band Edge


### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | Verdict |
|-------|-----------|------------|---------|------------------|-------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | -29.55      | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | -29.37      | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | -30.66      | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 6RB#0            | -28.80      | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 15RB#0           | -23.21      | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 15RB#0           | -21.12      | PASS    |
| Band2 | 3MHz      | 16QAM      | 18615   | 15RB#0           | -21.17      | PASS    |
| Band2 | 3MHz      | 16QAM      | 19185   | 15RB#0           | -21.68      | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 25RB#0           | -26.81      | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 25RB#0           | -23.66      | PASS    |
| Band2 | 5MHz      | 16QAM      | 18625   | 25RB#0           | -28.15      | PASS    |
| Band2 | 5MHz      | 16QAM      | 19175   | 25RB#0           | -24.93      | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 50RB#0           | -29.05      | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 50RB#0           | -24.74      | PASS    |
| Band2 | 10MHz     | 16QAM      | 18650   | 50RB#0           | -30.90      | PASS    |
| Band2 | 10MHz     | 16QAM      | 19150   | 50RB#0           | -26.88      | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 75RB#0           | -25.38      | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 75RB#0           | -26.04      | PASS    |
| Band2 | 15MHz     | 16QAM      | 18675   | 75RB#0           | -27.45      | PASS    |
| Band2 | 15MHz     | 16QAM      | 19125   | 75RB#0           | -26.84      | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 100RB#0          | -34.55      | PASS    |
| Band2 | 20MHz     | QPSK       | 19100   | 100RB#0          | -35.28      | PASS    |
| Band2 | 20MHz     | 16QAM      | 18700   | 100RB#0          | -34.95      | PASS    |
| Band2 | 20MHz     | 16QAM      | 19100   | 100RB#0          | -35.50      | PASS    |




## Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0



Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-6RB#0







## Band2-1.4MHz-16QAM-19193-6RB#0




## Band2-3MHz-QPSK-18615-15RB#0




## Band2-3MHz-QPSK-19185-15RB#0




## Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-19150-50RB#0




Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-19150-50RB#0




Band2-15MHz-QPSK-18675-75RB#0




Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-19100-100RB#0



Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-19100-100RB#0





## D.5 Conducted Spurious Emission

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Frequency Range       | Result (dBm) | Verdict |
|-------|-----------|------------|---------|------------------|-----------------------|--------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | Range1:0.009~0.15MHz  | -55.82       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | Range2:0.15~30MHz     | -50.51       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | Range3:30~1000MHz     | -43.14       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | Range4:1000~10000MHz  | -45.45       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | Range5:10000~20000MHz | -33.53       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | Range1:0.009~0.15MHz  | -55.56       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | Range2:0.15~30MHz     | -53.77       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | Range3:30~1000MHz     | -41.48       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | Range4:1000~10000MHz  | -45.44       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | Range5:10000~20000MHz | -33.71       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | Range1:0.009~0.15MHz  | -53.42       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | Range2:0.15~30MHz     | -51.71       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | Range3:30~1000MHz     | -42.44       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | Range4:1000~10000MHz  | -45.45       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | Range5:10000~20000MHz | -33.63       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | Range1:0.009~0.15MHz  | -56.66       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | Range2:0.15~30MHz     | -51.97       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | Range3:30~1000MHz     | -42.32       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | Range4:1000~10000MHz  | -45.39       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | Range5:10000~20000MHz | -33.79       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | Range1:0.009~0.15MHz  | -55.59       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | Range2:0.15~30MHz     | -51.14       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | Range3:30~1000MHz     | -41.87       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | Range4:1000~10000MHz  | -45.48       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | Range5:10000~20000MHz | -33.61       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#0            | Range1:0.009~0.15MHz  | -54.56       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#0            | Range2:0.15~30MHz     | -53.24       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#0            | Range3:30~1000MHz     | -42.64       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#0            | Range4:1000~10000MHz  | -45.49       | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#0            | Range5:10000~20000MHz | -33.55       | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | Range1:0.009~0.15MHz  | -54.29       | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | Range2:0.15~30MHz     | -52.23       | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | Range3:30~1000MHz     | -42.13       | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | Range4:1000~10000MHz  | -45.1        | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | Range5:10000~20000MHz | -33.79       | PASS    |



|       |      |       |       |       |                       |        |      |
|-------|------|-------|-------|-------|-----------------------|--------|------|
| Band2 | 3MHz | QPSK  | 18900 | 1RB#0 | Range1:0.009~0.15MHz  | -56.3  | PASS |
| Band2 | 3MHz | QPSK  | 18900 | 1RB#0 | Range2:0.15~30MHz     | -52.01 | PASS |
| Band2 | 3MHz | QPSK  | 18900 | 1RB#0 | Range3:30~1000MHz     | -41.94 | PASS |
| Band2 | 3MHz | QPSK  | 18900 | 1RB#0 | Range4:1000~10000MHz  | -45.07 | PASS |
| Band2 | 3MHz | QPSK  | 18900 | 1RB#0 | Range5:10000~20000MHz | -33.72 | PASS |
| Band2 | 3MHz | QPSK  | 19185 | 1RB#0 | Range1:0.009~0.15MHz  | -57.58 | PASS |
| Band2 | 3MHz | QPSK  | 19185 | 1RB#0 | Range2:0.15~30MHz     | -50.16 | PASS |
| Band2 | 3MHz | QPSK  | 19185 | 1RB#0 | Range3:30~1000MHz     | -40.49 | PASS |
| Band2 | 3MHz | QPSK  | 19185 | 1RB#0 | Range4:1000~10000MHz  | -45.05 | PASS |
| Band2 | 3MHz | QPSK  | 19185 | 1RB#0 | Range5:10000~20000MHz | -33.72 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 1RB#0 | Range1:0.009~0.15MHz  | -55.77 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 1RB#0 | Range2:0.15~30MHz     | -51.53 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 1RB#0 | Range3:30~1000MHz     | -42.31 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 1RB#0 | Range4:1000~10000MHz  | -44.94 | PASS |
| Band2 | 3MHz | 16QAM | 18615 | 1RB#0 | Range5:10000~20000MHz | -33.49 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 1RB#0 | Range1:0.009~0.15MHz  | -55.53 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 1RB#0 | Range2:0.15~30MHz     | -52.94 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 1RB#0 | Range3:30~1000MHz     | -41.94 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 1RB#0 | Range4:1000~10000MHz  | -45.09 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 1RB#0 | Range5:10000~20000MHz | -33.73 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#0 | Range1:0.009~0.15MHz  | -55.99 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#0 | Range2:0.15~30MHz     | -52    | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#0 | Range3:30~1000MHz     | -42.47 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#0 | Range4:1000~10000MHz  | -45.17 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#0 | Range5:10000~20000MHz | -33.63 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#0 | Range1:0.009~0.15MHz  | -56.45 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#0 | Range2:0.15~30MHz     | -50.65 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#0 | Range3:30~1000MHz     | -43.37 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#0 | Range4:1000~10000MHz  | -45.13 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#0 | Range5:10000~20000MHz | -33.79 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#0 | Range1:0.009~0.15MHz  | -56.56 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#0 | Range2:0.15~30MHz     | -50.91 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#0 | Range3:30~1000MHz     | -42.21 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#0 | Range4:1000~10000MHz  | -45.19 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#0 | Range5:10000~20000MHz | -33.59 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#0 | Range1:0.009~0.15MHz  | -54.1  | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#0 | Range2:0.15~30MHz     | -52.2  | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#0 | Range3:30~1000MHz     | -43.17 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#0 | Range4:1000~10000MHz  | -45.18 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#0 | Range5:10000~20000MHz | -33.53 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#0 | Range1:0.009~0.15MHz  | -56.26 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#0 | Range2:0.15~30MHz     | -52.06 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#0 | Range3:30~1000MHz     | -42.65 | PASS |



|       |       |       |       |       |                       |        |      |
|-------|-------|-------|-------|-------|-----------------------|--------|------|
| Band2 | 5MHz  | 16QAM | 18625 | 1RB#0 | Range4:1000~10000MHz  | -45.18 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 1RB#0 | Range5:10000~20000MHz | -33.87 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 1RB#0 | Range1:0.009~0.15MHz  | -55.99 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 1RB#0 | Range2:0.15~30MHz     | -51.3  | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 1RB#0 | Range3:30~1000MHz     | -41.45 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 1RB#0 | Range4:1000~10000MHz  | -45.03 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 1RB#0 | Range5:10000~20000MHz | -33.76 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#0 | Range1:0.009~0.15MHz  | -56.39 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#0 | Range2:0.15~30MHz     | -51.89 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#0 | Range3:30~1000MHz     | -41.6  | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#0 | Range4:1000~10000MHz  | -45.03 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#0 | Range5:10000~20000MHz | -33.81 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0 | Range1:0.009~0.15MHz  | -55.37 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0 | Range2:0.15~30MHz     | -50.27 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0 | Range3:30~1000MHz     | -42.39 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0 | Range4:1000~10000MHz  | -45.07 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0 | Range5:10000~20000MHz | -33.79 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0 | Range1:0.009~0.15MHz  | -55.73 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0 | Range2:0.15~30MHz     | -52.1  | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0 | Range3:30~1000MHz     | -43.03 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0 | Range4:1000~10000MHz  | -44.86 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0 | Range5:10000~20000MHz | -33.76 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0 | Range1:0.009~0.15MHz  | -56.64 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0 | Range2:0.15~30MHz     | -52.04 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0 | Range3:30~1000MHz     | -42.25 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0 | Range4:1000~10000MHz  | -45.11 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0 | Range5:10000~20000MHz | -33.77 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0 | Range1:0.009~0.15MHz  | -55.99 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0 | Range2:0.15~30MHz     | -50.77 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0 | Range3:30~1000MHz     | -43.45 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0 | Range4:1000~10000MHz  | -45.15 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0 | Range5:10000~20000MHz | -33.61 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0 | Range1:0.009~0.15MHz  | -55.62 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0 | Range2:0.15~30MHz     | -52.47 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0 | Range3:30~1000MHz     | -41.48 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0 | Range4:1000~10000MHz  | -44.97 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0 | Range5:10000~20000MHz | -33.83 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0 | Range1:0.009~0.15MHz  | -56.18 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0 | Range2:0.15~30MHz     | -53.25 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0 | Range3:30~1000MHz     | -43.12 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0 | Range4:1000~10000MHz  | -45.04 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0 | Range5:10000~20000MHz | -33.78 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0 | Range1:0.009~0.15MHz  | -56.61 | PASS |




|       |       |       |       |       |                       |        |      |
|-------|-------|-------|-------|-------|-----------------------|--------|------|
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0 | Range2:0.15~30MHz     | -51.56 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0 | Range3:30~1000MHz     | -41.96 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0 | Range4:1000~10000MHz  | -45.54 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0 | Range5:10000~20000MHz | -33.67 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0 | Range1:0.009~0.15MHz  | -56.55 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0 | Range2:0.15~30MHz     | -51.79 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0 | Range3:30~1000MHz     | -42.85 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0 | Range4:1000~10000MHz  | -45.38 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0 | Range5:10000~20000MHz | -33.77 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0 | Range1:0.009~0.15MHz  | -56.37 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0 | Range2:0.15~30MHz     | -50.97 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0 | Range3:30~1000MHz     | -42.23 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0 | Range4:1000~10000MHz  | -45.62 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0 | Range5:10000~20000MHz | -33.89 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0 | Range1:0.009~0.15MHz  | -55.42 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0 | Range2:0.15~30MHz     | -51.08 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0 | Range3:30~1000MHz     | -42.34 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0 | Range4:1000~10000MHz  | -45.61 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0 | Range5:10000~20000MHz | -33.77 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0 | Range1:0.009~0.15MHz  | -54.74 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0 | Range2:0.15~30MHz     | -52.57 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0 | Range3:30~1000MHz     | -41.91 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0 | Range4:1000~10000MHz  | -45.53 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0 | Range5:10000~20000MHz | -33.8  | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0 | Range1:0.009~0.15MHz  | -52.62 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0 | Range2:0.15~30MHz     | -51.58 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0 | Range3:30~1000MHz     | -41.89 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0 | Range4:1000~10000MHz  | -45.58 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0 | Range5:10000~20000MHz | -33.79 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0 | Range1:0.009~0.15MHz  | -54.91 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0 | Range2:0.15~30MHz     | -51.44 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0 | Range3:30~1000MHz     | -42.58 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0 | Range4:1000~10000MHz  | -45.63 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0 | Range5:10000~20000MHz | -33.61 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0 | Range1:0.009~0.15MHz  | -56.91 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0 | Range2:0.15~30MHz     | -51.84 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0 | Range3:30~1000MHz     | -41.48 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0 | Range4:1000~10000MHz  | -45.52 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0 | Range5:10000~20000MHz | -33.65 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0 | Range1:0.009~0.15MHz  | -56.16 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0 | Range2:0.15~30MHz     | -51.75 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0 | Range3:30~1000MHz     | -42.03 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0 | Range4:1000~10000MHz  | -45.49 | PASS |




|       |       |       |       |       |                       |        |      |
|-------|-------|-------|-------|-------|-----------------------|--------|------|
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0 | Range5:10000~20000MHz | -33.54 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0 | Range1:0.009~0.15MHz  | -56.8  | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0 | Range2:0.15~30MHz     | -51.63 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0 | Range3:30~1000MHz     | -42.49 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0 | Range4:1000~10000MHz  | -45.53 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0 | Range5:10000~20000MHz | -33.69 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0 | Range1:0.009~0.15MHz  | -56.04 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0 | Range2:0.15~30MHz     | -52.44 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0 | Range3:30~1000MHz     | -42.47 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0 | Range4:1000~10000MHz  | -45.42 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0 | Range5:10000~20000MHz | -33.62 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0 | Range1:0.009~0.15MHz  | -54.85 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0 | Range2:0.15~30MHz     | -51.18 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0 | Range3:30~1000MHz     | -41.94 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0 | Range4:1000~10000MHz  | -45.46 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0 | Range5:10000~20000MHz | -33.75 | PASS |

## Test Graphs


Band2-1.4MHz-QPSK-18607-1RB#0-Range1:0.009~0.15MHz




Band2-1.4MHz-QPSK-18607-1RB#0-Range2:0.15~30MHz




Band2-1.4MHz-QPSK-18607-1RB#0-Range3:30~1000MHz




Band2-1.4MHz-QPSK-18607-1RB#0-Range4:1000~10000MHz




Band2-1.4MHz-QPSK-18607-1RB#0-Range5:10000~20000MHz




Band2-1.4MHz-QPSK-18900-1RB#0-Range1:0.009~0.15MHz




Band2-1.4MHz-QPSK-18900-1RB#0-Range2:0.15~30MHz




Band2-1.4MHz-QPSK-18900-1RB#0-Range3:30~1000MHz




Band2-1.4MHz-QPSK-18900-1RB#0-Range4:1000~10000MHz




Band2-1.4MHz-QPSK-18900-1RB#0-Range5:10000~20000MHz




Band2-1.4MHz-QPSK-19193-1RB#0-Range1:0.009~0.15MHz




Band2-1.4MHz-QPSK-19193-1RB#0-Range2:0.15~30MHz




Band2-1.4MHz-QPSK-19193-1RB#0-Range3:30~1000MHz




Band2-1.4MHz-QPSK-19193-1RB#0-Range4:1000~10000MHz




Band2-1.4MHz-QPSK-19193-1RB#0-Range5:10000~20000MHz




Band2-1.4MHz-16QAM-18607-1RB#0-Range1:0.009~0.15MHz




Band2-1.4MHz-16QAM-18607-1RB#0-Range2:0.15~30MHz




Band2-1.4MHz-16QAM-18607-1RB#0-Range3:30~1000MHz




Band2-1.4MHz-16QAM-18607-1RB#0-Range4:1000~10000MHz



Band2-1.4MHz-16QAM-18607-1RB#0-Range5:10000~20000MHz




Band2-1.4MHz-16QAM-18900-1RB#0-Range1:0.009~0.15MHz




Band2-1.4MHz-16QAM-18900-1RB#0-Range2:0.15~30MHz




Band2-1.4MHz-16QAM-18900-1RB#0-Range3:30~1000MHz



Band2-1.4MHz-16QAM-18900-1RB#0-Range4:1000~10000MHz



Band2-1.4MHz-16QAM-18900-1RB#0-Range5:10000~20000MHz



Band2-1.4MHz-16QAM-19193-1RB#0-Range1:0.009~0.15MHz