

**Appendix A.12****1. Effective (Isotropic) Radiated Power Output Data****1.1 Test Result****1.1.1 B25_1.4MHz_EIRP**

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.05	-2.74	20.31	<=33.01	Pass
			2	22.99	-2.74	20.25	<=33.01	Pass
			5	23.09	-2.74	20.35	<=33.01	Pass
		3	0	23.02	-2.74	20.28	<=33.01	Pass
			2	23.10	-2.74	20.36	<=33.01	Pass
			3	23.04	-2.74	20.30	<=33.01	Pass
		6	0	21.96	-2.74	19.22	<=33.01	Pass
	1882.5	1	0	22.69	-2.74	19.95	<=33.01	Pass
			2	22.55	-2.74	19.81	<=33.01	Pass
			5	22.64	-2.74	19.90	<=33.01	Pass
		3	0	22.59	-2.74	19.85	<=33.01	Pass
			2	22.61	-2.74	19.87	<=33.01	Pass
			3	22.51	-2.74	19.77	<=33.01	Pass
		6	0	21.64	-2.74	18.90	<=33.01	Pass
	1914.3	1	0	22.51	-2.74	19.77	<=33.01	Pass
			2	22.47	-2.74	19.73	<=33.01	Pass
			5	22.59	-2.74	19.85	<=33.01	Pass
		3	0	22.59	-2.74	19.85	<=33.01	Pass
			2	22.51	-2.74	19.77	<=33.01	Pass
			3	22.36	-2.74	19.62	<=33.01	Pass
		6	0	21.49	-2.74	18.75	<=33.01	Pass
16QAM	1850.7	1	0	22.56	-2.74	19.82	<=33.01	Pass
			2	22.96	-2.74	20.22	<=33.01	Pass
			5	22.67	-2.74	19.93	<=33.01	Pass
		3	0	22.36	-2.74	19.62	<=33.01	Pass
			2	22.39	-2.74	19.65	<=33.01	Pass
			3	22.15	-2.74	19.41	<=33.01	Pass
		6	0	21.15	-2.74	18.41	<=33.01	Pass
	1882.5	1	0	21.63	-2.74	18.89	<=33.01	Pass
			2	21.81	-2.74	19.07	<=33.01	Pass
			5	21.85	-2.74	19.11	<=33.01	Pass
		3	0	21.86	-2.74	19.12	<=33.01	Pass
			2	21.73	-2.74	18.99	<=33.01	Pass
			3	21.98	-2.74	19.24	<=33.01	Pass
		6	0	20.84	-2.74	18.10	<=33.01	Pass
	1914.3	1	0	21.73	-2.74	18.99	<=33.01	Pass
			2	21.97	-2.74	19.23	<=33.01	Pass
			5	22.05	-2.74	19.31	<=33.01	Pass
		3	0	21.42	-2.74	18.68	<=33.01	Pass
			2	21.96	-2.74	19.22	<=33.01	Pass

			3	21.74	-2.74	19.00	<=33.01	Pass
		6	0	20.60	-2.74	17.86	<=33.01	Pass
64QAM	1850.7	1	0	22.12	-2.74	19.38	<=33.01	Pass
			2	22.09	-2.74	19.35	<=33.01	Pass
			5	22.21	-2.74	19.47	<=33.01	Pass
		3	0	22.32	-2.74	19.58	<=33.01	Pass
			2	22.03	-2.74	19.29	<=33.01	Pass
			3	22.08	-2.74	19.34	<=33.01	Pass
		6	0	21.05	-2.74	18.31	<=33.01	Pass
	1882.5	1	0	21.83	-2.74	19.09	<=33.01	Pass
			2	21.74	-2.74	19.00	<=33.01	Pass
			5	21.43	-2.74	18.69	<=33.01	Pass
		3	0	21.66	-2.74	18.92	<=33.01	Pass
			2	21.53	-2.74	18.79	<=33.01	Pass
			3	21.74	-2.74	19.00	<=33.01	Pass
		6	0	20.41	-2.74	17.67	<=33.01	Pass
	1914.3	1	0	21.64	-2.74	18.90	<=33.01	Pass
			2	21.77	-2.74	19.03	<=33.01	Pass
			5	21.86	-2.74	19.12	<=33.01	Pass
		3	0	21.75	-2.74	19.01	<=33.01	Pass
			2	21.71	-2.74	18.97	<=33.01	Pass
			3	21.74	-2.74	19.00	<=33.01	Pass
		6	0	20.54	-2.74	17.80	<=33.01	Pass
256QAM	1850.7	1	0	18.23	-2.74	15.49	<=33.01	Pass
			2	18.14	-2.74	15.40	<=33.01	Pass
			5	18.01	-2.74	15.27	<=33.01	Pass
		3	0	18.15	-2.74	15.41	<=33.01	Pass
			2	18.22	-2.74	15.48	<=33.01	Pass
			3	18.29	-2.74	15.55	<=33.01	Pass
		6	0	17.95	-2.74	15.21	<=33.01	Pass
	1882.5	1	0	17.61	-2.74	14.87	<=33.01	Pass
			2	17.79	-2.74	15.05	<=33.01	Pass
			5	17.70	-2.74	14.96	<=33.01	Pass
		3	0	17.57	-2.74	14.83	<=33.01	Pass
			2	17.70	-2.74	14.96	<=33.01	Pass
			3	17.74	-2.74	15.00	<=33.01	Pass
		6	0	17.74	-2.74	15.00	<=33.01	Pass
	1914.3	1	0	17.61	-2.74	14.87	<=33.01	Pass
			2	17.91	-2.74	15.17	<=33.01	Pass
			5	17.60	-2.74	14.86	<=33.01	Pass
		3	0	17.63	-2.74	14.89	<=33.01	Pass
			2	17.72	-2.74	14.98	<=33.01	Pass
			3	17.64	-2.74	14.90	<=33.01	Pass
		6	0	17.50	-2.74	14.76	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	1851.5	1	0	23.08	-2.74	20.34	<=33.01	Pass
			7	22.99	-2.74	20.25	<=33.01	Pass
			14	23.01	-2.74	20.27	<=33.01	Pass
		8	0	22.11	-2.74	19.37	<=33.01	Pass
			4	21.98	-2.74	19.24	<=33.01	Pass
			7	22.10	-2.74	19.36	<=33.01	Pass
		15	0	22.07	-2.74	19.33	<=33.01	Pass
	1882.5	1	0	22.49	-2.74	19.75	<=33.01	Pass
			7	22.60	-2.74	19.86	<=33.01	Pass
			14	22.34	-2.74	19.60	<=33.01	Pass
		8	0	21.66	-2.74	18.92	<=33.01	Pass
			4	21.56	-2.74	18.82	<=33.01	Pass
			7	21.47	-2.74	18.73	<=33.01	Pass
		15	0	21.58	-2.74	18.84	<=33.01	Pass
	1913.5	1	0	22.51	-2.74	19.77	<=33.01	Pass
			7	22.56	-2.74	19.82	<=33.01	Pass
			14	22.37	-2.74	19.63	<=33.01	Pass
		8	0	21.44	-2.74	18.70	<=33.01	Pass
			4	21.67	-2.74	18.93	<=33.01	Pass
			7	21.57	-2.74	18.83	<=33.01	Pass
		15	0	21.55	-2.74	18.81	<=33.01	Pass
16QAM	1851.5	1	0	22.33	-2.74	19.59	<=33.01	Pass
			7	22.17	-2.74	19.43	<=33.01	Pass
			14	22.11	-2.74	19.37	<=33.01	Pass
		8	0	21.18	-2.74	18.44	<=33.01	Pass
			4	21.12	-2.74	18.38	<=33.01	Pass
			7	21.23	-2.74	18.49	<=33.01	Pass
		15	0	21.12	-2.74	18.38	<=33.01	Pass
	1882.5	1	0	21.82	-2.74	19.08	<=33.01	Pass
			7	22.01	-2.74	19.27	<=33.01	Pass
			14	21.61	-2.74	18.87	<=33.01	Pass
		8	0	20.66	-2.74	17.92	<=33.01	Pass
			4	20.61	-2.74	17.87	<=33.01	Pass
			7	20.71	-2.74	17.97	<=33.01	Pass
		15	0	20.60	-2.74	17.86	<=33.01	Pass
	1913.5	1	0	21.39	-2.74	18.65	<=33.01	Pass
			7	21.63	-2.74	18.89	<=33.01	Pass
			14	21.82	-2.74	19.08	<=33.01	Pass
		8	0	20.55	-2.74	17.81	<=33.01	Pass
			4	20.58	-2.74	17.84	<=33.01	Pass
			7	20.63	-2.74	17.89	<=33.01	Pass
		15	0	20.54	-2.74	17.80	<=33.01	Pass
64QAM	1851.5	1	0	22.05	-2.74	19.31	<=33.01	Pass
			7	22.06	-2.74	19.32	<=33.01	Pass
			14	22.13	-2.74	19.39	<=33.01	Pass
		8	0	21.13	-2.74	18.39	<=33.01	Pass
			4	21.16	-2.74	18.42	<=33.01	Pass
			7	21.08	-2.74	18.34	<=33.01	Pass
		15	0	21.09	-2.74	18.35	<=33.01	Pass
	1882.5	1	0	21.50	-2.74	18.76	<=33.01	Pass
			7	21.67	-2.74	18.93	<=33.01	Pass
			14	21.42	-2.74	18.68	<=33.01	Pass
		8	0	20.58	-2.74	17.84	<=33.01	Pass

256QAM	1913.5	15	4	20.54	-2.74	17.80	<=33.01	Pass
			7	20.72	-2.74	17.98	<=33.01	Pass
			0	20.65	-2.74	17.91	<=33.01	Pass
		8	0	21.49	-2.74	18.75	<=33.01	Pass
			7	21.70	-2.74	18.96	<=33.01	Pass
			14	21.66	-2.74	18.92	<=33.01	Pass
			0	20.58	-2.74	17.84	<=33.01	Pass
			4	20.59	-2.74	17.85	<=33.01	Pass
			7	20.41	-2.74	17.67	<=33.01	Pass
		15	0	20.57	-2.74	17.83	<=33.01	Pass
	1851.5	1	0	18.15	-2.74	15.41	<=33.01	Pass
			7	18.17	-2.74	15.43	<=33.01	Pass
			14	18.29	-2.74	15.55	<=33.01	Pass
		8	0	18.10	-2.74	15.36	<=33.01	Pass
			4	18.11	-2.74	15.37	<=33.01	Pass
			7	18.04	-2.74	15.30	<=33.01	Pass
			0	18.13	-2.74	15.39	<=33.01	Pass
		15	0	17.56	-2.74	14.82	<=33.01	Pass
			7	17.78	-2.74	15.04	<=33.01	Pass
			14	17.62	-2.74	14.88	<=33.01	Pass
256QAM	1882.5	1	0	17.52	-2.74	14.78	<=33.01	Pass
			4	17.74	-2.74	15.00	<=33.01	Pass
			7	17.58	-2.74	14.84	<=33.01	Pass
		8	0	17.64	-2.74	14.90	<=33.01	Pass
			0	17.55	-2.74	14.81	<=33.01	Pass
			7	17.58	-2.74	14.84	<=33.01	Pass
			14	17.61	-2.74	14.87	<=33.01	Pass
		15	0	17.51	-2.74	14.77	<=33.01	Pass
			4	17.56	-2.74	14.82	<=33.01	Pass
			7	17.55	-2.74	14.81	<=33.01	Pass
	1913.5	1	0	17.55	-2.74	14.81	<=33.01	Pass
			7	17.58	-2.74	14.84	<=33.01	Pass
			14	17.61	-2.74	14.87	<=33.01	Pass
		8	0	17.51	-2.74	14.77	<=33.01	Pass
			4	17.56	-2.74	14.82	<=33.01	Pass
			7	17.55	-2.74	14.81	<=33.01	Pass
		15	0	17.55	-2.74	14.81	<=33.01	Pass
			0	17.55	-2.74	14.81	<=33.01	Pass
			0	17.55	-2.74	14.81	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.16	-2.74	20.42	<=33.01	Pass
			13	23.06	-2.74	20.32	<=33.01	Pass
			24	22.92	-2.74	20.18	<=33.01	Pass
		12	0	22.14	-2.74	19.40	<=33.01	Pass
			6	22.05	-2.74	19.31	<=33.01	Pass
			13	22.07	-2.74	19.33	<=33.01	Pass
			0	22.09	-2.74	19.35	<=33.01	Pass
			0	22.52	-2.74	19.78	<=33.01	Pass
			13	22.46	-2.74	19.72	<=33.01	Pass
	1882.5	1	24	22.40	-2.74	19.66	<=33.01	Pass
			0	21.61	-2.74	18.87	<=33.01	Pass
			6	21.63	-2.74	18.89	<=33.01	Pass
		12	13	21.58	-2.74	18.84	<=33.01	Pass
			0	21.58	-2.74	18.84	<=33.01	Pass
			0	21.58	-2.74	18.84	<=33.01	Pass

		25	0	21.48	-2.74	18.74	<=33.01	Pass	
	1912.5	1	0	22.53	-2.74	19.79	<=33.01	Pass	
			13	22.55	-2.74	19.81	<=33.01	Pass	
			24	22.35	-2.74	19.61	<=33.01	Pass	
			0	21.41	-2.74	18.67	<=33.01	Pass	
		12	6	21.59	-2.74	18.85	<=33.01	Pass	
			13	21.59	-2.74	18.85	<=33.01	Pass	
			25	0	21.56	-2.74	18.82	<=33.01	Pass
16QAM	1852.5	1	0	22.24	-2.74	19.50	<=33.01	Pass	
			13	22.26	-2.74	19.52	<=33.01	Pass	
			24	22.12	-2.74	19.38	<=33.01	Pass	
		12	0	21.14	-2.74	18.40	<=33.01	Pass	
			6	21.10	-2.74	18.36	<=33.01	Pass	
			13	21.08	-2.74	18.34	<=33.01	Pass	
		25	0	21.10	-2.74	18.36	<=33.01	Pass	
		1882.5	1	0	21.84	-2.74	19.10	<=33.01	Pass
	13			21.83	-2.74	19.09	<=33.01	Pass	
	24			21.64	-2.74	18.90	<=33.01	Pass	
	12		0	20.56	-2.74	17.82	<=33.01	Pass	
			6	20.61	-2.74	17.87	<=33.01	Pass	
			13	20.57	-2.74	17.83	<=33.01	Pass	
	25		0	20.49	-2.74	17.75	<=33.01	Pass	
	1912.5		1	0	21.62	-2.74	18.88	<=33.01	Pass
		13		21.76	-2.74	19.02	<=33.01	Pass	
		24		21.81	-2.74	19.07	<=33.01	Pass	
		12	0	20.52	-2.74	17.78	<=33.01	Pass	
			6	20.52	-2.74	17.78	<=33.01	Pass	
			13	20.50	-2.74	17.76	<=33.01	Pass	
		25	0	20.53	-2.74	17.79	<=33.01	Pass	
	64QAM	1852.5	1	0	22.05	-2.74	19.31	<=33.01	Pass
				13	22.04	-2.74	19.30	<=33.01	Pass
				24	21.86	-2.74	19.12	<=33.01	Pass
			12	0	21.13	-2.74	18.39	<=33.01	Pass
				6	21.07	-2.74	18.33	<=33.01	Pass
				13	21.03	-2.74	18.29	<=33.01	Pass
			25	0	21.09	-2.74	18.35	<=33.01	Pass
			1882.5	1	0	21.61	-2.74	18.87	<=33.01
		13			21.67	-2.74	18.93	<=33.01	Pass
		24			21.60	-2.74	18.86	<=33.01	Pass
12		0		20.54	-2.74	17.80	<=33.01	Pass	
		6		20.52	-2.74	17.78	<=33.01	Pass	
		13		20.60	-2.74	17.86	<=33.01	Pass	
25		0		20.47	-2.74	17.73	<=33.01	Pass	
1912.5		1		0	21.45	-2.74	18.71	<=33.01	Pass
			13	21.52	-2.74	18.78	<=33.01	Pass	
			24	21.32	-2.74	18.58	<=33.01	Pass	
		12	0	20.53	-2.74	17.79	<=33.01	Pass	
			6	20.51	-2.74	17.77	<=33.01	Pass	
			13	20.56	-2.74	17.82	<=33.01	Pass	
		25	0	20.50	-2.74	17.76	<=33.01	Pass	
256QAM		1852.5	1	0	18.09	-2.74	15.35	<=33.01	Pass
				13	17.94	-2.74	15.20	<=33.01	Pass
	24			18.07	-2.74	15.33	<=33.01	Pass	



Report No.: SUCR260600048901

Page: 6 of 81

		12	0	18.11	-2.74	15.37	<=33.01	Pass
			6	18.02	-2.74	15.28	<=33.01	Pass
			13	18.07	-2.74	15.33	<=33.01	Pass
		25	0	17.97	-2.74	15.23	<=33.01	Pass
			0	17.44	-2.74	14.70	<=33.01	Pass
			13	17.59	-2.74	14.85	<=33.01	Pass
		1	24	17.54	-2.74	14.80	<=33.01	Pass
			0	17.55	-2.74	14.81	<=33.01	Pass
			6	17.59	-2.74	14.85	<=33.01	Pass
	1882.5	12	13	17.56	-2.74	14.82	<=33.01	Pass
			0	17.39	-2.74	14.65	<=33.01	Pass
			25	17.39	-2.74	14.65	<=33.01	Pass
		25	0	17.60	-2.74	14.86	<=33.01	Pass
			13	17.31	-2.74	14.57	<=33.01	Pass
			24	17.62	-2.74	14.88	<=33.01	Pass
		1	0	17.57	-2.74	14.83	<=33.01	Pass
			6	17.60	-2.74	14.86	<=33.01	Pass
			13	17.57	-2.74	14.83	<=33.01	Pass
	1912.5	12	13	17.57	-2.74	14.83	<=33.01	Pass
			0	17.52	-2.74	14.78	<=33.01	Pass
			25	17.52	-2.74	14.78	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.89	-2.74	20.15	<=33.01	Pass
			25	22.87	-2.74	20.13	<=33.01	Pass
			49	22.88	-2.74	20.14	<=33.01	Pass
		25	0	22.02	-2.74	19.28	<=33.01	Pass
			13	22.03	-2.74	19.29	<=33.01	Pass
			25	22.01	-2.74	19.27	<=33.01	Pass
		50	0	22.04	-2.74	19.30	<=33.01	Pass
			0	22.43	-2.74	19.69	<=33.01	Pass
			25	22.57	-2.74	19.83	<=33.01	Pass
	1882.5	1	49	22.57	-2.74	19.83	<=33.01	Pass
			0	21.47	-2.74	18.73	<=33.01	Pass
			13	21.48	-2.74	18.74	<=33.01	Pass
		25	25	21.53	-2.74	18.79	<=33.01	Pass
			0	21.45	-2.74	18.71	<=33.01	Pass
			0	22.55	-2.74	19.81	<=33.01	Pass
		1	25	22.35	-2.74	19.61	<=33.01	Pass
			49	22.48	-2.74	19.74	<=33.01	Pass
			0	21.44	-2.74	18.70	<=33.01	Pass
	1910	25	13	21.47	-2.74	18.73	<=33.01	Pass
			25	21.47	-2.74	18.73	<=33.01	Pass
			0	21.49	-2.74	18.75	<=33.01	Pass
16QAM	1855	1	0	22.09	-2.74	19.35	<=33.01	Pass
			25	22.24	-2.74	19.50	<=33.01	Pass
			49	22.16	-2.74	19.42	<=33.01	Pass
		25	0	21.02	-2.74	18.28	<=33.01	Pass
			13	20.93	-2.74	18.19	<=33.01	Pass

			25	21.02	-2.74	18.28	<=33.01	Pass	
		50	0	20.97	-2.74	18.23	<=33.01	Pass	
	1882.5	1	0	21.87	-2.74	19.13	<=33.01	Pass	
			25	21.78	-2.74	19.04	<=33.01	Pass	
			49	21.58	-2.74	18.84	<=33.01	Pass	
		25	0	20.55	-2.74	17.81	<=33.01	Pass	
			13	20.51	-2.74	17.77	<=33.01	Pass	
			25	20.53	-2.74	17.79	<=33.01	Pass	
		50	0	20.48	-2.74	17.74	<=33.01	Pass	
	1910	1	0	21.64	-2.74	18.90	<=33.01	Pass	
			25	21.72	-2.74	18.98	<=33.01	Pass	
			49	21.54	-2.74	18.80	<=33.01	Pass	
		25	0	20.50	-2.74	17.76	<=33.01	Pass	
			13	20.54	-2.74	17.80	<=33.01	Pass	
			25	20.47	-2.74	17.73	<=33.01	Pass	
50		0	20.56	-2.74	17.82	<=33.01	Pass		
64QAM	1855	1	0	22.15	-2.74	19.41	<=33.01	Pass	
			25	22.15	-2.74	19.41	<=33.01	Pass	
			49	21.86	-2.74	19.12	<=33.01	Pass	
		25	0	21.01	-2.74	18.27	<=33.01	Pass	
			13	21.01	-2.74	18.27	<=33.01	Pass	
			25	21.00	-2.74	18.26	<=33.01	Pass	
		50	0	21.04	-2.74	18.30	<=33.01	Pass	
	1882.5	1	0	21.66	-2.74	18.92	<=33.01	Pass	
			25	21.74	-2.74	19.00	<=33.01	Pass	
			49	21.50	-2.74	18.76	<=33.01	Pass	
		25	0	20.40	-2.74	17.66	<=33.01	Pass	
			13	20.60	-2.74	17.86	<=33.01	Pass	
			25	20.46	-2.74	17.72	<=33.01	Pass	
		50	0	20.47	-2.74	17.73	<=33.01	Pass	
	1910	1	0	21.57	-2.74	18.83	<=33.01	Pass	
			25	21.71	-2.74	18.97	<=33.01	Pass	
			49	21.68	-2.74	18.94	<=33.01	Pass	
		25	0	20.56	-2.74	17.82	<=33.01	Pass	
			13	20.52	-2.74	17.78	<=33.01	Pass	
			25	20.59	-2.74	17.85	<=33.01	Pass	
		50	0	20.54	-2.74	17.80	<=33.01	Pass	
	256QAM	1855	1	0	17.64	-2.74	14.90	<=33.01	Pass
				25	17.99	-2.74	15.25	<=33.01	Pass
				49	17.82	-2.74	15.08	<=33.01	Pass
			25	0	18.02	-2.74	15.28	<=33.01	Pass
13				18.03	-2.74	15.29	<=33.01	Pass	
25				18.01	-2.74	15.27	<=33.01	Pass	
50		0	18.01	-2.74	15.27	<=33.01	Pass		
1882.5		1	0	17.49	-2.74	14.75	<=33.01	Pass	
			25	17.71	-2.74	14.97	<=33.01	Pass	
			49	17.76	-2.74	15.02	<=33.01	Pass	
		25	0	17.42	-2.74	14.68	<=33.01	Pass	
			13	17.46	-2.74	14.72	<=33.01	Pass	
			25	17.47	-2.74	14.73	<=33.01	Pass	
50		0	17.50	-2.74	14.76	<=33.01	Pass		
1910		1	0	17.41	-2.74	14.67	<=33.01	Pass	
			25	17.75	-2.74	15.01	<=33.01	Pass	



Report No.: SUCR260600048901

Page: 8 of 81

		49	17.76	-2.74	15.02	<=33.01	Pass
	25	0	17.43	-2.74	14.69	<=33.01	Pass
		13	17.49	-2.74	14.75	<=33.01	Pass
		25	17.44	-2.74	14.70	<=33.01	Pass
	50	0	17.52	-2.74	14.78	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.87	-2.74	20.13	<=33.01	Pass
			38	23.46	-2.74	20.72	<=33.01	Pass
			74	22.68	-2.74	19.94	<=33.01	Pass
		36	0	21.88	-2.74	19.14	<=33.01	Pass
			18	21.96	-2.74	19.22	<=33.01	Pass
			39	21.92	-2.74	19.18	<=33.01	Pass
		75	0	21.99	-2.74	19.25	<=33.01	Pass
	1882.5	1	0	22.76	-2.74	20.02	<=33.01	Pass
			38	22.97	-2.74	20.23	<=33.01	Pass
			74	22.39	-2.74	19.65	<=33.01	Pass
		36	0	21.48	-2.74	18.74	<=33.01	Pass
			18	21.37	-2.74	18.63	<=33.01	Pass
			39	21.42	-2.74	18.68	<=33.01	Pass
		75	0	21.34	-2.74	18.60	<=33.01	Pass
	1907.5	1	0	22.38	-2.74	19.64	<=33.01	Pass
			38	22.38	-2.74	19.64	<=33.01	Pass
			74	22.46	-2.74	19.72	<=33.01	Pass
		36	0	21.42	-2.74	18.68	<=33.01	Pass
			18	21.46	-2.74	18.72	<=33.01	Pass
			39	21.43	-2.74	18.69	<=33.01	Pass
16QAM	1857.5	1	0	22.09	-2.74	19.35	<=33.01	Pass
			38	22.11	-2.74	19.37	<=33.01	Pass
			74	21.63	-2.74	18.89	<=33.01	Pass
		36	0	20.90	-2.74	18.16	<=33.01	Pass
			18	20.97	-2.74	18.23	<=33.01	Pass
			39	20.91	-2.74	18.17	<=33.01	Pass
		75	0	20.91	-2.74	18.17	<=33.01	Pass
	1882.5	1	0	21.79	-2.74	19.05	<=33.01	Pass
			38	21.73	-2.74	18.99	<=33.01	Pass
			74	21.78	-2.74	19.04	<=33.01	Pass
		36	0	20.54	-2.74	17.80	<=33.01	Pass
			18	20.52	-2.74	17.78	<=33.01	Pass
			39	20.43	-2.74	17.69	<=33.01	Pass
		75	0	20.48	-2.74	17.74	<=33.01	Pass
	1907.5	1	0	21.57	-2.74	18.83	<=33.01	Pass
			38	21.70	-2.74	18.96	<=33.01	Pass
			74	21.77	-2.74	19.03	<=33.01	Pass
		36	0	20.44	-2.74	17.70	<=33.01	Pass



Report No.: SUCR260600048901

Page: 9 of 81

64QAM	1857.5	75	18	20.45	-2.74	17.71	<=33.01	Pass
			39	20.55	-2.74	17.81	<=33.01	Pass
			0	20.52	-2.74	17.78	<=33.01	Pass
		1	0	21.99	-2.74	19.25	<=33.01	Pass
			38	22.00	-2.74	19.26	<=33.01	Pass
			74	21.90	-2.74	19.16	<=33.01	Pass
		36	0	20.92	-2.74	18.18	<=33.01	Pass
			18	20.96	-2.74	18.22	<=33.01	Pass
			39	20.90	-2.74	18.16	<=33.01	Pass
		75	0	20.91	-2.74	18.17	<=33.01	Pass
	1882.5	1	0	21.50	-2.74	18.76	<=33.01	Pass
			38	21.53	-2.74	18.79	<=33.01	Pass
			74	21.59	-2.74	18.85	<=33.01	Pass
		36	0	20.58	-2.74	17.84	<=33.01	Pass
			18	20.47	-2.74	17.73	<=33.01	Pass
			39	20.37	-2.74	17.63	<=33.01	Pass
		75	0	20.52	-2.74	17.78	<=33.01	Pass
	1907.5	1	0	21.43	-2.74	18.69	<=33.01	Pass
			38	21.43	-2.74	18.69	<=33.01	Pass
			74	21.55	-2.74	18.81	<=33.01	Pass
		36	0	20.45	-2.74	17.71	<=33.01	Pass
			18	20.36	-2.74	17.62	<=33.01	Pass
			39	20.55	-2.74	17.81	<=33.01	Pass
		75	0	20.57	-2.74	17.83	<=33.01	Pass
256QAM	1857.5	1	0	18.05	-2.74	15.31	<=33.01	Pass
			38	17.73	-2.74	14.99	<=33.01	Pass
			74	17.88	-2.74	15.14	<=33.01	Pass
		36	0	17.79	-2.74	15.05	<=33.01	Pass
			18	17.98	-2.74	15.24	<=33.01	Pass
			39	17.80	-2.74	15.06	<=33.01	Pass
		75	0	17.93	-2.74	15.19	<=33.01	Pass
	1882.5	1	0	17.70	-2.74	14.96	<=33.01	Pass
			38	17.65	-2.74	14.91	<=33.01	Pass
			74	17.55	-2.74	14.81	<=33.01	Pass
		36	0	17.48	-2.74	14.74	<=33.01	Pass
			18	17.48	-2.74	14.74	<=33.01	Pass
			39	17.41	-2.74	14.67	<=33.01	Pass
		75	0	17.46	-2.74	14.72	<=33.01	Pass
	1907.5	1	0	17.61	-2.74	14.87	<=33.01	Pass
			38	17.46	-2.74	14.72	<=33.01	Pass
			74	17.45	-2.74	14.71	<=33.01	Pass
		36	0	17.49	-2.74	14.75	<=33.01	Pass
			18	17.48	-2.74	14.74	<=33.01	Pass
			39	17.47	-2.74	14.73	<=33.01	Pass
		75	0	17.48	-2.74	14.74	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTN						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	EIRP (dBm)	Verdict

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Connectivity Laboratory

South of No. 6 Plant, No. 1, RunSheng Road, Suzhou Industrial Park,
Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215123

t (86-512) 6229 2980
www.sgsgroup.com.cn

TRF No. SUZSCONN-TRF-CR001A_A_Jun 1st,2026

Member of the SGS Group (SGS SA)

	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1860	1	0	22.97	-2.74	20.23	<=33.01	Pass
			50	23.36	-2.74	20.62	<=33.01	Pass
			99	22.80	-2.74	20.06	<=33.01	Pass
		50	0	21.91	-2.74	19.17	<=33.01	Pass
			25	21.89	-2.74	19.15	<=33.01	Pass
			50	21.81	-2.74	19.07	<=33.01	Pass
		100	0	21.83	-2.74	19.09	<=33.01	Pass
	1882.5	1	0	22.67	-2.74	19.93	<=33.01	Pass
			50	22.50	-2.74	19.76	<=33.01	Pass
			99	22.48	-2.74	19.74	<=33.01	Pass
		50	0	21.60	-2.74	18.86	<=33.01	Pass
			25	21.42	-2.74	18.68	<=33.01	Pass
			50	21.34	-2.74	18.60	<=33.01	Pass
		100	0	21.43	-2.74	18.69	<=33.01	Pass
	1905	1	0	22.62	-2.74	19.88	<=33.01	Pass
			50	22.41	-2.74	19.67	<=33.01	Pass
			99	22.48	-2.74	19.74	<=33.01	Pass
		50	0	21.35	-2.74	18.61	<=33.01	Pass
			25	21.39	-2.74	18.65	<=33.01	Pass
			50	21.40	-2.74	18.66	<=33.01	Pass
		100	0	21.38	-2.74	18.64	<=33.01	Pass
16QAM	1860	1	0	22.23	-2.74	19.49	<=33.01	Pass
			50	22.23	-2.74	19.49	<=33.01	Pass
			99	22.04	-2.74	19.30	<=33.01	Pass
		50	0	20.93	-2.74	18.19	<=33.01	Pass
			25	20.99	-2.74	18.25	<=33.01	Pass
			50	20.82	-2.74	18.08	<=33.01	Pass
		100	0	20.86	-2.74	18.12	<=33.01	Pass
	1882.5	1	0	21.76	-2.74	19.02	<=33.01	Pass
			50	21.92	-2.74	19.18	<=33.01	Pass
			99	21.60	-2.74	18.86	<=33.01	Pass
		50	0	20.52	-2.74	17.78	<=33.01	Pass
			25	20.46	-2.74	17.72	<=33.01	Pass
			50	20.47	-2.74	17.73	<=33.01	Pass
		100	0	20.33	-2.74	17.59	<=33.01	Pass
	1905	1	0	21.69	-2.74	18.95	<=33.01	Pass
			50	21.81	-2.74	19.07	<=33.01	Pass
			99	21.68	-2.74	18.94	<=33.01	Pass
		50	0	20.42	-2.74	17.68	<=33.01	Pass
			25	20.42	-2.74	17.68	<=33.01	Pass
			50	20.39	-2.74	17.65	<=33.01	Pass
		100	0	20.47	-2.74	17.73	<=33.01	Pass
64QAM	1860	1	0	21.95	-2.74	19.21	<=33.01	Pass
			50	21.94	-2.74	19.20	<=33.01	Pass
			99	21.90	-2.74	19.16	<=33.01	Pass
		50	0	20.90	-2.74	18.16	<=33.01	Pass
			25	20.97	-2.74	18.23	<=33.01	Pass
			50	20.85	-2.74	18.11	<=33.01	Pass
		100	0	20.96	-2.74	18.22	<=33.01	Pass
	1882.5	1	0	21.61	-2.74	18.87	<=33.01	Pass
			50	21.56	-2.74	18.82	<=33.01	Pass
			99	21.47	-2.74	18.73	<=33.01	Pass

256QAM	1905	50	0	20.55	-2.74	17.81	<=33.01	Pass
			25	20.43	-2.74	17.69	<=33.01	Pass
			50	20.38	-2.74	17.64	<=33.01	Pass
		100	0	20.45	-2.74	17.71	<=33.01	Pass
			0	21.37	-2.74	18.63	<=33.01	Pass
			50	21.44	-2.74	18.70	<=33.01	Pass
		1	99	21.45	-2.74	18.71	<=33.01	Pass
			0	20.51	-2.74	17.77	<=33.01	Pass
			25	20.51	-2.74	17.77	<=33.01	Pass
	1860	50	50	20.49	-2.74	17.75	<=33.01	Pass
			0	20.47	-2.74	17.73	<=33.01	Pass
			100	20.47	-2.74	17.73	<=33.01	Pass
		1	0	17.82	-2.74	15.08	<=33.01	Pass
			50	17.86	-2.74	15.12	<=33.01	Pass
			99	17.70	-2.74	14.96	<=33.01	Pass
		50	0	17.90	-2.74	15.16	<=33.01	Pass
			25	17.86	-2.74	15.12	<=33.01	Pass
			50	17.83	-2.74	15.09	<=33.01	Pass
	1882.5	100	0	17.82	-2.74	15.08	<=33.01	Pass
			0	17.58	-2.74	14.84	<=33.01	Pass
			50	17.55	-2.74	14.81	<=33.01	Pass
		1	99	17.47	-2.74	14.73	<=33.01	Pass
			0	17.59	-2.74	14.85	<=33.01	Pass
			25	17.48	-2.74	14.74	<=33.01	Pass
		50	50	17.29	-2.74	14.55	<=33.01	Pass
			0	17.42	-2.74	14.68	<=33.01	Pass
			100	17.42	-2.74	14.68	<=33.01	Pass
	1905	1	0	17.48	-2.74	14.74	<=33.01	Pass
			50	17.52	-2.74	14.78	<=33.01	Pass
			99	17.24	-2.74	14.50	<=33.01	Pass
		50	0	17.47	-2.74	14.73	<=33.01	Pass
			25	17.43	-2.74	14.69	<=33.01	Pass
			50	17.48	-2.74	14.74	<=33.01	Pass
		100	0	17.48	-2.74	14.74	<=33.01	Pass
			0	17.48	-2.74	14.74	<=33.01	Pass
			100	17.48	-2.74	14.74	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1882.5	50	0	20	3.27	-1.000	-0.0005	-2.5 to 2.5	Pass
					3.85	0.200	0.0001	-2.5 to 2.5	Pass
					4.43	-0.800	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-1.100	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-1.200	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.600	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-3.300	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-3.300	-0.0018	-2.5 to 2.5	Pass



Report No.: SUCR260600048901

Page: 12 of 81

				10	3.85	-2.100	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-2.800	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-3.400	-0.0018	-2.5 to 2.5	Pass
				50	3.85	0.800	0.0004	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band25_OBW

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.084	/	Pass
	16QAM	1882.5	6	0	1.082	/	Pass
	64QAM	1882.5	6	0	1.082	/	Pass
	256QAM	1882.5	6	0	1.085	/	Pass
3	QPSK	1882.5	15	0	2.690	/	Pass
	16QAM	1882.5	15	0	2.696	/	Pass
	64QAM	1882.5	15	0	2.694	/	Pass
	256QAM	1882.5	15	0	2.687	/	Pass
5	QPSK	1882.5	25	0	4.491	/	Pass
	16QAM	1882.5	25	0	4.489	/	Pass
	64QAM	1882.5	25	0	4.484	/	Pass
	256QAM	1882.5	25	0	4.490	/	Pass
10	QPSK	1882.5	50	0	8.974	/	Pass
	16QAM	1882.5	50	0	8.955	/	Pass
	64QAM	1882.5	50	0	8.961	/	Pass
	256QAM	1882.5	50	0	8.942	/	Pass
15	QPSK	1882.5	75	0	13.440	/	Pass
	16QAM	1882.5	75	0	13.434	/	Pass
	64QAM	1882.5	75	0	13.472	/	Pass
	256QAM	1882.5	75	0	13.427	/	Pass
20	QPSK	1882.5	100	0	17.898	/	Pass
	16QAM	1882.5	100	0	17.909	/	Pass
	64QAM	1882.5	100	0	17.912	/	Pass
	256QAM	1882.5	100	0	17.936	/	Pass

3.1.2 Band25_XDB

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.318	/	Pass
	16QAM	1882.5	6	0	1.308	/	Pass
	64QAM	1882.5	6	0	1.281	/	Pass
	256QAM	1882.5	6	0	1.308	/	Pass




Report No.: SUCR260600048901


Page: 13 of 81

3	QPSK	1882.5	15	0	2.990	/	Pass
	16QAM	1882.5	15	0	2.960	/	Pass
	64QAM	1882.5	15	0	2.985	/	Pass
	256QAM	1882.5	15	0	2.980	/	Pass
5	QPSK	1882.5	25	0	5.045	/	Pass
	16QAM	1882.5	25	0	4.980	/	Pass
	64QAM	1882.5	25	0	4.997	/	Pass
	256QAM	1882.5	25	0	5.022	/	Pass
10	QPSK	1882.5	50	0	9.910	/	Pass
	16QAM	1882.5	50	0	9.823	/	Pass
	64QAM	1882.5	50	0	9.813	/	Pass
	256QAM	1882.5	50	0	9.781	/	Pass
15	QPSK	1882.5	75	0	14.588	/	Pass
	16QAM	1882.5	75	0	14.706	/	Pass
	64QAM	1882.5	75	0	14.621	/	Pass
	256QAM	1882.5	75	0	14.474	/	Pass
20	QPSK	1882.5	100	0	19.261	/	Pass
	16QAM	1882.5	100	0	19.247	/	Pass
	64QAM	1882.5	100	0	19.308	/	Pass
	256QAM	1882.5	100	0	19.432	/	Pass


3.2 Test Graph

3.2.1 Band25_OBW







Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_256QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_256QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_256QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_256QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_256QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_256QAM_MCH_1882.5MHz_RB_100_0_NTNV




3.2.2 Band25_XDB







Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_256QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_256QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_256QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_256QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_256QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_256QAM_MCH_1882.5MHz_RB_100_0_NTNV





4. Peak-Average Ratio


4.1 Test Result


4.1.1 B25_20MHz

Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	7.29	<=13	Pass
16QAM	1882.5	100	0	7.68	<=13	Pass
64QAM	1882.5	100	0	7.68	<=13	Pass
256QAM	1882.5	100	0	7.76	<=13	Pass


4.2 Test Graph

4.2.1 B25_20MHz






Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_256QAM_MCH_1882.5MHz_RB_100_0_NTNV





5. Spurious Emission

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1914.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1912.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV				
Modulation	Frequency	RB Allocation	Spurious Emission	Verdict



Report No.: SUCR260600048901

Page: 45 of 81

	(MHz)	Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1907.5	1	0	Refer To Test Graph	
	74			Refer To Test Graph		Pass
	75		0	Refer To Test Graph		Pass


5.1.6 B25_20MHz

Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass


5.2 Test Graph

5.2.1 B25_1.4MHz






Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-36.41	-13	Pass
1849	1850	0.03	/	2	1849.976	-24.82	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_0_NTNV



Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.006	-21.15	-13	Pass
1916	1918	1	CHP	2	1916.500	-38.26	-13	Pass


Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.006	-23.63	-13	Pass
1916	1918	1	CHP	2	1916.500	-36.90	-13	Pass

5.2.2 B25_3MHz






Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-25.42	-13	Pass
1849	1850	0.03	/	2	1849.982	-26.84	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.006	-25.98	-13	Pass
1916	1918	1	CHP	2	1916.500	-38.26	-13	Pass


Band25_3MHz_QPSK_HCH_1913.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.006	-27.35	-13	Pass
1916	1918	1	CHP	2	1916.500	-29.08	-13	Pass

5.2.3 B25_5MHz






Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-25.90	-13	Pass
1849	1850	0.051	/	2	1849.950	-27.77	-13	Pass
1850	1855	0.051	/	/	/	/	/	/


Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.010	-27.92	-13	Pass
1916	1920	1	CHP	2	1916.500	-39.19	-13	Pass


Band25_5MHz_QPSK_HCH_1912.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.051	/	/	/	/	/	/
1915	1916	0.051	/	1	1915.010	-30.19	-13	Pass
1916	1920	1	CHP	2	1916.500	-28.53	-13	Pass

5.2.4 B25_10MHz






Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.460	-27.28	-13	Pass
1849	1850	0.1	/	2	1849.940	-31.21	-13	Pass
1850	1860	0.1	/	/	/	/	/	/


Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.008	-42.80	-13	Pass
1916	1925	1	CHP	2	1916.508	-41.73	-13	Pass


Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.1	/	/	/	/	/	/
1915	1916	0.1	/	1	1915.140	-30.15	-13	Pass
1916	1925	1	CHP	2	1916.500	-27.00	-13	Pass

5.2.5 B25_15MHz






Band25_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.440	-27.94	-13	Pass
1849	1850	0.15	/	2	1849.790	-31.97	-13	Pass
1850	1865	0.15	/	/	/	/	/	/


Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.015	-39.63	-13	Pass
1916	1930	1	CHP	2	1916.500	-44.02	-13	Pass


Band25_15MHz_QPSK_HCH_1907.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.15	/	/	/	/	/	/
1915	1916	0.15	/	1	1915.360	-33.36	-13	Pass
1916	1930	1	CHP	2	1916.500	-27.29	-13	Pass

5.2.6 B25_20MHz






Band25_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-28.70	-13	Pass
1849	1850	0.2	/	2	1849.440	-32.57	-13	Pass
1850	1870	0.2	/	/	/	/	/	/


Band25_20MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band25_20MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_HCH_1905MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.015	-39.89	-13	Pass
1916	1935	1	CHP	2	1916.500	-45.31	-13	Pass

Band25_20MHz_QPSK_HCH_1905MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.2	/	/	/	/	/	/
1915	1916	0.2	/	1	1915.080	-31.87	-13	Pass
1916	1935	1	CHP	2	1916.520	-29.49	-13	Pass

---End of Attachment---