

**Appendix A.14****1. Effective (Isotropic) Radiated Power Output Data****1.1 Test Result****1.1.1 B26b_1.4MHz_ERP**

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	22.06	-0.75	19.16	<=38.45	Pass
			2	22.21	-0.75	19.31	<=38.45	Pass
			5	22.06	-0.75	19.16	<=38.45	Pass
		3	0	22.17	-0.75	19.27	<=38.45	Pass
			2	22.21	-0.75	19.31	<=38.45	Pass
			3	22.30	-0.75	19.40	<=38.45	Pass
		6	0	21.21	-0.75	18.31	<=38.45	Pass
	836.5	1	0	22.11	-0.75	19.21	<=38.45	Pass
			2	22.08	-0.75	19.18	<=38.45	Pass
			5	22.04	-0.75	19.14	<=38.45	Pass
		3	0	22.02	-0.75	19.12	<=38.45	Pass
			2	22.12	-0.75	19.22	<=38.45	Pass
			3	22.02	-0.75	19.12	<=38.45	Pass
		6	0	21.15	-0.75	18.25	<=38.45	Pass
	848.3	1	0	22.17	-0.75	19.27	<=38.45	Pass
			2	22.05	-0.75	19.15	<=38.45	Pass
			5	22.07	-0.75	19.17	<=38.45	Pass
		3	0	22.06	-0.75	19.16	<=38.45	Pass
			2	22.04	-0.75	19.14	<=38.45	Pass
			3	22.07	-0.75	19.17	<=38.45	Pass
		6	0	21.09	-0.75	18.19	<=38.45	Pass
16QAM	824.7	1	0	21.41	-0.75	18.51	<=38.45	Pass
			2	21.71	-0.75	18.81	<=38.45	Pass
			5	21.73	-0.75	18.83	<=38.45	Pass
		3	0	21.14	-0.75	18.24	<=38.45	Pass
			2	21.26	-0.75	18.36	<=38.45	Pass
			3	21.27	-0.75	18.37	<=38.45	Pass
		6	0	20.20	-0.75	17.30	<=38.45	Pass
	836.5	1	0	21.34	-0.75	18.44	<=38.45	Pass
			2	21.40	-0.75	18.50	<=38.45	Pass
			5	21.74	-0.75	18.84	<=38.45	Pass
		3	0	21.30	-0.75	18.40	<=38.45	Pass
			2	21.22	-0.75	18.32	<=38.45	Pass
			3	21.31	-0.75	18.41	<=38.45	Pass
		6	0	20.09	-0.75	17.19	<=38.45	Pass
	848.3	1	0	21.41	-0.75	18.51	<=38.45	Pass
			2	21.33	-0.75	18.43	<=38.45	Pass
			5	21.48	-0.75	18.58	<=38.45	Pass
		3	0	21.21	-0.75	18.31	<=38.45	Pass
			2	21.27	-0.75	18.37	<=38.45	Pass
			5	21.27	-0.75	18.37	<=38.45	Pass

64QAM	824.7	6	3	21.18	-0.75	18.28	<=38.45	Pass
			0	20.20	-0.75	17.30	<=38.45	Pass
		1	0	21.10	-0.75	18.20	<=38.45	Pass
			2	21.10	-0.75	18.20	<=38.45	Pass
			5	21.28	-0.75	18.38	<=38.45	Pass
		3	0	21.14	-0.75	18.24	<=38.45	Pass
			2	21.17	-0.75	18.27	<=38.45	Pass
			3	21.20	-0.75	18.30	<=38.45	Pass
		6	0	20.15	-0.75	17.25	<=38.45	Pass
	836.5	1	0	21.47	-0.75	18.57	<=38.45	Pass
			2	21.16	-0.75	18.26	<=38.45	Pass
			5	21.24	-0.75	18.34	<=38.45	Pass
		3	0	21.24	-0.75	18.34	<=38.45	Pass
			2	21.18	-0.75	18.28	<=38.45	Pass
			3	21.33	-0.75	18.43	<=38.45	Pass
		6	0	20.15	-0.75	17.25	<=38.45	Pass
	848.3	1	0	21.04	-0.75	18.14	<=38.45	Pass
			2	21.43	-0.75	18.53	<=38.45	Pass
			5	21.21	-0.75	18.31	<=38.45	Pass
		3	0	21.19	-0.75	18.29	<=38.45	Pass
			2	21.13	-0.75	18.23	<=38.45	Pass
			3	21.10	-0.75	18.20	<=38.45	Pass
256QAM	824.7	1	0	17.13	-0.75	14.23	<=38.45	Pass
			2	17.35	-0.75	14.45	<=38.45	Pass
			5	17.16	-0.75	14.26	<=38.45	Pass
		3	0	17.25	-0.75	14.35	<=38.45	Pass
			2	17.11	-0.75	14.21	<=38.45	Pass
			3	17.21	-0.75	14.31	<=38.45	Pass
		6	0	17.20	-0.75	14.30	<=38.45	Pass
	836.5	1	0	17.29	-0.75	14.39	<=38.45	Pass
			2	17.45	-0.75	14.55	<=38.45	Pass
			5	17.28	-0.75	14.38	<=38.45	Pass
		3	0	17.20	-0.75	14.30	<=38.45	Pass
			2	17.27	-0.75	14.37	<=38.45	Pass
			3	17.27	-0.75	14.37	<=38.45	Pass
		6	0	17.17	-0.75	14.27	<=38.45	Pass
	848.3	1	0	17.23	-0.75	14.33	<=38.45	Pass
			2	17.17	-0.75	14.27	<=38.45	Pass
			5	17.30	-0.75	14.40	<=38.45	Pass
		3	0	17.26	-0.75	14.36	<=38.45	Pass
			2	17.16	-0.75	14.26	<=38.45	Pass
			3	17.33	-0.75	14.43	<=38.45	Pass
		6	0	17.17	-0.75	14.27	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	825.5	1	0	22.03	-0.75	19.13	<=38.45	Pass
			7	22.31	-0.75	19.41	<=38.45	Pass
			14	22.15	-0.75	19.25	<=38.45	Pass
		8	0	21.19	-0.75	18.29	<=38.45	Pass
			4	21.27	-0.75	18.37	<=38.45	Pass
			7	21.17	-0.75	18.27	<=38.45	Pass
		15	0	21.24	-0.75	18.34	<=38.45	Pass
	836.5	1	0	22.21	-0.75	19.31	<=38.45	Pass
			7	22.48	-0.75	19.58	<=38.45	Pass
			14	22.33	-0.75	19.43	<=38.45	Pass
		8	0	21.18	-0.75	18.28	<=38.45	Pass
			4	21.23	-0.75	18.33	<=38.45	Pass
			7	21.28	-0.75	18.38	<=38.45	Pass
		15	0	21.21	-0.75	18.31	<=38.45	Pass
	847.5	1	0	22.16	-0.75	19.26	<=38.45	Pass
			7	22.19	-0.75	19.29	<=38.45	Pass
			14	22.23	-0.75	19.33	<=38.45	Pass
		8	0	21.14	-0.75	18.24	<=38.45	Pass
			4	21.24	-0.75	18.34	<=38.45	Pass
			7	21.21	-0.75	18.31	<=38.45	Pass
		15	0	21.10	-0.75	18.20	<=38.45	Pass
16QAM	825.5	1	0	21.47	-0.75	18.57	<=38.45	Pass
			7	21.64	-0.75	18.74	<=38.45	Pass
			14	21.47	-0.75	18.57	<=38.45	Pass
		8	0	20.24	-0.75	17.34	<=38.45	Pass
			4	20.34	-0.75	17.44	<=38.45	Pass
			7	20.22	-0.75	17.32	<=38.45	Pass
		15	0	20.27	-0.75	17.37	<=38.45	Pass
	836.5	1	0	21.44	-0.75	18.54	<=38.45	Pass
			7	21.69	-0.75	18.79	<=38.45	Pass
			14	21.53	-0.75	18.63	<=38.45	Pass
		8	0	20.25	-0.75	17.35	<=38.45	Pass
			4	20.25	-0.75	17.35	<=38.45	Pass
			7	20.43	-0.75	17.53	<=38.45	Pass
		15	0	20.23	-0.75	17.33	<=38.45	Pass
	847.5	1	0	21.56	-0.75	18.66	<=38.45	Pass
			7	21.34	-0.75	18.44	<=38.45	Pass
			14	21.41	-0.75	18.51	<=38.45	Pass
		8	0	20.20	-0.75	17.30	<=38.45	Pass
			4	20.31	-0.75	17.41	<=38.45	Pass
			7	20.27	-0.75	17.37	<=38.45	Pass
		15	0	20.12	-0.75	17.22	<=38.45	Pass
64QAM	825.5	1	0	21.26	-0.75	18.36	<=38.45	Pass
			7	21.29	-0.75	18.39	<=38.45	Pass
			14	21.23	-0.75	18.33	<=38.45	Pass
		8	0	20.21	-0.75	17.31	<=38.45	Pass
			4	20.32	-0.75	17.42	<=38.45	Pass
			7	20.33	-0.75	17.43	<=38.45	Pass
		15	0	20.27	-0.75	17.37	<=38.45	Pass
	836.5	1	0	21.25	-0.75	18.35	<=38.45	Pass
			7	21.24	-0.75	18.34	<=38.45	Pass
			14	21.38	-0.75	18.48	<=38.45	Pass
		8	0	20.25	-0.75	17.35	<=38.45	Pass



Report No.: SUCR260600048901

Page: 4 of 64

256QAM	847.5	15	4	20.26	-0.75	17.36	<=38.45	Pass
			7	20.32	-0.75	17.42	<=38.45	Pass
			0	20.20	-0.75	17.30	<=38.45	Pass
		1	0	21.17	-0.75	18.27	<=38.45	Pass
			7	21.37	-0.75	18.47	<=38.45	Pass
			14	21.01	-0.75	18.11	<=38.45	Pass
		8	0	20.17	-0.75	17.27	<=38.45	Pass
			4	20.18	-0.75	17.28	<=38.45	Pass
			7	20.30	-0.75	17.40	<=38.45	Pass
		15	0	20.11	-0.75	17.21	<=38.45	Pass
	825.5	1	0	17.19	-0.75	14.29	<=38.45	Pass
			7	17.42	-0.75	14.52	<=38.45	Pass
			14	17.29	-0.75	14.39	<=38.45	Pass
		8	0	17.21	-0.75	14.31	<=38.45	Pass
			4	17.25	-0.75	14.35	<=38.45	Pass
			7	17.24	-0.75	14.34	<=38.45	Pass
		15	0	17.30	-0.75	14.40	<=38.45	Pass
	836.5	1	0	16.99	-0.75	14.09	<=38.45	Pass
			7	17.35	-0.75	14.45	<=38.45	Pass
			14	17.29	-0.75	14.39	<=38.45	Pass
		8	0	17.25	-0.75	14.35	<=38.45	Pass
			4	17.32	-0.75	14.42	<=38.45	Pass
			7	17.29	-0.75	14.39	<=38.45	Pass
		15	0	17.32	-0.75	14.42	<=38.45	Pass
	847.5	1	0	17.19	-0.75	14.29	<=38.45	Pass
			7	17.39	-0.75	14.49	<=38.45	Pass
			14	17.15	-0.75	14.25	<=38.45	Pass
		8	0	17.18	-0.75	14.28	<=38.45	Pass
			4	17.32	-0.75	14.42	<=38.45	Pass
			7	17.21	-0.75	14.31	<=38.45	Pass
		15	0	17.05	-0.75	14.15	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.16	-0.75	19.26	<=38.45	Pass
			13	22.31	-0.75	19.41	<=38.45	Pass
			24	22.19	-0.75	19.29	<=38.45	Pass
		12	0	21.29	-0.75	18.39	<=38.45	Pass
			6	21.27	-0.75	18.37	<=38.45	Pass
			13	21.25	-0.75	18.35	<=38.45	Pass
		25	0	21.25	-0.75	18.35	<=38.45	Pass
	836.5	1	0	22.18	-0.75	19.28	<=38.45	Pass
			13	22.30	-0.75	19.40	<=38.45	Pass
			24	22.19	-0.75	19.29	<=38.45	Pass
		12	0	21.23	-0.75	18.33	<=38.45	Pass
			6	21.28	-0.75	18.38	<=38.45	Pass
			13	21.34	-0.75	18.44	<=38.45	Pass

	846.5	25	0	21.23	-0.75	18.33	<=38.45	Pass
		1	0	22.23	-0.75	19.33	<=38.45	Pass
			13	22.22	-0.75	19.32	<=38.45	Pass
			24	22.03	-0.75	19.13	<=38.45	Pass
		12	0	21.25	-0.75	18.35	<=38.45	Pass
			6	21.20	-0.75	18.30	<=38.45	Pass
			13	21.14	-0.75	18.24	<=38.45	Pass
		25	0	21.14	-0.75	18.24	<=38.45	Pass
16QAM	826.5	1	0	21.51	-0.75	18.61	<=38.45	Pass
			13	21.56	-0.75	18.66	<=38.45	Pass
			24	21.41	-0.75	18.51	<=38.45	Pass
		12	0	20.25	-0.75	17.35	<=38.45	Pass
			6	20.30	-0.75	17.40	<=38.45	Pass
			13	20.33	-0.75	17.43	<=38.45	Pass
		25	0	20.30	-0.75	17.40	<=38.45	Pass
	836.5	1	0	21.66	-0.75	18.76	<=38.45	Pass
			13	21.55	-0.75	18.65	<=38.45	Pass
			24	21.44	-0.75	18.54	<=38.45	Pass
		12	0	20.25	-0.75	17.35	<=38.45	Pass
			6	20.28	-0.75	17.38	<=38.45	Pass
			13	20.33	-0.75	17.43	<=38.45	Pass
		25	0	20.23	-0.75	17.33	<=38.45	Pass
	846.5	1	0	21.62	-0.75	18.72	<=38.45	Pass
			13	21.53	-0.75	18.63	<=38.45	Pass
			24	21.30	-0.75	18.40	<=38.45	Pass
		12	0	20.24	-0.75	17.34	<=38.45	Pass
			6	20.35	-0.75	17.45	<=38.45	Pass
			13	20.16	-0.75	17.26	<=38.45	Pass
		25	0	20.11	-0.75	17.21	<=38.45	Pass
64QAM	826.5	1	0	21.21	-0.75	18.31	<=38.45	Pass
			13	21.42	-0.75	18.52	<=38.45	Pass
			24	21.19	-0.75	18.29	<=38.45	Pass
		12	0	20.38	-0.75	17.48	<=38.45	Pass
			6	20.34	-0.75	17.44	<=38.45	Pass
			13	20.32	-0.75	17.42	<=38.45	Pass
		25	0	20.20	-0.75	17.30	<=38.45	Pass
	836.5	1	0	21.21	-0.75	18.31	<=38.45	Pass
			13	21.47	-0.75	18.57	<=38.45	Pass
			24	21.25	-0.75	18.35	<=38.45	Pass
		12	0	20.11	-0.75	17.21	<=38.45	Pass
			6	20.29	-0.75	17.39	<=38.45	Pass
			13	20.33	-0.75	17.43	<=38.45	Pass
		25	0	20.21	-0.75	17.31	<=38.45	Pass
	846.5	1	0	21.21	-0.75	18.31	<=38.45	Pass
			13	21.31	-0.75	18.41	<=38.45	Pass
			24	21.24	-0.75	18.34	<=38.45	Pass
		12	0	20.20	-0.75	17.30	<=38.45	Pass
			6	20.20	-0.75	17.30	<=38.45	Pass
			13	20.27	-0.75	17.37	<=38.45	Pass
		25	0	20.15	-0.75	17.25	<=38.45	Pass
256QAM	826.5	1	0	17.28	-0.75	14.38	<=38.45	Pass
			13	17.44	-0.75	14.54	<=38.45	Pass
			24	17.24	-0.75	14.34	<=38.45	Pass



Report No.: SUCR260600048901

Page: 6 of 64

	836.5	12	0	17.36	-0.75	14.46	<=38.45	Pass
			6	17.34	-0.75	14.44	<=38.45	Pass
			13	17.22	-0.75	14.32	<=38.45	Pass
		25	0	17.24	-0.75	14.34	<=38.45	Pass
			0	17.17	-0.75	14.27	<=38.45	Pass
			13	17.44	-0.75	14.54	<=38.45	Pass
		1	24	17.31	-0.75	14.41	<=38.45	Pass
			0	17.31	-0.75	14.41	<=38.45	Pass
			6	17.33	-0.75	14.43	<=38.45	Pass
	846.5	12	13	17.27	-0.75	14.37	<=38.45	Pass
			0	17.16	-0.75	14.26	<=38.45	Pass
			0	17.25	-0.75	14.35	<=38.45	Pass
		1	13	17.37	-0.75	14.47	<=38.45	Pass
			24	17.19	-0.75	14.29	<=38.45	Pass
			0	17.19	-0.75	14.29	<=38.45	Pass
		12	6	17.13	-0.75	14.23	<=38.45	Pass
			13	17.23	-0.75	14.33	<=38.45	Pass
			0	17.13	-0.75	14.23	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.33	-0.75	19.43	<=38.45	Pass
			25	22.25	-0.75	19.35	<=38.45	Pass
			49	22.25	-0.75	19.35	<=38.45	Pass
		25	0	21.45	-0.75	18.55	<=38.45	Pass
			13	21.31	-0.75	18.41	<=38.45	Pass
			25	21.26	-0.75	18.36	<=38.45	Pass
		50	0	21.23	-0.75	18.33	<=38.45	Pass
			0	22.17	-0.75	19.27	<=38.45	Pass
			25	22.19	-0.75	19.29	<=38.45	Pass
	836.5	1	49	22.22	-0.75	19.32	<=38.45	Pass
			0	21.17	-0.75	18.27	<=38.45	Pass
			13	21.17	-0.75	18.27	<=38.45	Pass
		25	25	21.26	-0.75	18.36	<=38.45	Pass
			0	21.17	-0.75	18.27	<=38.45	Pass
			0	21.17	-0.75	18.27	<=38.45	Pass
		50	0	21.17	-0.75	18.27	<=38.45	Pass
			0	22.21	-0.75	19.31	<=38.45	Pass
			25	22.20	-0.75	19.30	<=38.45	Pass
	844	1	49	22.03	-0.75	19.13	<=38.45	Pass
			0	21.20	-0.75	18.30	<=38.45	Pass
			13	21.15	-0.75	18.25	<=38.45	Pass
		25	25	21.17	-0.75	18.27	<=38.45	Pass
			0	21.13	-0.75	18.23	<=38.45	Pass
			0	21.45	-0.75	18.55	<=38.45	Pass
		1	25	21.39	-0.75	18.49	<=38.45	Pass
			49	21.72	-0.75	18.82	<=38.45	Pass
			0	20.29	-0.75	17.39	<=38.45	Pass
16QAM	829	25	13	20.35	-0.75	17.45	<=38.45	Pass

		50	25	20.30	-0.75	17.40	<=38.45	Pass
			0	20.32	-0.75	17.42	<=38.45	Pass
			0	21.37	-0.75	18.47	<=38.45	Pass
	836.5	1	25	21.34	-0.75	18.44	<=38.45	Pass
			49	21.56	-0.75	18.66	<=38.45	Pass
			0	20.16	-0.75	17.26	<=38.45	Pass
		25	13	20.35	-0.75	17.45	<=38.45	Pass
			25	20.24	-0.75	17.34	<=38.45	Pass
			0	20.24	-0.75	17.34	<=38.45	Pass
	844	1	0	21.38	-0.75	18.48	<=38.45	Pass
			25	21.33	-0.75	18.43	<=38.45	Pass
			49	21.41	-0.75	18.51	<=38.45	Pass
		25	0	20.07	-0.75	17.17	<=38.45	Pass
			13	20.23	-0.75	17.33	<=38.45	Pass
			25	20.16	-0.75	17.26	<=38.45	Pass
64QAM	829	1	0	20.23	-0.75	17.33	<=38.45	Pass
			0	21.23	-0.75	18.33	<=38.45	Pass
			25	21.38	-0.75	18.48	<=38.45	Pass
		25	49	21.23	-0.75	18.33	<=38.45	Pass
			0	20.12	-0.75	17.22	<=38.45	Pass
			13	20.27	-0.75	17.37	<=38.45	Pass
	836.5	1	25	20.22	-0.75	17.32	<=38.45	Pass
			25	20.21	-0.75	17.31	<=38.45	Pass
			0	21.27	-0.75	18.37	<=38.45	Pass
		25	0	21.50	-0.75	18.60	<=38.45	Pass
			49	21.14	-0.75	18.24	<=38.45	Pass
			0	20.13	-0.75	17.23	<=38.45	Pass
	844	1	13	20.25	-0.75	17.35	<=38.45	Pass
			25	20.32	-0.75	17.42	<=38.45	Pass
			25	20.17	-0.75	17.27	<=38.45	Pass
		25	0	21.21	-0.75	18.31	<=38.45	Pass
			25	21.35	-0.75	18.45	<=38.45	Pass
			49	21.24	-0.75	18.34	<=38.45	Pass
256QAM	829	1	0	20.21	-0.75	17.31	<=38.45	Pass
			13	20.23	-0.75	17.33	<=38.45	Pass
			25	20.13	-0.75	17.23	<=38.45	Pass
		25	0	20.13	-0.75	17.23	<=38.45	Pass
			0	17.30	-0.75	14.40	<=38.45	Pass
			25	17.35	-0.75	14.45	<=38.45	Pass
	836.5	1	49	17.32	-0.75	14.42	<=38.45	Pass
			0	17.13	-0.75	14.23	<=38.45	Pass
			13	17.25	-0.75	14.35	<=38.45	Pass
		25	25	17.30	-0.75	14.40	<=38.45	Pass
			0	17.26	-0.75	14.36	<=38.45	Pass
			0	17.24	-0.75	14.34	<=38.45	Pass
	844	1	25	17.28	-0.75	14.38	<=38.45	Pass
			49	17.35	-0.75	14.45	<=38.45	Pass
			0	17.15	-0.75	14.25	<=38.45	Pass
		25	13	17.30	-0.75	14.40	<=38.45	Pass
			25	17.27	-0.75	14.37	<=38.45	Pass
			0	17.18	-0.75	14.28	<=38.45	Pass
	844	1	0	17.12	-0.75	14.22	<=38.45	Pass
			25	17.39	-0.75	14.49	<=38.45	Pass



Report No.: SUCR260600048901

Page: 8 of 64

		49	17.11	-0.75	14.21	<=38.45	Pass
	25	0	17.16	-0.75	14.26	<=38.45	Pass
		13	17.11	-0.75	14.21	<=38.45	Pass
		25	17.08	-0.75	14.18	<=38.45	Pass
	50	0	17.09	-0.75	14.19	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	22.14	-0.75	19.24	<=38.45	Pass
			38	22.15	-0.75	19.25	<=38.45	Pass
			74	22.62	-0.75	19.72	<=38.45	Pass
		36	0	21.22	-0.75	18.32	<=38.45	Pass
			18	21.10	-0.75	18.20	<=38.45	Pass
			39	21.23	-0.75	18.33	<=38.45	Pass
		75	0	21.18	-0.75	18.28	<=38.45	Pass
	836.5	1	0	22.21	-0.75	19.31	<=38.45	Pass
			38	22.54	-0.75	19.64	<=38.45	Pass
			74	22.17	-0.75	19.27	<=38.45	Pass
		36	0	21.21	-0.75	18.31	<=38.45	Pass
			18	21.16	-0.75	18.26	<=38.45	Pass
			39	21.13	-0.75	18.23	<=38.45	Pass
		75	0	21.20	-0.75	18.30	<=38.45	Pass
	841.5	1	0	22.09	-0.75	19.19	<=38.45	Pass
			38	22.75	-0.75	19.85	<=38.45	Pass
			74	22.33	-0.75	19.43	<=38.45	Pass
		36	0	21.11	-0.75	18.21	<=38.45	Pass
			18	21.10	-0.75	18.20	<=38.45	Pass
			39	21.16	-0.75	18.26	<=38.45	Pass
		75	0	21.20	-0.75	18.30	<=38.45	Pass
16QAM	831.5	1	0	21.29	-0.75	18.39	<=38.45	Pass
			38	21.45	-0.75	18.55	<=38.45	Pass
			74	21.36	-0.75	18.46	<=38.45	Pass
		36	0	20.23	-0.75	17.33	<=38.45	Pass
			18	20.21	-0.75	17.31	<=38.45	Pass
			39	20.28	-0.75	17.38	<=38.45	Pass
		75	0	20.18	-0.75	17.28	<=38.45	Pass
	836.5	1	0	21.33	-0.75	18.43	<=38.45	Pass
			38	21.54	-0.75	18.64	<=38.45	Pass
			74	21.38	-0.75	18.48	<=38.45	Pass
		36	0	20.24	-0.75	17.34	<=38.45	Pass
			18	20.19	-0.75	17.29	<=38.45	Pass
			39	20.25	-0.75	17.35	<=38.45	Pass
		75	0	20.21	-0.75	17.31	<=38.45	Pass
	841.5	1	0	21.31	-0.75	18.41	<=38.45	Pass
			38	21.50	-0.75	18.60	<=38.45	Pass
			74	21.18	-0.75	18.28	<=38.45	Pass
		36	0	20.24	-0.75	17.34	<=38.45	Pass



Report No.: SUCR260600048901

Page: 9 of 64

		75	18	20.19	-0.75	17.29	<=38.45	Pass		
			39	20.18	-0.75	17.28	<=38.45	Pass		
			0	20.20	-0.75	17.30	<=38.45	Pass		
64QAM	831.5	1	0	21.26	-0.75	18.36	<=38.45	Pass		
			38	21.17	-0.75	18.27	<=38.45	Pass		
			74	21.36	-0.75	18.46	<=38.45	Pass		
		36	0	20.40	-0.75	17.50	<=38.45	Pass		
			18	20.21	-0.75	17.31	<=38.45	Pass		
			39	20.12	-0.75	17.22	<=38.45	Pass		
		75	0	20.16	-0.75	17.26	<=38.45	Pass		
		836.5	1	0	21.13	-0.75	18.23	<=38.45	Pass	
				38	21.29	-0.75	18.39	<=38.45	Pass	
	74			21.24	-0.75	18.34	<=38.45	Pass		
	36		0	20.16	-0.75	17.26	<=38.45	Pass		
			18	20.17	-0.75	17.27	<=38.45	Pass		
			39	20.12	-0.75	17.22	<=38.45	Pass		
	75	0	20.09	-0.75	17.19	<=38.45	Pass			
	841.5	1	0	21.17	-0.75	18.27	<=38.45	Pass		
			38	21.23	-0.75	18.33	<=38.45	Pass		
			74	21.19	-0.75	18.29	<=38.45	Pass		
		36	0	20.22	-0.75	17.32	<=38.45	Pass		
			18	20.12	-0.75	17.22	<=38.45	Pass		
			39	20.19	-0.75	17.29	<=38.45	Pass		
		75	0	20.19	-0.75	17.29	<=38.45	Pass		
		256QAM	831.5	1	0	17.35	-0.75	14.45	<=38.45	Pass
					38	17.32	-0.75	14.42	<=38.45	Pass
	74				17.30	-0.75	14.40	<=38.45	Pass	
36	0			17.18	-0.75	14.28	<=38.45	Pass		
	18			17.16	-0.75	14.26	<=38.45	Pass		
	39			17.09	-0.75	14.19	<=38.45	Pass		
75	0			17.20	-0.75	14.30	<=38.45	Pass		
836.5	1		0	17.33	-0.75	14.43	<=38.45	Pass		
			38	17.35	-0.75	14.45	<=38.45	Pass		
			74	17.42	-0.75	14.52	<=38.45	Pass		
	36		0	17.23	-0.75	14.33	<=38.45	Pass		
			18	17.25	-0.75	14.35	<=38.45	Pass		
39	17.18		-0.75	14.28	<=38.45	Pass				
75	0		17.17	-0.75	14.27	<=38.45	Pass			
841.5	1		0	17.26	-0.75	14.36	<=38.45	Pass		
			38	17.34	-0.75	14.44	<=38.45	Pass		
			74	17.27	-0.75	14.37	<=38.45	Pass		
	36		0	17.17	-0.75	14.27	<=38.45	Pass		
			18	17.15	-0.75	14.25	<=38.45	Pass		
	39		17.17	-0.75	14.27	<=38.45	Pass			
75	0		17.21	-0.75	14.31	<=38.45	Pass			
Note1: ERP=Conducted Power+Antenna Gain-2.15										

2. Frequency Stability

2.1 Test Result



Report No.: SUCR260600048901

Page: 10 of 64

2.1.1 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	3.27	-2.000	-0.0024	-2.5 to 2.5	Pass
					3.85	-1.500	-0.0018	-2.5 to 2.5	Pass
					4.43	-3.100	-0.0037	-2.5 to 2.5	Pass
				-30	3.85	-1.900	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	-1.600	-0.0019	-2.5 to 2.5	Pass
				-10	3.85	-1.600	-0.0019	-2.5 to 2.5	Pass
				0	3.85	0.400	0.0005	-2.5 to 2.5	Pass
				10	3.85	-1.800	-0.0022	-2.5 to 2.5	Pass
				30	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				40	3.85	-1.900	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-2.100	-0.0025	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.081	/	Pass
	16QAM	836.5	6	0	1.084	/	Pass
	64QAM	836.5	6	0	1.083	/	Pass
	256QAM	836.5	6	0	1.086	/	Pass
3	QPSK	836.5	15	0	2.690	/	Pass
	16QAM	836.5	15	0	2.685	/	Pass
	64QAM	836.5	15	0	2.691	/	Pass
	256QAM	836.5	15	0	2.691	/	Pass
5	QPSK	836.5	25	0	4.486	/	Pass
	16QAM	836.5	25	0	4.477	/	Pass
	64QAM	836.5	25	0	4.482	/	Pass
	256QAM	836.5	25	0	4.489	/	Pass
10	QPSK	836.5	50	0	8.971	/	Pass
	16QAM	836.5	50	0	8.964	/	Pass
	64QAM	836.5	50	0	8.958	/	Pass
	256QAM	836.5	50	0	8.942	/	Pass
15	QPSK	836.5	75	0	13.427	/	Pass
	16QAM	836.5	75	0	13.460	/	Pass
	64QAM	836.5	75	0	13.445	/	Pass
	256QAM	836.5	75	0	13.434	/	Pass

3.1.2 Band26b_XDB




Report No.: SUCR260600048901


Page: 11 of 64

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.309	/	Pass
	16QAM	836.5	6	0	1.290	/	Pass
	64QAM	836.5	6	0	1.300	/	Pass
	256QAM	836.5	6	0	1.304	/	Pass
3	QPSK	836.5	15	0	2.969	/	Pass
	16QAM	836.5	15	0	2.965	/	Pass
	64QAM	836.5	15	0	2.958	/	Pass
	256QAM	836.5	15	0	2.975	/	Pass
5	QPSK	836.5	25	0	5.003	/	Pass
	16QAM	836.5	25	0	5.012	/	Pass
	64QAM	836.5	25	0	4.968	/	Pass
	256QAM	836.5	25	0	4.960	/	Pass
10	QPSK	836.5	50	0	9.804	/	Pass
	16QAM	836.5	50	0	9.698	/	Pass
	64QAM	836.5	50	0	9.761	/	Pass
	256QAM	836.5	50	0	9.799	/	Pass
15	QPSK	836.5	75	0	14.548	/	Pass
	16QAM	836.5	75	0	14.628	/	Pass
	64QAM	836.5	75	0	14.636	/	Pass
	256QAM	836.5	75	0	14.634	/	Pass


3.2 Test Graph

3.2.1 Band26b_OBW







Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_256QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_256QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_256QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_256QAM_MCH_836.5MHz_RB_75_0_NTNV




3.2.2 Band26b_XDB







Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_256QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_256QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_256QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_256QAM_MCH_836.5MHz_RB_75_0_NTNV





Report No.: SUCR260600048901
Page: 34 of 64

4. Peak-Average Ratio

4.1 Test Result


4.1.1 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	4.88	<=13	Pass
16QAM	836.5	75	0	6.06	<=13	Pass
64QAM	836.5	75	0	6.05	<=13	Pass
256QAM	836.5	75	0	8.53	<=13	Pass




4.2 Test Graph

4.2.1 B26b_15MHz






Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_256QAM_MCH_836.5MHz_RB_75_0_NTNV





5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	824.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	848.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	825.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	847.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	826.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

5.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTN				
Modulation	Frequency	RB Allocation	Spurious Emission	Verdict



Report No.: SUCR260600048901

Page: 39 of 64


	(MHz)	Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass


5.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		841.5	1	0	Refer To Test Graph	
	74			Refer To Test Graph		Pass
	75		0	Refer To Test Graph		Pass


5.2 Test Graph

5.2.1 B26b_1.4MHz






Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.908	-44.98	-13	Pass
823	824	0.015	/	2	823.994	-28.73	-13	Pass
824	827	0.015	/	/	/	/	/	/


Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.009	-29.91	-13	Pass
850	852	0.1	CHP	2	850.052	-48.36	-13	Pass




5.2.2 B26b_3MHz






Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.920	-40.15	-13	Pass
823	824	0.03	/	2	823.994	-24.96	-13	Pass
824	827	0.03	/	/	/	/	/	/


Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-33.30	-13	Pass
850	852	0.1	CHP	2	850.052	-49.64	-13	Pass




5.2.3 B26b_5MHz






Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.760	-40.62	-13	Pass
823	824	0.051	/	2	823.940	-29.08	-13	Pass
824	829	0.051	/	/	/	/	/	/


Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-34.95	-13	Pass
850	854	0.1	CHP	2	850.839	-41.38	-13	Pass


Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	/	/	/	/	/	/
849	850	0.051	/	1	849.120	-28.07	-13	Pass
850	854	0.1	CHP	2	850.060	-36.66	-13	Pass

5.2.4 B26b_10MHz






Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	823.000	-37.73	-13	Pass
823	824	0.1	/	2	823.960	-31.32	-13	Pass
824	834	0.1	/	/	/	/	/	/


Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.002	-55.66	-13	Pass
850	859	0.1	CHP	2	850.067	-62.28	-13	Pass


Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.1	/	/	/	/	/	/
849	850	0.1	/	1	849.020	-28.73	-13	Pass
850	859	0.1	/	2	850.080	-36.80	-13	Pass

5.2.5 B26b_15MHz






Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	821.900	-38.47	-13	Pass
823	824	0.14548	CHP	2	823.820	-35.60	-13	Pass
824	839	0.14548	CHP	/	/	/	/	/


Band26b_15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV



Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.021	-44.75	-13	Pass
850	864	0.1	CHP	2	850.246	-55.20	-13	Pass



---End of Attachment---