






Band2-10MHz-16QAM-19150-1RB#49-PASS




Band2-10MHz-16QAM-19150-50RB#0-PASS




Band2-15MHz-QPSK-18675-1RB#0-PASS



Band2-15MHz-QPSK-18675-1RB#74-PASS




Band2-15MHz-QPSK-18675-75RB#0-PASS




Band2-15MHz-16QAM-18675-1RB#0-PASS




Band2-15MHz-16QAM-18675-1RB#74-PASS




Band2-15MHz-16QAM-18675-75RB#0-PASS




Band2-15MHz-QPSK-19125-1RB#0-PASS




Band2-15MHz-QPSK-19125-1RB#74-PASS




Band2-15MHz-QPSK-19125-75RB#0-PASS




Band2-15MHz-16QAM-19125-1RB#0-PASS




Band2-15MHz-16QAM-19125-1RB#74-PASS





Band2-15MHz-16QAM-19125-75RB#0-PASS



Band2-20MHz-QPSK-18700-1RB#0-PASS





Band2-20MHz-QPSK-18700-1RB#99-PASS







Band2-20MHz-QPSK-18700-100RB#0-PASS



Band2-20MHz-16QAM-18700-1RB#0-PASS



Band2-20MHz-16QAM-18700-1RB#99-PASS



Band2-20MHz-16QAM-18700-100RB#0-PASS





Band2-20MHz-16QAM-19100-1RB#99-PASS

Band2-20MHz-16QAM-19100-100RB#0-PASS



Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	0.009~0.15	-61.25	-43.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	0.15~30	-56.99	-33.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	30~1000	-61.91	-23.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-22.60	-13.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	3000~20000	-28.67	-13.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.009~0.15	-60.21	-43.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.15~30	-54.64	-33.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	30~1000	-61.76	-23.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	1000~3000	-31.21	-13.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	3000~20000	-28.62	-13.0	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	0.009~0.15	-60.67	-43.0	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	0.15~30	-55.72	-33.0	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	30~1000	-61.39	-23.0	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	1000~3000	-25.33	-13.0	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	3000~20000	-28.92	-13.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.009~0.15	-60.84	-43.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.15~30	-54.73	-33.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	30~1000	-61.68	-23.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	1000~3000	-24.17	-13.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	3000~20000	-28.63	-13.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	0.009~0.15	-60.90	-43.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	0.15~30	-54.52	-33.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	30~1000	-61.21	-23.0	PASS

Band2	1.4MHz	16QAM	18607	1RB#5	1000~3000	-34.33	-13.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	3000~20000	-28.65	-13.0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	0.009~0.15	-61.29	-43.0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	0.15~30	-53.06	-33.0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	30~1000	-61.83	-23.0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1000~3000	-27.56	-13.0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	3000~20000	-28.68	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.009~0.15	-61.30	-43.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.15~30	-54.19	-33.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	30~1000	-61.57	-23.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	1000~3000	-48.64	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3000~20000	-28.67	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	0.009~0.15	-61.00	-43.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	0.15~30	-56.93	-33.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	30~1000	-60.90	-23.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	1000~3000	-49.79	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	3000~20000	-28.91	-13.0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	0.009~0.15	-60.33	-43.0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	0.15~30	-55.20	-33.0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	30~1000	-61.44	-23.0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1000~3000	-49.71	-13.0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	3000~20000	-28.78	-13.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.009~0.15	-56.65	-43.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.15~30	-54.05	-33.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	30~1000	-61.55	-23.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	1000~3000	-49.79	-13.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	3000~20000	-28.65	-13.0	PASS

					000			
Band2	1.4MHz	16QAM	18900	1RB#5	0.009~0.15	-56.82	-43.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	0.15~30	-56.85	-33.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	30~1000	-61.33	-23.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	1000~3000	-49.57	-13.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	3000~20000	-28.63	-13.0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	0.009~0.15	-59.52	-43.0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	0.15~30	-53.63	-33.0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	30~1000	-61.40	-23.0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1000~3000	-49.75	-13.0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	3000~20000	-27.97	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.009~0.15	-60.11	-43.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.15~30	-53.96	-33.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	30~1000	-61.79	-23.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-32.98	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3000~20000	-28.55	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.009~0.15	-60.87	-43.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.15~30	-55.86	-33.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	30~1000	-61.14	-23.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	1000~3000	-24.01	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	3000~20000	-28.71	-13.0	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	0.009~0.15	-60.72	-43.0	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	0.15~30	-57.24	-33.0	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	30~1000	-61.95	-23.0	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1000~3000	-26.10	-13.0	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	3000~20000	-28.53	-13.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.009~0.15	-60.48	-43.0	PASS

Band2	1.4MHz	16QAM	19193	1RB#0	0.15~30	-54.89	-33.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	30~1000	-60.96	-23.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	1000~3000	-34.93	-13.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	3000~20000	-28.69	-13.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	0.009~0.15	-61.93	-43.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	0.15~30	-55.71	-33.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	30~1000	-61.60	-23.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	1000~3000	-26.24	-13.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	3000~20000	-28.53	-13.0	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	0.009~0.15	-57.70	-43.0	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	0.15~30	-55.19	-33.0	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	30~1000	-60.93	-23.0	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1000~3000	-26.94	-13.0	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	3000~20000	-28.38	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.009~0.15	-60.14	-43.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.15~30	-56.17	-33.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	30~1000	-61.06	-23.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	-21.92	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	3000~20000	-28.74	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	0.009~0.15	-59.48	-43.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	0.15~30	-53.30	-33.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	30~1000	-61.51	-23.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	1000~3000	-21.49	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	3000~20000	-28.41	-13.0	PASS
Band2	3MHz	QPSK	18615	15RB#0	0.009~0.15	-59.92	-43.0	PASS
Band2	3MHz	QPSK	18615	15RB#0	0.15~30	-57.33	-33.0	PASS
Band2	3MHz	QPSK	18615	15RB#0	30~1000	-61.83	-23.0	PASS
Band2	3MHz	QPSK	18615	15RB#0	1000~30	-22.90	-13.0	PASS

					00			
Band2	3MHz	QPSK	18615	15RB#0	3000~20000	-28.18	-13.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.009~0.15	-59.83	-43.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.15~30	-55.52	-33.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	30~1000	-60.78	-23.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	1000~3000	-23.55	-13.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	3000~20000	-28.34	-13.0	PASS
Band2	3MHz	16QAM	18615	1RB#14	0.009~0.15	-59.97	-43.0	PASS
Band2	3MHz	16QAM	18615	1RB#14	0.15~30	-57.26	-33.0	PASS
Band2	3MHz	16QAM	18615	1RB#14	30~1000	-61.30	-23.0	PASS
Band2	3MHz	16QAM	18615	1RB#14	1000~3000	-23.11	-13.0	PASS
Band2	3MHz	16QAM	18615	1RB#14	3000~20000	-28.55	-13.0	PASS
Band2	3MHz	16QAM	18615	15RB#0	0.009~0.15	-61.05	-43.0	PASS
Band2	3MHz	16QAM	18615	15RB#0	0.15~30	-55.52	-33.0	PASS
Band2	3MHz	16QAM	18615	15RB#0	30~1000	-61.53	-23.0	PASS
Band2	3MHz	16QAM	18615	15RB#0	1000~3000	-21.90	-13.0	PASS
Band2	3MHz	16QAM	18615	15RB#0	3000~20000	-28.25	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.009~0.15	-58.43	-43.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.15~30	-55.12	-33.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	30~1000	-61.27	-23.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	1000~3000	-49.66	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	3000~20000	-28.46	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.009~0.15	-60.97	-43.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.15~30	-51.96	-33.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	30~1000	-61.42	-23.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	1000~3000	-49.64	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	3000~20000	-28.26	-13.0	PASS

Band2	3MHz	QPSK	18900	15RB#0	0.009~0.15	-59.95	-43.0	PASS
Band2	3MHz	QPSK	18900	15RB#0	0.15~30	-56.44	-33.0	PASS
Band2	3MHz	QPSK	18900	15RB#0	30~1000	-61.51	-23.0	PASS
Band2	3MHz	QPSK	18900	15RB#0	1000~3000	-49.69	-13.0	PASS
Band2	3MHz	QPSK	18900	15RB#0	3000~20000	-28.62	-13.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.009~0.15	-61.51	-43.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.15~30	-55.23	-33.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	30~1000	-62.24	-23.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	1000~3000	-49.53	-13.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	3000~20000	-28.80	-13.0	PASS
Band2	3MHz	16QAM	18900	1RB#14	0.009~0.15	-60.89	-43.0	PASS
Band2	3MHz	16QAM	18900	1RB#14	0.15~30	-53.27	-33.0	PASS
Band2	3MHz	16QAM	18900	1RB#14	30~1000	-61.00	-23.0	PASS
Band2	3MHz	16QAM	18900	1RB#14	1000~3000	-49.69	-13.0	PASS
Band2	3MHz	16QAM	18900	1RB#14	3000~20000	-28.24	-13.0	PASS
Band2	3MHz	16QAM	18900	15RB#0	0.009~0.15	-58.16	-43.0	PASS
Band2	3MHz	16QAM	18900	15RB#0	0.15~30	-55.63	-33.0	PASS
Band2	3MHz	16QAM	18900	15RB#0	30~1000	-61.62	-23.0	PASS
Band2	3MHz	16QAM	18900	15RB#0	1000~3000	-49.65	-13.0	PASS
Band2	3MHz	16QAM	18900	15RB#0	3000~20000	-28.56	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.009~0.15	-59.80	-43.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.15~30	-55.12	-33.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	30~1000	-62.12	-23.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	1000~3000	-22.79	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	3000~20000	-28.29	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.009~0.15	-59.89	-43.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.15~30	-54.27	-33.0	PASS

Band2	3MHz	QPSK	19185	1RB#14	30~1000	-62.04	-23.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	1000~3000	-24.96	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	3000~20000	-28.41	-13.0	PASS
Band2	3MHz	QPSK	19185	15RB#0	0.009~0.15	-58.97	-43.0	PASS
Band2	3MHz	QPSK	19185	15RB#0	0.15~30	-53.81	-33.0	PASS
Band2	3MHz	QPSK	19185	15RB#0	30~1000	-61.35	-23.0	PASS
Band2	3MHz	QPSK	19185	15RB#0	1000~3000	-23.93	-13.0	PASS
Band2	3MHz	QPSK	19185	15RB#0	3000~20000	-28.21	-13.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.009~0.15	-59.57	-43.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.15~30	-55.60	-33.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	30~1000	-61.47	-23.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	1000~3000	-23.68	-13.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	3000~20000	-28.45	-13.0	PASS
Band2	3MHz	16QAM	19185	1RB#14	0.009~0.15	-60.81	-43.0	PASS
Band2	3MHz	16QAM	19185	1RB#14	0.15~30	-55.84	-33.0	PASS
Band2	3MHz	16QAM	19185	1RB#14	30~1000	-62.21	-23.0	PASS
Band2	3MHz	16QAM	19185	1RB#14	1000~3000	-24.12	-13.0	PASS
Band2	3MHz	16QAM	19185	1RB#14	3000~20000	-28.80	-13.0	PASS
Band2	3MHz	16QAM	19185	15RB#0	0.009~0.15	-59.15	-43.0	PASS
Band2	3MHz	16QAM	19185	15RB#0	0.15~30	-55.66	-33.0	PASS
Band2	3MHz	16QAM	19185	15RB#0	30~1000	-61.45	-23.0	PASS
Band2	3MHz	16QAM	19185	15RB#0	1000~3000	-25.09	-13.0	PASS
Band2	3MHz	16QAM	19185	15RB#0	3000~20000	-28.58	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.009~0.15	-55.87	-43.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.15~30	-54.63	-33.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	30~1000	-61.49	-23.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	-30.10	-13.0	PASS

Band2	5MHz	QPSK	18625	1RB#0	3000~20000	-28.77	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	0.009~0.15	-58.80	-43.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	0.15~30	-54.84	-33.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	30~1000	-62.12	-23.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	1000~3000	-23.75	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	3000~20000	-28.67	-13.0	PASS
Band2	5MHz	QPSK	18625	25RB#0	0.009~0.15	-57.29	-43.0	PASS
Band2	5MHz	QPSK	18625	25RB#0	0.15~30	-53.61	-33.0	PASS
Band2	5MHz	QPSK	18625	25RB#0	30~1000	-61.19	-23.0	PASS
Band2	5MHz	QPSK	18625	25RB#0	1000~3000	-22.33	-13.0	PASS
Band2	5MHz	QPSK	18625	25RB#0	3000~20000	-28.79	-13.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.009~0.15	-55.18	-43.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.15~30	-54.39	-33.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	30~1000	-61.97	-23.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	1000~3000	-30.57	-13.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	3000~20000	-28.08	-13.0	PASS
Band2	5MHz	16QAM	18625	1RB#24	0.009~0.15	-57.08	-43.0	PASS
Band2	5MHz	16QAM	18625	1RB#24	0.15~30	-54.29	-33.0	PASS
Band2	5MHz	16QAM	18625	1RB#24	30~1000	-62.03	-23.0	PASS
Band2	5MHz	16QAM	18625	1RB#24	1000~3000	-26.00	-13.0	PASS
Band2	5MHz	16QAM	18625	1RB#24	3000~20000	-28.43	-13.0	PASS
Band2	5MHz	16QAM	18625	25RB#0	0.009~0.15	-57.18	-43.0	PASS
Band2	5MHz	16QAM	18625	25RB#0	0.15~30	-56.53	-33.0	PASS
Band2	5MHz	16QAM	18625	25RB#0	30~1000	-60.61	-23.0	PASS
Band2	5MHz	16QAM	18625	25RB#0	1000~3000	-22.59	-13.0	PASS
Band2	5MHz	16QAM	18625	25RB#0	3000~20000	-28.72	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.009~0.15	-56.63	-43.0	PASS

					15			
Band2	5MHz	QPSK	18900	1RB#0	0.15~30	-56.22	-33.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	30~1000	-61.69	-23.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	1000~3000	-49.64	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	3000~20000	-28.57	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.009~0.15	-59.23	-43.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.15~30	-54.02	-33.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	30~1000	-60.73	-23.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	1000~3000	-46.87	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	3000~20000	-28.60	-13.0	PASS
Band2	5MHz	QPSK	18900	25RB#0	0.009~0.15	-55.29	-43.0	PASS
Band2	5MHz	QPSK	18900	25RB#0	0.15~30	-57.28	-33.0	PASS
Band2	5MHz	QPSK	18900	25RB#0	30~1000	-61.80	-23.0	PASS
Band2	5MHz	QPSK	18900	25RB#0	1000~3000	-49.74	-13.0	PASS
Band2	5MHz	QPSK	18900	25RB#0	3000~20000	-28.62	-13.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.009~0.15	-59.29	-43.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.15~30	-54.06	-33.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	30~1000	-61.94	-23.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	1000~3000	-49.83	-13.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	3000~20000	-28.36	-13.0	PASS
Band2	5MHz	16QAM	18900	1RB#24	0.009~0.15	-58.41	-43.0	PASS
Band2	5MHz	16QAM	18900	1RB#24	0.15~30	-55.44	-33.0	PASS
Band2	5MHz	16QAM	18900	1RB#24	30~1000	-61.74	-23.0	PASS
Band2	5MHz	16QAM	18900	1RB#24	1000~3000	-49.64	-13.0	PASS
Band2	5MHz	16QAM	18900	1RB#24	3000~20000	-28.73	-13.0	PASS
Band2	5MHz	16QAM	18900	25RB#0	0.009~0.15	-58.13	-43.0	PASS
Band2	5MHz	16QAM	18900	25RB#0	0.15~30	-54.63	-33.0	PASS
Band2	5MHz	16QAM	18900	25RB#0	30~1000	-61.43	-23.0	PASS

Band2	5MHz	16QAM	18900	25RB#0	1000~3000	-49.59	-13.0	PASS
Band2	5MHz	16QAM	18900	25RB#0	3000~20000	-28.43	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.009~0.15	-55.96	-43.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.15~30	-56.11	-33.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	30~1000	-61.68	-23.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	1000~3000	-22.86	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	3000~20000	-28.21	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.009~0.15	-57.93	-43.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.15~30	-57.26	-33.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	30~1000	-62.09	-23.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	1000~3000	-30.95	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	3000~20000	-28.71	-13.0	PASS
Band2	5MHz	QPSK	19175	25RB#0	0.009~0.15	-55.70	-43.0	PASS
Band2	5MHz	QPSK	19175	25RB#0	0.15~30	-58.06	-33.0	PASS
Band2	5MHz	QPSK	19175	25RB#0	30~1000	-61.88	-23.0	PASS
Band2	5MHz	QPSK	19175	25RB#0	1000~3000	-23.96	-13.0	PASS
Band2	5MHz	QPSK	19175	25RB#0	3000~20000	-28.69	-13.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.009~0.15	-58.30	-43.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.15~30	-57.33	-33.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	30~1000	-61.14	-23.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	1000~3000	-24.46	-13.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	3000~20000	-28.60	-13.0	PASS
Band2	5MHz	16QAM	19175	1RB#24	0.009~0.15	-57.17	-43.0	PASS
Band2	5MHz	16QAM	19175	1RB#24	0.15~30	-57.35	-33.0	PASS
Band2	5MHz	16QAM	19175	1RB#24	30~1000	-60.96	-23.0	PASS
Band2	5MHz	16QAM	19175	1RB#24	1000~3000	-31.60	-13.0	PASS
Band2	5MHz	16QAM	19175	1RB#24	3000~20000	-28.67	-13.0	PASS

					000			
Band2	5MHz	16QAM	19175	25RB#0	0.009~0.15	-57.95	-43.0	PASS
Band2	5MHz	16QAM	19175	25RB#0	0.15~30	-54.61	-33.0	PASS
Band2	5MHz	16QAM	19175	25RB#0	30~1000	-60.33	-23.0	PASS
Band2	5MHz	16QAM	19175	25RB#0	1000~3000	-23.28	-13.0	PASS
Band2	5MHz	16QAM	19175	25RB#0	3000~20000	-28.07	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.009~0.15	-59.17	-43.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.15~30	-55.22	-33.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	30~1000	-61.68	-23.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	-34.63	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	3000~20000	-28.57	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.009~0.15	-57.81	-43.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.15~30	-55.90	-33.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	30~1000	-62.03	-23.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	1000~3000	-26.55	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	3000~20000	-28.50	-13.0	PASS
Band2	10MHz	QPSK	18650	50RB#0	0.009~0.15	-59.20	-43.0	PASS
Band2	10MHz	QPSK	18650	50RB#0	0.15~30	-55.09	-33.0	PASS
Band2	10MHz	QPSK	18650	50RB#0	30~1000	-60.93	-23.0	PASS
Band2	10MHz	QPSK	18650	50RB#0	1000~3000	-22.64	-13.0	PASS
Band2	10MHz	QPSK	18650	50RB#0	3000~20000	-28.28	-13.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.009~0.15	-57.50	-43.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.15~30	-53.80	-33.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	30~1000	-61.67	-23.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	1000~3000	-35.14	-13.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	3000~20000	-28.28	-13.0	PASS
Band2	10MHz	16QAM	18650	1RB#49	0.009~0.15	-58.94	-43.0	PASS

Band2	10MHz	16QAM	18650	1RB#49	0.15~30	-54.97	-33.0	PASS
Band2	10MHz	16QAM	18650	1RB#49	30~1000	-61.43	-23.0	PASS
Band2	10MHz	16QAM	18650	1RB#49	1000~3000	-26.36	-13.0	PASS
Band2	10MHz	16QAM	18650	1RB#49	3000~20000	-28.68	-13.0	PASS
Band2	10MHz	16QAM	18650	50RB#0	0.009~0.15	-56.44	-43.0	PASS
Band2	10MHz	16QAM	18650	50RB#0	0.15~30	-55.54	-33.0	PASS
Band2	10MHz	16QAM	18650	50RB#0	30~1000	-61.97	-23.0	PASS
Band2	10MHz	16QAM	18650	50RB#0	1000~3000	-22.90	-13.0	PASS
Band2	10MHz	16QAM	18650	50RB#0	3000~20000	-28.70	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.009~0.15	-56.92	-43.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.15~30	-57.22	-33.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	30~1000	-61.85	-23.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	1000~3000	-49.70	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	3000~20000	-28.43	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	0.009~0.15	-59.00	-43.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	0.15~30	-55.35	-33.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	30~1000	-60.65	-23.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	1000~3000	-49.61	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	3000~20000	-28.28	-13.0	PASS
Band2	10MHz	QPSK	18900	50RB#0	0.009~0.15	-57.86	-43.0	PASS
Band2	10MHz	QPSK	18900	50RB#0	0.15~30	-54.04	-33.0	PASS
Band2	10MHz	QPSK	18900	50RB#0	30~1000	-61.48	-23.0	PASS
Band2	10MHz	QPSK	18900	50RB#0	1000~3000	-48.11	-13.0	PASS
Band2	10MHz	QPSK	18900	50RB#0	3000~20000	-28.66	-13.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.009~0.15	-56.86	-43.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.15~30	-54.22	-33.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	30~1000	-61.68	-23.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	1000~30	-49.52	-13.0	PASS

					00			
Band2	10MHz	16QAM	18900	1RB#0	3000~20000	-28.52	-13.0	PASS
Band2	10MHz	16QAM	18900	1RB#49	0.009~0.15	-58.16	-43.0	PASS
Band2	10MHz	16QAM	18900	1RB#49	0.15~30	-55.82	-33.0	PASS
Band2	10MHz	16QAM	18900	1RB#49	30~1000	-61.81	-23.0	PASS
Band2	10MHz	16QAM	18900	1RB#49	1000~3000	-49.53	-13.0	PASS
Band2	10MHz	16QAM	18900	1RB#49	3000~20000	-28.49	-13.0	PASS
Band2	10MHz	16QAM	18900	50RB#0	0.009~0.15	-58.09	-43.0	PASS
Band2	10MHz	16QAM	18900	50RB#0	0.15~30	-56.05	-33.0	PASS
Band2	10MHz	16QAM	18900	50RB#0	30~1000	-61.52	-23.0	PASS
Band2	10MHz	16QAM	18900	50RB#0	1000~3000	-48.85	-13.0	PASS
Band2	10MHz	16QAM	18900	50RB#0	3000~20000	-28.59	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.009~0.15	-55.91	-43.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.15~30	-55.34	-33.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	30~1000	-61.60	-23.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	1000~3000	-26.03	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	3000~20000	-28.31	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.009~0.15	-55.59	-43.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.15~30	-53.40	-33.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	30~1000	-60.94	-23.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	1000~3000	-35.82	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	3000~20000	-28.53	-13.0	PASS
Band2	10MHz	QPSK	19150	50RB#0	0.009~0.15	-57.23	-43.0	PASS
Band2	10MHz	QPSK	19150	50RB#0	0.15~30	-53.83	-33.0	PASS
Band2	10MHz	QPSK	19150	50RB#0	30~1000	-61.80	-23.0	PASS
Band2	10MHz	QPSK	19150	50RB#0	1000~3000	-26.34	-13.0	PASS
Band2	10MHz	QPSK	19150	50RB#0	3000~20000	-28.48	-13.0	PASS

Band2	10MHz	16QAM	19150	1RB#0	0.009~0.15	-56.02	-43.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.15~30	-56.73	-33.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	30~1000	-61.48	-23.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	1000~3000	-27.99	-13.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	3000~20000	-28.67	-13.0	PASS
Band2	10MHz	16QAM	19150	1RB#49	0.009~0.15	-58.70	-43.0	PASS
Band2	10MHz	16QAM	19150	1RB#49	0.15~30	-56.93	-33.0	PASS
Band2	10MHz	16QAM	19150	1RB#49	30~1000	-61.02	-23.0	PASS
Band2	10MHz	16QAM	19150	1RB#49	1000~3000	-35.82	-13.0	PASS
Band2	10MHz	16QAM	19150	1RB#49	3000~20000	-28.58	-13.0	PASS
Band2	10MHz	16QAM	19150	50RB#0	0.009~0.15	-56.52	-43.0	PASS
Band2	10MHz	16QAM	19150	50RB#0	0.15~30	-55.71	-33.0	PASS
Band2	10MHz	16QAM	19150	50RB#0	30~1000	-61.40	-23.0	PASS
Band2	10MHz	16QAM	19150	50RB#0	1000~3000	-26.46	-13.0	PASS
Band2	10MHz	16QAM	19150	50RB#0	3000~20000	-28.69	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.009~0.15	-57.77	-43.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.15~30	-53.51	-33.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	30~1000	-61.44	-23.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-25.01	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	3000~20000	-28.61	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.009~0.15	-56.01	-43.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.15~30	-55.95	-33.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	30~1000	-61.14	-23.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	1000~3000	-31.19	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	3000~20000	-28.43	-13.0	PASS
Band2	15MHz	QPSK	18675	75RB#0	0.009~0.15	-58.57	-43.0	PASS
Band2	15MHz	QPSK	18675	75RB#0	0.15~30	-56.01	-33.0	PASS

Band2	15MHz	QPSK	18675	75RB#0	30~1000	-60.45	-23.0	PASS
Band2	15MHz	QPSK	18675	75RB#0	1000~3000	-22.73	-13.0	PASS
Band2	15MHz	QPSK	18675	75RB#0	3000~20000	-28.81	-13.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.009~0.15	-58.43	-43.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.15~30	-55.75	-33.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	30~1000	-61.93	-23.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	1000~3000	-28.03	-13.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	3000~20000	-28.67	-13.0	PASS
Band2	15MHz	16QAM	18675	1RB#74	0.009~0.15	-59.34	-43.0	PASS
Band2	15MHz	16QAM	18675	1RB#74	0.15~30	-53.49	-33.0	PASS
Band2	15MHz	16QAM	18675	1RB#74	30~1000	-61.51	-23.0	PASS
Band2	15MHz	16QAM	18675	1RB#74	1000~3000	-32.57	-13.0	PASS
Band2	15MHz	16QAM	18675	1RB#74	3000~20000	-28.18	-13.0	PASS
Band2	15MHz	16QAM	18675	75RB#0	0.009~0.15	-56.86	-43.0	PASS
Band2	15MHz	16QAM	18675	75RB#0	0.15~30	-56.01	-33.0	PASS
Band2	15MHz	16QAM	18675	75RB#0	30~1000	-61.24	-23.0	PASS
Band2	15MHz	16QAM	18675	75RB#0	1000~3000	-22.44	-13.0	PASS
Band2	15MHz	16QAM	18675	75RB#0	3000~20000	-28.69	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.009~0.15	-57.67	-43.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.15~30	-54.58	-33.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	30~1000	-61.89	-23.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	1000~3000	-41.75	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	3000~20000	-28.71	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.009~0.15	-57.00	-43.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.15~30	-55.66	-33.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	30~1000	-61.64	-23.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	1000~3000	-43.47	-13.0	PASS

Band2	15MHz	QPSK	18900	1RB#74	3000~20000	-28.82	-13.0	PASS
Band2	15MHz	QPSK	18900	75RB#0	0.009~0.15	-57.02	-43.0	PASS
Band2	15MHz	QPSK	18900	75RB#0	0.15~30	-54.02	-33.0	PASS
Band2	15MHz	QPSK	18900	75RB#0	30~1000	-61.64	-23.0	PASS
Band2	15MHz	QPSK	18900	75RB#0	1000~3000	-38.33	-13.0	PASS
Band2	15MHz	QPSK	18900	75RB#0	3000~20000	-28.67	-13.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.009~0.15	-57.46	-43.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.15~30	-54.82	-33.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	30~1000	-61.89	-23.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	1000~3000	-42.45	-13.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	3000~20000	-28.48	-13.0	PASS
Band2	15MHz	16QAM	18900	1RB#74	0.009~0.15	-53.72	-43.0	PASS
Band2	15MHz	16QAM	18900	1RB#74	0.15~30	-54.31	-33.0	PASS
Band2	15MHz	16QAM	18900	1RB#74	30~1000	-61.66	-23.0	PASS
Band2	15MHz	16QAM	18900	1RB#74	1000~3000	-42.71	-13.0	PASS
Band2	15MHz	16QAM	18900	1RB#74	3000~20000	-28.62	-13.0	PASS
Band2	15MHz	16QAM	18900	75RB#0	0.009~0.15	-58.53	-43.0	PASS
Band2	15MHz	16QAM	18900	75RB#0	0.15~30	-54.46	-33.0	PASS
Band2	15MHz	16QAM	18900	75RB#0	30~1000	-61.46	-23.0	PASS
Band2	15MHz	16QAM	18900	75RB#0	1000~3000	-40.55	-13.0	PASS
Band2	15MHz	16QAM	18900	75RB#0	3000~20000	-28.61	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.009~0.15	-53.30	-43.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.15~30	-52.93	-33.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	30~1000	-61.36	-23.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	1000~3000	-39.68	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	3000~20000	-28.23	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	0.009~0.15	-55.03	-43.0	PASS

					15			
Band2	15MHz	QPSK	19125	1RB#74	0.15~30	-55.28	-33.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	30~1000	-61.59	-23.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	1000~3000	-36.02	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	3000~20000	-28.60	-13.0	PASS
Band2	15MHz	QPSK	19125	75RB#0	0.009~0.15	-58.04	-43.0	PASS
Band2	15MHz	QPSK	19125	75RB#0	0.15~30	-55.22	-33.0	PASS
Band2	15MHz	QPSK	19125	75RB#0	30~1000	-61.66	-23.0	PASS
Band2	15MHz	QPSK	19125	75RB#0	1000~3000	-26.69	-13.0	PASS
Band2	15MHz	QPSK	19125	75RB#0	3000~20000	-28.45	-13.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.009~0.15	-56.36	-43.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.15~30	-54.21	-33.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	30~1000	-61.45	-23.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	1000~3000	-38.32	-13.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	3000~20000	-28.84	-13.0	PASS
Band2	15MHz	16QAM	19125	1RB#74	0.009~0.15	-57.44	-43.0	PASS
Band2	15MHz	16QAM	19125	1RB#74	0.15~30	-56.30	-33.0	PASS
Band2	15MHz	16QAM	19125	1RB#74	30~1000	-61.93	-23.0	PASS
Band2	15MHz	16QAM	19125	1RB#74	1000~3000	-36.88	-13.0	PASS
Band2	15MHz	16QAM	19125	1RB#74	3000~20000	-28.90	-13.0	PASS
Band2	15MHz	16QAM	19125	75RB#0	0.009~0.15	-58.89	-43.0	PASS
Band2	15MHz	16QAM	19125	75RB#0	0.15~30	-56.14	-33.0	PASS
Band2	15MHz	16QAM	19125	75RB#0	30~1000	-61.85	-23.0	PASS
Band2	15MHz	16QAM	19125	75RB#0	1000~3000	-27.14	-13.0	PASS
Band2	15MHz	16QAM	19125	75RB#0	3000~20000	-28.39	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.009~0.15	-54.91	-43.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.15~30	-54.56	-33.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	30~1000	-62.18	-23.0	PASS


Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-34.97	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	3000~20000	-28.52	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.009~0.15	-57.03	-43.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.15~30	-53.92	-33.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	30~1000	-60.59	-23.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	1000~3000	-37.17	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	3000~20000	-28.50	-13.0	PASS
Band2	20MHz	QPSK	18700	100RB#0	0.009~0.15	-58.17	-43.0	PASS
Band2	20MHz	QPSK	18700	100RB#0	0.15~30	-54.10	-33.0	PASS
Band2	20MHz	QPSK	18700	100RB#0	30~1000	-61.96	-23.0	PASS
Band2	20MHz	QPSK	18700	100RB#0	1000~3000	-26.97	-13.0	PASS
Band2	20MHz	QPSK	18700	100RB#0	3000~20000	-27.91	-13.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.009~0.15	-57.90	-43.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.15~30	-56.30	-33.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	30~1000	-61.07	-23.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	1000~3000	-35.21	-13.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	3000~20000	-28.24	-13.0	PASS
Band2	20MHz	16QAM	18700	1RB#99	0.009~0.15	-56.67	-43.0	PASS
Band2	20MHz	16QAM	18700	1RB#99	0.15~30	-57.30	-33.0	PASS
Band2	20MHz	16QAM	18700	1RB#99	30~1000	-61.41	-23.0	PASS
Band2	20MHz	16QAM	18700	1RB#99	1000~3000	-37.19	-13.0	PASS
Band2	20MHz	16QAM	18700	1RB#99	3000~20000	-28.70	-13.0	PASS
Band2	20MHz	16QAM	18700	100RB#0	0.009~0.15	-56.95	-43.0	PASS
Band2	20MHz	16QAM	18700	100RB#0	0.15~30	-53.06	-33.0	PASS
Band2	20MHz	16QAM	18700	100RB#0	30~1000	-61.70	-23.0	PASS
Band2	20MHz	16QAM	18700	100RB#0	1000~3000	-26.73	-13.0	PASS
Band2	20MHz	16QAM	18700	100RB#0	3000~20000	-28.07	-13.0	PASS


					000			
Band2	20MHz	QPSK	18900	1RB#0	0.009~0.15	-57.09	-43.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.15~30	-54.00	-33.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	30~1000	-61.85	-23.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	1000~3000	-47.13	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	3000~20000	-28.74	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.009~0.15	-56.69	-43.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.15~30	-54.86	-33.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	30~1000	-61.57	-23.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	1000~3000	-49.68	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	3000~20000	-28.64	-13.0	PASS
Band2	20MHz	QPSK	18900	100RB#0	0.009~0.15	-57.35	-43.0	PASS
Band2	20MHz	QPSK	18900	100RB#0	0.15~30	-53.93	-33.0	PASS
Band2	20MHz	QPSK	18900	100RB#0	30~1000	-61.22	-23.0	PASS
Band2	20MHz	QPSK	18900	100RB#0	1000~3000	-36.25	-13.0	PASS
Band2	20MHz	QPSK	18900	100RB#0	3000~20000	-28.45	-13.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.009~0.15	-56.93	-43.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.15~30	-55.92	-33.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	30~1000	-61.81	-23.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	1000~3000	-46.75	-13.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	3000~20000	-29.01	-13.0	PASS
Band2	20MHz	16QAM	18900	1RB#99	0.009~0.15	-57.39	-43.0	PASS
Band2	20MHz	16QAM	18900	1RB#99	0.15~30	-55.27	-33.0	PASS
Band2	20MHz	16QAM	18900	1RB#99	30~1000	-61.65	-23.0	PASS
Band2	20MHz	16QAM	18900	1RB#99	1000~3000	-49.81	-13.0	PASS
Band2	20MHz	16QAM	18900	1RB#99	3000~20000	-28.71	-13.0	PASS
Band2	20MHz	16QAM	18900	100RB#0	0.009~0.15	-57.72	-43.0	PASS

Band2	20MHz	16QAM	18900	100RB#0	0.15~30	-53.71	-33.0	PASS
Band2	20MHz	16QAM	18900	100RB#0	30~1000	-61.51	-23.0	PASS
Band2	20MHz	16QAM	18900	100RB#0	1000~3000	-36.37	-13.0	PASS
Band2	20MHz	16QAM	18900	100RB#0	3000~20000	-28.61	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.009~0.15	-58.53	-43.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.15~30	-55.85	-33.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	30~1000	-61.32	-23.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	1000~3000	-40.09	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	3000~20000	-28.88	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	0.009~0.15	-58.35	-43.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	0.15~30	-54.45	-33.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	30~1000	-61.06	-23.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	1000~3000	-36.70	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	3000~20000	-28.61	-13.0	PASS
Band2	20MHz	QPSK	19100	100RB#0	0.009~0.15	-56.87	-43.0	PASS
Band2	20MHz	QPSK	19100	100RB#0	0.15~30	-54.92	-33.0	PASS
Band2	20MHz	QPSK	19100	100RB#0	30~1000	-61.71	-23.0	PASS
Band2	20MHz	QPSK	19100	100RB#0	1000~3000	-28.04	-13.0	PASS
Band2	20MHz	QPSK	19100	100RB#0	3000~20000	-28.09	-13.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.009~0.15	-58.43	-43.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.15~30	-54.48	-33.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	30~1000	-61.89	-23.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	1000~3000	-41.22	-13.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	3000~20000	-28.45	-13.0	PASS
Band2	20MHz	16QAM	19100	1RB#99	0.009~0.15	-58.97	-43.0	PASS
Band2	20MHz	16QAM	19100	1RB#99	0.15~30	-55.02	-33.0	PASS
Band2	20MHz	16QAM	19100	1RB#99	30~1000	-61.60	-23.0	PASS
Band2	20MHz	16QAM	19100	1RB#99	1000~30	-37.67	-13.0	PASS


					00			
Band2	20MHz	16QAM	19100	1RB#99	3000~20000	-28.50	-13.0	PASS
Band2	20MHz	16QAM	19100	100RB#0	0.009~0.15	-56.04	-43.0	PASS
Band2	20MHz	16QAM	19100	100RB#0	0.15~30	-55.54	-33.0	PASS
Band2	20MHz	16QAM	19100	100RB#0	30~1000	-62.05	-23.0	PASS
Band2	20MHz	16QAM	19100	100RB#0	1000~3000	-28.39	-13.0	PASS
Band2	20MHz	16QAM	19100	100RB#0	3000~20000	-28.57	-13.0	PASS

Test Graphs







Band2-1.4MHz-QPSK-18607-1RB#0-3000~2000
0-PASS




Band2-1.4MHz-QPSK-18607-1RB#5-0.009~0.15
-PASS




Band2-1.4MHz-QPSK-18607-1RB#5-0.15~30-P
ASS




Band2-1.4MHz-QPSK-18607-1RB#5-30~1000-P
ASS




Band2-1.4MHz-QPSK-18607-1RB#5-1000~3000
-PASS




Band2-1.4MHz-QPSK-18607-1RB#5-3000~2000
0-PASS




Band2-1.4MHz-QPSK-18607-6RB#0-0.009~0.15
-PASS




Band2-1.4MHz-QPSK-18607-6RB#0-0.15~30-P
ASS




Band2-1.4MHz-QPSK-18607-6RB#0-30~1000-P
ASS




Band2-1.4MHz-QPSK-18607-6RB#0-1000~3000
-PASS




Band2-1.4MHz-QPSK-18607-6RB#0-3000~2000
0-PASS




Band2-1.4MHz-16QAM-18607-1RB#0-0.009~0.1
5-PASS




Band2-1.4MHz-16QAM-18607-1RB#0-0.15~30-P
ASS



Band2-1.4MHz-16QAM-18607-1RB#0-30~1000-
PASS



Band2-1.4MHz-16QAM-18607-1RB#0-1000~300
0-PASS



Band2-1.4MHz-16QAM-18607-1RB#0-3000~200
00-PASS