




802.11n(HT20)_HCH_5240MHz_MIMO_NTNV




802.11n(HT40)_LCH_5190MHz_ANT2_NTNV




802.11n(HT40)_LCH_5190MHz_ANT3_NTNV




802.11n(HT40)_LCH_5190MHz_MIMO_NTNV




802.11n(HT40)_HCH_5230MHz_ANT2_NTNV




802.11n(HT40)_HCH_5230MHz_ANT3_NTNV




802.11n(HT40)_HCH_5230MHz_MIMO_NTNV




802.11ac(VHT80)_MCH_5210MHz_ANT2_NTNV




802.11ac(VHT80)_MCH_5210MHz_ANT3_NTNV




802.11ac(VHT80)_MCH_5210MHz MIMO_NTNV




802.11ax(HEW20) LCH 5180MHz_SU / ANT2_NTNV




802.11ax(HEW20) LCH 5180MHz_SU / ANT3_NTNV




802.11ax(HEW20) LCH 5180MHz_SU / MIMO_NTNV




802.11ax(HEW20) MCH 5200MHz_SU / ANT2_NTNV




802.11ax(HEW20) MCH 5200MHz SU / ANT3_NTNV




802.11ax(HEW20) MCH 5200MHz SU / MIMO NTN




802.11ax(HEW20) HCH 5240MHz SU / ANT2_NTNV




802.11ax(HEW20) HCH 5240MHz SU / ANT3_NTNV




802.11ax(HEW20) HCH 5240MHz SU / MIMO_NTNV




802.11ax(HEW40) LCH 5190MHz SU / ANT2 NTN




802.11ax(HEW40) LCH 5190MHz SU / ANT3 NTN




802.11ax(HEW40) LCH 5190MHz SU / MIMO NTN




802.11ax(HEW40) HCH 5230MHz SU / ANT2_NTNV




802.11ax(HEW40) HCH 5230MHz SU / ANT3_NTNV




802.11ax(HEW40) HCH 5230MHz SU / MIMO_NTNV




802.11ax(HEW80) MCH 5210MHz SU / ANT2_NTNV



802.11ax(HEW80) MCH 5210MHz SU / ANT3_NTNV




802.11ax(HEW80) MCH 5210MHz SU / MIMO NTN




Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: 802.11ax80_Channel 155



Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	42.61	-41.14	13.78	15.38	40.00	24.62	Horizontal
2	74.3775	-40.70	9.09	17.74	40.00	22.26	Horizontal
3	140.3375	-39.86	13.83	10.44	43.50	33.06	Horizontal
4	199.75	-39.27	15.63	13.70	43.50	29.80	Horizontal
5	851.59	-34.62	20.23	22.61	46.00	23.39	Horizontal
6	971.1425	-33.76	21.62	25.00	54.00	29.00	Horizontal



Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	40.9125	-41.17	13.27	18.16	40.00	21.84	Vertical
2	74.3775	-40.70	9.09	16.21	40.00	23.79	Vertical
3	139.8525	-39.87	13.49	10.47	43.50	33.03	Vertical
4	199.9925	-39.27	16.47	12.93	43.50	30.57	Vertical
5	886.51	-34.45	20.93	23.02	46.00	22.98	Vertical
6	992.9675	-33.76	21.96	22.62	54.00	31.38	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

$$\text{Value} = \text{Reading}(\text{dB}\mu\text{V}) + \text{AF}(\text{dB/m}) + \text{Factor}(\text{dB})$$


$$\text{AF} = \text{Antenna Factor}(\text{dB/m})$$

$$\text{Factor} = \text{Cable Factor}(\text{dB}) - \text{Preamplifier gain}(\text{dB})$$

$$\text{Margin} = \text{Limit}(\text{dB}\mu\text{V/m}) - \text{Value}(\text{dB}\mu\text{V/m})$$
- All channels have been tested, but only the worst case data displayed in this report.


Transmitter emission Above 1GHz

802.11a_Channel 36




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17976.6167	47.78	-46.07	42.95	54.00	11.05	Horizontal
2	6166.3333	33.37	-11.70	60.81	68.20	7.39	Horizontal
3	10009.0333	38.71	-40.05	50.33	68.20	17.87	Horizontal
4	12806.6	38.99	-40.35	51.87	68.20	16.33	Horizontal
5	15025.3333	40.60	-36.47	53.13	68.20	15.07	Horizontal
6	17978.5333	47.81	-46.08	51.74	74.00	22.26	Horizontal

802.11a_Channel 36



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17999.2333	48.19	-46.23	43.04	54.00	10.96	Vertical
2	5897.75	32.79	-12.06	61.07	68.20	7.13	Vertical
3	9331.3	37.29	-40.52	48.42	74.00	25.58	Vertical
4	10728.1667	39.53	-40.27	50.80	74.00	23.20	Vertical
5	15016.1333	40.64	-36.45	52.74	68.20	15.46	Vertical
6	17686.05	44.86	-43.70	50.91	68.20	17.29	Vertical


802.11a_Channel 40



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17977.3833	47.79	-46.07	43.03	54.00	10.97	Horizontal
2	6130.125	33.34	-11.66	61.63	68.20	6.57	Horizontal
3	10099.8833	38.80	-40.01	49.74	68.20	18.46	Horizontal
4	11349.1667	40.20	-40.79	51.18	74.00	22.82	Horizontal
5	15014.9833	40.64	-36.45	52.89	68.20	15.31	Horizontal
6	17970.8667	47.68	-46.03	50.70	74.00	23.30	Horizontal

802.11a_Channel 40




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17767.7	45.51	-44.44	42.92	54.00	11.08	Vertical
2	6002.25	33.02	-11.90	61.00	68.20	7.20	Vertical
3	10098.35	38.80	-40.01	49.91	68.20	18.29	Vertical
4	11282.85	40.12	-41.23	50.63	74.00	23.37	Vertical
5	15027.25	40.59	-36.48	52.64	68.20	15.56	Vertical
6	17883.85	46.30	-45.37	51.27	74.00	22.73	Vertical

802.11a_Channel 48




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17972.0167	47.70	-46.04	42.96	54.00	11.04	Horizontal
2	5962.8333	32.93	-11.97	60.70	68.20	7.50	Horizontal
3	10055.4167	38.76	-40.03	49.94	68.20	18.26	Horizontal
4	10694.8167	39.49	-40.15	50.91	74.00	23.09	Horizontal
5	15033	40.57	-36.49	52.64	68.20	15.56	Horizontal
6	17873.5	46.24	-45.29	50.98	74.00	23.02	Horizontal

802.11a_Channel 48




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17768.4667	45.52	-44.44	42.90	54.00	11.10	Vertical
2	5977.5	32.95	-11.94	60.70	68.20	7.50	Vertical
3	9312.5167	37.18	-40.39	49.00	74.00	25.00	Vertical
4	11984.35	39.65	-40.35	51.27	74.00	22.73	Vertical
5	15043.7333	40.53	-36.51	52.83	68.20	15.37	Vertical
6	17955.5333	47.40	-45.92	50.94	74.00	23.06	Vertical

802.11a_Channel 52




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17886.9167	46.32	-45.40	43.08	54.00	10.92	Horizontal
2	5980.25	32.96	-11.94	60.34	68.20	7.86	Horizontal
3	10083.4	38.78	-40.02	50.62	68.20	17.58	Horizontal
4	12172.5667	39.57	-40.38	51.32	74.00	22.68	Horizontal
5	15003.1	40.69	-36.42	52.49	68.20	15.71	Horizontal
6	17899.95	46.40	-45.51	50.63	74.00	23.37	Horizontal

802.11a_Channel 52




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17978.9167	47.82	-46.09	43.09	54.00	10.91	Vertical
2	6130.125	33.34	-11.66	61.73	68.20	6.47	Vertical
3	10674.8833	39.45	-40.16	50.22	74.00	23.78	Vertical
4	12453.1667	39.37	-40.57	51.29	74.00	22.71	Vertical
5	15005.4	40.68	-36.42	52.55	68.20	15.65	Vertical
6	17924.4833	46.84	-45.69	50.49	74.00	23.51	Vertical

802.11a_Channel 60




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17872.35	46.23	-45.28	43.08	54.00	10.92	Horizontal
2	6280.9167	33.39	-11.70	61.47	68.20	6.73	Horizontal
3	9264.9833	37.38	-40.54	48.47	68.20	19.73	Horizontal
4	11351.4667	40.20	-40.78	51.34	74.00	22.66	Horizontal
5	14981.25	40.76	-37.19	51.77	68.20	16.43	Horizontal
6	17870.05	46.22	-45.26	51.03	74.00	22.97	Horizontal

802.11a_Channel 60



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.5667	47.63	-46.01	43.24	54.00	10.76	Vertical
2	6181	33.42	-11.71	60.62	68.20	7.58	Vertical
3	9567.8167	37.80	-40.14	48.93	68.20	19.27	Vertical
4	11525.8833	40.23	-40.55	51.24	74.00	22.76	Vertical
5	15013.45	40.65	-36.44	53.12	68.20	15.08	Vertical
6	17994.6333	48.10	-46.20	50.53	74.00	23.47	Vertical


802.11a_Channel 64



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17975.0833	47.75	-46.06	43.52	54.00	10.48	Horizontal
2	6109.9583	33.38	-11.64	60.64	68.20	7.56	Horizontal
3	7774.9667	36.50	-40.35	49.42	68.20	18.78	Horizontal
4	10963.9167	40.14	-40.84	51.38	74.00	22.62	Horizontal
5	15010	40.66	-36.43	53.99	68.20	14.21	Horizontal
6	17974.7	47.74	-46.06	51.20	74.00	22.80	Horizontal

802.11a_Channel 64



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17882.7	46.30	-45.36	43.00	54.00	11.00	Vertical
2	6363.875	33.84	-11.59	61.65	68.20	6.55	Vertical
3	10575.9833	39.20	-40.34	50.55	68.20	17.65	Vertical
4	12084.4	39.52	-40.50	51.82	74.00	22.18	Vertical
5	15014.6	40.64	-36.45	53.44	68.20	14.76	Vertical
6	17834.0167	46.00	-44.96	50.65	74.00	23.35	Vertical


802.11a_Channel 100



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17980.45	47.85	-46.10	42.98	54.00	11.02	Horizontal
2	6109.0417	33.38	-11.64	60.70	68.20	7.50	Horizontal
3	10089.15	38.79	-40.01	51.04	68.20	17.16	Horizontal
4	11904.2333	39.89	-40.36	50.92	74.00	23.08	Horizontal
5	15013.0667	40.65	-36.44	53.27	68.20	14.93	Horizontal
6	17903.4	46.46	-45.53	50.92	74.00	23.08	Horizontal

802.11a_Channel 100




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17975.0833	47.75	-46.06	43.50	54.00	10.50	Vertical
2	6116.8333	33.37	-11.65	60.53	68.20	7.67	Vertical
3	9959.9667	38.66	-40.21	50.14	68.20	18.06	Vertical
4	12808.1333	38.98	-40.34	50.21	68.20	17.99	Vertical
5	15013.0667	40.65	-36.44	53.39	68.20	14.81	Vertical
6	17882.7	46.30	-45.36	50.65	74.00	23.35	Vertical

802.11a_Channel 116




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17977.7667	47.80	-46.08	43.66	54.00	10.34	Horizontal
2	6057.25	33.49	-11.75	61.09	68.20	7.11	Horizontal
3	9898.6333	38.59	-40.46	50.28	68.20	17.92	Horizontal
4	11578.4	40.28	-40.78	50.50	74.00	23.50	Horizontal
5	15034.5333	40.56	-36.49	53.72	68.20	14.48	Horizontal
6	17964.35	47.56	-45.98	52.23	74.00	21.77	Horizontal

802.11a_Channel 116




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.5667	47.63	-46.01	43.09	54.00	10.91	Vertical
2	6271.2917	33.33	-11.70	61.32	68.20	6.88	Vertical
3	9671.3167	38.14	-40.02	48.93	68.20	19.27	Vertical
4	11710.2667	39.89	-40.27	50.38	74.00	23.62	Vertical
5	15046.8	40.51	-36.52	53.24	68.20	14.96	Vertical
6	17843.9833	46.06	-45.04	51.06	74.00	22.94	Vertical

802.11a_Channel 140




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17980.8333	47.86	-46.10	42.96	54.00	11.04	Horizontal
2	6251.5833	33.21	-11.71	61.01	68.20	7.19	Horizontal
3	10020.5333	38.72	-40.04	49.49	68.20	18.71	Horizontal
4	11301.6333	40.10	-41.04	51.63	74.00	22.37	Horizontal
5	15018.8167	40.62	-36.46	53.34	68.20	14.86	Horizontal
6	17967.8	47.62	-46.00	50.67	74.00	23.33	Horizontal

802.11a_Channel 140



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17969.7167	47.65	-46.02	43.29	54.00	10.71	Vertical
2	6240.5833	33.26	-11.71	60.50	68.20	7.70	Vertical
3	9333.2167	37.30	-40.53	48.85	74.00	25.15	Vertical
4	11393.6333	40.29	-40.55	51.31	74.00	22.69	Vertical
5	15015.3667	40.64	-36.45	54.20	68.20	14.00	Vertical
6	17969.3333	47.65	-46.02	51.15	74.00	22.85	Vertical


802.11a_Channel 149



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17977	32.89	41.63	-30.98	43.55	54.00	10.45	Horizontal
2	6375.3333	39.80	35.25	-16.69	58.36	68.20	9.84	Horizontal
3	7464.85	50.15	36.30	-42.04	44.41	74.00	29.59	Horizontal
4	10937.0833	44.22	39.22	-36.12	47.32	74.00	26.68	Horizontal
5	13939.7333	43.37	40.37	-34.48	49.26	68.20	18.94	Horizontal
6	17962.4333	41.58	41.59	-31.01	52.17	74.00	21.83	Horizontal

802.11a_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17931	33.37	41.50	-31.07	43.80	54.00	10.20	Vertical
2	6378.0833	39.48	35.26	-16.68	58.06	68.20	10.14	Vertical
3	7366.3333	49.91	36.30	-42.07	44.14	74.00	29.86	Vertical
4	10183.45	45.31	38.32	-36.44	47.19	68.20	21.01	Vertical
5	13881.85	43.25	40.34	-34.05	49.55	68.20	18.65	Vertical
6	17976.6167	40.88	41.63	-30.98	51.54	74.00	22.46	Vertical


802.11a_Channel 157



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17992.3333	32.78	41.68	-30.95	43.51	54.00	10.49	Horizontal
2	6120.9583	40.16	34.74	-16.71	58.19	68.20	10.01	Horizontal
3	7206.1	49.64	36.30	-42.03	43.91	68.20	24.29	Horizontal
4	9510.7	46.01	38.05	-38.46	45.60	68.20	22.60	Horizontal
5	12844.9333	43.22	39.71	-34.64	48.30	68.20	19.90	Horizontal
6	17964.7333	41.08	41.60	-31.00	51.68	74.00	22.32	Horizontal

802.11a_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.3167	33.13	41.63	-30.98	43.77	54.00	10.23	Vertical
2	6237.8333	40.05	34.98	-16.90	58.13	68.20	10.07	Vertical
3	7196.1333	48.83	36.30	-42.04	43.09	68.20	25.11	Vertical
4	9470.0667	45.27	38.05	-38.53	44.79	74.00	29.21	Vertical
5	13321.4167	42.80	40.06	-34.58	48.28	74.00	25.72	Vertical
6	17967.8	40.68	41.61	-30.99	51.29	74.00	22.71	Vertical

802.11a_Channel 165



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17975.4667	33.08	41.63	-30.98	43.73	54.00	10.27	Horizontal
2	6318.9583	40.14	35.14	-16.95	58.33	68.20	9.87	Horizontal
3	7147.0667	49.50	36.30	-42.26	43.54	68.20	24.66	Horizontal
4	8972.1167	46.79	37.98	-39.36	45.41	68.20	22.79	Horizontal
5	12848	43.38	39.72	-34.63	48.47	68.20	19.73	Horizontal
6	17950.55	40.95	41.56	-31.03	51.48	74.00	22.52	Horizontal


802.11a_Channel 165



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17945.5667	33.41	41.54	-31.04	43.91	54.00	10.09	Vertical
2	6459.2083	39.98	35.42	-16.68	58.72	68.20	9.48	Vertical
3	7280.0833	49.62	36.30	-42.12	43.80	74.00	30.20	Vertical
4	9729.9667	45.54	38.07	-37.67	45.95	68.20	22.25	Vertical
5	13175.75	43.26	39.99	-34.76	48.49	68.20	19.71	Vertical
6	17927.1667	41.41	41.49	-31.08	51.82	74.00	22.18	Vertical

802.11ax20_Channel 36



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17985.4333	47.94	-46.13	44.23	54.00	9.77	Horizontal
2	6023.3333	33.23	-11.84	61.06	68.20	7.14	Horizontal
3	9506.4833	37.80	-40.32	50.38	68.20	17.82	Horizontal
4	11589.9	40.29	-40.83	52.99	74.00	21.01	Horizontal
5	15013.45	40.65	-36.44	55.67	68.20	12.53	Horizontal
6	17991.5667	48.05	-46.18	51.90	74.00	22.10	Horizontal


802.11ax20_Channel 36



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17868.5167	46.21	-45.25	43.97	54.00	10.03	Vertical
2	6084.2917	33.43	-11.67	61.91	68.20	6.29	Vertical
3	9114.3333	37.03	-40.66	51.13	74.00	22.87	Vertical
4	11356.0667	40.21	-40.75	52.58	74.00	21.42	Vertical
5	15007.3167	40.67	-36.43	56.63	68.20	11.57	Vertical
6	17548.4333	44.70	-42.18	54.26	68.20	13.94	Vertical

802.11ax20_Channel 40




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17991.5667	48.05	-46.18	43.74	54.00	10.26	Horizontal
2	6286.4167	33.42	-11.70	62.27	68.20	5.93	Horizontal
3	9536.7667	37.80	-40.23	50.08	68.20	18.12	Horizontal
4	11634.75	40.16	-40.65	52.47	74.00	21.53	Horizontal
5	15172.9167	39.86	-36.80	53.92	68.20	14.28	Horizontal
6	17880.4	46.28	-45.35	52.09	74.00	21.91	Horizontal

802.11ax20_Channel 40




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17983.5167	47.90	-46.12	43.84	54.00	10.16	Vertical
2	5838.1667	32.55	-12.02	61.30	68.20	6.90	Vertical
3	7617.4167	36.73	-40.13	50.04	74.00	23.96	Vertical
4	10766.8833	39.57	-40.44	52.71	74.00	21.29	Vertical
5	15070.5667	40.42	-36.58	55.20	68.20	13.00	Vertical
6	17548.05	44.70	-42.18	54.15	68.20	14.05	Vertical

802.11ax20_Channel 48




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17973.9333	47.73	-46.05	43.58	54.00	10.42	Horizontal
2	5935.7917	32.87	-12.01	61.14	68.20	7.06	Horizontal
3	7090.7167	35.96	-40.23	49.99	68.20	18.21	Horizontal
4	14046.3	41.48	-40.23	54.81	68.20	13.39	Horizontal
5	15031.85	40.57	-36.49	55.14	68.20	13.06	Horizontal
6	17975.4667	47.76	-46.06	51.93	74.00	22.07	Horizontal

802.11ax20_Channel 48



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17980.8333	47.86	-46.10	43.60	54.00	10.40	Vertical
2	6324.9167	33.70	-11.65	61.90	68.20	6.30	Vertical
3	7590.2	36.72	-40.07	49.97	74.00	24.03	Vertical
4	12356.1833	39.54	-40.36	52.47	74.00	21.53	Vertical
5	15077.85	40.39	-36.60	54.85	68.20	13.35	Vertical
6	17968.5667	47.63	-46.01	52.15	74.00	21.85	Vertical


802.11ax20_Channel 52



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17965.1167	47.57	-45.99	44.15	54.00	9.85	Horizontal
2	5839.5417	32.56	-12.02	61.22	68.20	6.98	Horizontal
3	7513.15	36.77	-40.65	49.80	74.00	24.20	Horizontal
4	10352.5	39.15	-40.23	52.60	68.20	15.60	Horizontal
5	15029.9333	40.58	-36.48	55.77	68.20	12.43	Horizontal
6	17961.6667	47.51	-45.96	52.29	74.00	21.71	Horizontal

802.11ax20_Channel 52




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17979.6833	47.83	-46.09	43.92	54.00	10.08	Vertical
2	6066.875	33.47	-11.72	61.07	68.20	7.13	Vertical
3	9239.6833	37.50	-40.71	50.32	68.20	17.88	Vertical
4	11914.2	39.86	-40.36	52.17	74.00	21.83	Vertical
5	15051.4	40.49	-36.53	55.23	68.20	12.97	Vertical
6	17979.3	47.83	-46.09	51.89	74.00	22.11	Vertical

802.11ax20_Channel 60




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17963.2	47.54	-45.97	44.19	54.00	9.81	Horizontal
2	6015.5417	33.16	-11.87	61.52	68.20	6.68	Horizontal
3	7597.4833	36.78	-40.02	49.69	74.00	24.31	Horizontal
4	11443.0833	40.26	-40.49	53.43	74.00	20.57	Horizontal
5	15199.75	39.70	-36.85	55.32	68.20	12.88	Horizontal
6	17976.6167	47.78	-46.07	52.31	74.00	21.69	Horizontal

802.11ax20_Channel 60




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17896.1167	46.38	-45.48	43.82	54.00	10.18	Vertical
2	6352.4167	33.89	-11.61	62.89	68.20	5.31	Vertical
3	7610.5167	36.76	-40.08	50.01	74.00	23.99	Vertical
4	10974.65	40.13	-40.86	52.67	74.00	21.33	Vertical
5	15024.1833	40.60	-36.47	55.16	68.20	13.04	Vertical
6	17934.8333	47.03	-45.76	51.46	74.00	22.54	Vertical

802.11ax20_Channel 64




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17994.25	48.10	-46.20	43.94	54.00	10.06	Horizontal
2	7603.6167	36.79	-40.03	50.56	74.00	23.44	Horizontal
3	10337.9333	39.14	-40.22	52.23	68.20	15.97	Horizontal
4	11529.7167	40.23	-40.57	53.79	74.00	20.21	Horizontal
5	15037.2167	40.55	-36.50	55.50	68.20	12.70	Horizontal
6	17981.6	47.87	-46.11	52.54	74.00	21.46	Horizontal

802.11ax20_Channel 64




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17976.2333	47.77	-46.07	43.90	54.00	10.10	Vertical
2	6140.6667	33.32	-11.67	62.07	68.20	6.13	Vertical
3	7725.1333	36.60	-40.62	49.66	74.00	24.34	Vertical
4	11356.8333	40.21	-40.75	53.54	74.00	20.46	Vertical
5	14993.1333	40.72	-36.70	55.75	68.20	12.45	Vertical
6	17960.1333	47.48	-45.95	52.20	74.00	21.80	Vertical

802.11ax20_Channel 100




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17979.6833	47.83	-46.09	43.87	54.00	10.13	Horizontal
2	6111.3333	33.38	-11.64	61.49	68.20	6.71	Horizontal
3	7616.2667	36.73	-40.12	50.81	74.00	23.19	Horizontal
4	10817.1	39.70	-40.60	52.17	74.00	21.83	Horizontal
5	12010.8	39.59	-40.37	52.81	74.00	21.19	Horizontal
6	17987.35	47.97	-46.15	52.28	74.00	21.72	Horizontal

802.11ax20_Channel 100




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17981.9833	47.88	-46.11	43.50	54.00	10.50	Vertical
2	6226.8333	33.34	-11.72	62.49	68.20	5.71	Vertical
3	9537.15	37.80	-40.23	50.99	68.20	17.21	Vertical
4	11777.7333	39.82	-40.53	53.35	74.00	20.65	Vertical
5	15070.5667	40.42	-36.58	55.39	68.20	12.81	Vertical
6	17966.2667	47.59	-45.99	52.25	74.00	21.75	Vertical

802.11ax20_Channel 116




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17969.3333	47.65	-46.02	43.88	54.00	10.12	Horizontal
2	6126.9167	33.35	-11.66	61.22	68.20	6.98	Horizontal
3	10690.9833	39.48	-40.15	52.54	74.00	21.46	Horizontal
4	12423.2667	39.61	-40.36	53.31	74.00	20.69	Horizontal
5	15008.4667	40.67	-36.43	55.56	68.20	12.64	Horizontal
6	17768.4667	45.52	-44.44	52.07	74.00	21.93	Horizontal

802.11ax20_Channel 116




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17970.4833	47.67	-46.02	44.60	54.00	9.40	Vertical
2	6347.8333	33.88	-11.62	62.23	68.20	5.97	Vertical
3	9559.3833	37.80	-40.17	50.66	68.20	17.54	Vertical
4	11456.5	40.24	-40.47	52.98	74.00	21.02	Vertical
5	15004.25	40.68	-36.42	55.78	68.20	12.42	Vertical
6	17983.5167	47.90	-46.12	52.72	74.00	21.28	Vertical

802.11ax20_Channel 140




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17978.5333	47.81	-46.08	43.84	54.00	10.16	Horizontal
2	6320.3333	33.66	-11.66	61.49	68.20	6.71	Horizontal
3	9468.15	37.61	-40.54	51.30	74.00	22.70	Horizontal
4	11656.2167	40.08	-40.51	52.64	74.00	21.36	Horizontal
5	15014.6	40.64	-36.45	56.20	68.20	12.00	Horizontal
6	17988.5	47.99	-46.16	52.15	74.00	21.85	Horizontal

802.11ax20_Channel 140




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17975.0833	47.75	-46.06	43.86	54.00	10.14	Vertical
2	6401.9167	33.70	-11.54	61.72	68.20	6.48	Vertical
3	9535.6167	37.80	-40.24	50.28	68.20	17.92	Vertical
4	12400.2667	39.80	-40.20	52.52	74.00	21.48	Vertical
5	15019.2	40.62	-36.46	55.48	68.20	12.72	Vertical
6	17873.8833	46.24	-45.29	52.00	74.00	22.00	Vertical

802.11ax20_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.3167	33.23	41.63	-30.98	43.87	54.00	10.13	Horizontal
2	6247.4583	39.95	34.99	-16.92	58.03	68.20	10.17	Horizontal
3	7623.1667	48.81	36.55	-41.78	43.58	74.00	30.42	Horizontal
4	9574.7167	46.43	38.06	-38.29	46.20	68.20	22.00	Horizontal
5	13321.8	44.05	40.06	-34.58	49.53	74.00	24.47	Horizontal
6	17993.1	41.15	41.68	-30.94	51.89	74.00	22.11	Horizontal


802.11ax20_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17965.5	33.24	41.60	-31.00	43.84	54.00	10.16	Vertical
2	6241.5	41.11	34.98	-16.91	59.19	68.20	9.01	Vertical
3	7125.9833	50.62	36.30	-42.36	44.56	68.20	23.64	Vertical
4	9710.0333	45.36	38.07	-37.66	45.77	68.20	22.43	Vertical
5	12739.1333	43.49	39.59	-34.57	48.51	68.20	19.69	Vertical
6	17973.1667	41.36	41.62	-30.98	52.00	74.00	22.00	Vertical


802.11ax20_Channel 157



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17991.5667	33.55	41.68	-30.95	44.28	54.00	9.72	Horizontal
2	6441.3333	40.02	35.38	-16.65	58.75	68.20	9.45	Horizontal
3	7206.4833	49.79	36.30	-42.03	44.06	68.20	24.14	Horizontal
4	10198.4	44.13	38.34	-36.25	46.22	68.20	21.98	Horizontal
5	15324.7167	44.45	39.22	-33.26	50.41	68.20	17.79	Horizontal
6	17925.25	41.42	41.48	-31.08	51.82	74.00	22.18	Horizontal

802.11ax20_Channel 157




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17994.6333	33.53	41.68	-30.94	44.27	54.00	9.73	Vertical
2	6401.9167	39.35	35.30	-16.58	58.07	68.20	10.13	Vertical
3	7206.1	49.51	36.30	-42.03	43.78	68.20	24.42	Vertical
4	9623.0167	45.90	38.06	-38.09	45.87	68.20	22.33	Vertical
5	12339.7	43.03	39.11	-34.67	47.47	74.00	26.53	Vertical
6	17916.8167	41.37	41.46	-31.10	51.73	74.00	22.27	Vertical

802.11ax20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.5667	33.20	41.61	-30.99	43.82	54.00	10.18	Horizontal
2	6175.5	40.14	34.85	-16.78	58.21	68.20	9.99	Horizontal
3	7202.2667	50.18	36.30	-42.02	44.46	68.20	23.74	Horizontal
4	9005.0833	47.20	38.00	-39.27	45.93	74.00	28.07	Horizontal
5	13334.45	43.03	40.07	-34.56	48.54	74.00	25.46	Horizontal
6	17968.1833	40.47	41.61	-30.99	51.08	74.00	22.92	Horizontal

802.11ax20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.3167	33.21	41.63	-30.98	43.85	54.00	10.15	Vertical
2	6129.6667	40.46	34.76	-16.72	58.50	68.20	9.70	Vertical
3	7212.2333	49.67	36.30	-42.03	43.94	68.20	24.26	Vertical
4	9370.4	46.43	38.04	-38.77	45.70	74.00	28.30	Vertical
5	13370.1	43.10	40.09	-34.50	48.68	74.00	25.32	Vertical
6	17909.15	41.61	41.44	-31.11	51.93	74.00	22.07	Vertical

802.11ax40_Channel 38




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17996.1667	48.13	-46.21	43.77	54.00	10.23	Horizontal
2	6328.5833	33.73	-11.65	62.70	68.20	5.50	Horizontal
3	8251.0667	36.50	-40.60	49.52	74.00	24.48	Horizontal
4	10780.3	39.58	-40.50	53.02	74.00	20.98	Horizontal
5	15011.15	40.66	-36.44	55.18	68.20	13.02	Horizontal
6	17885.3833	46.31	-45.39	52.45	74.00	21.55	Horizontal

802.11ax40_Channel 38




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17857.7833	46.15	-45.16	44.00	54.00	10.00	Vertical
2	6374.4167	33.80	-11.58	62.83	68.20	5.37	Vertical
3	7328.3833	36.46	-40.36	49.87	74.00	24.13	Vertical
4	11415.1	40.28	-40.51	53.35	74.00	20.65	Vertical
5	15004.25	40.68	-36.42	55.64	68.20	12.56	Vertical
6	17883.4667	46.30	-45.37	52.08	74.00	21.92	Vertical

802.11ax40_Channel 46



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17979.6833	47.83	-46.09	44.27	54.00	9.73	Horizontal
2	5954.125	32.91	-11.98	61.91	68.20	6.29	Horizontal
3	7139.4	36.29	-40.31	50.69	68.20	17.51	Horizontal
4	10715.1333	39.52	-40.22	53.05	74.00	20.95	Horizontal
5	15021.8833	40.61	-36.46	55.66	68.20	12.54	Horizontal
6	17975.0833	47.75	-46.06	51.75	74.00	22.25	Horizontal


802.11ax40_Channel 46



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17994.25	48.10	-46.20	44.04	54.00	9.96	Vertical
2	6291.9167	33.45	-11.69	62.20	68.20	6.00	Vertical
3	7599.0167	36.79	-40.01	50.21	74.00	23.79	Vertical
4	9632.9833	38.00	-40.04	51.26	68.20	16.94	Vertical
5	15021.8833	40.61	-36.46	55.72	68.20	12.48	Vertical
6	17970.1	47.66	-46.02	53.19	74.00	20.81	Vertical

802.11ax40_Channel 54




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17972.4	47.70	-46.04	43.98	54.00	10.02	Horizontal
2	6356.0833	33.88	-11.61	61.96	68.20	6.24	Horizontal
3	7092.6333	35.94	-40.21	50.60	68.20	17.60	Horizontal
4	10818.25	39.71	-40.60	53.03	74.00	20.97	Horizontal
5	15016.9	40.63	-36.45	54.99	68.20	13.21	Horizontal
6	18000	48.20	-46.24	52.25	74.00	21.75	Horizontal

802.11ax40_Channel 54




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17972.7833	47.71	-46.04	43.71	54.00	10.29	Vertical
2	6400.0833	33.70	-11.54	62.64	68.20	5.56	Vertical
3	7301.1667	36.40	-40.19	49.83	74.00	24.17	Vertical
4	10711.3	39.51	-40.20	53.23	74.00	20.77	Vertical
5	15007.7	40.67	-36.43	55.59	68.20	12.61	Vertical
6	17980.8333	47.86	-46.10	52.51	74.00	21.49	Vertical

802.11ax40_Channel 62




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17879.6333	46.28	-45.34	43.65	54.00	10.35	Horizontal
2	6327.2083	33.72	-11.65	62.45	68.20	5.75	Horizontal
3	7359.8167	36.54	-40.56	50.04	74.00	23.96	Horizontal
4	11729.05	39.87	-40.34	53.11	74.00	20.89	Horizontal
5	15013.8333	40.64	-36.44	56.21	68.20	11.99	Horizontal
6	17971.25	47.68	-46.03	52.00	74.00	22.00	Horizontal

802.11ax40_Channel 62




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.3167	47.74	-46.05	43.88	54.00	10.12	Vertical
2	6383.5833	33.77	-11.56	62.31	68.20	5.89	Vertical
3	7560.3	36.48	-40.30	49.98	74.00	24.02	Vertical
4	10837.8	39.83	-40.63	52.88	74.00	21.12	Vertical
5	15047.95	40.51	-36.53	56.43	68.20	11.77	Vertical
6	17962.4333	47.52	-45.97	52.49	74.00	21.51	Vertical

802.11ax40_Channel 102




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17984.6667	47.92	-46.13	43.79	54.00	10.21	Horizontal
2	6294.2083	33.47	-11.69	62.29	68.20	5.91	Horizontal
3	7135.1833	36.25	-40.29	50.21	68.20	17.99	Horizontal
4	10335.6333	39.14	-40.22	50.95	68.20	17.25	Horizontal
5	15008.85	40.66	-36.43	55.34	68.20	12.86	Horizontal
6	17972.4	47.70	-46.04	53.16	74.00	20.84	Horizontal

802.11ax40_Channel 102




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17990.4167	48.03	-46.17	44.03	54.00	9.97	Vertical
2	6348.2917	33.89	-11.62	62.06	68.20	6.14	Vertical
3	7640.8	36.64	-40.31	49.85	74.00	24.15	Vertical
4	10683.3167	39.47	-40.16	52.60	74.00	21.40	Vertical
5	14171.2667	41.87	-40.28	54.60	68.20	13.60	Vertical
6	17882.3167	46.29	-45.36	52.03	74.00	21.97	Vertical

802.11ax40_Channel 110




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17973.1667	47.72	-46.04	44.27	54.00	9.73	Horizontal
2	6298.7917	33.49	-11.69	62.67	68.20	5.53	Horizontal
3	7179.2667	36.52	-40.47	50.94	68.20	17.26	Horizontal
4	10380.1	39.18	-40.23	52.78	68.20	15.42	Horizontal
5	14991.9833	40.72	-36.74	55.33	68.20	12.87	Horizontal
6	17967.8	47.62	-46.00	53.32	74.00	20.68	Horizontal

802.11ax40_Channel 110



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.3167	47.74	-46.05	43.90	54.00	10.10	Vertical
2	6347.8333	33.88	-11.62	62.63	68.20	5.57	Vertical
3	7598.6333	36.79	-40.01	50.29	74.00	23.71	Vertical
4	11408.2	40.29	-40.51	53.44	74.00	20.56	Vertical
5	15047.5667	40.51	-36.52	55.29	68.20	12.91	Vertical
6	17980.0667	47.84	-46.09	52.65	74.00	21.35	Vertical


802.11ax40_Channel 134



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.4167	47.61	-46.00	44.08	54.00	9.92	Horizontal
2	6340.9583	33.83	-11.63	63.11	68.20	5.09	Horizontal
3	7051.6167	36.19	-40.56	51.48	68.20	16.72	Horizontal
4	10945.9	40.15	-40.80	52.33	74.00	21.67	Horizontal
5	15076.7	40.39	-36.59	55.01	68.20	13.19	Horizontal
6	17977.7667	47.80	-46.08	53.15	74.00	20.85	Horizontal

802.11ax40_Channel 134




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17981.6	47.87	-46.11	43.86	54.00	10.14	Vertical
2	6340.5	33.82	-11.63	62.00	68.20	6.20	Vertical
3	7602.0833	36.79	-40.02	51.28	74.00	22.72	Vertical
4	10668.3667	39.44	-40.16	52.78	74.00	21.22	Vertical
5	15069.0333	40.42	-36.58	55.05	68.20	13.15	Vertical
6	17887.6833	46.33	-45.41	52.45	74.00	21.55	Vertical

802.11ax40_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17995.7833	32.98	41.69	-30.94	43.73	54.00	10.27	Horizontal
2	6185.125	40.76	34.87	-16.79	58.84	68.20	9.36	Horizontal
3	7617.8	48.94	36.54	-41.78	43.69	74.00	30.31	Horizontal
4	9636.8167	45.92	38.06	-38.01	45.97	68.20	22.23	Horizontal
5	13881.4667	43.61	40.34	-34.05	49.90	68.20	18.30	Horizontal
6	17980.45	40.96	41.64	-30.97	51.63	74.00	22.37	Horizontal

802.11ax40_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17996.9333	32.80	41.69	-30.94	43.55	54.00	10.45	Vertical
2	6262.5833	40.53	35.03	-16.95	58.60	68.20	9.60	Vertical
3	7017.1167	49.64	36.30	-42.60	43.34	68.20	24.86	Vertical
4	8944.5167	47.50	37.96	-39.47	45.99	68.20	22.21	Vertical
5	13869.9667	43.01	40.33	-34.21	49.14	68.20	19.06	Vertical
6	17975.85	41.25	41.63	-30.98	51.90	74.00	22.10	Vertical