

7.9 26dB Emission Bandwidth

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: ANSI C63.10-2020/Cor1-2023 Section 12.5.2

7.9.1 E.U.T. Operation

Operating Environment:

Temperature: 21.6 °C


Humidity: 59.0 % RH

Atmospheric Pressure: 1023 mbar

7.9.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	07	TX mode _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ MCS0 is the worst case of IEEE 802.11ax 20/40/80, Only the data of worst case is recorded in the report.

7.9.3 Test Setup Diagram



7.9.4 Measurement Procedure and Data

Please Refer to Appendix for Details

7.10 Maximum Conducted Output Power

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: ANSI C63.10-2020/Cor1-2023 Section 12.4

Limit:

Device Type	Frequency Range (MHz)	EIRP Limit (dBm)	EIRP PSD Limit(dBm/MHz)
LPI AP/ Subordinate	5925-7125	≤ 30	≤ 5
LPI Client Device And Dual Client controlled by LPI AP/ Subordinate	5925-7125	≤ 24	≤ -1
Dual Client controlled by Standard Power AP	5925-6425; 6525-6875	30 max & 6dB below Std. AP	17 max & 6dB below Std. AP
Standard Power AP And Fixed Client Devices	5925-6425; 6525-6875	≤ 36 (21dBm for elevation angle greater than 30 degrees above the horizon)	≤ 23
Standard Client Devices	5925-6425; 6525-6875	30 max & 6dB below Std. AP	17 max & 6dB below Std. AP
Very Low-Power Devices	5925-6425; 6525-6875	≤ 14	≤ -5 shall demonstrate the TPC capability to operate at least 6 dB below the maximum EIRP PSD value of -5 dBm/MHz.

7.10.1 E.U.T. Operation

Operating Environment:

Temperature: 21.6 °C


Humidity: 59.0 % RH

Atmospheric Pressure: 1023 mbar

7.10.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	07	TX mode _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ MCS0 is the worst case of IEEE 802.11ax 20/40/80, Only the data of worst case is recorded in the report.

7.10.3 Test Setup Diagram



7.10.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

AV Output power Level = Reading level + Cable loss + DCCF

Please Refer to Appendix for Details

7.11 Power Spectral Density

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: ANSI C63.10-2020/Cor1-2023 Section 12.6

Limit:

Device Type	Frequency Range (MHz)	EIRP Limit (dBm)	EIRP PSD Limit(dBm/MHz)
LPI AP/ Subordinate	5925-7125	≤ 30	≤ 5
LPI Client Device And Dual Client controlled by LPI AP/ Subordinate	5925-7125	≤ 24	≤ -1
Dual Client controlled by Standard Power AP	5925-6425; 6525-6875	30 max & 6dB below Std. AP	17 max & 6dB below Std. AP
Standard Power AP And Fixed Client Devices	5925-6425; 6525-6875	≤ 36 (21dBm for elevation angle greater than 30 degrees above the horizon)	≤ 23
Standard Client Devices	5925-6425; 6525-6875	30 max & 6dB below Std. AP	17 max & 6dB below Std. AP
Very Low-Power Devices	5925-6425; 6525-6875	≤ 14	≤ -5 shall demonstrate the TPC capability to operate at least 6 dB below the maximum EIRP PSD value of -5 dBm/MHz.

7.11.1 E.U.T. Operation

Operating Environment:

Temperature: 21.6 °C


Humidity: 59.0 % RH

Atmospheric Pressure: 1023 mbar

7.11.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	07	TX mode _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ MCS0 is the worst case of IEEE 802.11ax 20/40/80, Only the data of worst case is recorded in the report.

7.11.3 Test Setup Diagram



7.11.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Report No.: SUCR260200011907

Page: 126 of 241

8 Test Setup Photo

Refer to Appendix_Test Setup Photo for SUCR2602000119TL

9 EUT Constructional Details (EUT Photos)

Refer to Appendix_External Photos for SUCR2602000119TL and Appendix_Internal Photos for SUCR2602000119TL



10 Appendix

1. Duty Cycle

1.1 Test Result

1.1.1 ANT2

ANT2										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	5.445	5.463	99.67	0.01	0.04
	802.11ax (HEW40)	MIMO	5965	SU	/	5.443	5.462	99.65	0.02	0.03
	802.11ax (HEW80)	MIMO	5985	SU	/	5.443	5.462	99.65	0.02	0.03

1.1.2 ANT3

ANT3										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	5.445	5.463	99.67	0.01	0.00
	802.11ax (HEW40)	MIMO	5965	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	MIMO	5985	SU	/	5.444	5.462	99.67	0.01	0.00



2. Bandwidth

2.1 Test Result

2.1.1 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	2	19.136	<=320	Pass
			6175	SU	/	2	19.217	<=320	Pass
			6415	SU	/	2	19.094	<=320	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	2	38.398	<=320	Pass
			6165	SU	/	2	38.285	<=320	Pass
			6405	SU	/	2	38.354	<=320	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	2	78.614	<=320	Pass
			6145	SU	/	2	78.586	<=320	Pass
			6385	SU	/	2	78.400	<=320	Pass

2.1.2 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	2	23.136	/	Pass
			6175	SU	/	2	23.470	/	Pass
			6415	SU	/	2	23.079	/	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	2	44.985	/	Pass
			6165	SU	/	2	44.986	/	Pass
			6405	SU	/	2	45.947	/	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	2	86.611	/	Pass
			6145	SU	/	2	87.118	/	Pass
			6385	SU	/	2	85.307	/	Pass

2.1.3 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	SU	/	2	19.066	<=320	Pass
			6695	SU	/	2	19.127	<=320	Pass
			6855	SU	/	2	19.099	<=320	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	2	38.371	<=320	Pass
			6685	SU	/	2	38.312	<=320	Pass
			6845	SU	/	2	38.434	<=320	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	2	78.496	<=320	Pass
			6705	SU	/	2	78.451	<=320	Pass
			6785	SU	/	2	78.473	<=320	Pass

2.1.4 26dB BW


ENV	Mode	TX	Frequency	RU	RU	ANT	26dB Bandwidth (MHz)	Verdict
-----	------	----	-----------	----	----	-----	----------------------	---------




		Type	(MHz)		Pos		Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	SU	/	2	22.790	/	Pass
			6695	SU	/	2	23.395	/	Pass
			6855	SU	/	2	23.440	/	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	2	45.335	/	Pass
			6685	SU	/	2	44.726	/	Pass
			6845	SU	/	2	45.705	/	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	2	86.590	/	Pass
			6705	SU	/	2	86.559	/	Pass
			6785	SU	/	2	86.326	/	Pass

2.2 Test Graph


2.2.1 OBW




802.11ax(HEW20) HCH_6415MHz_SU / _ANT2_NTNV




802.11ax(HEW40) _LCH_5965MHz_SU / _ANT2_NTNV




802.11ax(HEW40) MCH_6165MHz_SU_ / _ANT2_NTNV




802.11ax(HEW40) HCH_6405MHz_SU_ / _ANT2_NTNV




802.11ax(HEW80) LCH 5985MHz SU / ANT2 NTN




802.11ax(HEW80) MCH 6145MHz SU / ANT2 NTN







2.2.2 26dB BW




802.11ax(HEW20) HCH_6415MHz_SU / ANT2_NTNV




802.11ax(HEW40) LCH_5965MHz_SU / ANT2_NTNV




802.11ax(HEW40) MCH 6165MHz SU / ANT2_NTNV




802.11ax(HEW40) HCH 6405MHz SU / ANT2_NTNV




802.11ax(HEW80) LCH 5985MHz_SU_ / ANT2_NTNV




802.11ax(HEW80)_MCH_6145MHz_SU_ / ANT2_NTNV







2.2.3 OBW




802.11ax(HEW20) HCH_6855MHz_SU / ANT2_NTNV




802.11ax(HEW40) LCH_6565MHz_SU / ANT2_NTNV




802.11ax(HEW40) MCH_6685MHz_SU_/_ANT2_NTNV




802.11ax(HEW40) HCH_6845MHz_SU_/_ANT2_NTNV




802.11ax(HEW80) LCH 6625MHz_SU / ANT2_NTNV




802.11ax(HEW80) MCH 6705MHz_SU / ANT2_NTNV







2.2.4 26dB BW




802.11ax(HEW20) HCH_6855MHz_SU / ANT2_NTNV




802.11ax(HEW40) LCH_6565MHz_SU / ANT2_NTNV




802.11ax(HEW40) MCH_6685MHz_SU / _ANT2_NTNV




802.11ax(HEW40) HCH_6845MHz_SU / _ANT2_NTNV




802.11ax(HEW80) LCH 6625MHz SU / ANT2 NTN



802.11ax(HEW80) MCH 6705MHz SU / ANT2 NTN





3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	8.40	7.31	10.90	/	Pass
			6175	SU	/	7.18	7.51	10.36	/	Pass
			6415	SU	/	6.34	7.06	9.73	/	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	7.01	5.89	9.50	/	Pass
			6165	SU	/	5.96	6.59	9.30	/	Pass
			6405	SU	/	5.84	6.51	9.20	/	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	8.79	7.66	11.27	/	Pass
			6145	SU	/	7.49	7.35	10.43	/	Pass
			6385	SU	/	6.73	7.55	10.17	/	Pass

3.1.2 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	14.21	3.94	16.71	<=24	Pass
			6175	SU	/	12.99	4.14	16.17	<=24	Pass
			6415	SU	/	12.15	3.69	15.54	<=24	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	12.82	2.52	15.31	<=24	Pass
			6165	SU	/	11.77	3.22	15.11	<=24	Pass
			6405	SU	/	11.65	3.14	15.01	<=24	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	14.60	4.29	17.08	<=24	Pass
			6145	SU	/	13.30	3.98	16.24	<=24	Pass
			6385	SU	/	12.54	4.18	15.98	<=24	Pass

3.1.3 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	SU	/	7.48	7.54	10.52	/	Pass
			6695	SU	/	7.28	7.80	10.56	/	Pass
			6855	SU	/	7.63	7.96	10.81	/	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	6.08	5.88	8.99	/	Pass
			6685	SU	/	7.09	7.26	10.19	/	Pass
			6845	SU	/	7.18	7.41	10.31	/	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	8.03	8.17	11.11	/	Pass
			6705	SU	/	8.01	8.56	11.30	/	Pass
			6785	SU	/	7.91	8.27	11.10	/	Pass



Report No.: SUCR260200011907

Page: 151 of 241

3.1.4 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	SU	/	10.72	3.73	13.76	<=24	Pass
			6695	SU	/	10.52	3.99	13.80	<=24	Pass
			6855	SU	/	10.87	4.15	14.05	<=24	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	9.32	2.07	12.23	<=24	Pass
			6685	SU	/	10.33	3.45	13.43	<=24	Pass
			6845	SU	/	10.42	3.60	13.55	<=24	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	11.27	4.36	14.35	<=24	Pass
			6705	SU	/	11.25	4.75	14.54	<=24	Pass
			6785	SU	/	11.15	4.46	14.34	<=24	Pass

4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	-9.47	-10.61	-7.07	/	Pass
			6175	SU	/	-9.61	-9.50	-6.78	/	Pass
			6415	SU	/	-10.31	-9.77	-7.21	/	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	-9.01	-9.76	-6.71	/	Pass
			6165	SU	/	-10.36	-9.77	-7.28	/	Pass
			6405	SU	/	-10.25	-9.64	-7.08	/	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	-9.40	-10.59	-7.26	/	Pass
			6145	SU	/	-10.08	-9.74	-7.18	/	Pass
			6385	SU	/	-10.44	-9.59	-7.41	/	Pass

4.1.2 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	-3.66	-13.98	-1.68	<=-1	Pass
			6175	SU	/	-3.80	-12.87	-1.39	<=-1	Pass
			6415	SU	/	-4.50	-13.14	-1.82	<=-1	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	-3.20	-13.13	-1.32	<=-1	Pass
			6165	SU	/	-4.55	-13.14	-1.89	<=-1	Pass
			6405	SU	/	-4.44	-13.01	-1.69	<=-1	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	-3.59	-13.96	-1.87	<=-1	Pass
			6145	SU	/	-4.27	-13.11	-1.79	<=-1	Pass
			6385	SU	/	-4.63	-12.96	-2.02	<=-1	Pass

4.1.3 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	SU	/	-10.07	-10.10	-7.42	/	Pass
			6695	SU	/	-10.66	-10.57	-7.86	/	Pass
			6855	SU	/	-10.32	-10.00	-7.30	/	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	-10.34	-10.51	-7.86	/	Pass
			6685	SU	/	-10.47	-10.20	-7.49	/	Pass
			6845	SU	/	-10.25	-9.87	-7.29	/	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	-10.45	-10.26	-7.61	/	Pass
			6705	SU	/	-10.42	-9.79	-7.42	/	Pass
			6785	SU	/	-10.42	-9.88	-7.48	/	Pass



Report No.: SUCR260200011907


Page: 153 of 241

4.1.4 E.I.R.PSD


ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT2	ANT3	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	SU	/	-6.83	-13.91	-4.00	<=-1	Pass
			6695	SU	/	-7.42	-14.38	-4.44	<=-1	Pass
			6855	SU	/	-7.08	-13.81	-3.88	<=-1	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	-7.10	-14.32	-4.44	<=-1	Pass
			6685	SU	/	-7.23	-14.01	-4.07	<=-1	Pass
			6845	SU	/	-7.01	-13.68	-3.87	<=-1	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	-7.21	-14.07	-4.19	<=-1	Pass
			6705	SU	/	-7.18	-13.60	-4.00	<=-1	Pass
			6785	SU	/	-7.18	-13.69	-4.06	<=-1	Pass

4.2 Test Graph


4.2.1 PSD




802.11ax(HEW20) LCH 5955MHz SU / MIMO NTN




802.11ax(HEW20) MCH 6175MHz SU / ANT2 NTN




802.11ax(HEW20) MCH 6175MHz SU / ANT3 NTN




802.11ax(HEW20) MCH 6175MHz SU / MIMO NTN




802.11ax(HEW20) HCH 6415MHz SU / ANT2 NTN




802.11ax(HEW20) HCH 6415MHz SU / ANT3 NTN




802.11ax(HEW20) HCH 6415MHz SU / MIMO NTNV




802.11ax(HEW40) LCH 5965MHz SU / ANT2 NTNV




802.11ax(HEW40) LCH 5965MHz SU / ANT3 NTN




802.11ax(HEW40) LCH 5965MHz SU / MIMO NTN




802.11ax(HEW40) MCH 6165MHz SU / ANT2 NTN




802.11ax(HEW40) MCH 6165MHz SU / ANT3 NTN




802.11ax(HEW40) MCH 6165MHz SU / MIMO NTNV




802.11ax(HEW40) HCH 6405MHz SU / ANT2 NTNV




802.11ax(HEW40) HCH 6405MHz SU / ANT3 NTN




802.11ax(HEW40) HCH 6405MHz SU / MIMO NTN




802.11ax(HEW80) LCH 5985MHz SU / ANT2 NTN




802.11ax(HEW80) LCH 5985MHz SU / ANT3 NTN




802.11ax(HEW80) LCH 5985MHz SU / MIMO NTN




802.11ax(HEW80) MCH 6145MHz SU / ANT2 NTN




802.11ax(HEW80) MCH 6145MHz SU / ANT3 NTN




802.11ax(HEW80) MCH 6145MHz SU / MIMO NTN




802.11ax(HEW80) HCH 6385MHz SU / ANT2 NTN




802.11ax(HEW80) HCH 6385MHz SU / ANT3 NTN




802.11ax(HEW80) HCH 6385MHz SU / MIMO NTN




4.2.2 E.I.R.PSD




802.11ax(HEW20) LCH 5955MHz SU / MIMO NTN




802.11ax(HEW20) MCH 6175MHz SU / ANT2 NTN




802.11ax(HEW20) MCH 6175MHz SU / ANT3 NTN




802.11ax(HEW20) MCH 6175MHz SU / MIMO NTN




802.11ax(HEW20) HCH 6415MHz SU / ANT2 NTN




802.11ax(HEW20) HCH 6415MHz SU / ANT3 NTN




802.11ax(HEW20) HCH 6415MHz SU / MIMO NTNV




802.11ax(HEW40) LCH 5965MHz SU / ANT2 NTNV




802.11ax(HEW40) LCH 5965MHz SU / ANT3 NTN




802.11ax(HEW40) LCH 5965MHz SU / MIMO NTN




802.11ax(HEW40) MCH 6165MHz SU / ANT2 NTN




802.11ax(HEW40) MCH 6165MHz SU / ANT3 NTN




802.11ax(HEW40) MCH 6165MHz SU / MIMO NTN




802.11ax(HEW40) HCH 6405MHz SU / ANT2 NTN




802.11ax(HEW40) HCH 6405MHz SU / ANT3 NTN




802.11ax(HEW40) HCH 6405MHz SU / MIMO NTN




802.11ax(HEW80) LCH 5985MHz SU / ANT2 NTN




802.11ax(HEW80) LCH 5985MHz SU / ANT3 NTN




802.11ax(HEW80) LCH 5985MHz SU / MIMO NTN




802.11ax(HEW80) MCH 6145MHz SU / ANT2 NTN




802.11ax(HEW80) MCH 6145MHz SU / ANT3 NTN




802.11ax(HEW80) MCH 6145MHz SU / MIMO NTN




802.11ax(HEW80) HCH 6385MHz SU / ANT2 NTN




802.11ax(HEW80) HCH 6385MHz SU / ANT3 NTN




802.11ax(HEW80) HCH 6385MHz SU / MIMO NTN




4.2.3 PSD




802.11ax(HEW20) LCH 6535MHz SU / MIMO NTN




802.11ax(HEW20) MCH 6695MHz SU / ANT2 NTN




802.11ax(HEW20) MCH 6695MHz SU / ANT3 NTN




802.11ax(HEW20) MCH 6695MHz SU / MIMO NTN




802.11ax(HEW20) HCH 6855MHz SU / ANT2 NTN




802.11ax(HEW20) HCH 6855MHz SU / ANT3 NTN




802.11ax(HEW20) HCH 6855MHz SU / MIMO NTN




802.11ax(HEW40) LCH 6565MHz SU / ANT2 NTN




802.11ax(HEW40) LCH 6565MHz SU / ANT3 NTN




802.11ax(HEW40) LCH 6565MHz SU / MIMO NTN




802.11ax(HEW40) MCH 6685MHz SU / ANT2 NTN




802.11ax(HEW40) MCH 6685MHz SU / ANT3 NTN




802.11ax(HEW40) MCH 6685MHz SU / MIMO NTN




802.11ax(HEW40) HCH 6845MHz SU / ANT2 NTN




802.11ax(HEW40) HCH 6845MHz SU / ANT3 NTN




802.11ax(HEW40) HCH 6845MHz SU / MIMO NTN




802.11ax(HEW80) LCH 6625MHz SU / ANT2 NTN




802.11ax(HEW80) LCH 6625MHz SU / ANT3 NTN




802.11ax(HEW80) LCH 6625MHz SU / MIMO NTN




802.11ax(HEW80) MCH 6705MHz SU / ANT2 NTN




802.11ax(HEW80) MCH 6705MHz SU / ANT3 NTN




802.11ax(HEW80) MCH 6705MHz SU / MIMO NTN




802.11ax(HEW80) HCH 6785MHz SU / ANT2 NTN




802.11ax(HEW80) HCH 6785MHz SU / ANT3 NTN







4.2.4 E.I.R.PSD




802.11ax(HEW20) LCH 6535MHz SU / MIMO NTN




802.11ax(HEW20) MCH 6695MHz SU / ANT2 NTN




802.11ax(HEW20) MCH 6695MHz SU / ANT3 NTN




802.11ax(HEW20) MCH 6695MHz SU / MIMO NTN




802.11ax(HEW20) HCH 6855MHz SU / ANT2 NTN




802.11ax(HEW20) HCH 6855MHz SU / ANT3 NTN




802.11ax(HEW20) HCH 6855MHz SU / MIMO NTN




802.11ax(HEW40) LCH 6565MHz SU / ANT2 NTN




802.11ax(HEW40) LCH 6565MHz SU / ANT3 NTN




802.11ax(HEW40) LCH 6565MHz SU / MIMO NTN




802.11ax(HEW40) MCH 6685MHz SU / ANT2 NTN




802.11ax(HEW40) MCH 6685MHz SU / ANT3 NTN




802.11ax(HEW40) MCH 6685MHz SU / MIMO NTNV




802.11ax(HEW40) HCH 6845MHz SU / ANT2 NTNV




802.11ax(HEW40) HCH 6845MHz SU / ANT3 NTN




802.11ax(HEW40) HCH 6845MHz SU / MIMO NTN




802.11ax(HEW80) LCH 6625MHz SU / ANT2 NTN




802.11ax(HEW80) LCH 6625MHz SU / ANT3 NTN




802.11ax(HEW80) LCH 6625MHz SU / MIMO NTN




802.11ax(HEW80) MCH 6705MHz SU / ANT2 NTN




802.11ax(HEW80) MCH 6705MHz SU / ANT3 NTN




802.11ax(HEW80) MCH 6705MHz SU / MIMO NTN




802.11ax(HEW80) HCH 6785MHz SU / ANT2 NTN



802.11ax(HEW80) HCH 6785MHz SU / ANT3 NTN







5. Emission Mask

5.1 Test Result

5.1.1 EMask


ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11ax (HEW20)	MIMO	5955	SU	/	2	Refer To Test Graph		Pass
			6175	SU	/	2	Refer To Test Graph		Pass
			6415	SU	/	2	Refer To Test Graph		Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	2	Refer To Test Graph		Pass
			6165	SU	/	2	Refer To Test Graph		Pass
			6405	SU	/	2	Refer To Test Graph		Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	2	Refer To Test Graph		Pass
			6145	SU	/	2	Refer To Test Graph		Pass
			6385	SU	/	2	Refer To Test Graph		Pass

5.1.2 EMask


ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11ax (HEW20)	MIMO	6535	SU	/	2	Refer To Test Graph		Pass
			6695	SU	/	2	Refer To Test Graph		Pass
			6855	SU	/	2	Refer To Test Graph		Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	2	Refer To Test Graph		Pass
			6685	SU	/	2	Refer To Test Graph		Pass
			6845	SU	/	2	Refer To Test Graph		Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	2	Refer To Test Graph		Pass
			6705	SU	/	2	Refer To Test Graph		Pass
			6785	SU	/	2	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 EMask




802.11ax(HEW20) HCH 6415MHz SU / ANT2 NTN




802.11ax(HEW40) LCH 5965MHz SU / ANT2 NTN




802.11ax(HEW40) MCH 6165MHz SU / ANT2 NTN




802.11ax(HEW40) HCH 6405MHz SU / ANT2 NTN




802.11ax(HEW80) LCH 5985MHz SU / ANT2 NTN




802.11ax(HEW80) MCH 6145MHz SU / ANT2 NTN







5.2.2 EMask




802.11ax(HEW20) HCH 6855MHz SU / ANT2 NTN




802.11ax(HEW40) LCH 6565MHz SU / ANT2 NTN




802.11ax(HEW40) MCH 6685MHz SU / ANT2 NTN




802.11ax(HEW40) HCH 6845MHz SU / ANT2 NTN




802.11ax(HEW80) LCH 6625MHz SU / ANT2 NTN



802.11ax(HEW80) MCH 6705MHz SU / ANT2 NTN





Contention Based Protocol Test Result

Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 5	6175	20	6175	-70.55	100	-62	-67.18	-3.37	5.18
					Result: Stop Transmission				
				-71.61	<90	-62	-68.24	-3.37	6.24
					Result: Minimal Operation				
				-74.56	0	-62	-71.19	-3.37	9.19
	6145	80	6110		Result: Normal Operation				
				-72.59	100	-62	-69.22	-3.37	7.22
					Result: Stop Transmission				
				-73.73	<90	-62	-70.36	-3.37	8.36
					Result: Minimal Operation				
			6145	-76.56	0	-62	-73.19	-3.37	11.19
					Result: Normal Operation				
				-69.48	100	-62	-66.11	-3.37	4.11
					Result: Stop Transmission				
				-70.51	<90	-62	-67.14	-3.37	5.14
			6180		Result: Minimal Operation				
				-73.56	0	-62	-70.19	-3.37	8.19
					Result: Normal Operation				
				-72.73	100	-62	-69.36	-3.37	7.36
					Result: Stop Transmission				
				-71.56	<90	-62	-68.19	-3.37	6.19
					Result: Minimal Operation				
				-74.21	0	-62	-70.84	-3.37	8.84
					Result: Normal Operation				

Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)

Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)



Report No.: SUCR260200011907

Page: 222 of 241

Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 6	6475	20	6475	-70.94	100	-62	-67.07	-3.87	5.07
					Result: Stop Transmission				
				-71.9	<90	-62	-68.03	-3.87	6.03
					Result: Minimal Operation				
				-74.45	0	-62	-70.58	-3.87	8.58
	6465	80	6430		Result: Normal Operation				
				-71.01	100	-62	-67.14	-3.87	5.14
					Result: Stop Transmission				
				-72	<90	-62	-68.13	-3.87	6.13
					Result: Minimal Operation				
			6465	-75.23	0	-62	-71.36	-3.87	9.36
					Result: Normal Operation				
				-69.53	100	-62	-65.66	-3.87	3.66
					Result: Stop Transmission				
				-70.51	<90	-62	-66.64	-3.87	4.64
			6500		Result: Minimal Operation				
				-73.11	0	-62	-69.24	-3.87	7.24
					Result: Normal Operation				
				-71.57	100	-62	-67.7	-3.87	5.7
					Result: Stop Transmission				
				-72.55	<90	-62	-68.68	-3.87	6.68
					Result: Minimal Operation				
				-75.36	0	-62	-71.49	-3.87	9.49
					Result: Normal Operation				

Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)

Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)



Report No.: SUCR260200011907

Page: 223 of 241

Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 7	6695	20	6695	-70.44	100	-62	-66.57	-3.87	4.57
					Result: Stop Transmission				
				-71.39	<90	-62	-67.52	-3.87	5.52
					Result: Minimal Operation				
				-74.54	0	-62	-70.67	-3.87	8.67
	6705	80	6670		Result: Normal Operation				
				-72.45	100	-62	-68.58	-3.87	6.58
					Result: Stop Transmission				
				-73.44	<90	-62	-69.57	-3.87	7.57
					Result: Minimal Operation				
			6705	-75.68	0	-62	-71.81	-3.87	9.81
					Result: Normal Operation				
				-68.87	100	-62	-65	-3.87	3
					Result: Stop Transmission				
				-69.86	<90	-62	-65.99	-3.87	3.99
			6740		Result: Minimal Operation				
				-72.55	0	-62	-68.68	-3.87	6.68
					Result: Normal Operation				
				-71.91	100	-62	-68.04	-3.87	6.04
					Result: Stop Transmission				
				-72.61	<90	-62	-68.74	-3.87	6.74
					Result: Minimal Operation				
				-75.64	0	-62	-71.77	-3.87	9.77
					Result: Normal Operation				

Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)


Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)





Band	Channel Freq. (MHz)	Channel BW (MHz)	Incumbent Freq. (MHz)	Injected AWGN Level (dBm)	Detection Rate (%)	Regulated Threshold level (dBm)	Adjusted Power (dBm)	Antenna Gain (dBi)	Margin (dB)
UNII Band 8	6995	20	6995	-70.34	100	-62	-64.8	-5.54	2.8
				Result: Stop Transmission					
				-71.38	<90	-62	-65.84	-5.54	3.84
				Result: Minimal Operation					
				-74.29	0	-62	-68.75	-5.54	6.75
	7025	80	6990	Result: Normal Operation					
				-71.14	100	-62	-65.6	-5.54	3.6
				Result: Stop Transmission					
				-72.07	<90	-62	-66.53	-5.54	4.53
				Result: Minimal Operation					
			7025	-75.26	0	-62	-69.72	-5.54	7.72
				Result: Normal Operation					
				-69.07	100	-62	-63.53	-5.54	1.53
				Result: Stop Transmission					
				-70.05	<90	-62	-64.51	-5.54	2.51
				Result: Minimal Operation					
			7060	-73.55	0	-62	-68.01	-5.54	6.01
				Result: Normal Operation					
				-71.51	100	-62	-65.97	-5.54	3.97
				Result: Stop Transmission					
				-72.48	<90	-62	-66.94	-5.54	4.94
				Result: Minimal Operation					
				-75.14	0	-62	-69.6	-5.54	7.6
				Result: Normal Operation					





Note1: Adjusted Power (dBm)= Injected AWGN Level (dBm) — Antenna Gain (dBi)





Note2: Margin (dB)= Regulated Threshold level (dBm) — Adjusted Power (dBm)





Test Graphs



Contention Based Protocol Result on U-NII 5 (AWGN Interference)	
802.11 ax (HE80) /6110MHz Threshold Level (TL)	802.11 ax (HE80) /6110MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE80) /6110MHz Threshold Level (TL)	802.11 ax (HE80) /6110MHz Transmission when the interferer is Minimal Operation
	

Contention Based Protocol Result on U-NII 5 (AWGN Interference)	
802.11 ax (HE80) /6145MHz Threshold Level (TL) 	802.11 ax (HE80) /6145MHz Test Result is pass due to no transmission occur. 
802.11 ax (HE80) /6145MHz Threshold Level (TL) 	802.11 ax (HE80) /6145MHz Transmission when the interferer is Minimal Operation 


Contention Based Protocol Result on U-NII 5 (AWGN Interference)	
802.11 ax (HE80) /6180MHz Threshold Level (TL) 	802.11 ax (HE80) /6180MHz Test Result is pass due to no transmission occur. 
802.11 ax (HE80) /6180MHz Threshold Level (TL) 	802.11 ax (HE80) /6180MHz Transmission when the interferer is Minimal Operation 

Contention Based Protocol Result on U-NII 6 (AWGN Interference)	
802.11 ax (HE20) /6475MHz Threshold Level (TL) 	802.11 ax (HE20) 6475MHz Test Result is pass due to no transmission occur. 
802.11 ax (HE20) /6475MHz Threshold Level (TL) 	802.11 ax (HE20) /6475MHz Transmission when the interferer is Minimal Operation 




Contention Based Protocol Result on U-NII 6 (AWGN Interference)


802.11 ax (HE80) /6465MHz
Threshold Level (TL)




802.11 ax (HE80) /6465MHz
Test Result is pass due to no transmission occur.











802.11 ax (HE80) /6465MHz
Threshold Level (TL)











802.11 ax (HE80) /6465MHz
Transmission when the interferer is Minimal Operation










Contention Based Protocol Result on U-NII 6 (AWGN Interference)	
802.11 ax (HE80) /6500MHz Threshold Level (TL) 	802.11 ax (HE80) /6500MHz Test Result is pass due to no transmission occur. 
802.11 ax (HE80) /6500MHz Threshold Level (TL) 	802.11 ax (HE80) /6500MHz Transmission when the interferer is Minimal Operation 



Contention Based Protocol Result on U-NII 7 (AWGN Interference)	
802.11 ax (HE20) /6695MHz Threshold Level (TL) 	802.11 ax (HE20) /6695MHz Test Result is pass due to no transmission occur. 
802.11 ax (HE20) /6695MHz Threshold Level (TL) 	802.11 ax (HE20) /6695MHz Transmission when the interferer is Minimal Operation 




Contention Based Protocol Result on U-NII 7 (AWGN Interference)	
802.11 ax (HE80) /6670MHz Threshold Level (TL)	802.11 ax (HE80) /6670MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE80) /6670MHz Threshold Level (TL)	802.11 ax (HE80) /6670MHz Transmission when the interferer is Minimal Operation
	





Contention Based Protocol Result on U-NII 7 (AWGN Interference)	
802.11 ax (HE80) /6705MHz Threshold Level (TL) 	802.11 ax (HE80) /6705MHz Test Result is pass due to no transmission occur. 
802.11 ax (HE80) /6705MHz Threshold Level (TL) 	802.11 ax (HE80) /6705MHz Transmission when the interferer is Minimal Operation 


Contention Based Protocol Result on U-NII 7 (AWGN Interference)	
802.11 ax (HE80) /6740MHz Threshold Level (TL) 	802.11 ax (HE80) /6740MHz Test Result is pass due to no transmission occur. 
802.11 ax (HE80) /6740MHz Threshold Level (TL) 	802.11 ax (HE80) /6740MHz Transmission when the interferer is Minimal Operation 

Contention Based Protocol Result on U-NII 8 (AWGN Interference)	
802.11 ax (HE20) /6995MHz Threshold Level (TL)	802.11 ax (HE20) /6995MHz Test Result is pass due to no transmission occur.
	
802.11 ax (HE20) /6995MHz Threshold Level (TL)	802.11 ax (HE20) /6995MHz Transmission when the interferer is Minimal Operation
	

Contention Based Protocol Result on U-NII 8 (AWGN Interference)	
802.11 ax (HE80) /6990MHz Threshold Level (TL) 	802.11 ax (HE80) /6990MHz Test Result is pass due to no transmission occur. 
802.11 ax (HE80) /6990MHz Threshold Level (TL) 	802.11 ax (HE80) /6990MHz Transmission when the interferer is Minimal Operation 

Contention Based Protocol Result on U-NII 8 (AWGN Interference)	
802.11 ax (HE80) /7025MHz Threshold Level (TL) 	802.11 ax (HE80) /7025MHz Test Result is pass due to no transmission occur. 
802.11 ax (HE80) /7025MHz Threshold Level (TL) 	802.11 ax (HE80) /7025MHz Transmission when the interferer is Minimal Operation 

Contention Based Protocol Result on U-NII 8 (AWGN Interference)	
802.11 ax (HE80) /7060MHz Threshold Level (TL) 	802.11 ax (HE80) /7060MHz Test Result is pass due to no transmission occur. 
802.11 ax (HE80) /7060MHz Threshold Level (TL) 	802.11 ax (HE80) /7060MHz Transmission when the interferer is Minimal Operation 



Note: The device does not support channel puncturing and channel bandwidth reduction mechanism for CBP mode.

- End of the Report -