Appendix A.13

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.35	-0.85	22.50	<=33.01	Pass
			2	23.67	-0.85	22.82	<=33.01	Pass
			5	23.38	-0.85	22.53	<=33.01	Pass
		3	0	23.49	-0.85	22.64	<=33.01	Pass
			2	23.46	-0.85	22.61	<=33.01	Pass
			3	23.40	-0.85	22.55	<=33.01	Pass
		6	0	22.45	-0.85	21.60	<=33.01	Pass
	1882.5	1	0	22.98	-0.85	22.13	<=33.01	Pass
			2	23.22	-0.85	22.37	<=33.01	Pass
			5	23.05	-0.85	22.20	<=33.01	Pass
		3	0	23.02	-0.85	22.17	<=33.01	Pass
			2	23.07	-0.85	22.22	<=33.01	Pass
			3	23.12	-0.85	22.27	<=33.01	Pass
		6	0	22.21	-0.85	21.36	<=33.01	Pass
	1914.3	1	0	23.07	-0.85	22.22	<=33.01	Pass
			2	22.98	-0.85	22.13	<=33.01	Pass
			5	23.06	-0.85	22.21	<=33.01	Pass
		3	0	22.91	-0.85	22.06	<=33.01	Pass
			2	23.16	-0.85	22.31	<=33.01	Pass
			3	22.97	-0.85	22.12	<=33.01	Pass
		6	0	21.94	-0.85	21.09	<=33.01	Pass
16QAM	1850.7	1	0	21.87	-0.85	21.02	<=33.01	Pass
			2	22.16	-0.85	21.31	<=33.01	Pass
			5	22.00	-0.85	21.15	<=33.01	Pass
		3	0	22.24	-0.85	21.39	<=33.01	Pass
			2	22.46	-0.85	21.61	<=33.01	Pass
			3	22.45	-0.85	21.60	<=33.01	Pass
		6	0	21.13	-0.85	20.28	<=33.01	Pass
	1882.5	1	0	21.75	-0.85	20.90	<=33.01	Pass
			2	21.60	-0.85	20.75	<=33.01	Pass
			5	21.52	-0.85	20.67	<=33.01	Pass
		3	0	22.04	-0.85	21.19	<=33.01	Pass
			2	22.12	-0.85	21.27	<=33.01	Pass
			3	22.07	-0.85	21.22	<=33.01	Pass
		6	0	21.13	-0.85	20.28	<=33.01	Pass
	1914.3	1	0	21.66	-0.85	20.81	<=33.01	Pass
			2	21.74	-0.85	20.89	<=33.01	Pass
			5	21.56	-0.85	20.71	<=33.01	Pass
		3	0	21.94	-0.85	21.09	<=33.01	Pass
			2	22.06	-0.85	21.21	<=33.01	Pass

			3	21.96	-0.85	21.11	<=33.01	Pass
		6	0	20.82	-0.85	19.97	<=33.01	Pass
64QAM	1850.7	1	0	22.06	-0.85	21.21	<=33.01	Pass
			2	21.92	-0.85	21.07	<=33.01	Pass
			5	21.91	-0.85	21.06	<=33.01	Pass
		3	0	22.29	-0.85	21.44	<=33.01	Pass
			2	22.57	-0.85	21.72	<=33.01	Pass
			3	22.46	-0.85	21.61	<=33.01	Pass
		6	0	20.96	-0.85	20.11	<=33.01	Pass
	1882.5	1	0	21.69	-0.85	20.84	<=33.01	Pass
			2	21.78	-0.85	20.93	<=33.01	Pass
			5	21.57	-0.85	20.72	<=33.01	Pass
		3	0	22.05	-0.85	21.20	<=33.01	Pass
			2	22.19	-0.85	21.34	<=33.01	Pass
			3	22.12	-0.85	21.27	<=33.01	Pass
		6	0	21.14	-0.85	20.29	<=33.01	Pass
	1914.3	1	0	21.48	-0.85	20.63	<=33.01	Pass
			2	21.30	-0.85	20.45	<=33.01	Pass
			5	21.29	-0.85	20.44	<=33.01	Pass
		3	0	21.83	-0.85	20.98	<=33.01	Pass
			2	22.05	-0.85	21.20	<=33.01	Pass
			3	22.04	-0.85	21.19	<=33.01	Pass
		6	0	20.72	-0.85	19.87	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.49	-0.85	22.64	<=33.01	Pass
			7	23.49	-0.85	22.64	<=33.01	Pass
			14	23.47	-0.85	22.62	<=33.01	Pass
		8	0	22.47	-0.85	21.62	<=33.01	Pass
			4	22.35	-0.85	21.50	<=33.01	Pass
			7	22.50	-0.85	21.65	<=33.01	Pass
		15	0	22.42	-0.85	21.57	<=33.01	Pass
	1882.5	1	0	22.97	-0.85	22.12	<=33.01	Pass
			7	23.12	-0.85	22.27	<=33.01	Pass
			14	23.05	-0.85	22.20	<=33.01	Pass
		8	0	22.16	-0.85	21.31	<=33.01	Pass
			4	22.13	-0.85	21.28	<=33.01	Pass
			7	22.19	-0.85	21.34	<=33.01	Pass
		15	0	22.16	-0.85	21.31	<=33.01	Pass
	1913.5	1	0	23.30	-0.85	22.45	<=33.01	Pass
			7	23.27	-0.85	22.42	<=33.01	Pass
			14	23.16	-0.85	22.31	<=33.01	Pass
		8	0	22.22	-0.85	21.37	<=33.01	Pass
			4	22.18	-0.85	21.33	<=33.01	Pass
			7	22.11	-0.85	21.26	<=33.01	Pass
		15	0	22.09	-0.85	21.24	<=33.01	Pass

16QAM	1851.5	1	0	22.71	-0.85	21.86	<=33.01	Pass
			7	22.32	-0.85	21.47	<=33.01	Pass
			14	22.12	-0.85	21.27	<=33.01	Pass
		8	0	21.11	-0.85	20.26	<=33.01	Pass
			4	21.18	-0.85	20.33	<=33.01	Pass
			7	21.03	-0.85	20.18	<=33.01	Pass
		15	0	21.34	-0.85	20.49	<=33.01	Pass
	1882.5	1	0	22.36	-0.85	21.51	<=33.01	Pass
			7	22.01	-0.85	21.16	<=33.01	Pass
			14	21.69	-0.85	20.84	<=33.01	Pass
		8	0	20.99	-0.85	20.14	<=33.01	Pass
			4	21.00	-0.85	20.15	<=33.01	Pass
			7	21.26	-0.85	20.41	<=33.01	Pass
		15	0	21.00	-0.85	20.15	<=33.01	Pass
	1913.5	1	0	21.70	-0.85	20.85	<=33.01	Pass
			7	21.91	-0.85	21.06	<=33.01	Pass
			14	21.79	-0.85	20.94	<=33.01	Pass
		8	0	21.10	-0.85	20.25	<=33.01	Pass
			4	21.16	-0.85	20.31	<=33.01	Pass
			7	21.22	-0.85	20.37	<=33.01	Pass
		15	0	21.02	-0.85	20.17	<=33.01	Pass
64QAM	1851.5	1	0	22.00	-0.85	21.15	<=33.01	Pass
			7	22.01	-0.85	21.16	<=33.01	Pass
			14	21.87	-0.85	21.02	<=33.01	Pass
		8	0	21.29	-0.85	20.44	<=33.01	Pass
			4	21.15	-0.85	20.30	<=33.01	Pass
			7	21.26	-0.85	20.41	<=33.01	Pass
		15	0	21.13	-0.85	20.28	<=33.01	Pass
	1882.5	1	0	21.40	-0.85	20.55	<=33.01	Pass
			7	21.76	-0.85	20.91	<=33.01	Pass
			14	21.48	-0.85	20.63	<=33.01	Pass
		8	0	21.02	-0.85	20.17	<=33.01	Pass
			4	20.93	-0.85	20.08	<=33.01	Pass
			7	20.94	-0.85	20.09	<=33.01	Pass
		15	0	20.97	-0.85	20.12	<=33.01	Pass
	1913.5	1	0	21.55	-0.85	20.70	<=33.01	Pass
			7	21.76	-0.85	20.91	<=33.01	Pass
			14	21.51	-0.85	20.66	<=33.01	Pass
		8	0	20.57	-0.85	19.72	<=33.01	Pass
			4	20.81	-0.85	19.96	<=33.01	Pass
			7	20.73	-0.85	19.88	<=33.01	Pass
		15	0	21.00	-0.85	20.15	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.51	-0.85	22.66	<=33.01	Pass
			13	23.60	-0.85	22.75	<=33.01	Pass

			24	23.33	-0.85	22.48	<=33.01	Pass
		12	0	22.28	-0.85	21.43	<=33.01	Pass
			6	22.40	-0.85	21.55	<=33.01	Pass
			13	22.26	-0.85	21.41	<=33.01	Pass
		25	0	22.33	-0.85	21.48	<=33.01	Pass
	1882.5	1	0	22.97	-0.85	22.12	<=33.01	Pass
			13	23.28	-0.85	22.43	<=33.01	Pass
			24	22.98	-0.85	22.13	<=33.01	Pass
		12	0	22.03	-0.85	21.18	<=33.01	Pass
			6	22.11	-0.85	21.26	<=33.01	Pass
			13	22.06	-0.85	21.21	<=33.01	Pass
		25	0	22.15	-0.85	21.30	<=33.01	Pass
	1912.5	1	0	23.16	-0.85	22.31	<=33.01	Pass
			13	23.27	-0.85	22.42	<=33.01	Pass
			24	23.03	-0.85	22.18	<=33.01	Pass
		12	0	22.08	-0.85	21.23	<=33.01	Pass
			6	22.27	-0.85	21.42	<=33.01	Pass
			13	21.99	-0.85	21.14	<=33.01	Pass
		25	0	22.09	-0.85	21.24	<=33.01	Pass
16QAM	1852.5	1	0	22.25	-0.85	21.40	<=33.01	Pass
			13	22.03	-0.85	21.18	<=33.01	Pass
			24	21.68	-0.85	20.83	<=33.01	Pass
		12	0	21.18	-0.85	20.33	<=33.01	Pass
			6	21.25	-0.85	20.40	<=33.01	Pass
			13	21.19	-0.85	20.34	<=33.01	Pass
		25	0	20.84	-0.85	19.99	<=33.01	Pass
	1882.5	1	0	21.86	-0.85	21.01	<=33.01	Pass
			13	21.82	-0.85	20.97	<=33.01	Pass
			24	21.64	-0.85	20.79	<=33.01	Pass
		12	0	20.71	-0.85	19.86	<=33.01	Pass
			6	20.90	-0.85	20.05	<=33.01	Pass
			13	20.87	-0.85	20.02	<=33.01	Pass
		25	0	20.88	-0.85	20.03	<=33.01	Pass
	1912.5	1	0	21.86	-0.85	21.01	<=33.01	Pass
			13	21.86	-0.85	21.01	<=33.01	Pass
			24	21.60	-0.85	20.75	<=33.01	Pass
		12	0	21.02	-0.85	20.17	<=33.01	Pass
			6	20.98	-0.85	20.13	<=33.01	Pass
			13	20.95	-0.85	20.10	<=33.01	Pass
		25	0	20.94	-0.85	20.09	<=33.01	Pass
64QAM	1852.5	1	0	21.89	-0.85	21.04	<=33.01	Pass
			13	21.92	-0.85	21.07	<=33.01	Pass
			24	21.43	-0.85	20.58	<=33.01	Pass
		12	0	21.06	-0.85	20.21	<=33.01	Pass
			6	21.21	-0.85	20.36	<=33.01	Pass
			13	21.02	-0.85	20.17	<=33.01	Pass
		25	0	21.38	-0.85	20.53	<=33.01	Pass
	1882.5	1	0	21.44	-0.85	20.59	<=33.01	Pass
			13	21.73	-0.85	20.88	<=33.01	Pass
			24	21.20	-0.85	20.35	<=33.01	Pass
		12	0	20.68	-0.85	19.83	<=33.01	Pass
			6	20.84	-0.85	19.99	<=33.01	Pass
			13	20.68	-0.85	19.83	<=33.01	Pass

		25	0	21.04	-0.85	20.19	<=33.01	Pass
	1912.5	1	0	21.56	-0.85	20.71	<=33.01	Pass
			13	21.59	-0.85	20.74	<=33.01	Pass
			24	21.31	-0.85	20.46	<=33.01	Pass
		12	0	20.88	-0.85	20.03	<=33.01	Pass
			6	20.95	-0.85	20.10	<=33.01	Pass
			13	20.79	-0.85	19.94	<=33.01	Pass
		25	0	21.24	-0.85	20.39	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.50	-0.85	22.65	<=33.01	Pass
			25	23.83	-0.85	22.98	<=33.01	Pass
			49	23.38	-0.85	22.53	<=33.01	Pass
		25	0	22.47	-0.85	21.62	<=33.01	Pass
			13	22.41	-0.85	21.56	<=33.01	Pass
			25	22.37	-0.85	21.52	<=33.01	Pass
		50	0	22.41	-0.85	21.56	<=33.01	Pass
	1882.5	1	0	23.15	-0.85	22.30	<=33.01	Pass
			25	23.37	-0.85	22.52	<=33.01	Pass
			49	23.18	-0.85	22.33	<=33.01	Pass
		25	0	22.09	-0.85	21.24	<=33.01	Pass
			13	22.20	-0.85	21.35	<=33.01	Pass
			25	22.09	-0.85	21.24	<=33.01	Pass
		50	0	22.16	-0.85	21.31	<=33.01	Pass
	1910	1	0	23.20	-0.85	22.35	<=33.01	Pass
			25	23.66	-0.85	22.81	<=33.01	Pass
			49	23.17	-0.85	22.32	<=33.01	Pass
		25	0	22.07	-0.85	21.22	<=33.01	Pass
			13	22.23	-0.85	21.38	<=33.01	Pass
			25	22.14	-0.85	21.29	<=33.01	Pass
		50	0	22.17	-0.85	21.32	<=33.01	Pass
16QAM	1855	1	0	22.26	-0.85	21.41	<=33.01	Pass
			25	22.36	-0.85	21.51	<=33.01	Pass
			49	21.78	-0.85	20.93	<=33.01	Pass
		25	0	21.26	-0.85	20.41	<=33.01	Pass
			13	21.28	-0.85	20.43	<=33.01	Pass
			25	21.21	-0.85	20.36	<=33.01	Pass
		50	0	21.42	-0.85	20.57	<=33.01	Pass
	1882.5	1	0	21.57	-0.85	20.72	<=33.01	Pass
			25	22.16	-0.85	21.31	<=33.01	Pass
			49	21.73	-0.85	20.88	<=33.01	Pass
		25	0	20.96	-0.85	20.11	<=33.01	Pass
			13	21.23	-0.85	20.38	<=33.01	Pass
			25	21.03	-0.85	20.18	<=33.01	Pass
		50	0	20.88	-0.85	20.03	<=33.01	Pass
	1910	1	0	21.50	-0.85	20.65	<=33.01	Pass

			25	21.96	-0.85	21.11	<=33.01	Pass
			49	21.85	-0.85	21.00	<=33.01	Pass
		25	0	21.01	-0.85	20.16	<=33.01	Pass
			13	21.23	-0.85	20.38	<=33.01	Pass
			25	21.26	-0.85	20.41	<=33.01	Pass
		50	0	20.87	-0.85	20.02	<=33.01	Pass
64QAM	1855	1	0	21.93	-0.85	21.08	<=33.01	Pass
			25	22.24	-0.85	21.39	<=33.01	Pass
			49	21.57	-0.85	20.72	<=33.01	Pass
		25	0	21.42	-0.85	20.57	<=33.01	Pass
			13	21.22	-0.85	20.37	<=33.01	Pass
			25	21.35	-0.85	20.50	<=33.01	Pass
		50	0	21.48	-0.85	20.63	<=33.01	Pass
	1882.5	1	0	21.38	-0.85	20.53	<=33.01	Pass
			25	21.63	-0.85	20.78	<=33.01	Pass
			49	21.41	-0.85	20.56	<=33.01	Pass
		25	0	21.06	-0.85	20.21	<=33.01	Pass
			13	21.13	-0.85	20.28	<=33.01	Pass
			25	21.01	-0.85	20.16	<=33.01	Pass
		50	0	21.09	-0.85	20.24	<=33.01	Pass
	1910	1	0	21.13	-0.85	20.28	<=33.01	Pass
			25	21.93	-0.85	21.08	<=33.01	Pass
			49	21.48	-0.85	20.63	<=33.01	Pass
		25	0	21.10	-0.85	20.25	<=33.01	Pass
			13	21.15	-0.85	20.30	<=33.01	Pass
			25	21.18	-0.85	20.33	<=33.01	Pass
		50	0	21.10	-0.85	20.25	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.45	-0.85	22.60	<=33.01	Pass
			38	23.86	-0.85	23.01	<=33.01	Pass
			74	23.17	-0.85	22.32	<=33.01	Pass
		36	0	22.32	-0.85	21.47	<=33.01	Pass
			18	22.37	-0.85	21.52	<=33.01	Pass
			39	22.23	-0.85	21.38	<=33.01	Pass
		75	0	22.30	-0.85	21.45	<=33.01	Pass
	1882.5	1	0	23.08	-0.85	22.23	<=33.01	Pass
			38	23.35	-0.85	22.50	<=33.01	Pass
			74	23.05	-0.85	22.20	<=33.01	Pass
		36	0	22.17	-0.85	21.32	<=33.01	Pass
			18	22.08	-0.85	21.23	<=33.01	Pass
			39	22.00	-0.85	21.15	<=33.01	Pass
		75	0	21.94	-0.85	21.09	<=33.01	Pass
	1907.5	1	0	23.17	-0.85	22.32	<=33.01	Pass
			38	23.36	-0.85	22.51	<=33.01	Pass
			74	23.18	-0.85	22.33	<=33.01	Pass

		36	0	22.13	-0.85	21.28	<=33.01	Pass
			18	22.09	-0.85	21.24	<=33.01	Pass
			39	22.17	-0.85	21.32	<=33.01	Pass
		75	0	22.10	-0.85	21.25	<=33.01	Pass
16QAM	1857.5	1	0	21.89	-0.85	21.04	<=33.01	Pass
			38	22.07	-0.85	21.22	<=33.01	Pass
			74	21.76	-0.85	20.91	<=33.01	Pass
		36	0	21.13	-0.85	20.28	<=33.01	Pass
			18	21.31	-0.85	20.46	<=33.01	Pass
			39	21.24	-0.85	20.39	<=33.01	Pass
		75	0	21.21	-0.85	20.36	<=33.01	Pass
	1882.5	1	0	21.70	-0.85	20.85	<=33.01	Pass
			38	21.92	-0.85	21.07	<=33.01	Pass
			74	21.73	-0.85	20.88	<=33.01	Pass
		36	0	21.01	-0.85	20.16	<=33.01	Pass
			18	21.03	-0.85	20.18	<=33.01	Pass
			39	20.90	-0.85	20.05	<=33.01	Pass
		75	0	20.98	-0.85	20.13	<=33.01	Pass
	1907.5	1	0	21.78	-0.85	20.93	<=33.01	Pass
			38	21.79	-0.85	20.94	<=33.01	Pass
			74	21.67	-0.85	20.82	<=33.01	Pass
		36	0	21.01	-0.85	20.16	<=33.01	Pass
			18	21.07	-0.85	20.22	<=33.01	Pass
			39	21.06	-0.85	20.21	<=33.01	Pass
		75	0	21.00	-0.85	20.15	<=33.01	Pass
64QAM	1857.5	1	0	21.55	-0.85	20.70	<=33.01	Pass
			38	22.03	-0.85	21.18	<=33.01	Pass
			74	21.66	-0.85	20.81	<=33.01	Pass
		36	0	21.34	-0.85	20.49	<=33.01	Pass
			18	21.31	-0.85	20.46	<=33.01	Pass
			39	21.29	-0.85	20.44	<=33.01	Pass
		75	0	21.25	-0.85	20.40	<=33.01	Pass
	1882.5	1	0	21.33	-0.85	20.48	<=33.01	Pass
			38	21.70	-0.85	20.85	<=33.01	Pass
			74	21.27	-0.85	20.42	<=33.01	Pass
		36	0	21.01	-0.85	20.16	<=33.01	Pass
			18	21.15	-0.85	20.30	<=33.01	Pass
			39	20.91	-0.85	20.06	<=33.01	Pass
		75	0	20.89	-0.85	20.04	<=33.01	Pass
	1907.5	1	0	21.39	-0.85	20.54	<=33.01	Pass
			38	21.81	-0.85	20.96	<=33.01	Pass
			74	21.36	-0.85	20.51	<=33.01	Pass
		36	0	20.97	-0.85	20.12	<=33.01	Pass
			18	21.03	-0.85	20.18	<=33.01	Pass
			39	20.92	-0.85	20.07	<=33.01	Pass
		75	0	20.96	-0.85	20.11	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.77	-0.85	21.92	<=33.01	Pass
			50	24.16	-0.85	23.31	<=33.01	Pass
			99	22.91	-0.85	22.06	<=33.01	Pass
		50	0	22.01	-0.85	21.16	<=33.01	Pass
			25	22.00	-0.85	21.15	<=33.01	Pass
			50	21.86	-0.85	21.01	<=33.01	Pass
		100	0	21.88	-0.85	21.03	<=33.01	Pass
	1882.5	1	0	22.82	-0.85	21.97	<=33.01	Pass
			50	23.18	-0.85	22.33	<=33.01	Pass
			99	22.79	-0.85	21.94	<=33.01	Pass
		50	0	21.60	-0.85	20.75	<=33.01	Pass
			25	21.79	-0.85	20.94	<=33.01	Pass
			50	21.61	-0.85	20.76	<=33.01	Pass
		100	0	21.58	-0.85	20.73	<=33.01	Pass
	1905	1	0	22.86	-0.85	22.01	<=33.01	Pass
			50	23.51	-0.85	22.66	<=33.01	Pass
			99	23.10	-0.85	22.25	<=33.01	Pass
		50	0	21.92	-0.85	21.07	<=33.01	Pass
			25	21.90	-0.85	21.05	<=33.01	Pass
			50	21.92	-0.85	21.07	<=33.01	Pass
		100	0	21.85	-0.85	21.00	<=33.01	Pass
16QAM	1860	1	0	21.61	-0.85	20.76	<=33.01	Pass
			50	21.87	-0.85	21.02	<=33.01	Pass
			99	21.35	-0.85	20.50	<=33.01	Pass
		50	0	20.95	-0.85	20.10	<=33.01	Pass
			25	20.97	-0.85	20.12	<=33.01	Pass
			50	20.85	-0.85	20.00	<=33.01	Pass
		100	0	20.86	-0.85	20.01	<=33.01	Pass
	1882.5	1	0	21.41	-0.85	20.56	<=33.01	Pass
			50	21.53	-0.85	20.68	<=33.01	Pass
			99	21.37	-0.85	20.52	<=33.01	Pass
		50	0	20.57	-0.85	19.72	<=33.01	Pass
			25	20.77	-0.85	19.92	<=33.01	Pass
			50	20.70	-0.85	19.85	<=33.01	Pass
		100	0	20.62	-0.85	19.77	<=33.01	Pass
	1905	1	0	21.47	-0.85	20.62	<=33.01	Pass
			50	21.71	-0.85	20.86	<=33.01	Pass
			99	21.69	-0.85	20.84	<=33.01	Pass
		50	0	20.70	-0.85	19.85	<=33.01	Pass
			25	20.76	-0.85	19.91	<=33.01	Pass
			50	20.97	-0.85	20.12	<=33.01	Pass
		100	0	20.89	-0.85	20.04	<=33.01	Pass
64QAM	1860	1	0	21.42	-0.85	20.57	<=33.01	Pass
			50	21.87	-0.85	21.02	<=33.01	Pass
			99	21.11	-0.85	20.26	<=33.01	Pass
		50	0	20.99	-0.85	20.14	<=33.01	Pass
			25	21.09	-0.85	20.24	<=33.01	Pass
			50	20.84	-0.85	19.99	<=33.01	Pass
		100	0	20.87	-0.85	20.02	<=33.01	Pass
	1882.5	1	0	21.05	-0.85	20.20	<=33.01	Pass
			50	21.46	-0.85	20.61	<=33.01	Pass

			99	21.04	-0.85	20.19	<=33.01	Pass
		50	0	20.67	-0.85	19.82	<=33.01	Pass
			25	20.76	-0.85	19.91	<=33.01	Pass
			50	20.78	-0.85	19.93	<=33.01	Pass
		100	0	20.55	-0.85	19.70	<=33.01	Pass
	1905	1	0	21.16	-0.85	20.31	<=33.01	Pass
			50	21.73	-0.85	20.88	<=33.01	Pass
			99	21.33	-0.85	20.48	<=33.01	Pass
		50	0	20.74	-0.85	19.89	<=33.01	Pass
			25	20.86	-0.85	20.01	<=33.01	Pass
			50	20.99	-0.85	20.14	<=33.01	Pass
		100	0	20.80	-0.85	19.95	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 Test Result

2.1.1 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1882.5	50	0	20	8.8	2.400	0.0013	-2.5 to 2.5	Pass
					7.7	1.000	0.0005	-2.5 to 2.5	Pass
					6.6	0.200	0.0001	-2.5 to 2.5	Pass
				-30	7.7	1.800	0.0010	-2.5 to 2.5	Pass
				-20	7.7	1.700	0.0009	-2.5 to 2.5	Pass
				-10	7.7	4.000	0.0021	-2.5 to 2.5	Pass
				0	7.7	1.500	0.0008	-2.5 to 2.5	Pass
				10	7.7	2.900	0.0015	-2.5 to 2.5	Pass
				30	7.7	2.200	0.0012	-2.5 to 2.5	Pass
				40	7.7	-0.400	-0.0002	-2.5 to 2.5	Pass
				50	7.7	2.200	0.0012	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band25_OBW

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.090	/	Pass
	16QAM	1882.5	6	0	1.087	/	Pass
	64QAM	1882.5	6	0	1.085	/	Pass

3	QPSK	1882.5	15	0	2.686	/	Pass
	16QAM	1882.5	15	0	2.685	/	Pass
	64QAM	1882.5	15	0	2.690	/	Pass
5	QPSK	1882.5	25	0	4.480	/	Pass
	16QAM	1882.5	25	0	4.477	/	Pass
	64QAM	1882.5	25	0	4.485	/	Pass
10	QPSK	1882.5	50	0	8.962	/	Pass
	16QAM	1882.5	50	0	8.916	/	Pass
	64QAM	1882.5	50	0	8.948	/	Pass
15	QPSK	1882.5	75	0	13.428	/	Pass
	16QAM	1882.5	75	0	13.401	/	Pass
	64QAM	1882.5	75	0	13.413	/	Pass
20	QPSK	1882.5	100	0	17.885	/	Pass
	16QAM	1882.5	100	0	17.888	/	Pass
	64QAM	1882.5	100	0	17.863	/	Pass

3.1.2 Band25_XDB

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.273	/	Pass
	16QAM	1882.5	6	0	1.267	/	Pass
	64QAM	1882.5	6	0	1.283	/	Pass
3	QPSK	1882.5	15	0	2.939	/	Pass
	16QAM	1882.5	15	0	2.941	/	Pass
	64QAM	1882.5	15	0	2.925	/	Pass
5	QPSK	1882.5	25	0	4.922	/	Pass
	16QAM	1882.5	25	0	4.936	/	Pass
	64QAM	1882.5	25	0	4.882	/	Pass
10	QPSK	1882.5	50	0	9.667	/	Pass
	16QAM	1882.5	50	0	9.587	/	Pass
	64QAM	1882.5	50	0	9.776	/	Pass
15	QPSK	1882.5	75	0	14.561	/	Pass
	16QAM	1882.5	75	0	14.447	/	Pass
	64QAM	1882.5	75	0	14.557	/	Pass
20	QPSK	1882.5	100	0	19.231	/	Pass
	16QAM	1882.5	100	0	19.110	/	Pass
	64QAM	1882.5	100	0	19.086	/	Pass

3.2 Test Graph

3.2.1 Band25_OBW

Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_6_0_NTNV



Band25_1.4MHz_16QAM_MCH_1882.5MHz_RB_6_0_NTNV



Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV



Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV



Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV



Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV



Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV



Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV



Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV



Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV



Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV



Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV



Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV



Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV



Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV



Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



3.2.2 Band25_XDB

Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_6_0_NTNV



Band25_1.4MHz_16QAM_MCH_1882.5MHz_RB_6_0_NTNV



Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV



Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV



Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV



Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV



Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV



Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV



Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV



Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV



Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV



Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV



Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV



Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV



Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV



Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B25_20MHz

Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	5.78	<=13	Pass
16QAM	1882.5	100	0	6.58	<=13	Pass
64QAM	1882.5	100	0	6.56	<=13	Pass

4.2 Test Graph

4.2.1 B25_20MHz

Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1914.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1912.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV				
Modulation	Frequency	RB Allocation	Spurious Emission	Verdict

	(MHz)	Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B25_15MHz

Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B25_20MHz

Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B25_1.4MHz

Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-37.17	-13	Pass
1849	1850	0.03	/	2	1849.994	-25.46	-13	Pass
1850	1853	0.03	/	/	/	/	/	/

Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV



Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV



Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-32.44	-13	Pass
1849	1850	0.03	/	2	1849.994	-33.29	-13	Pass
1850	1853	0.03	/	/	/	/	/	/

Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_0_NTNV



Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_0_NTNV



Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.006	-27.35	-13	Pass
1916	1918	1	CHP	2	1916.500	-36.41	-13	Pass

Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.006	-35.66	-13	Pass
1916	1918	1	CHP	2	1916.500	-32.85	-13	Pass

5.2.2 B25_3MHz

Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1847.966	-35.74	-13	Pass
1849	1850	0.03	/	2	1849.994	-26.64	-13	Pass
1850	1853	0.03	/	/	/	/	/	/

Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-32.06	-13	Pass
1849	1850	0.03	/	2	1849.994	-34.14	-13	Pass
1850	1853	0.03	/	/	/	/	/	/

Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.006	-26.69	-13	Pass
1916	1918	1	CHP	2	1916.500	-36.53	-13	Pass

Band25_3MHz_QPSK_HCH_1913.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.006	-35.59	-13	Pass
1916	1918	1	CHP	2	1916.500	-29.50	-13	Pass

5.2.3 B25_5MHz

Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.490	-36.86	-13	Pass
1849	1850	0.03	/	2	1849.990	-28.89	-13	Pass
1850	1855	0.03	/	/	/	/	/	/

Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-33.89	-13	Pass
1849	1850	0.05	/	2	1849.990	-35.63	-13	Pass
1850	1855	0.05	/	/	/	/	/	/

Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.010	-30.83	-13	Pass
1916	1920	1	CHP	2	1916.500	-35.63	-13	Pass

Band25_5MHz_QPSK_HCH_1912.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.05	/	/	/	/	/	/
1915	1916	0.05	/	1	1915.010	-35.21	-13	Pass
1916	1920	1	CHP	2	1916.500	-30.63	-13	Pass

5.2.4 B25_10MHz

Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.492	-38.49	-13	Pass
1849	1850	0.03	/	2	1849.992	-42.39	-13	Pass
1850	1860	0.03	/	/	/	/	/	/

Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-36.27	-13	Pass
1849	1850	0.1	/	2	1849.980	-40.39	-13	Pass
1850	1860	0.1	/	/	/	/	/	/

Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_HCH_1910MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.203	-42.30	-13	Pass
1916	1925	1	CHP	2	1918.533	-38.02	-13	Pass

Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.1	/	/	/	/	/	/
1915	1916	0.1	/	1	1915.020	-38.05	-13	Pass
1916	1925	1	CHP	2	1916.500	-33.66	-13	Pass

5.2.5 B25_15MHz

Band25_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-38.76	-13	Pass
1849	1850	0.03	/	2	1849.985	-40.30	-13	Pass
1850	1865	0.03	/	/	/	/	/	/

Band25_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-37.63	-13	Pass
1849	1850	0.2	/	2	1849.880	-40.01	-13	Pass
1850	1865	0.2	/	/	/	/	/	/

Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.015	-40.65	-13	Pass
1916	1930	1	CHP	2	1916.500	-39.28	-13	Pass

Band25_15MHz_QPSK_HCH_1907.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.2	/	/	/	/	/	/
1915	1916	0.2	/	1	1915.030	-39.03	-13	Pass
1916	1930	1	CHP	2	1916.500	-35.02	-13	Pass

5.2.6 B25_20MHz

Band25_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.500	-40.05	-13	Pass
1849	1850	0.03	/	2	1849.985	-46.60	-13	Pass
1850	1870	0.03	/	/	/	/	/	/

Band25_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



Band25_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



Band25_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-38.61	-13	Pass
1849	1850	0.2	/	2	1849.960	-41.71	-13	Pass
1850	1870	0.2	/	/	/	/	/	/

Band25_20MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_20MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV



Band25_20MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band25_20MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band25_20MHz_QPSK_HCH_1905MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.015	-46.71	-13	Pass
1916	1935	1	CHP	2	1916.500	-39.70	-13	Pass

Band25_20MHz_QPSK_HCH_1905MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.2	/	/	/	/	/	/
1915	1916	0.2	/	1	1915.120	-40.84	-13	Pass
1916	1935	1	CHP	2	1916.520	-35.90	-13	Pass

---End of Attachment---