Appendix A.19

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	22.96	-0.33	22.63	<=30	Pass
			2	23.15	-0.33	22.82	<=30	Pass
			5	22.85	-0.33	22.52	<=30	Pass
		3	0	22.81	-0.33	22.48	<=30	Pass
			2	22.84	-0.33	22.51	<=30	Pass
			3	22.80	-0.33	22.47	<=30	Pass
		6	0	21.93	-0.33	21.60	<=30	Pass
	1745	1	0	22.83	-0.33	22.50	<=30	Pass
			2	23.02	-0.33	22.69	<=30	Pass
			5	23.13	-0.33	22.80	<=30	Pass
		3	0	22.69	-0.33	22.36	<=30	Pass
			2	22.76	-0.33	22.43	<=30	Pass
			3	22.75	-0.33	22.42	<=30	Pass
		6	0	21.78	-0.33	21.45	<=30	Pass
	1779.3	1	0	23.18	-0.33	22.85	<=30	Pass
			2	23.30	-0.33	22.97	<=30	Pass
			5	23.39	-0.33	23.06	<=30	Pass
		3	0	23.06	-0.33	22.73	<=30	Pass
			2	23.25	-0.33	22.92	<=30	Pass
			3	23.12	-0.33	22.79	<=30	Pass
		6	0	22.14	-0.33	21.81	<=30	Pass
16QAM	1710.7	1	0	21.76	-0.33	21.43	<=30	Pass
			2	21.57	-0.33	21.24	<=30	Pass
			5	21.57	-0.33	21.24	<=30	Pass
		3	0	22.03	-0.33	21.70	<=30	Pass
			2	21.96	-0.33	21.63	<=30	Pass
			3	21.83	-0.33	21.50	<=30	Pass
		6	0	20.81	-0.33	20.48	<=30	Pass
	1745	1	0	21.75	-0.33	21.42	<=30	Pass
			2	21.67	-0.33	21.34	<=30	Pass
			5	21.47	-0.33	21.14	<=30	Pass
		3	0	21.88	-0.33	21.55	<=30	Pass
			2	21.87	-0.33	21.54	<=30	Pass
			3	21.92	-0.33	21.59	<=30	Pass
		6	0	20.62	-0.33	20.29	<=30	Pass
	1779.3	1	0	21.78	-0.33	21.45	<=30	Pass
			2	21.92	-0.33	21.59	<=30	Pass
			5	21.73	-0.33	21.40	<=30	Pass
		3	0	22.24	-0.33	21.91	<=30	Pass
			2	22.05	-0.33	21.72	<=30	Pass

			3	22.11	-0.33	21.78	<=30	Pass
		6	0	20.56	-0.33	20.23	<=30	Pass
64QAM	1710.7	1	0	20.21	-0.33	19.88	<=30	Pass
			2	21.01	-0.33	20.68	<=30	Pass
			5	20.44	-0.33	20.11	<=30	Pass
		3	0	20.44	-0.33	20.11	<=30	Pass
			2	20.57	-0.33	20.24	<=30	Pass
			3	20.67	-0.33	20.34	<=30	Pass
		6	0	19.64	-0.33	19.31	<=30	Pass
	1745	1	0	21.40	-0.33	21.07	<=30	Pass
			2	20.14	-0.33	19.81	<=30	Pass
			5	20.40	-0.33	20.07	<=30	Pass
		3	0	20.58	-0.33	20.25	<=30	Pass
			2	20.59	-0.33	20.26	<=30	Pass
			3	20.61	-0.33	20.28	<=30	Pass
		6	0	19.42	-0.33	19.09	<=30	Pass
	1779.3	1	0	20.53	-0.33	20.20	<=30	Pass
			2	20.61	-0.33	20.28	<=30	Pass
			5	20.66	-0.33	20.33	<=30	Pass
		3	0	20.89	-0.33	20.56	<=30	Pass
			2	20.92	-0.33	20.59	<=30	Pass
			3	20.99	-0.33	20.66	<=30	Pass
		6	0	19.91	-0.33	19.58	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	22.84	-0.33	22.51	<=30	Pass
			7	22.95	-0.33	22.62	<=30	Pass
			14	23.05	-0.33	22.72	<=30	Pass
		8	0	21.86	-0.33	21.53	<=30	Pass
			4	21.88	-0.33	21.55	<=30	Pass
			7	21.96	-0.33	21.63	<=30	Pass
		15	0	21.99	-0.33	21.66	<=30	Pass
	1745	1	0	22.70	-0.33	22.37	<=30	Pass
			7	22.81	-0.33	22.48	<=30	Pass
			14	22.91	-0.33	22.58	<=30	Pass
		8	0	21.89	-0.33	21.56	<=30	Pass
			4	21.67	-0.33	21.34	<=30	Pass
			7	21.67	-0.33	21.34	<=30	Pass
		15	0	21.66	-0.33	21.33	<=30	Pass
	1778.5	1	0	23.06	-0.33	22.73	<=30	Pass
			7	23.18	-0.33	22.85	<=30	Pass
			14	23.21	-0.33	22.88	<=30	Pass
		8	0	22.19	-0.33	21.86	<=30	Pass
			4	22.28	-0.33	21.95	<=30	Pass
			7	22.26	-0.33	21.93	<=30	Pass
		15	0	22.20	-0.33	21.87	<=30	Pass

16QAM	1711.5	1	0	21.91	-0.33	21.58	<=30	Pass
			7	21.84	-0.33	21.51	<=30	Pass
			14	21.66	-0.33	21.33	<=30	Pass
		8	0	20.54	-0.33	20.21	<=30	Pass
			4	20.81	-0.33	20.48	<=30	Pass
			7	20.83	-0.33	20.50	<=30	Pass
		15	0	20.64	-0.33	20.31	<=30	Pass
	1745	1	0	21.33	-0.33	21.00	<=30	Pass
			7	21.64	-0.33	21.31	<=30	Pass
			14	21.48	-0.33	21.15	<=30	Pass
		8	0	20.51	-0.33	20.18	<=30	Pass
			4	20.66	-0.33	20.33	<=30	Pass
			7	20.69	-0.33	20.36	<=30	Pass
		15	0	20.57	-0.33	20.24	<=30	Pass
	1778.5	1	0	21.60	-0.33	21.27	<=30	Pass
			7	21.98	-0.33	21.65	<=30	Pass
			14	21.81	-0.33	21.48	<=30	Pass
		8	0	21.23	-0.33	20.90	<=30	Pass
			4	21.03	-0.33	20.70	<=30	Pass
			7	20.83	-0.33	20.50	<=30	Pass
		15	0	21.12	-0.33	20.79	<=30	Pass
64QAM	1711.5	1	0	20.79	-0.33	20.46	<=30	Pass
			7	21.15	-0.33	20.82	<=30	Pass
			14	20.97	-0.33	20.64	<=30	Pass
		8	0	19.67	-0.33	19.34	<=30	Pass
			4	19.80	-0.33	19.47	<=30	Pass
			7	19.87	-0.33	19.54	<=30	Pass
		15	0	20.03	-0.33	19.70	<=30	Pass
	1745	1	0	20.75	-0.33	20.42	<=30	Pass
			7	21.13	-0.33	20.80	<=30	Pass
			14	20.13	-0.33	19.80	<=30	Pass
		8	0	19.53	-0.33	19.20	<=30	Pass
			4	19.62	-0.33	19.29	<=30	Pass
			7	19.73	-0.33	19.40	<=30	Pass
		15	0	19.63	-0.33	19.30	<=30	Pass
	1778.5	1	0	20.53	-0.33	20.20	<=30	Pass
			7	20.71	-0.33	20.38	<=30	Pass
			14	21.03	-0.33	20.70	<=30	Pass
		8	0	20.05	-0.33	19.72	<=30	Pass
			4	20.02	-0.33	19.69	<=30	Pass
			7	20.10	-0.33	19.77	<=30	Pass
		15	0	20.18	-0.33	19.85	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.81	-0.33	22.48	<=30	Pass
			13	23.08	-0.33	22.75	<=30	Pass

			24	23.02	-0.33	22.69	<=30	Pass
		12	0	21.94	-0.33	21.61	<=30	Pass
			6	21.99	-0.33	21.66	<=30	Pass
			13	21.97	-0.33	21.64	<=30	Pass
		25	0	21.99	-0.33	21.66	<=30	Pass
	1745	1	0	22.93	-0.33	22.60	<=30	Pass
			13	23.07	-0.33	22.74	<=30	Pass
			24	22.82	-0.33	22.49	<=30	Pass
		12	0	21.92	-0.33	21.59	<=30	Pass
			6	21.87	-0.33	21.54	<=30	Pass
			13	21.81	-0.33	21.48	<=30	Pass
		25	0	21.80	-0.33	21.47	<=30	Pass
	1777.5	1	0	23.12	-0.33	22.79	<=30	Pass
			13	23.40	-0.33	23.07	<=30	Pass
			24	23.07	-0.33	22.74	<=30	Pass
		12	0	22.11	-0.33	21.78	<=30	Pass
			6	22.22	-0.33	21.89	<=30	Pass
			13	22.20	-0.33	21.87	<=30	Pass
		25	0	22.20	-0.33	21.87	<=30	Pass
16QAM	1712.5	1	0	21.74	-0.33	21.41	<=30	Pass
			13	21.83	-0.33	21.50	<=30	Pass
			24	21.59	-0.33	21.26	<=30	Pass
		12	0	20.99	-0.33	20.66	<=30	Pass
			6	21.09	-0.33	20.76	<=30	Pass
			13	21.03	-0.33	20.70	<=30	Pass
		25	0	20.94	-0.33	20.61	<=30	Pass
	1745	1	0	21.71	-0.33	21.38	<=30	Pass
			13	21.49	-0.33	21.16	<=30	Pass
			24	21.50	-0.33	21.17	<=30	Pass
		12	0	20.72	-0.33	20.39	<=30	Pass
			6	20.83	-0.33	20.50	<=30	Pass
			13	20.83	-0.33	20.50	<=30	Pass
		25	0	20.93	-0.33	20.60	<=30	Pass
	1777.5	1	0	21.95	-0.33	21.62	<=30	Pass
			13	21.92	-0.33	21.59	<=30	Pass
			24	21.87	-0.33	21.54	<=30	Pass
		12	0	21.03	-0.33	20.70	<=30	Pass
			6	21.24	-0.33	20.91	<=30	Pass
			13	21.13	-0.33	20.80	<=30	Pass
		25	0	21.24	-0.33	20.91	<=30	Pass
64QAM	1712.5	1	0	20.61	-0.33	20.28	<=30	Pass
			13	20.89	-0.33	20.56	<=30	Pass
			24	20.88	-0.33	20.55	<=30	Pass
		12	0	20.32	-0.33	19.99	<=30	Pass
			6	20.38	-0.33	20.05	<=30	Pass
			13	20.15	-0.33	19.82	<=30	Pass
		25	0	20.14	-0.33	19.81	<=30	Pass
	1745	1	0	20.88	-0.33	20.55	<=30	Pass
			13	21.26	-0.33	20.93	<=30	Pass
			24	20.68	-0.33	20.35	<=30	Pass
		12	0	19.82	-0.33	19.49	<=30	Pass
			6	19.77	-0.33	19.44	<=30	Pass
			13	19.68	-0.33	19.35	<=30	Pass

		25	0	19.81	-0.33	19.48	<=30	Pass
	1777.5	1	0	20.97	-0.33	20.64	<=30	Pass
			13	21.40	-0.33	21.07	<=30	Pass
			24	21.10	-0.33	20.77	<=30	Pass
		12	0	20.49	-0.33	20.16	<=30	Pass
			6	20.61	-0.33	20.28	<=30	Pass
			13	20.30	-0.33	19.97	<=30	Pass
		25	0	20.20	-0.33	19.87	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	23.09	-0.33	22.76	<=30	Pass
			25	23.32	-0.33	22.99	<=30	Pass
			49	22.94	-0.33	22.61	<=30	Pass
		25	0	22.08	-0.33	21.75	<=30	Pass
			13	22.10	-0.33	21.77	<=30	Pass
			25	22.03	-0.33	21.70	<=30	Pass
		50	0	22.07	-0.33	21.74	<=30	Pass
	1745	1	0	23.23	-0.33	22.90	<=30	Pass
			25	23.35	-0.33	23.02	<=30	Pass
			49	22.93	-0.33	22.60	<=30	Pass
		25	0	22.14	-0.33	21.81	<=30	Pass
			13	22.00	-0.33	21.67	<=30	Pass
			25	21.88	-0.33	21.55	<=30	Pass
		50	0	21.96	-0.33	21.63	<=30	Pass
	1775	1	0	23.16	-0.33	22.83	<=30	Pass
			25	23.65	-0.33	23.32	<=30	Pass
			49	23.36	-0.33	23.03	<=30	Pass
		25	0	22.20	-0.33	21.87	<=30	Pass
			13	22.17	-0.33	21.84	<=30	Pass
			25	22.25	-0.33	21.92	<=30	Pass
		50	0	22.23	-0.33	21.90	<=30	Pass
16QAM	1715	1	0	21.84	-0.33	21.51	<=30	Pass
			25	21.93	-0.33	21.60	<=30	Pass
			49	21.49	-0.33	21.16	<=30	Pass
		25	0	21.04	-0.33	20.71	<=30	Pass
			13	20.99	-0.33	20.66	<=30	Pass
			25	20.76	-0.33	20.43	<=30	Pass
		50	0	21.02	-0.33	20.69	<=30	Pass
	1745	1	0	21.22	-0.33	20.89	<=30	Pass
			25	21.97	-0.33	21.64	<=30	Pass
			49	21.56	-0.33	21.23	<=30	Pass
		25	0	21.02	-0.33	20.69	<=30	Pass
			13	20.91	-0.33	20.58	<=30	Pass
			25	20.84	-0.33	20.51	<=30	Pass
		50	0	20.82	-0.33	20.49	<=30	Pass
	1775	1	0	21.94	-0.33	21.61	<=30	Pass

			25	22.26	-0.33	21.93	<=30	Pass
			49	21.80	-0.33	21.47	<=30	Pass
		25	0	21.12	-0.33	20.79	<=30	Pass
			13	21.27	-0.33	20.94	<=30	Pass
			25	21.29	-0.33	20.96	<=30	Pass
		50	0	21.27	-0.33	20.94	<=30	Pass
64QAM	1715	1	0	20.95	-0.33	20.62	<=30	Pass
			25	21.51	-0.33	21.18	<=30	Pass
			49	20.74	-0.33	20.41	<=30	Pass
		25	0	20.22	-0.33	19.89	<=30	Pass
			13	20.21	-0.33	19.88	<=30	Pass
			25	20.15	-0.33	19.82	<=30	Pass
		50	0	20.01	-0.33	19.68	<=30	Pass
	1745	1	0	21.00	-0.33	20.67	<=30	Pass
			25	21.43	-0.33	21.10	<=30	Pass
			49	20.83	-0.33	20.50	<=30	Pass
		25	0	20.24	-0.33	19.91	<=30	Pass
			13	20.16	-0.33	19.83	<=30	Pass
			25	19.91	-0.33	19.58	<=30	Pass
		50	0	19.91	-0.33	19.58	<=30	Pass
	1775	1	0	21.02	-0.33	20.69	<=30	Pass
			25	21.52	-0.33	21.19	<=30	Pass
			49	21.26	-0.33	20.93	<=30	Pass
		25	0	20.30	-0.33	19.97	<=30	Pass
			13	20.22	-0.33	19.89	<=30	Pass
			25	20.14	-0.33	19.81	<=30	Pass
		50	0	20.18	-0.33	19.85	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	23.08	-0.33	22.75	<=30	Pass
			38	23.07	-0.33	22.74	<=30	Pass
			74	23.12	-0.33	22.79	<=30	Pass
		36	0	22.12	-0.33	21.79	<=30	Pass
			18	21.99	-0.33	21.66	<=30	Pass
			39	21.74	-0.33	21.41	<=30	Pass
		75	0	21.97	-0.33	21.64	<=30	Pass
	1745	1	0	23.06	-0.33	22.73	<=30	Pass
			38	23.17	-0.33	22.84	<=30	Pass
			74	22.92	-0.33	22.59	<=30	Pass
		36	0	21.95	-0.33	21.62	<=30	Pass
			18	21.95	-0.33	21.62	<=30	Pass
			39	21.82	-0.33	21.49	<=30	Pass
		75	0	21.85	-0.33	21.52	<=30	Pass
	1772.5	1	0	23.14	-0.33	22.81	<=30	Pass
			38	23.38	-0.33	23.05	<=30	Pass
			74	23.25	-0.33	22.92	<=30	Pass

		36	0	22.06	-0.33	21.73	<=30	Pass
			18	22.19	-0.33	21.86	<=30	Pass
			39	22.22	-0.33	21.89	<=30	Pass
		75	0	22.07	-0.33	21.74	<=30	Pass
16QAM	1717.5	1	0	21.85	-0.33	21.52	<=30	Pass
			38	21.72	-0.33	21.39	<=30	Pass
			74	21.58	-0.33	21.25	<=30	Pass
		36	0	20.94	-0.33	20.61	<=30	Pass
			18	20.91	-0.33	20.58	<=30	Pass
			39	20.90	-0.33	20.57	<=30	Pass
		75	0	21.00	-0.33	20.67	<=30	Pass
	1745	1	0	21.67	-0.33	21.34	<=30	Pass
			38	21.61	-0.33	21.28	<=30	Pass
			74	21.53	-0.33	21.20	<=30	Pass
		36	0	20.92	-0.33	20.59	<=30	Pass
			18	20.88	-0.33	20.55	<=30	Pass
			39	20.75	-0.33	20.42	<=30	Pass
		75	0	20.83	-0.33	20.50	<=30	Pass
	1772.5	1	0	21.64	-0.33	21.31	<=30	Pass
			38	21.93	-0.33	21.60	<=30	Pass
			74	21.92	-0.33	21.59	<=30	Pass
		36	0	21.09	-0.33	20.76	<=30	Pass
			18	21.12	-0.33	20.79	<=30	Pass
			39	21.16	-0.33	20.83	<=30	Pass
		75	0	20.99	-0.33	20.66	<=30	Pass
64QAM	1717.5	1	0	21.01	-0.33	20.68	<=30	Pass
			38	21.28	-0.33	20.95	<=30	Pass
			74	20.91	-0.33	20.58	<=30	Pass
		36	0	20.07	-0.33	19.74	<=30	Pass
			18	20.04	-0.33	19.71	<=30	Pass
			39	19.77	-0.33	19.44	<=30	Pass
		75	0	19.78	-0.33	19.45	<=30	Pass
	1745	1	0	20.83	-0.33	20.50	<=30	Pass
			38	21.06	-0.33	20.73	<=30	Pass
			74	20.58	-0.33	20.25	<=30	Pass
		36	0	20.09	-0.33	19.76	<=30	Pass
			18	19.96	-0.33	19.63	<=30	Pass
			39	19.79	-0.33	19.46	<=30	Pass
		75	0	20.04	-0.33	19.71	<=30	Pass
	1772.5	1	0	20.95	-0.33	20.62	<=30	Pass
			38	21.23	-0.33	20.90	<=30	Pass
			74	21.10	-0.33	20.77	<=30	Pass
		36	0	20.16	-0.33	19.83	<=30	Pass
			18	20.26	-0.33	19.93	<=30	Pass
			39	20.32	-0.33	19.99	<=30	Pass
		75	0	20.08	-0.33	19.75	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	22.95	-0.33	22.62	<=30	Pass
			50	23.43	-0.33	23.10	<=30	Pass
			99	22.88	-0.33	22.55	<=30	Pass
		50	0	21.97	-0.33	21.64	<=30	Pass
			25	21.98	-0.33	21.65	<=30	Pass
			50	21.90	-0.33	21.57	<=30	Pass
		100	0	21.90	-0.33	21.57	<=30	Pass
	1745	1	0	22.96	-0.33	22.63	<=30	Pass
			50	23.43	-0.33	23.10	<=30	Pass
			99	22.86	-0.33	22.53	<=30	Pass
		50	0	22.12	-0.33	21.79	<=30	Pass
			25	21.99	-0.33	21.66	<=30	Pass
			50	21.86	-0.33	21.53	<=30	Pass
		100	0	21.95	-0.33	21.62	<=30	Pass
	1770	1	0	22.79	-0.33	22.46	<=30	Pass
			50	23.70	-0.33	23.37	<=30	Pass
			99	23.26	-0.33	22.93	<=30	Pass
		50	0	22.04	-0.33	21.71	<=30	Pass
			25	22.20	-0.33	21.87	<=30	Pass
			50	22.16	-0.33	21.83	<=30	Pass
		100	0	22.15	-0.33	21.82	<=30	Pass
16QAM	1720	1	0	21.70	-0.33	21.37	<=30	Pass
			50	21.73	-0.33	21.40	<=30	Pass
			99	21.40	-0.33	21.07	<=30	Pass
		50	0	21.00	-0.33	20.67	<=30	Pass
			25	21.02	-0.33	20.69	<=30	Pass
			50	20.83	-0.33	20.50	<=30	Pass
		100	0	20.82	-0.33	20.49	<=30	Pass
	1745	1	0	21.56	-0.33	21.23	<=30	Pass
			50	22.06	-0.33	21.73	<=30	Pass
			99	21.52	-0.33	21.19	<=30	Pass
		50	0	21.04	-0.33	20.71	<=30	Pass
			25	20.93	-0.33	20.60	<=30	Pass
			50	20.89	-0.33	20.56	<=30	Pass
		100	0	20.97	-0.33	20.64	<=30	Pass
	1770	1	0	21.53	-0.33	21.20	<=30	Pass
			50	22.16	-0.33	21.83	<=30	Pass
			99	21.39	-0.33	21.06	<=30	Pass
		50	0	20.83	-0.33	20.50	<=30	Pass
			25	21.14	-0.33	20.81	<=30	Pass
			50	21.20	-0.33	20.87	<=30	Pass
		100	0	20.98	-0.33	20.65	<=30	Pass
64QAM	1720	1	0	20.87	-0.33	20.54	<=30	Pass
			50	21.29	-0.33	20.96	<=30	Pass
			99	20.70	-0.33	20.37	<=30	Pass
		50	0	19.89	-0.33	19.56	<=30	Pass
			25	19.91	-0.33	19.58	<=30	Pass
			50	19.83	-0.33	19.50	<=30	Pass
		100	0	19.94	-0.33	19.61	<=30	Pass
	1745	1	0	20.81	-0.33	20.48	<=30	Pass
			50	21.29	-0.33	20.96	<=30	Pass

			99	20.74	-0.33	20.41	<=30	Pass
		50	0	20.05	-0.33	19.72	<=30	Pass
			25	19.93	-0.33	19.60	<=30	Pass
			50	19.81	-0.33	19.48	<=30	Pass
		100	0	19.88	-0.33	19.55	<=30	Pass
	1770	1	0	20.84	-0.33	20.51	<=30	Pass
			50	21.31	-0.33	20.98	<=30	Pass
			99	21.09	-0.33	20.76	<=30	Pass
		50	0	19.98	-0.33	19.65	<=30	Pass
			25	20.06	-0.33	19.73	<=30	Pass
			50	20.01	-0.33	19.68	<=30	Pass
		100	0	20.00	-0.33	19.67	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 Test Result

2.1.1 B66_10MHz

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1745	50	0	20	8.8	-1.100	-0.0006	-2.5 to 2.5	Pass
					7.7	-4.400	-0.0025	-2.5 to 2.5	Pass
					6.6	-0.400	-0.0002	-2.5 to 2.5	Pass
				-30	7.7	-3.300	-0.0019	-2.5 to 2.5	Pass
				-20	7.7	0.200	0.0001	-2.5 to 2.5	Pass
				-10	7.7	-3.200	-0.0018	-2.5 to 2.5	Pass
				0	7.7	-1.100	-0.0006	-2.5 to 2.5	Pass
				10	7.7	-2.300	-0.0013	-2.5 to 2.5	Pass
				30	7.7	1.100	0.0006	-2.5 to 2.5	Pass
				40	7.7	-1.100	-0.0006	-2.5 to 2.5	Pass
				50	7.7	-3.400	-0.0019	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band66_OBW

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1745	6	0	1.092	/	Pass
	16QAM	1745	6	0	1.089	/	Pass
	64QAM	1745	6	0	1.087	/	Pass

3	QPSK	1745	15	0	2.685	/	Pass
	16QAM	1745	15	0	2.684	/	Pass
	64QAM	1745	15	0	2.691	/	Pass
5	QPSK	1745	25	0	4.476	/	Pass
	16QAM	1745	25	0	4.476	/	Pass
	64QAM	1745	25	0	4.486	/	Pass
10	QPSK	1745	50	0	8.954	/	Pass
	16QAM	1745	50	0	8.919	/	Pass
	64QAM	1745	50	0	8.948	/	Pass
15	QPSK	1745	75	0	13.433	/	Pass
	16QAM	1745	75	0	13.397	/	Pass
	64QAM	1745	75	0	13.406	/	Pass
20	QPSK	1745	100	0	17.866	/	Pass
	16QAM	1745	100	0	17.841	/	Pass
	64QAM	1745	100	0	17.825	/	Pass

3.1.2 Band66_XDB

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1745	6	0	1.277	/	Pass
	16QAM	1745	6	0	1.260	/	Pass
	64QAM	1745	6	0	1.271	/	Pass
3	QPSK	1745	15	0	2.936	/	Pass
	16QAM	1745	15	0	2.928	/	Pass
	64QAM	1745	15	0	2.940	/	Pass
5	QPSK	1745	25	0	4.954	/	Pass
	16QAM	1745	25	0	4.928	/	Pass
	64QAM	1745	25	0	4.887	/	Pass
10	QPSK	1745	50	0	9.680	/	Pass
	16QAM	1745	50	0	9.634	/	Pass
	64QAM	1745	50	0	9.674	/	Pass
15	QPSK	1745	75	0	14.420	/	Pass
	16QAM	1745	75	0	14.535	/	Pass
	64QAM	1745	75	0	14.503	/	Pass
20	QPSK	1745	100	0	19.134	/	Pass
	16QAM	1745	100	0	18.995	/	Pass
	64QAM	1745	100	0	19.028	/	Pass

3.2 Test Graph

3.2.1 Band66_OBW

Band66_1.4MHz_QPSK_MCH_1745MHz_RB_6_0_NTNV



Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV



Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV



Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV



Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV



Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV



Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV



Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV



Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV



Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV



Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV



Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV



Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV



Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV



Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV



Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV



3.2.2 Band66_XDB

Band66_1.4MHz_QPSK_MCH_1745MHz_RB_6_0_NTNV



Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV



Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV



Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV



Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV



Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV



Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV



Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV



Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV



Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV



Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV



Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV



Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV



Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV



Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV



Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B66_20MHz

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	5.44	<=13	Pass
16QAM	1745	100	0	6.32	<=13	Pass
64QAM	1745	100	0	6.26	<=13	Pass

4.2 Test Graph

4.2.1 B66_20MHz

Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTNV				
Modulation	Frequency	RB Allocation	Spurious Emission	Verdict

	(MHz)	Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B66_15MHz

Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B66_20MHz

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B66_1.4MHz

Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-37.91	-13	Pass
1709	1710	0.03	/	2	1709.994	-24.97	-13	Pass
1710	1713	0.03	/	/	/	/	/	/

Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV



Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV



Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-30.75	-13	Pass
1709	1710	0.03	/	2	1709.994	-31.64	-13	Pass
1710	1713	0.03	/	/	/	/	/	/

Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV



Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV



Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.03	/	/	/	/	/	/
1780	1781	0.03	/	1	1780.006	-22.07	-13	Pass
1781	1783	1	CHP	2	1781.500	-36.74	-13	Pass

Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.03	/	/	/	/	/	/
1780	1781	0.03	/	1	1780.006	-29.78	-13	Pass
1781	1783	1	CHP	2	1781.500	-30.62	-13	Pass

5.2.2 B66_3MHz

Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1707.930	-35.31	-13	Pass
1709	1710	0.03	/	2	1709.994	-24.66	-13	Pass
1710	1713	0.03	/	/	/	/	/	/

Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-29.29	-13	Pass
1709	1710	0.03	/	2	1709.994	-32.97	-13	Pass
1710	1713	0.03	/	/	/	/	/	/

Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.03	/	/	/	/	/	/
1780	1781	0.03	/	1	1780.006	-23.86	-13	Pass
1781	1783	1	CHP	2	1781.500	-36.75	-13	Pass

Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.03	/	/	/	/	/	/
1780	1781	0.03	/	1	1780.006	-31.62	-13	Pass
1781	1783	1	CHP	2	1781.500	-24.58	-13	Pass

5.2.3 B66_5MHz

Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-35.52	-13	Pass
1709	1710	0.03	/	2	1709.990	-28.98	-13	Pass
1710	1715	0.03	/	/	/	/	/	/

Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV



Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV



Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-30.90	-13	Pass
1709	1710	0.05	/	2	1709.990	-33.25	-13	Pass
1710	1715	0.05	/	/	/	/	/	/

Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV



Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV



Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.03	/	/	/	/	/	/
1780	1781	0.03	/	1	1780.010	-29.09	-13	Pass
1781	1785	1	CHP	2	1781.500	-34.13	-13	Pass

Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.05	/	/	/	/	/	/
1780	1781	0.05	/	1	1780.010	-31.34	-13	Pass
1781	1785	1	CHP	2	1781.500	-25.31	-13	Pass

5.2.4 B66_10MHz

Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1701.545	-38.76	-13	Pass
1709	1710	0.03	/	2	1709.992	-41.99	-13	Pass
1710	1720	0.03	/	/	/	/	/	/

Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV



Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV



Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.500	-33.81	-13	Pass
1709	1710	0.1	/	2	1709.980	-36.59	-13	Pass
1710	1720	0.1	/	/	/	/	/	/

Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV



Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV



Band66_10MHz_QPSK_HCH_1775MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.03	/	/	/	/	/	/
1780	1781	0.03	/	1	1780.008	-40.13	-13	Pass
1781	1790	1	CHP	2	1783.518	-38.12	-13	Pass

Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.1	/	/	/	/	/	/
1780	1781	0.1	/	1	1780.020	-35.33	-13	Pass
1781	1790	1	CHP	2	1781.660	-28.74	-13	Pass

5.2.5 B66_15MHz

Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.500	-39.61	-13	Pass
1709	1710	0.03	/	2	1709.985	-39.90	-13	Pass
1710	1725	0.03	/	/	/	/	/	/

Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV



Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV



Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.500	-35.36	-13	Pass
1709	1710	0.2	/	2	1709.910	-36.79	-13	Pass
1710	1725	0.2	/	/	/	/	/	/

Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV



Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV



Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.03	/	/	/	/	/	/
1780	1781	0.03	/	1	1780.015	-40.06	-13	Pass
1781	1795	1	CHP	2	1781.500	-38.75	-13	Pass

Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.2	/	/	/	/	/	/
1780	1781	0.2	/	1	1780.030	-35.73	-13	Pass
1781	1795	1	CHP	2	1781.500	-31.20	-13	Pass

5.2.6 B66_20MHz

Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.500	-39.98	-13	Pass
1709	1710	0.03	/	2	1709.985	-45.90	-13	Pass
1710	1730	0.03	/	/	/	/	/	/

Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV



Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV



Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-36.31	-13	Pass
1709	1710	0.2	/	2	1709.720	-40.73	-13	Pass
1710	1730	0.2	/	/	/	/	/	/

Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV



Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV



Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV



Band66_20MHz_QPSK_HCH_1770MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.03	/	/	/	/	/	/
1780	1781	0.03	/	1	1780.015	-43.99	-13	Pass
1781	1800	1	CHP	2	1781.500	-39.17	-13	Pass

Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.2	/	/	/	/	/	/
1780	1781	0.2	/	1	1780.160	-37.40	-13	Pass
1781	1800	1	CHP	2	1781.800	-32.82	-13	Pass

---End of Attachment---