

APPENDIX C-12. CONDUCTED TEST – LTE Band41

CONDUCTED POWER & EFFECTIVE RADIATED POWER

Test Result

Band	Bandwidth	Modulation	Max Conducted Power (dBm)	ERP/EIRP (dBm)	Limit (dBm)	Verdict
Band41 (2496-2690MHz)	5MHz	QPSK	22.89	23.46	30	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	22.84	23.41	30	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	22.85	23.42	30	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	22.84	23.41	30	PASS
Band41 (2496-2690MHz)	ALL	QPSK	22.89	23.46	30	PASS

Band	Bandwidth	Modulation	Max Conducted Power (dBm)	ERP/EIRP (dBm)	Limit (dBm)	Verdict
Band41 (2500-2690MHz)	5MHz	QPSK	22.89	23.46	30	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	22.84	23.41	30	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	22.83	23.40	30	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	22.84	23.41	30	PASS
Band41 (2500-2690MHz)	ALL	QPSK	22.89	23.46	30	PASS

Band41 (2496-2690MHz)

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power(dBm)	ERP/EIRP (dBm)
Band41 (2496-2690MHz)	10MHz	QPSK	39700	1RB#0	22.80	23.37
Band41 (2496-2690MHz)	10MHz	QPSK	39700	1RB#24	22.83	23.40
Band41 (2496-2690MHz)	10MHz	QPSK	39700	1RB#49	22.73	23.30
Band41 (2496-2690MHz)	10MHz	QPSK	39700	25RB#0	21.73	22.30
Band41 (2496-2690MHz)	10MHz	QPSK	39700	25RB#12	21.81	22.38
Band41 (2496-2690MHz)	10MHz	QPSK	39700	25RB#25	21.83	22.40
Band41 (2496-2690MHz)	10MHz	QPSK	39700	50RB#0	21.67	22.24
Band41 (2496-2690MHz)	10MHz	QPSK	40620	1RB#0	22.84	23.41
Band41 (2496-2690MHz)	10MHz	QPSK	40620	1RB#24	22.61	23.18
Band41 (2496-2690MHz)	10MHz	QPSK	40620	1RB#49	22.48	23.05
Band41 (2496-2690MHz)	10MHz	QPSK	40620	25RB#0	21.53	22.10
Band41 (2496-2690MHz)	10MHz	QPSK	40620	25RB#12	21.67	22.24
Band41 (2496-2690MHz)	10MHz	QPSK	40620	25RB#25	21.71	22.28
Band41 (2496-2690MHz)	10MHz	QPSK	40620	50RB#0	21.63	22.20
Band41 (2496-2690MHz)	10MHz	QPSK	41540	1RB#0	22.12	22.69
Band41 (2496-2690MHz)	10MHz	QPSK	41540	1RB#24	22.16	22.73
Band41 (2496-2690MHz)	10MHz	QPSK	41540	1RB#49	22.05	22.62

Band41 (2496-2690MHz)	10MHz	QPSK	41540	25RB#0	21.11	21.68
Band41 (2496-2690MHz)	10MHz	QPSK	41540	25RB#12	21.13	21.70
Band41 (2496-2690MHz)	10MHz	QPSK	41540	25RB#25	21.08	21.65
Band41 (2496-2690MHz)	10MHz	QPSK	41540	50RB#0	21.12	21.69
Band41 (2496-2690MHz)	15MHz	QPSK	39725	1RB#0	22.74	23.31
Band41 (2496-2690MHz)	15MHz	QPSK	39725	1RB#38	22.85	23.42
Band41 (2496-2690MHz)	15MHz	QPSK	39725	1RB#74	22.67	23.24
Band41 (2496-2690MHz)	15MHz	QPSK	39725	38RB#0	22.78	23.35
Band41 (2496-2690MHz)	15MHz	QPSK	39725	38RB#18	22.83	23.40
Band41 (2496-2690MHz)	15MHz	QPSK	39725	38RB#37	22.73	23.30
Band41 (2496-2690MHz)	15MHz	QPSK	39725	75RB#0	21.61	22.18
Band41 (2496-2690MHz)	15MHz	QPSK	40620	1RB#0	22.79	23.36
Band41 (2496-2690MHz)	15MHz	QPSK	40620	1RB#38	22.55	23.12
Band41 (2496-2690MHz)	15MHz	QPSK	40620	1RB#74	22.44	23.01
Band41 (2496-2690MHz)	15MHz	QPSK	40620	38RB#0	22.46	23.03
Band41 (2496-2690MHz)	15MHz	QPSK	40620	38RB#18	22.50	23.07
Band41 (2496-2690MHz)	15MHz	QPSK	40620	38RB#37	22.53	23.10
Band41 (2496-2690MHz)	15MHz	QPSK	40620	75RB#0	21.43	22.00
Band41 (2496-2690MHz)	15MHz	QPSK	41515	1RB#0	22.06	22.63
Band41 (2496-2690MHz)	15MHz	QPSK	41515	1RB#38	22.13	22.70
Band41 (2496-2690MHz)	15MHz	QPSK	41515	1RB#74	21.97	22.54
Band41 (2496-2690MHz)	15MHz	QPSK	41515	38RB#0	22.06	22.63
Band41 (2496-2690MHz)	15MHz	QPSK	41515	38RB#18	22.11	22.68
Band41 (2496-2690MHz)	15MHz	QPSK	41515	38RB#37	22.14	22.71
Band41 (2496-2690MHz)	15MHz	QPSK	41515	75RB#0	21.12	21.69
Band41 (2496-2690MHz)	20MHz	QPSK	39750	100RB#0	21.69	22.26
Band41 (2496-2690MHz)	20MHz	QPSK	39750	1RB#0	22.66	23.23
Band41 (2496-2690MHz)	20MHz	QPSK	39750	1RB#49	22.81	23.38
Band41 (2496-2690MHz)	20MHz	QPSK	39750	1RB#99	22.55	23.12
Band41 (2496-2690MHz)	20MHz	QPSK	39750	50RB#0	21.57	22.14
Band41 (2496-2690MHz)	20MHz	QPSK	39750	50RB#25	21.72	22.29
Band41 (2496-2690MHz)	20MHz	QPSK	39750	50RB#50	21.71	22.28
Band41 (2496-2690MHz)	20MHz	QPSK	40620	100RB#0	21.60	22.17
Band41 (2496-2690MHz)	20MHz	QPSK	40620	1RB#0	22.83	23.40
Band41 (2496-2690MHz)	20MHz	QPSK	40620	1RB#49	22.77	23.34
Band41 (2496-2690MHz)	20MHz	QPSK	40620	1RB#99	22.43	23.00
Band41 (2496-2690MHz)	20MHz	QPSK	40620	50RB#0	21.61	22.18
Band41 (2496-2690MHz)	20MHz	QPSK	40620	50RB#25	21.80	22.37
Band41 (2496-2690MHz)	20MHz	QPSK	40620	50RB#50	21.69	22.26
Band41 (2496-2690MHz)	20MHz	QPSK	41490	100RB#0	21.11	21.68
Band41 (2496-2690MHz)	20MHz	QPSK	41490	1RB#0	22.49	23.06
Band41 (2496-2690MHz)	20MHz	QPSK	41490	1RB#49	22.16	22.73

Band41 (2496-2690MHz)	20MHz	QPSK	41490	1RB#99	21.90	22.47
Band41 (2496-2690MHz)	20MHz	QPSK	41490	50RB#0	21.12	21.69
Band41 (2496-2690MHz)	20MHz	QPSK	41490	50RB#25	21.20	21.77
Band41 (2496-2690MHz)	20MHz	QPSK	41490	50RB#50	21.10	21.67
Band41 (2496-2690MHz)	5MHz	QPSK	39675	12RB#0	21.26	21.83
Band41 (2496-2690MHz)	5MHz	QPSK	39675	12RB#13	21.27	21.84
Band41 (2496-2690MHz)	5MHz	QPSK	39675	12RB#6	21.33	21.90
Band41 (2496-2690MHz)	5MHz	QPSK	39675	1RB#0	22.74	23.31
Band41 (2496-2690MHz)	5MHz	QPSK	39675	1RB#12	22.37	22.94
Band41 (2496-2690MHz)	5MHz	QPSK	39675	1RB#24	22.22	22.79
Band41 (2496-2690MHz)	5MHz	QPSK	39675	25RB#0	21.58	22.15
Band41 (2496-2690MHz)	5MHz	QPSK	40620	12RB#0	21.42	21.99
Band41 (2496-2690MHz)	5MHz	QPSK	40620	12RB#13	21.41	21.98
Band41 (2496-2690MHz)	5MHz	QPSK	40620	12RB#6	21.50	22.07
Band41 (2496-2690MHz)	5MHz	QPSK	40620	1RB#0	22.89	23.46
Band41 (2496-2690MHz)	5MHz	QPSK	40620	1RB#12	22.48	23.05
Band41 (2496-2690MHz)	5MHz	QPSK	40620	1RB#24	22.31	22.88
Band41 (2496-2690MHz)	5MHz	QPSK	40620	25RB#0	21.39	21.96
Band41 (2496-2690MHz)	5MHz	QPSK	41565	12RB#0	21.01	21.58
Band41 (2496-2690MHz)	5MHz	QPSK	41565	12RB#13	21.50	22.07
Band41 (2496-2690MHz)	5MHz	QPSK	41565	12RB#6	21.56	22.13
Band41 (2496-2690MHz)	5MHz	QPSK	41565	1RB#0	21.98	22.55
Band41 (2496-2690MHz)	5MHz	QPSK	41565	1RB#12	22.07	22.64
Band41 (2496-2690MHz)	5MHz	QPSK	41565	1RB#24	21.96	22.53
Band41 (2496-2690MHz)	5MHz	QPSK	41565	25RB#0	21.52	22.09
Band41 (2496-2690MHz)	10MHz	16QAM	39700	1RB#0	21.95	22.52
Band41 (2496-2690MHz)	10MHz	16QAM	39700	1RB#24	21.98	22.55
Band41 (2496-2690MHz)	10MHz	16QAM	39700	1RB#49	21.86	22.43
Band41 (2496-2690MHz)	10MHz	16QAM	39700	25RB#0	20.82	21.39
Band41 (2496-2690MHz)	10MHz	16QAM	39700	25RB#12	20.86	21.43
Band41 (2496-2690MHz)	10MHz	16QAM	39700	25RB#25	20.84	21.41
Band41 (2496-2690MHz)	10MHz	16QAM	39700	50RB#0	20.83	21.40
Band41 (2496-2690MHz)	10MHz	16QAM	40620	1RB#0	22.05	22.62
Band41 (2496-2690MHz)	10MHz	16QAM	40620	1RB#24	22.06	22.63
Band41 (2496-2690MHz)	10MHz	16QAM	40620	1RB#49	21.95	22.52
Band41 (2496-2690MHz)	10MHz	16QAM	40620	25RB#0	20.94	21.51
Band41 (2496-2690MHz)	10MHz	16QAM	40620	25RB#12	20.99	21.56
Band41 (2496-2690MHz)	10MHz	16QAM	40620	25RB#25	20.93	21.50
Band41 (2496-2690MHz)	10MHz	16QAM	40620	50RB#0	20.94	21.51
Band41 (2496-2690MHz)	10MHz	16QAM	41540	1RB#0	21.69	22.26
Band41 (2496-2690MHz)	10MHz	16QAM	41540	1RB#24	21.69	22.26
Band41 (2496-2690MHz)	10MHz	16QAM	41540	1RB#49	21.61	22.18

Band41 (2496-2690MHz)	10MHz	16QAM	41540	25RB#0	20.68	21.25
Band41 (2496-2690MHz)	10MHz	16QAM	41540	25RB#12	20.67	21.24
Band41 (2496-2690MHz)	10MHz	16QAM	41540	25RB#25	20.58	21.15
Band41 (2496-2690MHz)	10MHz	16QAM	41540	50RB#0	20.63	21.20
Band41 (2496-2690MHz)	15MHz	16QAM	39725	1RB#0	21.84	22.41
Band41 (2496-2690MHz)	15MHz	16QAM	39725	1RB#38	21.95	22.52
Band41 (2496-2690MHz)	15MHz	16QAM	39725	1RB#74	21.76	22.33
Band41 (2496-2690MHz)	15MHz	16QAM	39725	38RB#0	21.84	22.41
Band41 (2496-2690MHz)	15MHz	16QAM	39725	38RB#18	21.92	22.49
Band41 (2496-2690MHz)	15MHz	16QAM	39725	38RB#37	21.89	22.46
Band41 (2496-2690MHz)	15MHz	16QAM	39725	75RB#0	20.82	21.39
Band41 (2496-2690MHz)	15MHz	16QAM	40620	1RB#0	22.00	22.57
Band41 (2496-2690MHz)	15MHz	16QAM	40620	1RB#38	22.05	22.62
Band41 (2496-2690MHz)	15MHz	16QAM	40620	1RB#74	21.85	22.42
Band41 (2496-2690MHz)	15MHz	16QAM	40620	38RB#0	21.96	22.53
Band41 (2496-2690MHz)	15MHz	16QAM	40620	38RB#18	22.06	22.63
Band41 (2496-2690MHz)	15MHz	16QAM	40620	38RB#37	22.02	22.59
Band41 (2496-2690MHz)	15MHz	16QAM	40620	75RB#0	20.89	21.46
Band41 (2496-2690MHz)	15MHz	16QAM	41515	1RB#0	21.63	22.20
Band41 (2496-2690MHz)	15MHz	16QAM	41515	1RB#38	21.75	22.32
Band41 (2496-2690MHz)	15MHz	16QAM	41515	1RB#74	21.55	22.12
Band41 (2496-2690MHz)	15MHz	16QAM	41515	38RB#0	21.62	22.19
Band41 (2496-2690MHz)	15MHz	16QAM	41515	38RB#18	21.69	22.26
Band41 (2496-2690MHz)	15MHz	16QAM	41515	38RB#37	21.70	22.27
Band41 (2496-2690MHz)	15MHz	16QAM	41515	75RB#0	20.61	21.18
Band41 (2496-2690MHz)	20MHz	16QAM	39750	100RB#0	20.79	21.36
Band41 (2496-2690MHz)	20MHz	16QAM	39750	1RB#0	21.73	22.30
Band41 (2496-2690MHz)	20MHz	16QAM	39750	1RB#49	21.91	22.48
Band41 (2496-2690MHz)	20MHz	16QAM	39750	1RB#99	21.62	22.19
Band41 (2496-2690MHz)	20MHz	16QAM	39750	50RB#0	20.71	21.28
Band41 (2496-2690MHz)	20MHz	16QAM	39750	50RB#25	20.85	21.42
Band41 (2496-2690MHz)	20MHz	16QAM	39750	50RB#50	20.80	21.37
Band41 (2496-2690MHz)	20MHz	16QAM	40620	100RB#0	20.92	21.49
Band41 (2496-2690MHz)	20MHz	16QAM	40620	1RB#0	21.92	22.49
Band41 (2496-2690MHz)	20MHz	16QAM	40620	1RB#49	22.05	22.62
Band41 (2496-2690MHz)	20MHz	16QAM	40620	1RB#99	21.70	22.27
Band41 (2496-2690MHz)	20MHz	16QAM	40620	50RB#0	20.90	21.47
Band41 (2496-2690MHz)	20MHz	16QAM	40620	50RB#25	21.01	21.58
Band41 (2496-2690MHz)	20MHz	16QAM	40620	50RB#50	20.93	21.50
Band41 (2496-2690MHz)	20MHz	16QAM	41490	100RB#0	20.64	21.21
Band41 (2496-2690MHz)	20MHz	16QAM	41490	1RB#0	21.54	22.11
Band41 (2496-2690MHz)	20MHz	16QAM	41490	1RB#49	21.74	22.31

Band41 (2496-2690MHz)	20MHz	16QAM	41490	1RB#99	21.44	22.01
Band41 (2496-2690MHz)	20MHz	16QAM	41490	50RB#0	20.65	21.22
Band41 (2496-2690MHz)	20MHz	16QAM	41490	50RB#25	20.74	21.31
Band41 (2496-2690MHz)	20MHz	16QAM	41490	50RB#50	20.60	21.17
Band41 (2496-2690MHz)	5MHz	16QAM	39675	12RB#0	20.75	21.32
Band41 (2496-2690MHz)	5MHz	16QAM	39675	12RB#13	20.71	21.28
Band41 (2496-2690MHz)	5MHz	16QAM	39675	12RB#6	20.80	21.37
Band41 (2496-2690MHz)	5MHz	16QAM	39675	1RB#0	21.86	22.43
Band41 (2496-2690MHz)	5MHz	16QAM	39675	1RB#12	21.92	22.49
Band41 (2496-2690MHz)	5MHz	16QAM	39675	1RB#24	21.85	22.42
Band41 (2496-2690MHz)	5MHz	16QAM	39675	25RB#0	20.83	21.40
Band41 (2496-2690MHz)	5MHz	16QAM	40620	12RB#0	20.85	21.42
Band41 (2496-2690MHz)	5MHz	16QAM	40620	12RB#13	20.81	21.38
Band41 (2496-2690MHz)	5MHz	16QAM	40620	12RB#6	20.88	21.45
Band41 (2496-2690MHz)	5MHz	16QAM	40620	1RB#0	21.94	22.51
Band41 (2496-2690MHz)	5MHz	16QAM	40620	1RB#12	22.05	22.62
Band41 (2496-2690MHz)	5MHz	16QAM	40620	1RB#24	21.90	22.47
Band41 (2496-2690MHz)	5MHz	16QAM	40620	25RB#0	20.93	21.50
Band41 (2496-2690MHz)	5MHz	16QAM	41565	12RB#0	20.49	21.06
Band41 (2496-2690MHz)	5MHz	16QAM	41565	12RB#13	20.42	20.99
Band41 (2496-2690MHz)	5MHz	16QAM	41565	12RB#6	20.52	21.09
Band41 (2496-2690MHz)	5MHz	16QAM	41565	1RB#0	21.54	22.11
Band41 (2496-2690MHz)	5MHz	16QAM	41565	1RB#12	21.69	22.26
Band41 (2496-2690MHz)	5MHz	16QAM	41565	1RB#24	21.53	22.10
Band41 (2496-2690MHz)	5MHz	16QAM	41565	25RB#0	20.55	21.12
Band41 (2496-2690MHz)	10MHz	64QAM	39700	1RB#0	20.84	21.41
Band41 (2496-2690MHz)	10MHz	64QAM	39700	1RB#24	20.89	21.46
Band41 (2496-2690MHz)	10MHz	64QAM	39700	1RB#49	20.77	21.34
Band41 (2496-2690MHz)	10MHz	64QAM	39700	25RB#0	19.90	20.47
Band41 (2496-2690MHz)	10MHz	64QAM	39700	25RB#12	19.95	20.52
Band41 (2496-2690MHz)	10MHz	64QAM	39700	25RB#25	19.95	20.52
Band41 (2496-2690MHz)	10MHz	64QAM	39700	50RB#0	19.83	20.40
Band41 (2496-2690MHz)	10MHz	64QAM	40620	1RB#0	20.98	21.55
Band41 (2496-2690MHz)	10MHz	64QAM	40620	1RB#24	20.97	21.54
Band41 (2496-2690MHz)	10MHz	64QAM	40620	1RB#49	20.86	21.43
Band41 (2496-2690MHz)	10MHz	64QAM	40620	25RB#0	20.02	20.59
Band41 (2496-2690MHz)	10MHz	64QAM	40620	25RB#12	20.03	20.60
Band41 (2496-2690MHz)	10MHz	64QAM	40620	25RB#25	20.02	20.59
Band41 (2496-2690MHz)	10MHz	64QAM	40620	50RB#0	19.97	20.54
Band41 (2496-2690MHz)	10MHz	64QAM	41540	1RB#0	20.61	21.18
Band41 (2496-2690MHz)	10MHz	64QAM	41540	1RB#24	20.64	21.21
Band41 (2496-2690MHz)	10MHz	64QAM	41540	1RB#49	20.53	21.10

Band41 (2496-2690MHz)	10MHz	64QAM	41540	25RB#0	19.77	20.34
Band41 (2496-2690MHz)	10MHz	64QAM	41540	25RB#12	19.76	20.33
Band41 (2496-2690MHz)	10MHz	64QAM	41540	25RB#25	19.71	20.28
Band41 (2496-2690MHz)	10MHz	64QAM	41540	50RB#0	19.66	20.23
Band41 (2496-2690MHz)	15MHz	64QAM	39725	1RB#0	20.73	21.30
Band41 (2496-2690MHz)	15MHz	64QAM	39725	1RB#38	20.85	21.42
Band41 (2496-2690MHz)	15MHz	64QAM	39725	1RB#74	20.70	21.27
Band41 (2496-2690MHz)	15MHz	64QAM	39725	38RB#0	20.73	21.30
Band41 (2496-2690MHz)	15MHz	64QAM	39725	38RB#18	20.85	21.42
Band41 (2496-2690MHz)	15MHz	64QAM	39725	38RB#37	20.85	21.42
Band41 (2496-2690MHz)	15MHz	64QAM	39725	75RB#0	19.85	20.42
Band41 (2496-2690MHz)	15MHz	64QAM	40620	1RB#0	20.90	21.47
Band41 (2496-2690MHz)	15MHz	64QAM	40620	1RB#38	20.98	21.55
Band41 (2496-2690MHz)	15MHz	64QAM	40620	1RB#74	20.77	21.34
Band41 (2496-2690MHz)	15MHz	64QAM	40620	38RB#0	20.92	21.49
Band41 (2496-2690MHz)	15MHz	64QAM	40620	38RB#18	20.94	21.51
Band41 (2496-2690MHz)	15MHz	64QAM	40620	38RB#37	20.95	21.52
Band41 (2496-2690MHz)	15MHz	64QAM	40620	75RB#0	19.93	20.50
Band41 (2496-2690MHz)	15MHz	64QAM	41515	1RB#0	20.57	21.14
Band41 (2496-2690MHz)	15MHz	64QAM	41515	1RB#38	20.66	21.23
Band41 (2496-2690MHz)	15MHz	64QAM	41515	1RB#74	20.50	21.07
Band41 (2496-2690MHz)	15MHz	64QAM	41515	38RB#0	20.58	21.15
Band41 (2496-2690MHz)	15MHz	64QAM	41515	38RB#18	20.64	21.21
Band41 (2496-2690MHz)	15MHz	64QAM	41515	38RB#37	20.68	21.25
Band41 (2496-2690MHz)	15MHz	64QAM	41515	75RB#0	19.64	20.21
Band41 (2496-2690MHz)	20MHz	64QAM	39750	100RB#0	19.79	20.36
Band41 (2496-2690MHz)	20MHz	64QAM	39750	1RB#0	20.65	21.22
Band41 (2496-2690MHz)	20MHz	64QAM	39750	1RB#49	20.82	21.39
Band41 (2496-2690MHz)	20MHz	64QAM	39750	1RB#99	20.51	21.08
Band41 (2496-2690MHz)	20MHz	64QAM	39750	50RB#0	19.71	20.28
Band41 (2496-2690MHz)	20MHz	64QAM	39750	50RB#25	19.85	20.42
Band41 (2496-2690MHz)	20MHz	64QAM	39750	50RB#50	19.84	20.41
Band41 (2496-2690MHz)	20MHz	64QAM	40620	100RB#0	19.92	20.49
Band41 (2496-2690MHz)	20MHz	64QAM	40620	1RB#0	20.84	21.41
Band41 (2496-2690MHz)	20MHz	64QAM	40620	1RB#49	20.97	21.54
Band41 (2496-2690MHz)	20MHz	64QAM	40620	1RB#99	20.63	21.20
Band41 (2496-2690MHz)	20MHz	64QAM	40620	50RB#0	19.89	20.46
Band41 (2496-2690MHz)	20MHz	64QAM	40620	50RB#25	20.00	20.57
Band41 (2496-2690MHz)	20MHz	64QAM	40620	50RB#50	19.89	20.46
Band41 (2496-2690MHz)	20MHz	64QAM	41490	100RB#0	19.68	20.25
Band41 (2496-2690MHz)	20MHz	64QAM	41490	1RB#0	20.46	21.03
Band41 (2496-2690MHz)	20MHz	64QAM	41490	1RB#49	20.69	21.26

Band41 (2496-2690MHz)	20MHz	64QAM	41490	1RB#99	20.37	20.94
Band41 (2496-2690MHz)	20MHz	64QAM	41490	50RB#0	19.67	20.24
Band41 (2496-2690MHz)	20MHz	64QAM	41490	50RB#25	19.74	20.31
Band41 (2496-2690MHz)	20MHz	64QAM	41490	50RB#50	19.61	20.18
Band41 (2496-2690MHz)	5MHz	64QAM	39675	12RB#0	19.86	20.43
Band41 (2496-2690MHz)	5MHz	64QAM	39675	12RB#13	19.86	20.43
Band41 (2496-2690MHz)	5MHz	64QAM	39675	12RB#6	19.91	20.48
Band41 (2496-2690MHz)	5MHz	64QAM	39675	1RB#0	20.79	21.36
Band41 (2496-2690MHz)	5MHz	64QAM	39675	1RB#12	20.87	21.44
Band41 (2496-2690MHz)	5MHz	64QAM	39675	1RB#24	20.71	21.28
Band41 (2496-2690MHz)	5MHz	64QAM	39675	25RB#0	19.92	20.49
Band41 (2496-2690MHz)	5MHz	64QAM	40620	12RB#0	19.97	20.54
Band41 (2496-2690MHz)	5MHz	64QAM	40620	12RB#13	19.98	20.55
Band41 (2496-2690MHz)	5MHz	64QAM	40620	12RB#6	20.01	20.58
Band41 (2496-2690MHz)	5MHz	64QAM	40620	1RB#0	20.88	21.45
Band41 (2496-2690MHz)	5MHz	64QAM	40620	1RB#12	20.91	21.48
Band41 (2496-2690MHz)	5MHz	64QAM	40620	1RB#24	20.78	21.35
Band41 (2496-2690MHz)	5MHz	64QAM	40620	25RB#0	20.03	20.60
Band41 (2496-2690MHz)	5MHz	64QAM	41565	12RB#0	19.62	20.19
Band41 (2496-2690MHz)	5MHz	64QAM	41565	12RB#13	19.60	20.17
Band41 (2496-2690MHz)	5MHz	64QAM	41565	12RB#6	19.65	20.22
Band41 (2496-2690MHz)	5MHz	64QAM	41565	1RB#0	20.54	21.11
Band41 (2496-2690MHz)	5MHz	64QAM	41565	1RB#12	20.66	21.23
Band41 (2496-2690MHz)	5MHz	64QAM	41565	1RB#24	20.44	21.01
Band41 (2496-2690MHz)	5MHz	64QAM	41565	25RB#0	19.66	20.23

Band41 (2500-2690MHz)

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power(dBm)	ERP/EIRP (dBm)
Band41 (2500-2690MHz)	10MHz	QPSK	39740	1RB#0	22.78	23.35
Band41 (2500-2690MHz)	10MHz	QPSK	39740	1RB#24	22.83	23.40
Band41 (2500-2690MHz)	10MHz	QPSK	39740	1RB#49	22.71	23.28
Band41 (2500-2690MHz)	10MHz	QPSK	39740	25RB#0	21.72	22.29
Band41 (2500-2690MHz)	10MHz	QPSK	39740	25RB#12	21.80	22.37
Band41 (2500-2690MHz)	10MHz	QPSK	39740	25RB#25	21.77	22.34
Band41 (2500-2690MHz)	10MHz	QPSK	39740	50RB#0	21.71	22.28
Band41 (2500-2690MHz)	10MHz	QPSK	40620	1RB#0	22.84	23.41
Band41 (2500-2690MHz)	10MHz	QPSK	40620	1RB#24	22.61	23.18
Band41 (2500-2690MHz)	10MHz	QPSK	40620	1RB#49	22.48	23.05
Band41 (2500-2690MHz)	10MHz	QPSK	40620	25RB#0	21.53	22.10
Band41 (2500-2690MHz)	10MHz	QPSK	40620	25RB#12	21.67	22.24
Band41 (2500-2690MHz)	10MHz	QPSK	40620	25RB#25	21.71	22.28

Band41 (2500-2690MHz)	10MHz	QPSK	40620	50RB#0	21.63	22.20
Band41 (2500-2690MHz)	10MHz	QPSK	41540	1RB#0	22.12	22.69
Band41 (2500-2690MHz)	10MHz	QPSK	41540	1RB#24	22.16	22.73
Band41 (2500-2690MHz)	10MHz	QPSK	41540	1RB#49	22.05	22.62
Band41 (2500-2690MHz)	10MHz	QPSK	41540	25RB#0	21.11	21.68
Band41 (2500-2690MHz)	10MHz	QPSK	41540	25RB#12	21.13	21.70
Band41 (2500-2690MHz)	10MHz	QPSK	41540	25RB#25	21.08	21.65
Band41 (2500-2690MHz)	10MHz	QPSK	41540	50RB#0	21.12	21.69
Band41 (2500-2690MHz)	15MHz	QPSK	39765	1RB#0	22.70	23.27
Band41 (2500-2690MHz)	15MHz	QPSK	39765	1RB#38	22.83	23.40
Band41 (2500-2690MHz)	15MHz	QPSK	39765	1RB#74	22.68	23.25
Band41 (2500-2690MHz)	15MHz	QPSK	39765	38RB#0	22.64	23.21
Band41 (2500-2690MHz)	15MHz	QPSK	39765	38RB#18	22.52	23.09
Band41 (2500-2690MHz)	15MHz	QPSK	39765	38RB#37	22.42	22.99
Band41 (2500-2690MHz)	15MHz	QPSK	39765	75RB#0	21.36	21.93
Band41 (2500-2690MHz)	15MHz	QPSK	40620	1RB#0	22.79	23.36
Band41 (2500-2690MHz)	15MHz	QPSK	40620	1RB#38	22.55	23.12
Band41 (2500-2690MHz)	15MHz	QPSK	40620	1RB#74	22.44	23.01
Band41 (2500-2690MHz)	15MHz	QPSK	40620	38RB#0	22.46	23.03
Band41 (2500-2690MHz)	15MHz	QPSK	40620	38RB#18	22.50	23.07
Band41 (2500-2690MHz)	15MHz	QPSK	40620	38RB#37	22.53	23.10
Band41 (2500-2690MHz)	15MHz	QPSK	40620	75RB#0	21.43	22.00
Band41 (2500-2690MHz)	15MHz	QPSK	41515	1RB#0	22.06	22.63
Band41 (2500-2690MHz)	15MHz	QPSK	41515	1RB#38	22.13	22.70
Band41 (2500-2690MHz)	15MHz	QPSK	41515	1RB#74	21.97	22.54
Band41 (2500-2690MHz)	15MHz	QPSK	41515	38RB#0	22.06	22.63
Band41 (2500-2690MHz)	15MHz	QPSK	41515	38RB#18	22.11	22.68
Band41 (2500-2690MHz)	15MHz	QPSK	41515	38RB#37	22.14	22.71
Band41 (2500-2690MHz)	15MHz	QPSK	41515	75RB#0	21.12	21.69
Band41 (2500-2690MHz)	20MHz	QPSK	39790	100RB#0	21.66	22.23
Band41 (2500-2690MHz)	20MHz	QPSK	39790	1RB#0	22.62	23.19
Band41 (2500-2690MHz)	20MHz	QPSK	39790	1RB#49	22.84	23.41
Band41 (2500-2690MHz)	20MHz	QPSK	39790	1RB#99	22.57	23.14
Band41 (2500-2690MHz)	20MHz	QPSK	39790	50RB#0	21.54	22.11
Band41 (2500-2690MHz)	20MHz	QPSK	39790	50RB#25	21.70	22.27
Band41 (2500-2690MHz)	20MHz	QPSK	39790	50RB#50	21.68	22.25
Band41 (2500-2690MHz)	20MHz	QPSK	40620	100RB#0	21.60	22.17
Band41 (2500-2690MHz)	20MHz	QPSK	40620	1RB#0	22.83	23.40
Band41 (2500-2690MHz)	20MHz	QPSK	40620	1RB#49	22.77	23.34
Band41 (2500-2690MHz)	20MHz	QPSK	40620	1RB#99	22.43	23.00
Band41 (2500-2690MHz)	20MHz	QPSK	40620	50RB#0	21.61	22.18
Band41 (2500-2690MHz)	20MHz	QPSK	40620	50RB#25	21.80	22.37

Band41 (2500-2690MHz)	20MHz	QPSK	40620	50RB#50	21.69	22.26
Band41 (2500-2690MHz)	20MHz	QPSK	41490	100RB#0	21.11	21.68
Band41 (2500-2690MHz)	20MHz	QPSK	41490	1RB#0	22.49	23.06
Band41 (2500-2690MHz)	20MHz	QPSK	41490	1RB#49	22.16	22.73
Band41 (2500-2690MHz)	20MHz	QPSK	41490	1RB#99	21.90	22.47
Band41 (2500-2690MHz)	20MHz	QPSK	41490	50RB#0	21.12	21.69
Band41 (2500-2690MHz)	20MHz	QPSK	41490	50RB#25	21.20	21.77
Band41 (2500-2690MHz)	20MHz	QPSK	41490	50RB#50	21.10	21.67
Band41 (2500-2690MHz)	5MHz	QPSK	39715	12RB#0	21.74	22.31
Band41 (2500-2690MHz)	5MHz	QPSK	39715	12RB#13	21.79	22.36
Band41 (2500-2690MHz)	5MHz	QPSK	39715	12RB#6	21.81	22.38
Band41 (2500-2690MHz)	5MHz	QPSK	39715	1RB#0	22.70	23.27
Band41 (2500-2690MHz)	5MHz	QPSK	39715	1RB#12	22.78	23.35
Band41 (2500-2690MHz)	5MHz	QPSK	39715	1RB#24	22.64	23.21
Band41 (2500-2690MHz)	5MHz	QPSK	39715	25RB#0	21.69	22.26
Band41 (2500-2690MHz)	5MHz	QPSK	40620	12RB#0	21.42	21.99
Band41 (2500-2690MHz)	5MHz	QPSK	40620	12RB#13	21.41	21.98
Band41 (2500-2690MHz)	5MHz	QPSK	40620	12RB#6	21.50	22.07
Band41 (2500-2690MHz)	5MHz	QPSK	40620	1RB#0	22.89	23.46
Band41 (2500-2690MHz)	5MHz	QPSK	40620	1RB#12	22.48	23.05
Band41 (2500-2690MHz)	5MHz	QPSK	40620	1RB#24	22.31	22.88
Band41 (2500-2690MHz)	5MHz	QPSK	40620	25RB#0	21.39	21.96
Band41 (2500-2690MHz)	5MHz	QPSK	41565	12RB#0	21.01	21.58
Band41 (2500-2690MHz)	5MHz	QPSK	41565	12RB#13	21.50	22.07
Band41 (2500-2690MHz)	5MHz	QPSK	41565	12RB#6	21.56	22.13
Band41 (2500-2690MHz)	5MHz	QPSK	41565	1RB#0	21.98	22.55
Band41 (2500-2690MHz)	5MHz	QPSK	41565	1RB#12	22.07	22.64
Band41 (2500-2690MHz)	5MHz	QPSK	41565	1RB#24	21.96	22.53
Band41 (2500-2690MHz)	5MHz	QPSK	41565	25RB#0	21.52	22.09
Band41 (2500-2690MHz)	10MHz	16QAM	39740	1RB#0	21.86	22.43
Band41 (2500-2690MHz)	10MHz	16QAM	39740	1RB#24	21.86	22.43
Band41 (2500-2690MHz)	10MHz	16QAM	39740	1RB#49	21.80	22.37
Band41 (2500-2690MHz)	10MHz	16QAM	39740	25RB#0	20.72	21.29
Band41 (2500-2690MHz)	10MHz	16QAM	39740	25RB#12	20.77	21.34
Band41 (2500-2690MHz)	10MHz	16QAM	39740	25RB#25	20.77	21.34
Band41 (2500-2690MHz)	10MHz	16QAM	39740	50RB#0	20.81	21.38
Band41 (2500-2690MHz)	10MHz	16QAM	40620	1RB#0	22.05	22.62
Band41 (2500-2690MHz)	10MHz	16QAM	40620	1RB#24	22.06	22.63
Band41 (2500-2690MHz)	10MHz	16QAM	40620	1RB#49	21.95	22.52
Band41 (2500-2690MHz)	10MHz	16QAM	40620	25RB#0	20.94	21.51
Band41 (2500-2690MHz)	10MHz	16QAM	40620	25RB#12	20.99	21.56
Band41 (2500-2690MHz)	10MHz	16QAM	40620	25RB#25	20.93	21.50

Band41 (2500-2690MHz)	10MHz	16QAM	40620	50RB#0	20.94	21.51
Band41 (2500-2690MHz)	10MHz	16QAM	41540	1RB#0	21.69	22.26
Band41 (2500-2690MHz)	10MHz	16QAM	41540	1RB#24	21.69	22.26
Band41 (2500-2690MHz)	10MHz	16QAM	41540	1RB#49	21.61	22.18
Band41 (2500-2690MHz)	10MHz	16QAM	41540	25RB#0	20.68	21.25
Band41 (2500-2690MHz)	10MHz	16QAM	41540	25RB#12	20.67	21.24
Band41 (2500-2690MHz)	10MHz	16QAM	41540	25RB#25	20.58	21.15
Band41 (2500-2690MHz)	10MHz	16QAM	41540	50RB#0	20.63	21.20
Band41 (2500-2690MHz)	15MHz	16QAM	39765	1RB#0	21.77	22.34
Band41 (2500-2690MHz)	15MHz	16QAM	39765	1RB#38	21.87	22.44
Band41 (2500-2690MHz)	15MHz	16QAM	39765	1RB#74	21.68	22.25
Band41 (2500-2690MHz)	15MHz	16QAM	39765	38RB#0	21.77	22.34
Band41 (2500-2690MHz)	15MHz	16QAM	39765	38RB#18	21.80	22.37
Band41 (2500-2690MHz)	15MHz	16QAM	39765	38RB#37	21.82	22.39
Band41 (2500-2690MHz)	15MHz	16QAM	39765	75RB#0	20.67	21.24
Band41 (2500-2690MHz)	15MHz	16QAM	40620	1RB#0	22.00	22.57
Band41 (2500-2690MHz)	15MHz	16QAM	40620	1RB#38	22.05	22.62
Band41 (2500-2690MHz)	15MHz	16QAM	40620	1RB#74	21.85	22.42
Band41 (2500-2690MHz)	15MHz	16QAM	40620	38RB#0	21.96	22.53
Band41 (2500-2690MHz)	15MHz	16QAM	40620	38RB#18	22.06	22.63
Band41 (2500-2690MHz)	15MHz	16QAM	40620	38RB#37	22.02	22.59
Band41 (2500-2690MHz)	15MHz	16QAM	40620	75RB#0	20.89	21.46
Band41 (2500-2690MHz)	15MHz	16QAM	41515	1RB#0	21.63	22.20
Band41 (2500-2690MHz)	15MHz	16QAM	41515	1RB#38	21.75	22.32
Band41 (2500-2690MHz)	15MHz	16QAM	41515	1RB#74	21.55	22.12
Band41 (2500-2690MHz)	15MHz	16QAM	41515	38RB#0	21.62	22.19
Band41 (2500-2690MHz)	15MHz	16QAM	41515	38RB#18	21.69	22.26
Band41 (2500-2690MHz)	15MHz	16QAM	41515	38RB#37	21.70	22.27
Band41 (2500-2690MHz)	15MHz	16QAM	41515	75RB#0	20.61	21.18
Band41 (2500-2690MHz)	20MHz	16QAM	39790	100RB#0	20.72	21.29
Band41 (2500-2690MHz)	20MHz	16QAM	39790	1RB#0	21.67	22.24
Band41 (2500-2690MHz)	20MHz	16QAM	39790	1RB#49	21.84	22.41
Band41 (2500-2690MHz)	20MHz	16QAM	39790	1RB#99	21.57	22.14
Band41 (2500-2690MHz)	20MHz	16QAM	39790	50RB#0	20.67	21.24
Band41 (2500-2690MHz)	20MHz	16QAM	39790	50RB#25	20.81	21.38
Band41 (2500-2690MHz)	20MHz	16QAM	39790	50RB#50	20.71	21.28
Band41 (2500-2690MHz)	20MHz	16QAM	40620	100RB#0	20.92	21.49
Band41 (2500-2690MHz)	20MHz	16QAM	40620	1RB#0	21.92	22.49
Band41 (2500-2690MHz)	20MHz	16QAM	40620	1RB#49	22.05	22.62
Band41 (2500-2690MHz)	20MHz	16QAM	40620	1RB#99	21.70	22.27
Band41 (2500-2690MHz)	20MHz	16QAM	40620	50RB#0	20.90	21.47
Band41 (2500-2690MHz)	20MHz	16QAM	40620	50RB#25	21.01	21.58

Band41 (2500-2690MHz)	20MHz	16QAM	40620	50RB#50	20.93	21.50
Band41 (2500-2690MHz)	20MHz	16QAM	41490	100RB#0	20.64	21.21
Band41 (2500-2690MHz)	20MHz	16QAM	41490	1RB#0	21.54	22.11
Band41 (2500-2690MHz)	20MHz	16QAM	41490	1RB#49	21.74	22.31
Band41 (2500-2690MHz)	20MHz	16QAM	41490	1RB#99	21.44	22.01
Band41 (2500-2690MHz)	20MHz	16QAM	41490	50RB#0	20.65	21.22
Band41 (2500-2690MHz)	20MHz	16QAM	41490	50RB#25	20.74	21.31
Band41 (2500-2690MHz)	20MHz	16QAM	41490	50RB#50	20.60	21.17
Band41 (2500-2690MHz)	5MHz	16QAM	39715	12RB#0	20.70	21.27
Band41 (2500-2690MHz)	5MHz	16QAM	39715	12RB#13	20.67	21.24
Band41 (2500-2690MHz)	5MHz	16QAM	39715	12RB#6	20.74	21.31
Band41 (2500-2690MHz)	5MHz	16QAM	39715	1RB#0	21.79	22.36
Band41 (2500-2690MHz)	5MHz	16QAM	39715	1RB#12	21.87	22.44
Band41 (2500-2690MHz)	5MHz	16QAM	39715	1RB#24	21.75	22.32
Band41 (2500-2690MHz)	5MHz	16QAM	39715	25RB#0	20.75	21.32
Band41 (2500-2690MHz)	5MHz	16QAM	40620	12RB#0	20.85	21.42
Band41 (2500-2690MHz)	5MHz	16QAM	40620	12RB#13	20.81	21.38
Band41 (2500-2690MHz)	5MHz	16QAM	40620	12RB#6	20.88	21.45
Band41 (2500-2690MHz)	5MHz	16QAM	40620	1RB#0	21.94	22.51
Band41 (2500-2690MHz)	5MHz	16QAM	40620	1RB#12	22.05	22.62
Band41 (2500-2690MHz)	5MHz	16QAM	40620	1RB#24	21.90	22.47
Band41 (2500-2690MHz)	5MHz	16QAM	40620	25RB#0	20.93	21.50
Band41 (2500-2690MHz)	5MHz	16QAM	41565	12RB#0	20.49	21.06
Band41 (2500-2690MHz)	5MHz	16QAM	41565	12RB#13	20.42	20.99
Band41 (2500-2690MHz)	5MHz	16QAM	41565	12RB#6	20.52	21.09
Band41 (2500-2690MHz)	5MHz	16QAM	41565	1RB#0	21.54	22.11
Band41 (2500-2690MHz)	5MHz	16QAM	41565	1RB#12	21.69	22.26
Band41 (2500-2690MHz)	5MHz	16QAM	41565	1RB#24	21.53	22.10
Band41 (2500-2690MHz)	5MHz	16QAM	41565	25RB#0	20.55	21.12
Band41 (2500-2690MHz)	10MHz	64QAM	39740	1RB#0	20.77	21.34
Band41 (2500-2690MHz)	10MHz	64QAM	39740	1RB#24	20.75	21.32
Band41 (2500-2690MHz)	10MHz	64QAM	39740	1RB#49	20.70	21.27
Band41 (2500-2690MHz)	10MHz	64QAM	39740	25RB#0	19.78	20.35
Band41 (2500-2690MHz)	10MHz	64QAM	39740	25RB#12	19.89	20.46
Band41 (2500-2690MHz)	10MHz	64QAM	39740	25RB#25	19.85	20.42
Band41 (2500-2690MHz)	10MHz	64QAM	39740	50RB#0	19.76	20.33
Band41 (2500-2690MHz)	10MHz	64QAM	40620	1RB#0	20.98	21.55
Band41 (2500-2690MHz)	10MHz	64QAM	40620	1RB#24	20.97	21.54
Band41 (2500-2690MHz)	10MHz	64QAM	40620	1RB#49	20.86	21.43
Band41 (2500-2690MHz)	10MHz	64QAM	40620	25RB#0	20.02	20.59
Band41 (2500-2690MHz)	10MHz	64QAM	40620	25RB#12	20.03	20.60
Band41 (2500-2690MHz)	10MHz	64QAM	40620	25RB#25	20.02	20.59

Band41 (2500-2690MHz)	10MHz	64QAM	40620	50RB#0	19.97	20.54
Band41 (2500-2690MHz)	10MHz	64QAM	41540	1RB#0	20.61	21.18
Band41 (2500-2690MHz)	10MHz	64QAM	41540	1RB#24	20.64	21.21
Band41 (2500-2690MHz)	10MHz	64QAM	41540	1RB#49	20.53	21.10
Band41 (2500-2690MHz)	10MHz	64QAM	41540	25RB#0	19.77	20.34
Band41 (2500-2690MHz)	10MHz	64QAM	41540	25RB#12	19.76	20.33
Band41 (2500-2690MHz)	10MHz	64QAM	41540	25RB#25	19.71	20.28
Band41 (2500-2690MHz)	10MHz	64QAM	41540	50RB#0	19.66	20.23
Band41 (2500-2690MHz)	15MHz	64QAM	39765	1RB#0	20.70	21.27
Band41 (2500-2690MHz)	15MHz	64QAM	39765	1RB#38	20.79	21.36
Band41 (2500-2690MHz)	15MHz	64QAM	39765	1RB#74	20.58	21.15
Band41 (2500-2690MHz)	15MHz	64QAM	39765	38RB#0	20.69	21.26
Band41 (2500-2690MHz)	15MHz	64QAM	39765	38RB#18	20.75	21.32
Band41 (2500-2690MHz)	15MHz	64QAM	39765	38RB#37	20.77	21.34
Band41 (2500-2690MHz)	15MHz	64QAM	39765	75RB#0	19.70	20.27
Band41 (2500-2690MHz)	15MHz	64QAM	40620	1RB#0	20.90	21.47
Band41 (2500-2690MHz)	15MHz	64QAM	40620	1RB#38	20.98	21.55
Band41 (2500-2690MHz)	15MHz	64QAM	40620	1RB#74	20.77	21.34
Band41 (2500-2690MHz)	15MHz	64QAM	40620	38RB#0	20.92	21.49
Band41 (2500-2690MHz)	15MHz	64QAM	40620	38RB#18	20.94	21.51
Band41 (2500-2690MHz)	15MHz	64QAM	40620	38RB#37	20.95	21.52
Band41 (2500-2690MHz)	15MHz	64QAM	40620	75RB#0	19.93	20.50
Band41 (2500-2690MHz)	15MHz	64QAM	41515	1RB#0	20.57	21.14
Band41 (2500-2690MHz)	15MHz	64QAM	41515	1RB#38	20.66	21.23
Band41 (2500-2690MHz)	15MHz	64QAM	41515	1RB#74	20.50	21.07
Band41 (2500-2690MHz)	15MHz	64QAM	41515	38RB#0	20.58	21.15
Band41 (2500-2690MHz)	15MHz	64QAM	41515	38RB#18	20.64	21.21
Band41 (2500-2690MHz)	15MHz	64QAM	41515	38RB#37	20.68	21.25
Band41 (2500-2690MHz)	15MHz	64QAM	41515	75RB#0	19.64	20.21
Band41 (2500-2690MHz)	20MHz	64QAM	39790	100RB#0	19.70	20.27
Band41 (2500-2690MHz)	20MHz	64QAM	39790	1RB#0	20.60	21.17
Band41 (2500-2690MHz)	20MHz	64QAM	39790	1RB#49	20.78	21.35
Band41 (2500-2690MHz)	20MHz	64QAM	39790	1RB#99	20.48	21.05
Band41 (2500-2690MHz)	20MHz	64QAM	39790	50RB#0	19.63	20.20
Band41 (2500-2690MHz)	20MHz	64QAM	39790	50RB#25	19.77	20.34
Band41 (2500-2690MHz)	20MHz	64QAM	39790	50RB#50	19.71	20.28
Band41 (2500-2690MHz)	20MHz	64QAM	40620	100RB#0	19.92	20.49
Band41 (2500-2690MHz)	20MHz	64QAM	40620	1RB#0	20.84	21.41
Band41 (2500-2690MHz)	20MHz	64QAM	40620	1RB#49	20.97	21.54
Band41 (2500-2690MHz)	20MHz	64QAM	40620	1RB#99	20.63	21.20
Band41 (2500-2690MHz)	20MHz	64QAM	40620	50RB#0	19.89	20.46
Band41 (2500-2690MHz)	20MHz	64QAM	40620	50RB#25	20.00	20.57

Band41 (2500-2690MHz)	20MHz	64QAM	40620	50RB#50	19.89	20.46
Band41 (2500-2690MHz)	20MHz	64QAM	41490	100RB#0	19.68	20.25
Band41 (2500-2690MHz)	20MHz	64QAM	41490	1RB#0	20.46	21.03
Band41 (2500-2690MHz)	20MHz	64QAM	41490	1RB#49	20.69	21.26
Band41 (2500-2690MHz)	20MHz	64QAM	41490	1RB#99	20.37	20.94
Band41 (2500-2690MHz)	20MHz	64QAM	41490	50RB#0	19.67	20.24
Band41 (2500-2690MHz)	20MHz	64QAM	41490	50RB#25	19.74	20.31
Band41 (2500-2690MHz)	20MHz	64QAM	41490	50RB#50	19.61	20.18
Band41 (2500-2690MHz)	5MHz	64QAM	39715	12RB#0	19.76	20.33
Band41 (2500-2690MHz)	5MHz	64QAM	39715	12RB#13	19.78	20.35
Band41 (2500-2690MHz)	5MHz	64QAM	39715	12RB#6	19.83	20.40
Band41 (2500-2690MHz)	5MHz	64QAM	39715	1RB#0	20.72	21.29
Band41 (2500-2690MHz)	5MHz	64QAM	39715	1RB#12	20.78	21.35
Band41 (2500-2690MHz)	5MHz	64QAM	39715	1RB#24	20.63	21.20
Band41 (2500-2690MHz)	5MHz	64QAM	39715	25RB#0	19.85	20.42
Band41 (2500-2690MHz)	5MHz	64QAM	40620	12RB#0	19.97	20.54
Band41 (2500-2690MHz)	5MHz	64QAM	40620	12RB#13	19.98	20.55
Band41 (2500-2690MHz)	5MHz	64QAM	40620	12RB#6	20.01	20.58
Band41 (2500-2690MHz)	5MHz	64QAM	40620	1RB#0	20.88	21.45
Band41 (2500-2690MHz)	5MHz	64QAM	40620	1RB#12	20.91	21.48
Band41 (2500-2690MHz)	5MHz	64QAM	40620	1RB#24	20.78	21.35
Band41 (2500-2690MHz)	5MHz	64QAM	40620	25RB#0	20.03	20.60
Band41 (2500-2690MHz)	5MHz	64QAM	41565	12RB#0	19.62	20.19
Band41 (2500-2690MHz)	5MHz	64QAM	41565	12RB#13	19.60	20.17
Band41 (2500-2690MHz)	5MHz	64QAM	41565	12RB#6	19.65	20.22
Band41 (2500-2690MHz)	5MHz	64QAM	41565	1RB#0	20.54	21.11
Band41 (2500-2690MHz)	5MHz	64QAM	41565	1RB#12	20.66	21.23
Band41 (2500-2690MHz)	5MHz	64QAM	41565	1RB#24	20.44	21.01
Band41 (2500-2690MHz)	5MHz	64QAM	41565	25RB#0	19.66	20.23


Peak-to-Average Ratio


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41 (2496-2690MHz)	10MHz	QPSK	39700	50RB#0	9.01	13	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	40620	50RB#0	9.10	13	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	41540	50RB#0	9.23	13	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	39725	75RB#0	9.49	13	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	40620	75RB#0	9.52	13	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	41515	75RB#0	9.55	13	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	39750	100RB#0	10.29	13	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	40620	100RB#0	10.26	13	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	41490	100RB#0	10.32	13	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	39675	25RB#0	8.88	13	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	40620	25RB#0	9.07	13	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	41565	25RB#0	9.17	13	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	39700	50RB#0	9.78	13	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	40620	50RB#0	9.84	13	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	41540	50RB#0	9.97	13	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	39725	75RB#0	10.32	13	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	40620	75RB#0	10.42	13	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	41515	75RB#0	10.35	13	PASS
Band41 (2496-2690MHz)	20MHz	16QAM	39750	100RB#0	10.67	13	PASS
Band41 (2496-2690MHz)	20MHz	16QAM	40620	100RB#0	10.74	13	PASS
Band41 (2496-2690MHz)	20MHz	16QAM	41490	100RB#0	10.77	13	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	39675	25RB#0	9.68	13	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	40620	25RB#0	9.81	13	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	41565	25RB#0	10.00	13	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	39700	50RB#0	10.00	13	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	40620	50RB#0	10.10	13	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	41540	50RB#0	10.22	13	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	39725	75RB#0	10.45	13	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	40620	75RB#0	10.51	13	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	41515	75RB#0	10.54	13	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	39750	100RB#0	10.80	13	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	40620	100RB#0	10.83	13	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	41490	100RB#0	10.80	13	PASS
Band41 (2496-2690MHz)	5MHz	64QAM	39675	25RB#0	9.90	13	PASS
Band41 (2496-2690MHz)	5MHz	64QAM	40620	25RB#0	10.00	13	PASS
Band41 (2496-2690MHz)	5MHz	64QAM	41565	25RB#0	10.26	13	PASS

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41 (2500-2690MHz)	10MHz	QPSK	39740	50RB#0	9.04	13	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	40620	50RB#0	9.10	13	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	41540	50RB#0	9.23	13	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	39765	75RB#0	9.49	13	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	40620	75RB#0	9.52	13	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	41515	75RB#0	9.55	13	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	39790	100RB#0	10.29	13	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	40620	100RB#0	10.26	13	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	41490	100RB#0	10.32	13	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	39715	25RB#0	8.91	13	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	40620	25RB#0	9.07	13	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	41565	25RB#0	9.17	13	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	39740	50RB#0	9.78	13	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	40620	50RB#0	9.84	13	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	41540	50RB#0	9.97	13	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	39765	75RB#0	10.38	13	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	40620	75RB#0	10.42	13	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	41515	75RB#0	10.35	13	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	39790	100RB#0	10.67	13	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	40620	100RB#0	10.74	13	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	41490	100RB#0	10.77	13	PASS
Band41 (2500-2690MHz)	5MHz	16QAM	39715	25RB#0	9.62	13	PASS
Band41 (2500-2690MHz)	5MHz	16QAM	40620	25RB#0	9.81	13	PASS
Band41 (2500-2690MHz)	5MHz	16QAM	41565	25RB#0	10.00	13	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	39740	50RB#0	10.03	13	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	40620	50RB#0	10.10	13	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	41540	50RB#0	10.22	13	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	39765	75RB#0	10.51	13	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	40620	75RB#0	10.51	13	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	41515	75RB#0	10.54	13	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	39790	100RB#0	10.77	13	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	40620	100RB#0	10.83	13	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	41490	100RB#0	10.80	13	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	39715	25RB#0	9.94	13	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	40620	25RB#0	10.00	13	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	41565	25RB#0	10.26	13	PASS


Test Graphs





Trace 1
Mean 16.63 dBm
Peak 27.64 dBm
Crest 11.01 dB
10 % 5.64 dB
1 % 8.40 dB
.1 % 9.49 dB
.01 % 10.06 dB


Date: 6.FEB.2026 14:05:20



Trace 1
Mean 16.72 dBm
Peak 27.72 dBm
Crest 10.99 dB
10 % 5.67 dB
1 % 8.40 dB
.1 % 9.49 dB
.01 % 10.06 dB

Date: 10.FEB.2026 09:11:37


Band41-15MHz-QPSK-39725-75RB#0-PASS



Trace 1
Mean 16.55 dBm
Peak 27.64 dBm
Crest 11.09 dB
10 % 5.64 dB
1 % 8.43 dB
.1 % 9.52 dB
.01 % 10.10 dB

Date: 6.FEB.2026 14:06:32

Band41-15MHz-QPSK-39765-75RB#0-PASS




Trace 1
Mean 16.54 dBm
Peak 27.64 dBm
Crest 11.11 dB
10 % 5.71 dB
1 % 8.46 dB
.1 % 9.55 dB
.01 % 10.13 dB

Date: 6.FEB.2026 14:07:44

Band41-15MHz-QPSK-40620-75RB#0-PASS

Band41-15MHz-QPSK-41515-75RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 15.43 dBm
Peak 27.43 dBm
Crest 12.00 dB

10 % 5.74 dB
1 % 8.88 dB
.1 % 10.29 dB
.01 % 10.96 dB

Date: 6.FEB.2026 14:09:34




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 15.35 dBm
Peak 27.29 dBm
Crest 11.94 dB

10 % 5.74 dB
1 % 8.88 dB
.1 % 10.29 dB
.01 % 10.96 dB

Date: 10.FEB.2026 09:13:26

Band41-20MHz-QPSK-39750-100RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 15.34 dBm
Peak 27.29 dBm
Crest 11.95 dB

10 % 5.71 dB
1 % 8.85 dB
.1 % 10.26 dB
.01 % 10.93 dB

Date: 6.FEB.2026 14:10:45



Complementary Cumulative Distribution Function (10000000 samples)


Trace 1
Mean 15.29 dBm
Peak 27.29 dBm
Crest 12.00 dB

10 % 5.77 dB
1 % 8.91 dB
.1 % 10.32 dB
.01 % 10.96 dB

Date: 6.FEB.2026 14:11:57

Band41-20MHz-QPSK-40620-100RB#0-PASS

Band41-20MHz-QPSK-41490-100RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 17.66 dBm
Peak 27.85 dBm
Crest 10.19 dB

10 %	5.19 dB
1 %	7.60 dB
.1 %	8.88 dB
.01 %	9.58 dB

Date: 6.FEB.2026 13:33:29




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 17.95 dBm
Peak 28.21 dBm
Crest 10.26 dB

10 %	5.22 dB
1 %	7.63 dB
.1 %	8.91 dB
.01 %	9.65 dB

Date: 10.FEB.2026 09:07:50

Band41-5MHz-QPSK-39675-25RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 17.87 dBm
Peak 28.42 dBm
Crest 10.55 dB

10 %	5.22 dB
1 %	7.69 dB
.1 %	9.07 dB
.01 %	9.84 dB

Date: 6.FEB.2026 13:35:15



Complementary Cumulative Distribution Function (10000000 samples)


Trace 1
Mean 17.94 dBm
Peak 28.35 dBm
Crest 10.41 dB

10 %	5.19 dB
1 %	7.79 dB
.1 %	9.17 dB
.01 %	9.87 dB

Date: 6.FEB.2026 13:36:28

Band41-5MHz-QPSK-40620-25RB#0-PASS

Band41-5MHz-QPSK-41565-25RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 16.96 dBm
Peak 28.63 dBm
Crest 11.68 dB

10 % 5.54 dB
1 % 8.37 dB
.1 % 9.78 dB
.01 % 10.80 dB

Date: 6.FEB.2026 13:54:55




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 17.21 dBm
Peak 28.99 dBm
Crest 11.78 dB

10 % 5.58 dB
1 % 8.40 dB
.1 % 9.78 dB
.01 % 10.83 dB

Date: 10.FEB.2026 09:10:11

Band41-10MHz-16QAM-39700-50RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 17.04 dBm
Peak 29.20 dBm
Crest 12.15 dB

10 % 5.54 dB
1 % 8.40 dB
.1 % 9.84 dB
.01 % 10.93 dB

Date: 6.FEB.2026 13:56:06



Complementary Cumulative Distribution Function (10000000 samples)


Trace 1
Mean 17.11 dBm
Peak 28.99 dBm
Crest 11.88 dB

10 % 5.54 dB
1 % 8.49 dB
.1 % 9.97 dB
.01 % 11.09 dB

Date: 6.FEB.2026 13:57:17

Band41-10MHz-16QAM-40620-50RB#0-PASS

Band41-10MHz-16QAM-41540-50RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 15.58 dBm
Peak 27.72 dBm
Crest 12.13 dB

10 % 5.61 dB
1 % 8.88 dB
.1 % 10.32 dB
.01 % 11.19 dB

Date: 6.FEB.2026 14:05:44




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 15.63 dBm
Peak 27.86 dBm
Crest 12.22 dB

10 % 5.64 dB
1 % 8.91 dB
.1 % 10.38 dB
.01 % 11.22 dB

Date: 10.FEB.2026 09:12:01

Band41-15MHz-16QAM-39725-75RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 15.50 dBm
Peak 27.72 dBm
Crest 12.22 dB

10 % 5.61 dB
1 % 8.91 dB
.1 % 10.42 dB
.01 % 11.25 dB

Date: 6.FEB.2026 14:06:56



Complementary Cumulative Distribution Function (10000000 samples)


Trace 1
Mean 15.68 dBm
Peak 27.79 dBm
Crest 12.11 dB

10 % 5.58 dB
1 % 8.88 dB
.1 % 10.35 dB
.01 % 11.22 dB

Date: 6.FEB.2026 14:08:08

Band41-15MHz-16QAM-40620-75RB#0-PASS


Band41-15MHz-16QAM-41515-75RB#0-PASS



Trace 1
Mean 14.39 dBm
Peak 27.36 dBm
Crest 12.97 dB

Percentile	Power (dBm)
10 %	5.61 dB
1 %	9.20 dB
.1 %	10.67 dB
.01 %	11.70 dB

Date: 6.FEB.2026 14:09:58




Trace 1
Mean 14.33 dBm
Peak 27.29 dBm
Crest 12.96 dB

Percentile	Power (dBm)
10 %	5.61 dB
1 %	9.17 dB
.1 %	10.67 dB
.01 %	11.70 dB

Date: 10.FEB.2026 09:13:50


Band41-20MHz-16QAM-39750-100RB#0-PASS



Trace 1
Mean 14.24 dBm
Peak 27.29 dBm
Crest 13.06 dB

Percentile	Power (dBm)
10 %	5.64 dB
1 %	9.23 dB
.1 %	10.74 dB
.01 %	11.76 dB

Date: 6.FEB.2026 14:11:09




Trace 1
Mean 14.30 dBm
Peak 27.50 dBm
Crest 13.20 dB

Percentile	Power (dBm)
10 %	5.64 dB
1 %	9.26 dB
.1 %	10.77 dB
.01 %	11.83 dB

Date: 6.FEB.2026 14:12:21

Band41-20MHz-16QAM-40620-100RB#0-PASS

Band41-20MHz-16QAM-41490-100RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 16.60 dBm
Peak 27.85 dBm
Crest 11.25 dB

10 % 5.58 dB
1 % 8.21 dB
.1 % 9.68 dB
.01 % 10.58 dB

Date: 6.FEB.2026 13:33:53




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 17.00 dBm
Peak 28.28 dBm
Crest 11.28 dB

10 % 5.51 dB
1 % 8.17 dB
.1 % 9.62 dB
.01 % 10.51 dB

Date: 10.FEB.2026 09:08:14

Band41-5MHz-16QAM-39675-25RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 16.92 dBm
Peak 28.49 dBm
Crest 11.57 dB

10 % 5.54 dB
1 % 8.24 dB
.1 % 9.81 dB
.01 % 10.77 dB

Date: 6.FEB.2026 13:35:39



Complementary Cumulative Distribution Function (10000000 samples)


Trace 1
Mean 16.98 dBm
Peak 28.56 dBm
Crest 11.58 dB

10 % 5.51 dB
1 % 8.37 dB
.1 % 10.00 dB
.01 % 10.87 dB

Date: 6.FEB.2026 13:36:52

Band41-5MHz-16QAM-40620-25RB#0-PASS

Band41-5MHz-16QAM-41565-25RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 15.97 dBm
Peak 28.70 dBm
Crest 12.73 dB

10 % 5.58 dB
1 % 8.53 dB
.1 % 10.00 dB
.01 % 10.96 dB

Date: 6.FEB.2026 13:55:19




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 16.23 dBm
Peak 28.99 dBm
Crest 12.76 dB

10 % 5.58 dB
1 % 8.56 dB
.1 % 10.03 dB
.01 % 11.03 dB

Date: 10.FEB.2026 09:10:35

Band41-10MHz-64QAM-39700-50RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 15.99 dBm
Peak 28.91 dBm
Crest 12.92 dB

10 % 5.58 dB
1 % 8.59 dB
.1 % 10.10 dB
.01 % 11.15 dB

Date: 6.FEB.2026 13:56:30



Complementary Cumulative Distribution Function (10000000 samples)


Trace 1
Mean 16.13 dBm
Peak 29.20 dBm
Crest 13.07 dB

10 % 5.54 dB
1 % 8.62 dB
.1 % 10.22 dB
.01 % 11.35 dB

Date: 6.FEB.2026 13:57:41

Band41-10MHz-64QAM-40620-50RB#0-PASS

Band41-10MHz-64QAM-41540-50RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 14.62 dBm
Peak 27.29 dBm
Crest 12.67 dB

10 % 5.61 dB
1 % 8.91 dB
.1 % 10.45 dB
.01 % 11.41 dB

Date: 6.FEB.2026 14:06:08




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 14.64 dBm
Peak 27.43 dBm
Crest 12.79 dB

10 % 5.61 dB
1 % 8.97 dB
.1 % 10.51 dB
.01 % 11.47 dB

Date: 10.FEB.2026 09:12:24

Band41-15MHz-64QAM-39725-75RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 14.48 dBm
Peak 27.29 dBm
Crest 12.81 dB

10 % 5.61 dB
1 % 8.97 dB
.1 % 10.51 dB
.01 % 11.51 dB

Date: 6.FEB.2026 14:07:20



Complementary Cumulative Distribution Function (10000000 samples)


Trace 1
Mean 14.63 dBm
Peak 27.43 dBm
Crest 12.80 dB

10 % 5.58 dB
1 % 8.97 dB
.1 % 10.54 dB
.01 % 11.54 dB

Date: 6.FEB.2026 14:08:31

Band41-15MHz-64QAM-40620-75RB#0-PASS

Band41-15MHz-64QAM-41515-75RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 13.39 dBm
Peak 26.87 dBm
Crest 13.48 dB

10 % 5.61 dB
1 % 9.26 dB
.1 % 10.80 dB
.01 % 11.86 dB

Date: 6.FEB.2026 14:10:21

Band41-20MHz-64QAM-39750-100RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 13.37 dBm
Peak 26.80 dBm
Crest 13.43 dB

10 % 5.58 dB
1 % 9.23 dB
.1 % 10.77 dB
.01 % 11.79 dB

Date: 10.FEB.2026 09:14:14

Band41-20MHz-64QAM-39790-100RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 13.24 dBm
Peak 26.87 dBm
Crest 13.63 dB

10 % 5.61 dB
1 % 9.29 dB
.1 % 10.83 dB
.01 % 11.89 dB

Date: 6.FEB.2026 14:11:33

Band41-20MHz-64QAM-40620-100RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 13.43 dBm
Peak 26.94 dBm
Crest 13.51 dB

10 % 5.58 dB
1 % 9.26 dB
.1 % 10.80 dB
.01 % 11.89 dB

Date: 6.FEB.2026 14:12:44

Band41-20MHz-64QAM-41490-100RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 15.64 dBm
Peak 27.78 dBm
Crest 12.14 dB

10 % 5.54 dB
1 % 8.40 dB
.1 % 9.90 dB
.01 % 10.96 dB

Date: 6.FEB.2026 14:03:10




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 15.96 dBm
Peak 28.13 dBm
Crest 12.18 dB

10 % 5.54 dB
1 % 8.43 dB
.1 % 9.94 dB
.01 % 11.03 dB

Date: 10.FEB.2026 09:18:05

Band41-5MHz-64QAM-39675-25RB#0-PASS




Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 15.93 dBm
Peak 28.49 dBm
Crest 12.56 dB

10 % 5.51 dB
1 % 8.43 dB
.1 % 10.00 dB
.01 % 11.19 dB

Date: 6.FEB.2026 14:03:35



Complementary Cumulative Distribution Function (10000000 samples)

Trace 1
Mean 16.00 dBm
Peak 28.63 dBm
Crest 12.63 dB

10 % 5.51 dB
1 % 8.59 dB
.1 % 10.26 dB
.01 % 11.44 dB

Date: 6.FEB.2026 14:03:59

Band41-5MHz-64QAM-40620-25RB#0-PASS

Band41-5MHz-64QAM-41565-25RB#0-PASS

OCCUPIED BANDWIDTH


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41 (2496-2690MHz)	10MHz	QPSK	39700	50RB#0	9	9.90	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	40620	50RB#0	9	9.90	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	41540	50RB#0	9	9.90	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	39725	75RB#0	13.55	14.80	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	40620	75RB#0	13.55	14.95	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	41515	75RB#0	13.5	14.90	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	39750	100RB#0	18.067	20.60	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	40620	100RB#0	18.067	20.47	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	41490	100RB#0	18.133	20.27	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	39675	25RB#0	4.5	4.96	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	39715	25RB#0	4.5	4.95	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	41565	25RB#0	4.51	4.90	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	39700	50RB#0	8.967	10.10	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	40620	50RB#0	8.967	10.30	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	41540	50RB#0	9	10.27	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	39725	75RB#0	13.5	14.75	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	40620	75RB#0	13.5	14.75	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	41515	75RB#0	13.5	14.70	PASS
Band41 (2496-2690MHz)	20MHz	16QAM	39750	100RB#0	18.067	21.80	PASS
Band41 (2496-2690MHz)	20MHz	16QAM	40620	100RB#0	17.933	22.20	PASS
Band41 (2496-2690MHz)	20MHz	16QAM	41490	100RB#0	18	22.27	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	39675	25RB#0	4.49	5.04	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	40620	25RB#0	4.5	5.00	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	41565	25RB#0	4.5	5.07	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	39700	50RB#0	8.967	9.97	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	40620	50RB#0	8.967	10.13	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	41540	50RB#0	9	10.00	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	39725	75RB#0	13.45	14.80	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	40620	75RB#0	13.45	14.85	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	41515	75RB#0	13.5	14.80	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	39750	100RB#0	18	20.13	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	40620	100RB#0	18.067	19.93	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	41490	100RB#0	18.067	20.33	PASS
Band41 (2496-2690MHz)	5MHz	64QAM	39675	25RB#0	4.51	4.95	PASS
Band41 (2496-2690MHz)	5MHz	64QAM	40620	25RB#0	4.5	4.91	PASS


Band41 (2496-2690MHz)	5MHz	64QAM	41565	25RB#0	4.5	4.91	PASS
-----------------------	------	-------	-------	--------	-----	------	------

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41 (2500-2690MHz)	10MHz	QPSK	39740	50RB#0	9	9.87	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	40620	50RB#0	9	9.90	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	41540	50RB#0	9	9.90	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	39765	75RB#0	13.55	15.00	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	40620	75RB#0	13.55	14.95	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	41515	75RB#0	13.5	14.90	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	39790	100RB#0	18.067	20.07	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	40620	100RB#0	18.067	20.47	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	41490	100RB#0	18.133	20.27	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	39715	25RB#0	4.5	4.95	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	40620	25RB#0	4.5	4.96	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	41565	25RB#0	4.51	4.90	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	39740	50RB#0	8.967	10.27	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	40620	50RB#0	8.967	10.30	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	41540	50RB#0	9	10.27	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	39765	75RB#0	13.5	14.80	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	40620	75RB#0	13.5	14.75	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	41515	75RB#0	13.5	14.70	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	39790	100RB#0	18	21.87	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	40620	100RB#0	17.933	22.20	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	41490	100RB#0	18	22.27	PASS
Band41 (2500-2690MHz)	5MHz	16QAM	39715	25RB#0	4.5	5.04	PASS
Band41 (2500-2690MHz)	5MHz	16QAM	40620	25RB#0	4.5	5.00	PASS
Band41 (2500-2690MHz)	5MHz	16QAM	41565	25RB#0	4.5	5.07	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	39740	50RB#0	8.967	10.03	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	40620	50RB#0	8.967	10.13	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	41540	50RB#0	9	10.00	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	39765	75RB#0	13.45	14.80	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	40620	75RB#0	13.45	14.85	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	41515	75RB#0	13.5	14.80	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	39790	100RB#0	18	20.53	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	40620	100RB#0	18.067	19.93	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	41490	100RB#0	18.067	20.33	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	39715	25RB#0	4.5	4.96	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	40620	25RB#0	4.5	4.91	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	41565	25RB#0	4.5	4.91	PASS

Test Graphs




Date: 6.FEB.2026 09:59:06




Date: 9.FEB.2026 16:12:43

Band41-10MHz-QPSK-39700-50RB#0-PASS

Band41-10MHz-QPSK-39740-50RB#0-PASS




Date: 6.FEB.2026 09:59:45




Date: 6.FEB.2026 10:00:22

Band41-10MHz-QPSK-40620-50RB#0-PASS

Band41-10MHz-QPSK-41540-50RB#0-PASS




Date: 6.FEB.2026 10:01:36




Date: 9.FEB.2026 16:14:30

Band41-15MHz-QPSK-39725-75RB#0-PASS



Date: 6.FEB.2026 10:02:15


Band41-15MHz-QPSK-39765-75RB#0-PASS



Date: 6.FEB.2026 10:02:53


Band41-15MHz-QPSK-40620-75RB#0-PASS

Band41-15MHz-QPSK-41515-75RB#0-PASS




Date: 6.FEB.2026 10:04:09

Band41-20MHz-QPSK-39750-100RB#0-PASS




Date: 9.FEB.2026 16:15:47

Band41-20MHz-QPSK-39790-100RB#0-PASS




Date: 6.FEB.2026 10:04:49

Band41-20MHz-QPSK-40620-100RB#0-PASS




Date: 6.FEB.2026 10:05:27

Band41-20MHz-QPSK-41490-100RB#0-PASS




Date: 6.FEB.2026 09:55:36




Date: 9.FEB.2026 16:11:08

Band41-5MHz-QPSK-39675-25RB#0-PASS



Date: 6.FEB.2026 09:56:37


Band41-5MHz-QPSK-39715-25RB#0-PASS



Date: 6.FEB.2026 09:57:37


Band41-5MHz-QPSK-40620-25RB#0-PASS

Band41-5MHz-QPSK-41565-25RB#0-PASS




Date: 6.FEB.2026 09:59:19

Band41-10MHz-16QAM-39700-50RB#0-PASS




Date: 9.FEB.2026 16:12:55

Band41-10MHz-16QAM-39740-50RB#0-PASS




Date: 6.FEB.2026 09:59:57

Band41-10MHz-16QAM-40620-50RB#0-PASS




Date: 6.FEB.2026 10:00:35

Band41-10MHz-16QAM-41540-50RB#0-PASS




Date: 6.FEB.2026 10:01:49




Date: 9.FEB.2026 16:14:43

Band41-15MHz-16QAM-39725-75RB#0-PASS



Date: 6.FEB.2026 10:02:27


Band41-15MHz-16QAM-39765-75RB#0-PASS




Date: 6.FEB.2026 10:03:06

Band41-15MHz-16QAM-40620-75RB#0-PASS

Band41-15MHz-16QAM-41515-75RB#0-PASS




Date: 6.FEB.2026 10:04:22




Date: 9.FEB.2026 16:16:00

Band41-20MHz-16QAM-39750-100RB#0-PASS



Date: 6.FEB.2026 10:05:01


Band41-20MHz-16QAM-39790-100RB#0-PASS



Date: 6.FEB.2026 10:05:40


Band41-20MHz-16QAM-40620-100RB#0-PASS

Band41-20MHz-16QAM-41490-100RB#0-PASS




Date: 6.FEB.2026 09:55:55

Band41-5MHz-16QAM-39675-25RB#0-PASS




Date: 9.FEB.2026 16:11:29

Band41-5MHz-16QAM-39715-25RB#0-PASS




Date: 6.FEB.2026 09:56:56

Band41-5MHz-16QAM-40620-25RB#0-PASS




Date: 6.FEB.2026 09:57:56

Band41-5MHz-16QAM-41565-25RB#0-PASS




Date: 6.FEB.2026 09:59:32




Date: 9.FEB.2026 16:13:08

Band41-10MHz-64QAM-39700-50RB#0-PASS



Date: 6.FEB.2026 10:00:10


Band41-10MHz-64QAM-39740-50RB#0-PASS




Date: 6.FEB.2026 10:00:47

Band41-10MHz-64QAM-40620-50RB#0-PASS

Band41-10MHz-64QAM-41540-50RB#0-PASS




Date: 6.FEB.2026 10:02:01




Date: 9.FEB.2026 16:14:56

Band41-15MHz-64QAM-39725-75RB#0-PASS



Date: 6.FEB.2026 10:02:39


Band41-15MHz-64QAM-39765-75RB#0-PASS




Date: 6.FEB.2026 10:03:19

Band41-15MHz-64QAM-40620-75RB#0-PASS

Band41-15MHz-64QAM-41515-75RB#0-PASS




Date: 6.FEB.2026 10:04:35




Date: 9.FEB.2026 16:16:13

Band41-20MHz-64QAM-39750-100RB#0-PASS




Date: 6.FEB.2026 10:05:14



Date: 6.FEB.2026 10:05:53


Band41-20MHz-64QAM-40620-100RB#0-PASS

Band41-20MHz-64QAM-41490-100RB#0-PASS




Date: 6.FEB.2026 09:56:16

Band41-5MHz-64QAM-39675-25RB#0-PASS




Date: 9.FEB.2026 16:11:51

Band41-5MHz-64QAM-39715-25RB#0-PASS



Date: 6.FEB.2026 09:57:16

Band41-5MHz-64QAM-40620-25RB#0-PASS



Date: 6.FEB.2026 09:58:16

Band41-5MHz-64QAM-41565-25RB#0-PASS

Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41 (2496-2690MHz)	10MHz	QPSK	39700	1RB#0	-22.90	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	39700	1RB#49	-35.44	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	39700	50RB#0	-35.04	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	41540	1RB#0	-43.03	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	41540	1RB#49	-23.35	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	41540	50RB#0	-37.58	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	39725	1RB#0	-23.89	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	39725	1RB#74	-41.62	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	39725	75RB#0	-34.67	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	41515	1RB#0	-41.24	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	41515	1RB#74	-23.33	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	41515	75RB#0	-37.53	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	39750	100RB#0	-33.24	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	39750	1RB#0	-23.13	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	39750	1RB#99	-39.71	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	41490	100RB#0	-36.62	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	41490	1RB#0	-39.30	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	41490	1RB#99	-24.16	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	39675	1RB#0	-20.59	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	39675	1RB#24	-46.04	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	39675	25RB#0	-30.57	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	41565	1RB#0	-45.03	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	41565	1RB#24	-17.61	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	41565	25RB#0	-39.26	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	39700	1RB#0	-23.78	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	39700	1RB#49	-36.13	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	39700	50RB#0	-37.03	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	41540	1RB#0	-43.02	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	41540	1RB#49	-22.31	PASS
Band41 (2496-2690MHz)	10MHz	16QAM	41540	50RB#0	-37.94	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	39725	1RB#0	-23.07	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	39725	1RB#74	-41.87	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	39725	75RB#0	-35.80	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	41515	1RB#0	-41.35	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	41515	1RB#74	-24.82	PASS
Band41 (2496-2690MHz)	15MHz	16QAM	41515	75RB#0	-37.79	PASS


Band41 (2496-2690MHz)	20MHz	16QAM	39750	100RB#0	-34.11	PASS
Band41 (2496-2690MHz)	20MHz	16QAM	39750	1RB#0	-25.18	PASS
Band41 (2496-2690MHz)	20MHz	16QAM	39750	1RB#99	-39.75	PASS
Band41 (2496-2690MHz)	20MHz	16QAM	41490	100RB#0	-36.71	PASS
Band41 (2496-2690MHz)	20MHz	16QAM	41490	1RB#0	-39.37	PASS
Band41 (2496-2690MHz)	20MHz	16QAM	41490	1RB#99	-23.95	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	39675	1RB#0	-20.06	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	39675	1RB#24	-45.93	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	39675	25RB#0	-43.90	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	41565	1RB#0	-45.21	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	41565	1RB#24	-18.66	PASS
Band41 (2496-2690MHz)	5MHz	16QAM	41565	25RB#0	-40.39	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	39700	1RB#0	-23.62	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	39700	1RB#49	-37.07	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	39700	50RB#0	-38.05	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	41540	1RB#0	-43.03	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	41540	1RB#49	-24.79	PASS
Band41 (2496-2690MHz)	10MHz	64QAM	41540	50RB#0	-39.53	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	39725	1RB#0	-40.78	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	39725	1RB#74	-41.84	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	39725	75RB#0	-36.63	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	41515	1RB#0	-41.31	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	41515	1RB#74	-23.76	PASS
Band41 (2496-2690MHz)	15MHz	64QAM	41515	75RB#0	-38.99	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	39750	100RB#0	-34.91	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	39750	1RB#0	-24.43	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	39750	1RB#99	-39.81	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	41490	100RB#0	-37.57	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	41490	1RB#0	-39.32	PASS
Band41 (2496-2690MHz)	20MHz	64QAM	41490	1RB#99	-39.32	PASS
Band41 (2496-2690MHz)	5MHz	64QAM	39675	1RB#0	-24.35	PASS
Band41 (2496-2690MHz)	5MHz	64QAM	39675	1RB#24	-46.01	PASS
Band41 (2496-2690MHz)	5MHz	64QAM	39675	25RB#0	-32.43	PASS
Band41 (2496-2690MHz)	5MHz	64QAM	41565	1RB#0	-45.07	PASS
Band41 (2496-2690MHz)	5MHz	64QAM	41565	1RB#24	-20.32	PASS
Band41 (2496-2690MHz)	5MHz	64QAM	41565	25RB#0	-41.61	PASS

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41 (2500-2690MHz)	10MHz	QPSK	39740	1RB#0	-22.18	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	39740	1RB#49	-43.82	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	39740	50RB#0	-42.10	PASS


Band41 (2500-2690MHz)	10MHz	QPSK	41540	1RB#0	-43.03	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	41540	1RB#49	-23.35	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	41540	50RB#0	-37.58	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	39765	1RB#0	-23.34	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	39765	1RB#74	-41.79	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	39765	75RB#0	-35.74	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	41515	1RB#0	-41.24	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	41515	1RB#74	-23.33	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	41515	75RB#0	-37.53	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	39790	100RB#0	-33.90	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	39790	1RB#0	-22.60	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	39790	1RB#99	-36.55	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	41490	100RB#0	-36.62	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	41490	1RB#0	-39.30	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	41490	1RB#99	-24.16	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	39715	1RB#0	-20.09	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	39715	1RB#24	-45.91	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	39715	25RB#0	-29.71	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	41565	1RB#0	-45.03	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	41565	1RB#24	-17.61	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	41565	25RB#0	-39.26	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	39740	1RB#0	-23.29	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	39740	1RB#49	-43.71	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	39740	50RB#0	-41.86	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	41540	1RB#0	-43.02	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	41540	1RB#49	-22.31	PASS
Band41 (2500-2690MHz)	10MHz	16QAM	41540	50RB#0	-37.94	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	39765	1RB#0	-22.57	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	39765	1RB#74	-41.81	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	39765	75RB#0	-37.55	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	41515	1RB#0	-41.35	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	41515	1RB#74	-24.82	PASS
Band41 (2500-2690MHz)	15MHz	16QAM	41515	75RB#0	-37.79	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	39790	100RB#0	-35.11	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	39790	1RB#0	-24.71	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	39790	1RB#99	-37.06	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	41490	100RB#0	-36.71	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	41490	1RB#0	-39.37	PASS
Band41 (2500-2690MHz)	20MHz	16QAM	41490	1RB#99	-23.95	PASS
Band41 (2500-2690MHz)	5MHz	16QAM	39715	1RB#0	-19.32	PASS
Band41 (2500-2690MHz)	5MHz	16QAM	39715	1RB#24	-45.88	PASS
Band41 (2500-2690MHz)	5MHz	16QAM	39715	25RB#0	-30.92	PASS

Band41 (2500-2690MHz)	5MHz	16QAM	41565	1RB#0	-45.21	PASS
Band41 (2500-2690MHz)	5MHz	16QAM	41565	1RB#24	-18.66	PASS
Band41 (2500-2690MHz)	5MHz	16QAM	41565	25RB#0	-40.39	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	39740	1RB#0	-23.20	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	39740	1RB#49	-43.90	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	39740	50RB#0	-42.43	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	41540	1RB#0	-43.03	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	41540	1RB#49	-24.79	PASS
Band41 (2500-2690MHz)	10MHz	64QAM	41540	50RB#0	-39.53	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	39765	1RB#0	-28.74	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	39765	1RB#74	-41.95	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	39765	75RB#0	-38.82	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	41515	1RB#0	-41.31	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	41515	1RB#74	-23.76	PASS
Band41 (2500-2690MHz)	15MHz	64QAM	41515	75RB#0	-38.99	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	39790	100RB#0	-35.97	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	39790	1RB#0	-24.15	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	39790	1RB#99	-37.71	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	41490	100RB#0	-37.57	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	41490	1RB#0	-39.32	PASS
Band41 (2500-2690MHz)	20MHz	64QAM	41490	1RB#99	-39.32	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	39715	1RB#0	-24.27	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	39715	1RB#24	-45.89	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	39715	25RB#0	-31.40	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	41565	1RB#0	-45.07	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	41565	1RB#24	-20.32	PASS
Band41 (2500-2690MHz)	5MHz	64QAM	41565	25RB#0	-41.61	PASS

Test Graphs




Date: 6.FEB.2026 10:30:48




Date: 6.FEB.2026 10:33:55

Band41-10MHz-QPSK-39700-1RB#0-PASS

Band41-10MHz-QPSK-39700-1RB#49-PASS




Date: 6.FEB.2026 10:37:02




Date: 9.FEB.2026 16:30:00

Band41-10MHz-QPSK-39700-50RB#0-PASS

Band41-10MHz-QPSK-39740-1RB#0-PASS




Date: 9.FEB.2026 16:33:08




Date: 9.FEB.2026 16:36:15

Band41-10MHz-QPSK-39740-1RB#49-PASS

Band41-10MHz-QPSK-39740-50RB#0-PASS




Date: 6.FEB.2026 10:40:19




Date: 6.FEB.2026 10:43:57

Band41-10MHz-QPSK-41540-1RB#0-PASS

Band41-10MHz-QPSK-41540-1RB#49-PASS




Date: 6.FEB.2026 10:47:36




Date: 6.FEB.2026 10:51:22

Band41-10MHz-QPSK-41540-50RB#0-PASS

Band41-15MHz-QPSK-39725-1RB#0-PASS




Date: 6.FEB.2026 10:54:29




Date: 6.FEB.2026 10:57:36

Band41-15MHz-QPSK-39725-1RB#74-PASS

Band41-15MHz-QPSK-39725-75RB#0-PASS




Date: 9.FEB.2026 16:39:59




Date: 9.FEB.2026 16:43:06

Band41-15MHz-QPSK-39765-1RB#0-PASS

Band41-15MHz-QPSK-39765-1RB#74-PASS




Date: 9.FEB.2026 16:46:13




Date: 6.FEB.2026 11:00:54

Band41-15MHz-QPSK-39765-75RB#0-PASS

Band41-15MHz-QPSK-41515-1RB#0-PASS




Date: 6.FEB.2026 11:04:33




Date: 6.FEB.2026 11:08:11

Band41-15MHz-QPSK-41515-1RB#74-PASS

Band41-15MHz-QPSK-41515-75RB#0-PASS




Date: 6.FEB.2026 11:18:11




Date: 6.FEB.2026 11:11:57

Band41-20MHz-QPSK-39750-100RB#0-PASS

Band41-20MHz-QPSK-39750-1RB#0-PASS




Date: 6.FEB.2026 11:15:04




Date: 9.FEB.2026 16:56:12

Band41-20MHz-QPSK-39750-1RB#99-PASS

Band41-20MHz-QPSK-39790-100RB#0-PASS




Date: 9.FEB.2026 16:49:57




Date: 9.FEB.2026 16:53:05

Band41-20MHz-QPSK-39790-1RB#0-PASS

Band41-20MHz-QPSK-39790-1RB#99-PASS




Date: 6.FEB.2026 11:28:43




Date: 6.FEB.2026 11:21:28

Band41-20MHz-QPSK-41490-100RB#0-PASS

Band41-20MHz-QPSK-41490-1RB#0-PASS




Date: 6.FEB.2026 11:25:05




Date: 6.FEB.2026 10:09:57

Band41-20MHz-QPSK-41490-1RB#99-PASS

Band41-5MHz-QPSK-39675-1RB#0-PASS




Date: 6.FEB.2026 10:13:04




Date: 6.FEB.2026 10:16:11

Band41-5MHz-QPSK-39675-1RB#24-PASS

Band41-5MHz-QPSK-39675-25RB#0-PASS




Date: 9.FEB.2026 16:19:30




Date: 9.FEB.2026 16:22:37

Band41-5MHz-QPSK-39715-1RB#0-PASS

Band41-5MHz-QPSK-39715-1RB#24-PASS




Date: 9.FEB.2026 16:25:45




Date: 6.FEB.2026 10:19:28

Band41-5MHz-QPSK-39715-25RB#0-PASS

Band41-5MHz-QPSK-41565-1RB#0-PASS




Date: 6.FEB.2026 10:23:06




Date: 6.FEB.2026 10:26:43

Band41-5MHz-QPSK-41565-1RB#24-PASS

Band41-5MHz-QPSK-41565-25RB#0-PASS




Date: 6.FEB.2026 10:31:50




Date: 6.FEB.2026 10:34:57

Band41-10MHz-16QAM-39700-1RB#0-PASS

Band41-10MHz-16QAM-39700-1RB#49-PASS




Date: 6.FEB.2026 10:38:04




Date: 9.FEB.2026 16:31:03

Band41-10MHz-16QAM-39700-50RB#0-PASS

Band41-10MHz-16QAM-39740-1RB#0-PASS




Date: 9.FEB.2026 16:34:10




Date: 9.FEB.2026 16:37:17

Band41-10MHz-16QAM-39740-1RB#49-PASS

Band41-10MHz-16QAM-39740-50RB#0-PASS




Date: 6.FEB.2026 10:41:32




Date: 6.FEB.2026 10:45:10

Band41-10MHz-16QAM-41540-1RB#0-PASS

Band41-10MHz-16QAM-41540-1RB#49-PASS




Date: 6.FEB.2026 10:48:48




Date: 6.FEB.2026 10:52:24

Band41-10MHz-16QAM-41540-50RB#0-PASS

Band41-15MHz-16QAM-39725-1RB#0-PASS




Date: 6.FEB.2026 10:55:31




Date: 6.FEB.2026 10:58:39

Band41-15MHz-16QAM-39725-1RB#74-PASS

Band41-15MHz-16QAM-39725-75RB#0-PASS




Date: 9.FEB.2026 16:41:02




Date: 9.FEB.2026 16:44:09

Band41-15MHz-16QAM-39765-1RB#0-PASS

Band41-15MHz-16QAM-39765-1RB#74-PASS




Date: 9.FEB.2026 16:47:16




Date: 6.FEB.2026 11:02:07

Band41-15MHz-16QAM-39765-75RB#0-PASS

Band41-15MHz-16QAM-41515-1RB#0-PASS




Date: 6.FEB.2026 11:05:45




Date: 6.FEB.2026 11:09:23

Band41-15MHz-16QAM-41515-1RB#74-PASS

Band41-15MHz-16QAM-41515-75RB#0-PASS




Date: 6.FEB.2026 11:19:13




Date: 6.FEB.2026 11:12:59

Band41-20MHz-16QAM-39750-100RB#0-PASS

Band41-20MHz-16QAM-39750-1RB#0-PASS




Date: 6.FEB.2026 11:16:06




Date: 9.FEB.2026 16:57:15

Band41-20MHz-16QAM-39750-1RB#99-PASS

Band41-20MHz-16QAM-39790-100RB#0-PASS




Date: 9.FEB.2026 16:51:00



Date: 9.FEB.2026 16:54:07


Band41-20MHz-16QAM-39790-1RB#0-PASS

Band41-20MHz-16QAM-39790-1RB#99-PASS




Date: 6.FEB.2026 11:29:55

Band41-20MHz-16QAM-41490-100RB#0-PASS




Date: 6.FEB.2026 11:22:40

Band41-20MHz-16QAM-41490-1RB#0-PASS




Date: 6.FEB.2026 11:26:18

Band41-20MHz-16QAM-41490-1RB#99-PASS




Date: 6.FEB.2026 10:10:59

Band41-5MHz-16QAM-39675-1RB#0-PASS




Date: 6.FEB.2026 10:14:06




Date: 6.FEB.2026 10:17:13

Band41-5MHz-16QAM-39675-1RB#24-PASS

Band41-5MHz-16QAM-39675-25RB#0-PASS




Date: 9.FEB.2026 16:20:32




Date: 9.FEB.2026 16:23:39

Band41-5MHz-16QAM-39715-1RB#0-PASS

Band41-5MHz-16QAM-39715-1RB#24-PASS




Date: 9.FEB.2026 16:26:47




Date: 6.FEB.2026 10:20:40

Band41-5MHz-16QAM-39715-25RB#0-PASS

Band41-5MHz-16QAM-41565-1RB#0-PASS




Date: 6.FEB.2026 10:24:18




Date: 6.FEB.2026 10:27:56

Band41-5MHz-16QAM-41565-1RB#24-PASS

Band41-5MHz-16QAM-41565-25RB#0-PASS




Date: 6.FEB.2026 10:32:52




Date: 6.FEB.2026 10:35:59

Band41-10MHz-64QAM-39700-1RB#0-PASS

Band41-10MHz-64QAM-39700-1RB#49-PASS




Date: 6.FEB.2026 10:39:06




Date: 9.FEB.2026 16:32:05

Band41-10MHz-64QAM-39700-50RB#0-PASS

Band41-10MHz-64QAM-39740-1RB#0-PASS




Date: 9.FEB.2026 16:35:12




Date: 9.FEB.2026 16:38:19

Band41-10MHz-64QAM-39740-1RB#49-PASS

Band41-10MHz-64QAM-39740-50RB#0-PASS




Date: 6.FEB.2026 10:42:45




Date: 6.FEB.2026 10:46:23

Band41-10MHz-64QAM-41540-1RB#0-PASS

Band41-10MHz-64QAM-41540-1RB#49-PASS




Date: 6.FEB.2026 10:50:01




Date: 6.FEB.2026 10:53:26

Band41-10MHz-64QAM-41540-50RB#0-PASS

Band41-15MHz-64QAM-39725-1RB#0-PASS




Date: 6.FEB.2026 10:56:34




Date: 6.FEB.2026 10:59:41

Band41-15MHz-64QAM-39725-1RB#74-PASS

Band41-15MHz-64QAM-39725-75RB#0-PASS




Date: 9.FEB.2026 16:42:04




Date: 9.FEB.2026 16:45:11

Band41-15MHz-64QAM-39765-1RB#0-PASS

Band41-15MHz-64QAM-39765-1RB#74-PASS




Date: 9.FEB.2026 16:48:18




Date: 6.FEB.2026 11:03:19

Band41-15MHz-64QAM-39765-75RB#0-PASS

Band41-15MHz-64QAM-41515-1RB#0-PASS




Date: 6.FEB.2026 11:06:58




Date: 6.FEB.2026 11:10:36

Band41-15MHz-64QAM-41515-1RB#74-PASS

Band41-15MHz-64QAM-41515-75RB#0-PASS




Date: 6.FEB.2026 11:20:15




Date: 6.FEB.2026 11:14:01

Band41-20MHz-64QAM-39750-100RB#0-PASS

Band41-20MHz-64QAM-39750-1RB#0-PASS




Date: 6.FEB.2026 11:17:08




Date: 9.FEB.2026 16:58:17

Band41-20MHz-64QAM-39750-1RB#99-PASS

Band41-20MHz-64QAM-39790-100RB#0-PASS




Date: 9.FEB.2026 16:52:02



Date: 9.FEB.2026 16:55:10


Band41-20MHz-64QAM-39790-1RB#0-PASS

Band41-20MHz-64QAM-39790-1RB#99-PASS




Date: 6.FEB.2026 11:31:07

Band41-20MHz-64QAM-41490-100RB#0-PASS




Date: 6.FEB.2026 11:23:52

Band41-20MHz-64QAM-41490-1RB#0-PASS




Date: 6.FEB.2026 11:27:30

Band41-20MHz-64QAM-41490-1RB#99-PASS




Date: 6.FEB.2026 10:12:01

Band41-5MHz-64QAM-39675-1RB#0-PASS




Date: 6.FEB.2026 10:15:08




Date: 6.FEB.2026 10:18:15

Band41-5MHz-64QAM-39675-1RB#24-PASS

Band41-5MHz-64QAM-39675-25RB#0-PASS




Date: 9.FEB.2026 16:21:34




Date: 9.FEB.2026 16:24:42

Band41-5MHz-64QAM-39715-1RB#0-PASS

Band41-5MHz-64QAM-39715-1RB#24-PASS




Date: 9.FEB.2026 16:27:49




Date: 6.FEB.2026 10:21:53

Band41-5MHz-64QAM-39715-25RB#0-PASS

Band41-5MHz-64QAM-41565-1RB#0-PASS



Date: 6.FEB.2026 10:25:31



Date: 6.FEB.2026 10:29:09

Band41-5MHz-64QAM-41565-1RB#24-PASS

Band41-5MHz-64QAM-41565-25RB#0-PASS

Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band41 (2496-2690MHz)	10MHz	QPSK	39700	1RB#0	1000~3000	-43.26	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	39700	1RB#0	20000~26500	-38.53	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	39700	1RB#0	30~1000	-47.19	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	39700	1RB#0	3000~20000	-34.89	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	40620	1RB#0	1000~3000	-42.21	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	40620	1RB#0	20000~26500	-38.60	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	40620	1RB#0	30~1000	-45.92	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	40620	1RB#0	3000~20000	-35.67	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	41540	1RB#0	1000~3000	-42.53	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	41540	1RB#0	20000~26500	-38.42	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	41540	1RB#0	30~1000	-44.61	PASS
Band41 (2496-2690MHz)	10MHz	QPSK	41540	1RB#0	3000~20000	-35.65	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	39725	1RB#0	1000~3000	-42.12	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	39725	1RB#0	20000~26500	-38.08	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	39725	1RB#0	30~1000	-50.61	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	39725	1RB#0	3000~20000	-34.91	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	40620	1RB#0	1000~3000	-42.98	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	40620	1RB#0	20000~26500	-38.33	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	40620	1RB#0	30~1000	-45.25	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	40620	1RB#0	3000~20000	-35.55	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	41515	1RB#0	1000~3000	-42.18	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	41515	1RB#0	20000~26500	-38.49	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	41515	1RB#0	30~1000	-43.46	PASS
Band41 (2496-2690MHz)	15MHz	QPSK	41515	1RB#0	3000~20000	-35.57	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	39750	1RB#0	1000~3000	-43.12	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	39750	1RB#0	20000~26500	-38.15	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	39750	1RB#0	30~1000	-48.16	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	39750	1RB#0	3000~20000	-35.30	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	40620	1RB#0	1000~3000	-42.72	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	40620	1RB#0	20000~26500	-38.60	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	40620	1RB#0	30~1000	-48.81	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	40620	1RB#0	3000~20000	-35.74	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	41490	1RB#0	1000~3000	-42.81	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	41490	1RB#0	20000~26500	-38.38	PASS
Band41 (2496-2690MHz)	20MHz	QPSK	41490	1RB#0	30~1000	-43.81	PASS


Band41 (2496-2690MHz)	20MHz	QPSK	41490	1RB#0	3000~20000	-35.69	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	39675	1RB#0	1000~3000	-42.90	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	39675	1RB#0	20000~26500	-37.99	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	39675	1RB#0	30~1000	-50.18	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	39675	1RB#0	3000~20000	-35.43	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	40620	1RB#0	1000~3000	-41.55	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	40620	1RB#0	20000~26500	-38.16	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	40620	1RB#0	30~1000	-46.79	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	40620	1RB#0	3000~20000	-35.53	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	41565	1RB#0	1000~3000	-43.49	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	41565	1RB#0	20000~26500	-38.75	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	41565	1RB#0	30~1000	-43.85	PASS
Band41 (2496-2690MHz)	5MHz	QPSK	41565	1RB#0	3000~20000	-35.62	PASS

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band41 (2500-2690MHz)	10MHz	QPSK	39740	1RB#0	1000~3000	-43.54	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	39740	1RB#0	20000~26500	-38.29	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	39740	1RB#0	30~1000	-46.53	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	39740	1RB#0	3000~20000	-35.19	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	40620	1RB#0	1000~3000	-42.21	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	40620	1RB#0	20000~26500	-38.60	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	40620	1RB#0	30~1000	-45.92	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	40620	1RB#0	3000~20000	-35.67	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	41540	1RB#0	1000~3000	-42.53	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	41540	1RB#0	20000~26500	-38.42	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	41540	1RB#0	30~1000	-44.61	PASS
Band41 (2500-2690MHz)	10MHz	QPSK	41540	1RB#0	3000~20000	-35.65	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	39765	1RB#0	1000~3000	-42.95	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	39765	1RB#0	20000~26500	-38.48	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	39765	1RB#0	30~1000	-47.48	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	39765	1RB#0	3000~20000	-34.69	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	40620	1RB#0	1000~3000	-42.98	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	40620	1RB#0	20000~26500	-38.33	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	40620	1RB#0	30~1000	-45.25	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	40620	1RB#0	3000~20000	-35.55	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	41515	1RB#0	1000~3000	-42.18	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	41515	1RB#0	20000~26500	-38.49	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	41515	1RB#0	30~1000	-43.46	PASS
Band41 (2500-2690MHz)	15MHz	QPSK	41515	1RB#0	3000~20000	-35.57	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	39790	1RB#0	1000~3000	-42.62	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	39790	1RB#0	20000~26500	-38.36	PASS


Band41 (2500-2690MHz)	20MHz	QPSK	39790	1RB#0	30~1000	-46.43	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	39790	1RB#0	3000~20000	-34.72	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	40620	1RB#0	1000~3000	-42.72	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	40620	1RB#0	20000~26500	-38.60	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	40620	1RB#0	30~1000	-48.81	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	40620	1RB#0	3000~20000	-35.74	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	41490	1RB#0	1000~3000	-42.81	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	41490	1RB#0	20000~26500	-38.38	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	41490	1RB#0	30~1000	-43.81	PASS
Band41 (2500-2690MHz)	20MHz	QPSK	41490	1RB#0	3000~20000	-35.69	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	39715	1RB#0	1000~3000	-42.50	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	39715	1RB#0	20000~26500	-38.50	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	39715	1RB#0	30~1000	-47.33	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	39715	1RB#0	3000~20000	-35.72	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	40620	1RB#0	1000~3000	-41.55	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	40620	1RB#0	20000~26500	-38.16	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	40620	1RB#0	30~1000	-46.79	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	40620	1RB#0	3000~20000	-35.53	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	41565	1RB#0	1000~3000	-43.49	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	41565	1RB#0	20000~26500	-38.75	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	41565	1RB#0	30~1000	-43.85	PASS
Band41 (2500-2690MHz)	5MHz	QPSK	41565	1RB#0	3000~20000	-35.62	PASS

Test Graphs






Date: 10.FEB.2026 08:37:06




Date: 10.FEB.2026 08:37:41

Band41-10MHz-QPSK-39740-1RB#0-1000~3000-PASS

Band41-10MHz-QPSK-39740-1RB#0-20000~26500-PASS




Date: 10.FEB.2026 08:37:01





Date: 10.FEB.2026 08:37:23

Band41-10MHz-QPSK-39740-1RB#0-30~1000-PASS

Band41-10MHz-QPSK-39740-1RB#0-3000~20000-PASS









Date: 6.FEB.2026 12:51:48

Band41-15MHz-QPSK-39725-1RB#0-1000~3000-PASS




Date: 6.FEB.2026 12:52:24

Band41-15MHz-QPSK-39725-1RB#0-20000~26500-PASS




Date: 6.FEB.2026 12:51:44


Band41-15MHz-QPSK-39725-1RB#0-30~1000-PASS



Date: 6.FEB.2026 12:52:05


Band41-15MHz-QPSK-39725-1RB#0-3000~20000-PASS






Date: 6.FEB.2026 12:52:52

Band41-15MHz-QPSK-40620-1RB#0-1000~3000-PASS




Date: 6.FEB.2026 12:53:28

Band41-15MHz-QPSK-40620-1RB#0-20000~26500-PASS




Date: 6.FEB.2026 12:52:47

Band41-15MHz-QPSK-40620-1RB#0-30~1000-PASS




Date: 6.FEB.2026 12:53:09

Band41-15MHz-QPSK-40620-1RB#0-3000~20000-PASS




Date: 6.FEB.2026 12:53:56

Band41-15MHz-QPSK-41515-1RB#0-1000~3000-PASS




Date: 6.FEB.2026 12:54:31

Band41-15MHz-QPSK-41515-1RB#0-20000~26500-PASS




Date: 6.FEB.2026 12:53:51

Band41-15MHz-QPSK-41515-1RB#0-30~1000-PASS




Date: 6.FEB.2026 12:54:12

Band41-15MHz-QPSK-41515-1RB#0-3000~20000-PASS




Date: 6.FEB.2026 12:55:36

Band41-20MHz-QPSK-39750-1RB#0-1000~3000-PASS




Date: 6.FEB.2026 12:56:12

Band41-20MHz-QPSK-39750-1RB#0-20000~26500-PASS




Date: 6.FEB.2026 12:55:32

Band41-20MHz-QPSK-39750-1RB#0-30~1000-PASS




Date: 6.FEB.2026 12:55:53

Band41-20MHz-QPSK-39750-1RB#0-3000~20000-PASS




Date: 10.FEB.2026 08:40:28

Band41-20MHz-QPSK-39790-1RB#0-1000~3000-PASS




Date: 10.FEB.2026 08:41:03

Band41-20MHz-QPSK-39790-1RB#0-20000~26500-PASS




Date: 10.FEB.2026 08:40:23

Band41-20MHz-QPSK-39790-1RB#0-30~1000-PASS




Date: 10.FEB.2026 08:40:45

Band41-20MHz-QPSK-39790-1RB#0-3000~20000-PASS




Date: 6.FEB.2026 12:56:40

Band41-20MHz-QPSK-40620-1RB#0-1000~3000-PASS




Date: 6.FEB.2026 12:57:16

Band41-20MHz-QPSK-40620-1RB#0-20000~26500-PASS




Date: 6.FEB.2026 12:56:36

Band41-20MHz-QPSK-40620-1RB#0-30~1000-PASS




Date: 6.FEB.2026 12:56:57

Band41-20MHz-QPSK-40620-1RB#0-3000~20000-PASS




Date: 6.FEB.2026 12:57:44

Band41-20MHz-QPSK-41490-1RB#0-1000~3000-PASS




Date: 6.FEB.2026 12:58:19

Band41-20MHz-QPSK-41490-1RB#0-20000~26500-PASS




Date: 6.FEB.2026 12:57:39

Band41-20MHz-QPSK-41490-1RB#0-30~1000-PASS




Date: 6.FEB.2026 12:58:01

Band41-20MHz-QPSK-41490-1RB#0-3000~20000-PASS




Date: 6.FEB.2026 12:43:36

Band41-5MHz-QPSK-39675-1RB#0-1000~3000-PASS




Date: 6.FEB.2026 12:44:11

Band41-5MHz-QPSK-39675-1RB#0-20000~26500-PASS




Date: 6.FEB.2026 12:43:31

Band41-5MHz-QPSK-39675-1RB#0-30~1000-PASS




Date: 6.FEB.2026 12:43:53

Band41-5MHz-QPSK-39675-1RB#0-3000~20000-PASS




Date: 10.FEB.2026 08:34:54

Band41-5MHz-QPSK-39715-1RB#0-1000~3000-PASS




Date: 10.FEB.2026 08:35:29

Band41-5MHz-QPSK-39715-1RB#0-20000~26500-PASS




Date: 10.FEB.2026 08:34:49

Band41-5MHz-QPSK-39715-1RB#0-30~1000-PASS




Date: 10.FEB.2026 08:35:11

Band41-5MHz-QPSK-39715-1RB#0-3000~20000-PASS




Date: 6.FEB.2026 12:44:39

Band41-5MHz-QPSK-40620-1RB#0-1000~3000-PASS




Date: 6.FEB.2026 12:45:15

Band41-5MHz-QPSK-40620-1RB#0-20000~26500-PASS



Date: 6.FEB.2026 12:44:35

Band41-5MHz-QPSK-40620-1RB#0-30~1000-PASS



Date: 6.FEB.2026 12:44:56

Band41-5MHz-QPSK-40620-1RB#0-3000~20000-PASS