

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.46	25.34	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.54	25.42	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.52	25.4	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.48	25.36	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.46	25.34	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	23.53	25.41	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.50	24.38	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	23.53	25.41	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.58	25.46	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	23.70	25.58	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.59	25.47	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.59	25.47	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	23.72	25.6	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.62	24.5	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.65	25.53	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	23.70	25.58	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.66	25.54	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.72	25.6	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.68	25.56	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	23.80	25.68	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.77	24.65	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.93	24.81	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.95	24.83	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.98	24.86	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.35	24.23	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.32	24.2	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	22.37	24.25	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.66	23.54	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.66	24.54	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.65	24.53	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	22.78	24.66	PASS

Band2	1.4MHz	16QAM	18900	3RB#0	22.55	24.43	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.55	24.43	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	22.61	24.49	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.82	23.7	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	23.37	25.25	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	23.40	25.28	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	23.42	25.3	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.65	24.53	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.64	24.52	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	22.55	24.43	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.84	23.72	PASS
Band2	3MHz	QPSK	18615	1RB#0	23.39	25.27	PASS
Band2	3MHz	QPSK	18615	1RB#8	23.49	25.37	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.39	25.27	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.56	24.44	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.51	24.39	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.59	24.47	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.48	24.36	PASS
Band2	3MHz	QPSK	18900	1RB#0	23.59	25.47	PASS
Band2	3MHz	QPSK	18900	1RB#8	23.69	25.57	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.71	25.59	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.54	24.42	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.49	24.37	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.73	24.61	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.59	24.47	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.64	25.52	PASS
Band2	3MHz	QPSK	19185	1RB#8	23.70	25.58	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.61	25.49	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.71	24.59	PASS
Band2	3MHz	QPSK	19185	8RB#4	22.70	24.58	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.74	24.62	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.70	24.58	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.55	24.43	PASS
Band2	3MHz	16QAM	18615	1RB#8	22.61	24.49	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.60	24.48	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.72	23.6	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.73	23.61	PASS

Band2	3MHz	16QAM	18615	8RB#7	21.76	23.64	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.61	23.49	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.81	24.69	PASS
Band2	3MHz	16QAM	18900	1RB#8	22.77	24.65	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.86	24.74	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.85	23.73	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.82	23.7	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.95	23.83	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.54	23.42	PASS
Band2	3MHz	16QAM	19185	1RB#0	23.40	25.28	PASS
Band2	3MHz	16QAM	19185	1RB#8	23.49	25.37	PASS
Band2	3MHz	16QAM	19185	1RB#14	23.35	25.23	PASS
Band2	3MHz	16QAM	19185	8RB#0	22.01	23.89	PASS
Band2	3MHz	16QAM	19185	8RB#4	22.03	23.91	PASS
Band2	3MHz	16QAM	19185	8RB#7	21.99	23.87	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.86	23.74	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.65	25.53	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.72	25.6	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.68	25.56	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.57	24.45	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.51	24.39	PASS
Band2	5MHz	QPSK	18625	12RB#13	22.52	24.4	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.54	24.42	PASS
Band2	5MHz	QPSK	18900	1RB#0	23.59	25.47	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.66	25.54	PASS
Band2	5MHz	QPSK	18900	1RB#24	23.71	25.59	PASS
Band2	5MHz	QPSK	18900	12RB#0	22.59	24.47	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.56	24.44	PASS
Band2	5MHz	QPSK	18900	12RB#13	22.72	24.6	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.55	24.43	PASS
Band2	5MHz	QPSK	19175	1RB#0	23.75	25.63	PASS
Band2	5MHz	QPSK	19175	1RB#12	23.79	25.67	PASS
Band2	5MHz	QPSK	19175	1RB#24	23.75	25.63	PASS
Band2	5MHz	QPSK	19175	12RB#0	22.69	24.57	PASS
Band2	5MHz	QPSK	19175	12RB#6	22.71	24.59	PASS
Band2	5MHz	QPSK	19175	12RB#13	22.63	24.51	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.73	24.61	PASS

Band2	5MHz	16QAM	18625	1RB#0	21.92	23.8	PASS
Band2	5MHz	16QAM	18625	1RB#12	21.96	23.84	PASS
Band2	5MHz	16QAM	18625	1RB#24	21.96	23.84	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.62	23.5	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.67	23.55	PASS
Band2	5MHz	16QAM	18625	12RB#13	21.60	23.48	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.70	23.58	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.38	24.26	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.50	24.38	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.55	24.43	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.72	23.6	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.73	23.61	PASS
Band2	5MHz	16QAM	18900	12RB#13	21.79	23.67	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.56	23.44	PASS
Band2	5MHz	16QAM	19175	1RB#0	22.41	24.29	PASS
Band2	5MHz	16QAM	19175	1RB#12	22.39	24.27	PASS
Band2	5MHz	16QAM	19175	1RB#24	22.45	24.33	PASS
Band2	5MHz	16QAM	19175	12RB#0	21.88	23.76	PASS
Band2	5MHz	16QAM	19175	12RB#6	21.90	23.78	PASS
Band2	5MHz	16QAM	19175	12RB#13	21.88	23.76	PASS
Band2	5MHz	16QAM	19175	25RB#0	21.87	23.75	PASS
Band2	10MHz	QPSK	18650	1RB#0	23.41	25.29	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.47	25.35	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.43	25.31	PASS
Band2	10MHz	QPSK	18650	25RB#0	22.57	24.45	PASS
Band2	10MHz	QPSK	18650	25RB#12	22.58	24.46	PASS
Band2	10MHz	QPSK	18650	25RB#25	22.57	24.45	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.54	24.42	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.57	25.45	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.61	25.49	PASS
Band2	10MHz	QPSK	18900	1RB#49	23.71	25.59	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.62	24.5	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.62	24.5	PASS
Band2	10MHz	QPSK	18900	25RB#25	22.77	24.65	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.61	24.49	PASS
Band2	10MHz	QPSK	19150	1RB#0	23.57	25.45	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.65	25.53	PASS

Band2	10MHz	QPSK	19150	1RB#49	23.67	25.55	PASS
Band2	10MHz	QPSK	19150	25RB#0	22.74	24.62	PASS
Band2	10MHz	QPSK	19150	25RB#12	22.70	24.58	PASS
Band2	10MHz	QPSK	19150	25RB#25	22.69	24.57	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.73	24.61	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.57	24.45	PASS
Band2	10MHz	16QAM	18650	1RB#24	22.63	24.51	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.64	24.52	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.62	23.5	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.62	23.5	PASS
Band2	10MHz	16QAM	18650	25RB#25	21.60	23.48	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.66	23.54	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.64	24.52	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.61	24.49	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.78	24.66	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.76	23.64	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.79	23.67	PASS
Band2	10MHz	16QAM	18900	25RB#25	21.97	23.85	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.75	23.63	PASS
Band2	10MHz	16QAM	19150	1RB#0	23.38	25.26	PASS
Band2	10MHz	16QAM	19150	1RB#24	23.46	25.34	PASS
Band2	10MHz	16QAM	19150	1RB#49	23.42	25.3	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.83	23.71	PASS
Band2	10MHz	16QAM	19150	25RB#12	21.80	23.68	PASS
Band2	10MHz	16QAM	19150	25RB#25	21.84	23.72	PASS
Band2	10MHz	16QAM	19150	50RB#0	21.84	23.72	PASS
Band2	15MHz	QPSK	18675	1RB#0	23.45	25.33	PASS
Band2	15MHz	QPSK	18675	1RB#38	23.54	25.42	PASS
Band2	15MHz	QPSK	18675	1RB#74	23.35	25.23	PASS
Band2	15MHz	QPSK	18675	38RB#0	22.54	24.42	PASS
Band2	15MHz	QPSK	18675	38RB#18	22.58	24.46	PASS
Band2	15MHz	QPSK	18675	38RB#37	22.57	24.45	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.57	24.45	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.40	25.28	PASS
Band2	15MHz	QPSK	18900	1RB#38	23.57	25.45	PASS
Band2	15MHz	QPSK	18900	1RB#74	23.63	25.51	PASS
Band2	15MHz	QPSK	18900	38RB#0	22.65	24.53	PASS

Band2	15MHz	QPSK	18900	38RB#18	22.63	24.51	PASS
Band2	15MHz	QPSK	18900	38RB#37	22.63	24.51	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.63	24.51	PASS
Band2	15MHz	QPSK	19125	1RB#0	23.66	25.54	PASS
Band2	15MHz	QPSK	19125	1RB#38	23.65	25.53	PASS
Band2	15MHz	QPSK	19125	1RB#74	23.73	25.61	PASS
Band2	15MHz	QPSK	19125	38RB#0	22.69	24.57	PASS
Band2	15MHz	QPSK	19125	38RB#18	22.69	24.57	PASS
Band2	15MHz	QPSK	19125	38RB#37	22.70	24.58	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.70	24.58	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.65	24.53	PASS
Band2	15MHz	16QAM	18675	1RB#38	22.63	24.51	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.62	24.5	PASS
Band2	15MHz	16QAM	18675	38RB#0	22.60	24.48	PASS
Band2	15MHz	16QAM	18675	38RB#18	22.58	24.46	PASS
Band2	15MHz	16QAM	18675	38RB#37	22.57	24.45	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.59	23.47	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.66	24.54	PASS
Band2	15MHz	16QAM	18900	1RB#38	22.79	24.67	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.77	24.65	PASS
Band2	15MHz	16QAM	18900	38RB#0	22.62	24.5	PASS
Band2	15MHz	16QAM	18900	38RB#18	22.63	24.51	PASS
Band2	15MHz	16QAM	18900	38RB#37	22.63	24.51	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.67	23.55	PASS
Band2	15MHz	16QAM	19125	1RB#0	23.35	25.23	PASS
Band2	15MHz	16QAM	19125	1RB#38	23.43	25.31	PASS
Band2	15MHz	16QAM	19125	1RB#74	23.45	25.33	PASS
Band2	15MHz	16QAM	19125	38RB#0	22.67	24.55	PASS
Band2	15MHz	16QAM	19125	38RB#18	22.69	24.57	PASS
Band2	15MHz	16QAM	19125	38RB#37	22.70	24.58	PASS
Band2	15MHz	16QAM	19125	75RB#0	21.75	23.63	PASS
Band2	20MHz	QPSK	18700	1RB#0	23.61	25.49	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.75	25.63	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.64	25.52	PASS
Band2	20MHz	QPSK	18700	50RB#0	22.54	24.42	PASS
Band2	20MHz	QPSK	18700	50RB#25	22.51	24.39	PASS
Band2	20MHz	QPSK	18700	50RB#50	22.59	24.47	PASS

Band2	20MHz	QPSK	18700	100RB#0	22.60	24.48	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.61	25.49	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.70	25.58	PASS
Band2	20MHz	QPSK	18900	1RB#99	23.84	25.72	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.49	24.37	PASS
Band2	20MHz	QPSK	18900	50RB#25	22.53	24.41	PASS
Band2	20MHz	QPSK	18900	50RB#50	22.63	24.51	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.53	24.41	PASS
Band2	20MHz	QPSK	19100	1RB#0	23.71	25.59	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.76	25.64	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.78	25.66	PASS
Band2	20MHz	QPSK	19100	50RB#0	22.54	24.42	PASS
Band2	20MHz	QPSK	19100	50RB#25	22.53	24.41	PASS
Band2	20MHz	QPSK	19100	50RB#50	22.59	24.47	PASS
Band2	20MHz	QPSK	19100	100RB#0	22.55	24.43	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.21	24.09	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.29	24.17	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.36	24.24	PASS
Band2	20MHz	16QAM	18700	50RB#0	21.69	23.57	PASS
Band2	20MHz	16QAM	18700	50RB#25	21.68	23.56	PASS
Band2	20MHz	16QAM	18700	50RB#50	21.74	23.62	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.64	23.52	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.89	24.77	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.97	24.85	PASS
Band2	20MHz	16QAM	18900	1RB#99	23.07	24.95	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.64	23.52	PASS
Band2	20MHz	16QAM	18900	50RB#25	21.64	23.52	PASS
Band2	20MHz	16QAM	18900	50RB#50	21.77	23.65	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.64	23.52	PASS
Band2	20MHz	16QAM	19100	1RB#0	22.55	24.43	PASS
Band2	20MHz	16QAM	19100	1RB#49	22.56	24.44	PASS
Band2	20MHz	16QAM	19100	1RB#99	22.62	24.5	PASS
Band2	20MHz	16QAM	19100	50RB#0	21.65	23.53	PASS
Band2	20MHz	16QAM	19100	50RB#25	21.69	23.57	PASS
Band2	20MHz	16QAM	19100	50RB#50	21.70	23.58	PASS
Band2	20MHz	16QAM	19100	100RB#0	21.61	23.49	PASS


AppendixB:Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	5.13	13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	5.58	13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	4.44	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	5.01	13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	4.76	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	5.32	13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	5.94	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	6.31	13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	5.22	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	5.67	13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	5.70	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	6.15	13	PASS
Band2	3MHz	QPSK	18615	1RB#0	5.24	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.71	13	PASS
Band2	3MHz	QPSK	18900	1RB#0	4.36	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.11	13	PASS
Band2	3MHz	QPSK	19185	1RB#0	4.59	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	5.39	13	PASS
Band2	3MHz	16QAM	18615	1RB#0	6.16	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	6.51	13	PASS
Band2	3MHz	16QAM	18900	1RB#0	5.41	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	5.93	13	PASS
Band2	3MHz	16QAM	19185	1RB#0	5.54	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	6.23	13	PASS
Band2	5MHz	QPSK	18625	1RB#0	5.36	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	5.80	13	PASS
Band2	5MHz	QPSK	18900	1RB#0	4.40	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.15	13	PASS
Band2	5MHz	QPSK	19175	1RB#0	4.59	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	5.34	13	PASS
Band2	5MHz	16QAM	18625	1RB#0	6.22	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	6.52	13	PASS
Band2	5MHz	16QAM	18900	1RB#0	5.53	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	5.85	13	PASS
Band2	5MHz	16QAM	19175	1RB#0	5.57	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	6.20	13	PASS


Band2	10MHz	QPSK	18650	1RB#0	5.30	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	5.81	13	PASS
Band2	10MHz	QPSK	18900	1RB#0	4.36	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.16	13	PASS
Band2	10MHz	QPSK	19150	1RB#0	4.49	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.22	13	PASS
Band2	10MHz	16QAM	18650	1RB#0	6.26	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	6.56	13	PASS
Band2	10MHz	16QAM	18900	1RB#0	5.15	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	5.96	13	PASS
Band2	10MHz	16QAM	19150	1RB#0	5.25	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	6.00	13	PASS
Band2	15MHz	QPSK	18675	1RB#0	5.41	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	5.94	13	PASS
Band2	15MHz	QPSK	18900	1RB#0	4.41	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.42	13	PASS
Band2	15MHz	QPSK	19125	1RB#0	5.20	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.53	13	PASS
Band2	15MHz	16QAM	18675	1RB#0	6.15	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	6.50	13	PASS
Band2	15MHz	16QAM	18900	1RB#0	5.13	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.07	13	PASS
Band2	15MHz	16QAM	19125	1RB#0	5.96	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	6.11	13	PASS
Band2	20MHz	QPSK	18700	1RB#0	5.30	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	5.58	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	4.30	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.32	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	5.27	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	5.47	13	PASS
Band2	20MHz	16QAM	18700	1RB#0	6.02	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	6.40	13	PASS
Band2	20MHz	16QAM	18900	1RB#0	5.18	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.14	13	PASS
Band2	20MHz	16QAM	19100	1RB#0	6.18	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	6.18	13	PASS

Test Graphs







Band2-1.4MHz-QPSK-18900-1RB#0




Band2-1.4MHz-QPSK-18900-6RB#0




Band2-1.4MHz-QPSK-19193-1RB#0




Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-1RB#0




Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-18900-1RB#0




Band2-1.4MHz-16QAM-18900-6RB#0




Band2-1.4MHz-16QAM-19193-1RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-1RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-18900-1RB#0




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-1RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-1RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-18900-1RB#0




Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-1RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-1RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-18900-1RB#0




Band2-5MHz-QPSK-18900-25RB#0




Band2-5MHz-QPSK-19175-1RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-1RB#0




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-18900-1RB#0




Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-1RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-1RB#0




Band2-10MHz-QPSK-18650-50RB#0






Band2-10MHz-QPSK-18900-1RB#0




Band2-10MHz-QPSK-18900-50RB#0




Band2-10MHz-QPSK-19150-1RB#0






Band2-10MHz-16QAM-18900-1RB#0



Band2-10MHz-16QAM-18900-50RB#0



Band2-10MHz-16QAM-19150-1RB#0