



**4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.2	-13	60.2	Pass	141
0.15	30	0.01	RMS	0.15	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	887.726	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-53.3	-13	40.3	Pass	701
1700	1765	1	RMS	1709.75	20.88	60	39.12	Pass	101
1765	3000	1	RMS	2978	-51.4	-13	38.4	Pass	1236
3000	12000	1	RMS	11999	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13605	-39.82	-13	26.82	Pass	8001




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.52	-13	60.52	Pass	141
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	888.926	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1679	-53.9	-13	40.9	Pass	701
1700	1765	1	RMS	1730.55	21.69	60	38.31	Pass	101
1765	3000	1	RMS	2993	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	11996	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.15	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	846.1	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1682	-53.9	-13	40.9	Pass	701
1700	1765	1	RMS	1730.55	20.75	60	39.25	Pass	101
1765	3000	1	RMS	2995	-51.31	-13	38.31	Pass	1236
3000	12000	1	RMS	11988	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.7	-13	59.7	Pass	141
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	936.258	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1678	-53.91	-13	40.91	Pass	701
1700	1765	1	RMS	1751.35	20.94	60	39.06	Pass	101
1765	3000	1	RMS	1765	-50.49	-13	37.49	Pass	1236
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13603	-39.8	-13	26.8	Pass	8001




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.43	-13	59.43	Pass	141
0.15	30	0.01	RMS	0.16	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	997.398	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1677	-53.94	-13	40.94	Pass	701
1700	1765	1	RMS	1751.35	20.1	60	39.9	Pass	101
1765	3000	1	RMS	1765	-50.69	-13	37.69	Pass	1236
3000	12000	1	RMS	11998	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13598	-39.77	-13	26.77	Pass	8001




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.18	-13	60.18	Pass	141
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	947.465	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-53.35	-13	40.35	Pass	701
1700	1765	1	RMS	1709.75	22.11	60	37.89	Pass	101
1765	3000	1	RMS	2991	-51.35	-13	38.35	Pass	1236
3000	12000	1	RMS	6841	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.31	-13	60.31	Pass	141
0.15	30	0.01	RMS	0.16	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	997.899	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1700	-53.44	-13	40.44	Pass	701
1700	1765	1	RMS	1709.75	21.22	60	38.78	Pass	101
1765	3000	1	RMS	2988	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11999	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13606	-39.78	-13	26.78	Pass	8001




**4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.31	-13	60.31	Pass	141
0.15	30	0.01	RMS	0.16	-71.04	-13	58.04	Pass	2986
30	1000	0.1	RMS	981.588	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1674	-53.92	-13	40.92	Pass	701
1700	1765	1	RMS	1729.9	21.94	60	38.06	Pass	101
1765	3000	1	RMS	2990	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11998	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.69	-13	26.69	Pass	8001




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-13	60.35	Pass	141
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	836.9	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1680	-53.97	-13	40.97	Pass	701
1700	1765	1	RMS	1729.9	21.2	60	38.8	Pass	101
1765	3000	1	RMS	3000	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11994	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13598	-39.77	-13	26.77	Pass	8001




**4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.12	-13	60.12	Pass	141
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	869.514	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1675	-53.95	-13	40.95	Pass	701
1700	1765	1	RMS	1750.05	21.36	60	38.64	Pass	101
1765	3000	1	RMS	2979	-51.4	-13	38.4	Pass	1236
3000	12000	1	RMS	11995	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.59	-13	59.59	Pass	141
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	840.8	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1676	-54	-13	41	Pass	701
1700	1765	1	RMS	1750.05	20.67	60	39.33	Pass	101
1765	3000	1	RMS	2980	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11998	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13604	-39.8	-13	26.8	Pass	8001




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.06	-13	60.06	Pass	141
0.15	30	0.01	RMS	0.16	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	953.569	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1700	-47.9	-13	34.9	Pass	701
1700	1765	1	RMS	1709.75	21.52	60	38.48	Pass	101
1765	3000	1	RMS	2992	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	6842	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13602	-39.83	-13	26.83	Pass	8001




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	984.19	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1700	-48.29	-13	35.29	Pass	701
1700	1765	1	RMS	1709.75	20.75	60	39.25	Pass	101
1765	3000	1	RMS	2986	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.96	-13	59.96	Pass	141
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	855.804	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1682	-53.94	-13	40.94	Pass	701
1700	1765	1	RMS	1727.3	21.8	60	38.2	Pass	101
1765	3000	1	RMS	2981	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11995	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13604	-39.79	-13	26.79	Pass	8001




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.46	-13	60.46	Pass	141
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	990.894	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1680	-53.96	-13	40.96	Pass	701
1700	1765	1	RMS	1727.3	20.86	60	39.14	Pass	101
1765	3000	1	RMS	2995	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	12000	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.56	-13	60.56	Pass	141
0.15	30	0.01	RMS	0.15	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	836.1	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1670	-53.94	-13	40.94	Pass	701
1700	1765	1	RMS	1744.85	22.09	60	37.91	Pass	101
1765	3000	1	RMS	1765	-50.12	-13	37.12	Pass	1236
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.89	-13	26.89	Pass	8001




4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.4	-13	60.4	Pass	141
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	859.007	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1680	-53.96	-13	40.96	Pass	701
1700	1765	1	RMS	1744.85	21.25	60	38.75	Pass	101
1765	3000	1	RMS	1765	-50.43	-13	37.43	Pass	1236
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001




4.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.76	-13	60.76	Pass	141
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	983.989	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1698	-39.16	-13	26.16	Pass	701
1700	1765	1	RMS	1710.4	21.93	60	38.07	Pass	101
1765	3000	1	RMS	2999	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	6843	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




4.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.12	-13	60.12	Pass	141
0.15	30	0.01	RMS	0.19	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	844.6	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1698	-40.47	-13	27.47	Pass	701
1700	1765	1	RMS	1710.4	21.17	60	38.83	Pass	101
1765	3000	1	RMS	2987	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11995	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13603	-39.8	-13	26.8	Pass	8001




4.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.5	-13	60.5	Pass	141
0.15	30	0.01	RMS	0.16	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	855.304	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1699	-48.02	-13	35.02	Pass	701
1700	1765	1	RMS	1725.35	22.11	60	37.89	Pass	101
1765	3000	1	RMS	2930	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.67	-13	26.67	Pass	8001




4.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.45	-13	60.45	Pass	141
0.15	30	0.01	RMS	0.21	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	867.912	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1699	-49.13	-13	36.13	Pass	701
1700	1765	1	RMS	1725.35	21.16	60	38.84	Pass	101
1765	3000	1	RMS	2990	-51.36	-13	38.36	Pass	1236
3000	12000	1	RMS	11999	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




4.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.54	-13	59.54	Pass	141
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	991.895	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1678	-53.95	-13	40.95	Pass	701
1700	1765	1	RMS	1740.3	22.25	60	37.75	Pass	101
1765	3000	1	RMS	1767	-33.39	-13	20.39	Pass	1236
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




4.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.45	-13	60.45	Pass	141
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	961.975	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1680	-53.94	-13	40.94	Pass	701
1700	1765	1	RMS	1740.3	21.49	60	38.51	Pass	101
1765	3000	1	RMS	1767	-33.97	-13	20.97	Pass	1236
3000	12000	1	RMS	11995	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001




4.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.87	-13	59.87	Pass	141
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	980.287	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-40.43	-13	27.43	Pass	701
1700	1765	1	RMS	1710.4	22.03	60	37.97	Pass	101
1765	3000	1	RMS	1782	-51.32	-13	38.32	Pass	1236
3000	12000	1	RMS	6844	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13599	-39.74	-13	26.74	Pass	8001




4.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	59.74	Pass	141
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	964.176	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-41.69	-13	28.69	Pass	701
1700	1765	1	RMS	1710.4	21.25	60	38.75	Pass	101
1765	3000	1	RMS	2992	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.66	-13	26.66	Pass	8001




4.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.13	-13	60.13	Pass	141
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	839.1	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1688	-53.27	-13	40.27	Pass	701
1700	1765	1	RMS	1722.75	21.52	60	38.48	Pass	101
1765	3000	1	RMS	2995	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	11995	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




4.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-13	60.01	Pass	141
0.15	30	0.01	RMS	0.16	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	831.5	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-53.68	-13	40.68	Pass	701
1700	1765	1	RMS	1722.75	20.56	60	39.44	Pass	101
1765	3000	1	RMS	2981	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11994	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




4.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-13	61.06	Pass	141
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	849.1	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1700	-47.78	-13	34.78	Pass	701
1700	1765	1	RMS	1735.75	21.59	60	38.41	Pass	101
1765	3000	1	RMS	1772	-31.38	-13	18.38	Pass	1236
3000	12000	1	RMS	11996	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.81	-13	26.81	Pass	8001



4.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.12	-13	60.12	Pass	141
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	870.614	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-48.52	-13	35.52	Pass	701
1700	1765	1	RMS	1735.75	20.69	60	39.31	Pass	101
1765	3000	1	RMS	1772	-32.74	-13	19.74	Pass	1236
3000	12000	1	RMS	12000	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13597	-39.78	-13	26.78	Pass	8001



5. LTE_Band5


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	814	0.1	RMS	813.9	-64.62	-13	51.62	Pass	7841
814	860	0.1	RMS	824.2	18.87	60	41.13	Pass	461
860	1000	0.1	RMS	875.1	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1648	-49.44	-13	36.44	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.77	-13	60.77	Pass	141
0.15	30	0.01	RMS	0.18	-72	-13	59	Pass	2986
30	814	0.1	RMS	814	-64.82	-13	51.82	Pass	7841
814	860	0.1	RMS	824.3	18.04	60	41.96	Pass	461
860	1000	0.1	RMS	894.8	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1648	-50.21	-13	37.21	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-74	-13	61	Pass	141
0.15	30	0.01	RMS	0.17	-71.85	-13	58.85	Pass	2986
30	814	0.1	RMS	812.4	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	836.1	19.08	60	40.92	Pass	461
860	1000	0.1	RMS	959.9	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1672	-48.3	-13	35.3	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.6	-13	60.6	Pass	141
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	812.7	-65.37	-13	52.37	Pass	7841
814	860	0.1	RMS	836.1	18.19	60	41.81	Pass	461
860	1000	0.1	RMS	950.1	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1672	-49.52	-13	36.52	Pass	2001
3000	10000	1	RMS	6801	-45.54	-13	32.54	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.72	-13	59.72	Pass	141
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	814	0.1	RMS	812.4	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	847.8	18.91	60	41.09	Pass	461
860	1000	0.1	RMS	975.6	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1695	-47.67	-13	34.67	Pass	2001
3000	10000	1	RMS	6795	-45.63	-13	32.63	Pass	7001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.48	-13	60.48	Pass	141
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	814	0.1	RMS	813.5	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	847.9	18.13	60	41.87	Pass	461
860	1000	0.1	RMS	933.9	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1695	-48.39	-13	35.39	Pass	2001
3000	10000	1	RMS	6800	-45.49	-13	32.49	Pass	7001




**5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.19	-13	60.19	Pass	141
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	814	0.1	RMS	811.2	-63.18	-13	50.18	Pass	7841
814	860	0.1	RMS	824.2	19.26	60	40.74	Pass	461
860	1000	0.1	RMS	959.8	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1648	-49.24	-13	36.24	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.44	-13	60.44	Pass	141
0.15	30	0.01	RMS	0.15	-72.76	-13	59.76	Pass	2986
30	814	0.1	RMS	811.3	-63.63	-13	50.63	Pass	7841
814	860	0.1	RMS	824.2	18.31	60	41.69	Pass	461
860	1000	0.1	RMS	977.4	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1648	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.38	-13	60.38	Pass	141
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	814	0.1	RMS	813.7	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	835.2	19.31	60	40.69	Pass	461
860	1000	0.1	RMS	933.6	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1670	-47.54	-13	34.54	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.47	-13	60.47	Pass	141
0.15	30	0.01	RMS	0.18	-71.63	-13	58.63	Pass	2986
30	814	0.1	RMS	813	-65.4	-13	52.4	Pass	7841
814	860	0.1	RMS	835.2	18.37	60	41.63	Pass	461
860	1000	0.1	RMS	903.4	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1670	-48.39	-13	35.39	Pass	2001
3000	10000	1	RMS	6798	-45.54	-13	32.54	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.72	-13	60.72	Pass	141
0.15	30	0.01	RMS	0.18	-72.79	-13	59.79	Pass	2986
30	814	0.1	RMS	812.8	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	846.2	19.23	60	40.77	Pass	461
860	1000	0.1	RMS	984.7	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1692	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	6802	-45.54	-13	32.54	Pass	7001




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	812.6	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	846.2	18.39	60	41.61	Pass	461
860	1000	0.1	RMS	955.8	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1692	-46.81	-13	33.81	Pass	2001
3000	10000	1	RMS	6802	-45.63	-13	32.63	Pass	7001




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.41	-13	60.41	Pass	141
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	813.6	-64.8	-13	51.8	Pass	7841
814	860	0.1	RMS	824.3	19.66	60	40.34	Pass	461
860	1000	0.1	RMS	982.1	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1648	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	60.26	Pass	141
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	813.7	-64.82	-13	51.82	Pass	7841
814	860	0.1	RMS	824.3	18.63	60	41.37	Pass	461
860	1000	0.1	RMS	927.2	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1648	-49.81	-13	36.81	Pass	2001
3000	10000	1	RMS	6799	-45.66	-13	32.66	Pass	7001




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.16	-71.94	-13	58.94	Pass	2986
30	814	0.1	RMS	812.9	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	834.3	19.73	60	40.27	Pass	461
860	1000	0.1	RMS	870.1	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1668	-47.43	-13	34.43	Pass	2001
3000	10000	1	RMS	6799	-45.66	-13	32.66	Pass	7001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.22	-13	60.22	Pass	141
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	811.4	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	834.3	19.04	60	40.96	Pass	461
860	1000	0.1	RMS	955	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1668	-48.23	-13	35.23	Pass	2001
3000	10000	1	RMS	6801	-45.65	-13	32.65	Pass	7001




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.91	-13	59.91	Pass	141
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	810.7	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	844.3	19.77	60	40.23	Pass	461
860	1000	0.1	RMS	905.7	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1688	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	6802	-45.62	-13	32.62	Pass	7001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.64	-13	60.64	Pass	141
0.15	30	0.01	RMS	0.19	-72.8	-13	59.8	Pass	2986
30	814	0.1	RMS	813	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	844.3	19.02	60	40.98	Pass	461
860	1000	0.1	RMS	946.5	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1688	-47.8	-13	34.8	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	814	-52.27	-13	39.27	Pass	7841
814	860	0.1	RMS	824.6	20.06	60	39.94	Pass	461
860	1000	0.1	RMS	973.1	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1649	-49.08	-13	36.08	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	814	0.1	RMS	814	-53.04	-13	40.04	Pass	7841
814	860	0.1	RMS	824.6	19.24	60	40.76	Pass	461
860	1000	0.1	RMS	962.5	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1649	-49.81	-13	36.81	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.88	-13	59.88	Pass	141
0.15	30	0.01	RMS	0.17	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	814	-63.52	-13	50.52	Pass	7841
814	860	0.1	RMS	832.1	20.17	60	39.83	Pass	461
860	1000	0.1	RMS	989.5	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1664	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	6803	-45.67	-13	32.67	Pass	7001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.75	-13	60.75	Pass	141
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	2986
30	814	0.1	RMS	814	-64.67	-13	51.67	Pass	7841
814	860	0.1	RMS	832.1	19.12	60	40.88	Pass	461
860	1000	0.1	RMS	977.8	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1664	-48.43	-13	35.43	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.99	-13	59.99	Pass	141
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	813.8	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	839.6	20.21	60	39.79	Pass	461
860	1000	0.1	RMS	889.6	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1679	-49.05	-13	36.05	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001



5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.19	-13	61.19	Pass	141
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	812.9	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	839.6	19.4	60	40.6	Pass	461
860	1000	0.1	RMS	864	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1679	-49.61	-13	36.61	Pass	2001
3000	10000	1	RMS	6804	-45.53	-13	32.53	Pass	7001



6. LTE_Band7


**6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.78	-25	48.78	Pass	141
0.15	30	0.01	RMS	0.15	-71.66	-25	46.66	Pass	2986
30	1000	0.1	RMS	539.6	-64.31	-25	39.31	Pass	9701
1000	2490	1	RMS	2490	-51.75	-25	26.75	Pass	1491
2490	2580	1	RMS	2499.9	20.16	60	39.84	Pass	101
2580	3000	1	RMS	2994	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	5001	-53.16	-25	28.16	Pass	9002
12000	26000	1	RMS	25497	-56.76	-25	31.76	Pass	14002




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.56	-25	48.56	Pass	141
0.15	30	0.01	RMS	0.15	-71.5	-25	46.5	Pass	2986
30	1000	0.1	RMS	539.6	-64.4	-25	39.4	Pass	9701
1000	2490	1	RMS	2490	-51.74	-25	26.74	Pass	1491
2490	2580	1	RMS	2499.9	19.34	60	40.66	Pass	101
2580	3000	1	RMS	2989	-51.42	-25	26.42	Pass	421
3000	12000	1	RMS	5001	-53.57	-25	28.57	Pass	9002
12000	26000	1	RMS	25496	-56.75	-25	31.75	Pass	14002




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.64	-25	47.64	Pass	141
0.15	30	0.01	RMS	0.15	-71.71	-25	46.71	Pass	2986
30	1000	0.1	RMS	572.1	-65.04	-25	40.04	Pass	9701
1000	2490	1	RMS	2487	-52.39	-25	27.39	Pass	1491
2490	2580	1	RMS	2532.3	20.66	60	39.34	Pass	101
2580	3000	1	RMS	2989	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	5066	-48.78	-25	23.78	Pass	9002
12000	26000	1	RMS	25507	-56.78	-25	31.78	Pass	14002




**6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-25	47.77	Pass	141
0.15	30	0.01	RMS	0.15	-71.54	-25	46.54	Pass	2986
30	1000	0.1	RMS	856.605	-65.29	-25	40.29	Pass	9701
1000	2490	1	RMS	2483	-52.43	-25	27.43	Pass	1491
2490	2580	1	RMS	2532.3	19.98	60	40.02	Pass	101
2580	3000	1	RMS	2995	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	5066	-49.45	-25	24.45	Pass	9002
12000	26000	1	RMS	25516	-56.8	-25	31.8	Pass	14002




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.19	-25	48.19	Pass	141
0.15	30	0.01	RMS	0.15	-71.52	-25	46.52	Pass	2986
30	1000	0.1	RMS	604.6	-65.27	-25	40.27	Pass	9701
1000	2490	1	RMS	2488	-52.43	-25	27.43	Pass	1491
2490	2580	1	RMS	2564.7	20.91	60	39.09	Pass	101
2580	3000	1	RMS	2990	-51.42	-25	26.42	Pass	421
3000	12000	1	RMS	5131	-46.39	-25	21.39	Pass	9002
12000	26000	1	RMS	25506	-56.67	-25	31.67	Pass	14002



**6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.18	-25	48.18	Pass	141
0.15	30	0.01	RMS	0.15	-72.42	-25	47.42	Pass	2986
30	1000	0.1	RMS	604.6	-65.11	-25	40.11	Pass	9701
1000	2490	1	RMS	2486	-52.42	-25	27.42	Pass	1491
2490	2580	1	RMS	2564.7	20.25	60	39.75	Pass	101
2580	3000	1	RMS	2991	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	5131	-47.18	-25	22.18	Pass	9002
12000	26000	1	RMS	25503	-56.71	-25	31.71	Pass	14002



**6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-25	47.56	Pass	141
0.15	30	0.01	RMS	0.15	-72.55	-25	47.55	Pass	2986
30	1000	0.1	RMS	539.9	-63.48	-25	38.48	Pass	9701
1000	2490	1	RMS	2490	-46.46	-25	21.46	Pass	1491
2490	2580	1	RMS	2499.9	21.2	60	38.8	Pass	101
2580	3000	1	RMS	2986	-51.42	-25	26.42	Pass	421
3000	12000	1	RMS	5001	-52.8	-25	27.8	Pass	9002
12000	26000	1	RMS	25511	-56.71	-25	31.71	Pass	14002

