



11.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-37.41	-13	24.41	Pass	101
823	824	0.03	RMS	824	-30.14	-13	17.14	Pass	101
824	827	0.1	RMS	825.44	8.36	30	21.64	Pass	101




11.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-43.86	-13	30.86	Pass	101
823	824	0.03	RMS	824	-17.93	-13	4.93	Pass*	101
824	827	0.1	RMS	824.24	19.28	30	10.72	Pass	101




11.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.29	-13	23.29	Pass	101
823	824	0.03	RMS	824	-31.26	-13	18.26	Pass	101
824	827	0.1	RMS	825.23	7.19	30	22.81	Pass	101




11.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.17	30	9.83	Pass	101
849	850	0.03	RMS	849	-17.78	-13	4.78	Pass*	101
850	860	0.1	RMS	850	-44.14	-13	31.14	Pass	101




11.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.08	8.22	30	21.78	Pass	101
849	850	0.03	RMS	849	-29.26	-13	16.26	Pass	101
850	860	0.1	RMS	850	-32.97	-13	19.97	Pass	101




11.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	19.19	30	10.81	Pass	101
849	850	0.03	RMS	849	-18.4	-13	5.4	Pass*	101
850	860	0.1	RMS	850	-44.38	-13	31.38	Pass	101




11.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.41	7.11	30	22.89	Pass	101
849	850	0.03	RMS	849	-29.88	-13	16.88	Pass	101
850	860	0.1	RMS	850	-33.11	-13	20.11	Pass	101




11.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-43.86	-13	30.86	Pass	101
823	824	0.051	RMS	824	-22.4	-13	9.4	Pass	101
824	829	0.1	RMS	824.35	20.2	30	9.8	Pass	101




11.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.79	-13	22.79	Pass	101
823	824	0.051	RMS	824	-33.87	-13	20.87	Pass	101
824	829	0.1	RMS	826.75	5.99	30	24.01	Pass	101




11.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-44.64	-13	31.64	Pass	101
823	824	0.051	RMS	824	-23.17	-13	10.17	Pass	101
824	829	0.1	RMS	824.35	19.48	30	10.52	Pass	101




11.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-35.62	-13	22.62	Pass	101
823	824	0.051	RMS	824	-34.41	-13	21.41	Pass	101
824	829	0.1	RMS	826.9	5.02	30	24.98	Pass	101




11.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.36	30	9.64	Pass	101
849	850	0.051	RMS	849	-22.55	-13	9.55	Pass	101
850	860	0.1	RMS	850	-44.99	-13	31.99	Pass	101




11.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.05	6.25	30	23.75	Pass	101
849	850	0.051	RMS	849	-33.31	-13	20.31	Pass	101
850	860	0.1	RMS	850	-34.62	-13	21.62	Pass	101




11.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.56	30	10.44	Pass	101
849	850	0.051	RMS	849	-23.03	-13	10.03	Pass	101
850	860	0.1	RMS	850	-44.2	-13	31.2	Pass	101




11.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.6	5.45	30	24.55	Pass	101
849	850	0.051	RMS	849	-34.03	-13	21.03	Pass	101
850	860	0.1	RMS	850.1	-34.68	-13	21.68	Pass	101




11.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-43.45	-13	30.45	Pass	101
823	824	0.1	RMS	824	-27.85	-13	14.85	Pass	101
824	834	0.1	RMS	824.6	20.25	30	9.75	Pass	101




11.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-34.45	-13	21.45	Pass	101
823	824	0.1	RMS	824	-32.8	-13	19.8	Pass	101
824	834	0.1	RMS	826.6	3.44	30	26.56	Pass	101




11.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.12	-45.03	-13	32.03	Pass	101
823	824	0.1	RMS	824	-27.8	-13	14.8	Pass	101
824	834	0.1	RMS	824.6	19.46	30	10.54	Pass	101




11.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-35.84	-13	22.84	Pass	101
823	824	0.1	RMS	824	-34.28	-13	21.28	Pass	101
824	834	0.1	RMS	826.8	2.34	30	27.66	Pass	101




11.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.29	30	9.71	Pass	101
849	850	0.1	RMS	849	-27.22	-13	14.22	Pass	101
850	860	0.1	RMS	850	-48.41	-13	35.41	Pass	101




11.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	842.9	3.44	30	26.56	Pass	101
849	850	0.1	RMS	849	-35.5	-13	22.5	Pass	101
850	860	0.1	RMS	850	-37.58	-13	24.58	Pass	101




11.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.31	30	10.69	Pass	101
849	850	0.1	RMS	849	-27.78	-13	14.78	Pass	101
850	860	0.1	RMS	850	-48.88	-13	35.88	Pass	101




11.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	843.4	2.41	30	27.59	Pass	101
849	850	0.1	RMS	849	-35.17	-13	22.17	Pass	101
850	860	0.1	RMS	850	-37.28	-13	24.28	Pass	101




11.33 LTE Band Edge_Part22-24-27(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	818.2	-42.17	-13	29.17	Pass	101
823	824	0.15	RMS	824	-28.42	-13	15.42	Pass	101
824	839	0.1	RMS	824.8	19.74	30	10.26	Pass	151




11.34 LTE Band Edge_Part22-24-27(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.12	-35.49	-13	22.49	Pass	101
823	824	0.15	RMS	824	-33.32	-13	20.32	Pass	101
824	839	0.1	RMS	826.7	2.29	30	27.71	Pass	151




11.35 LTE Band Edge_Part22-24-27(Subtest:35, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	818.2	-43.01	-13	30.01	Pass	101
823	824	0.15	RMS	824	-28.49	-13	15.49	Pass	101
824	839	0.1	RMS	824.8	18.93	30	11.07	Pass	151




11.36 LTE Band Edge_Part22-24-27(Subtest:36, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.92	-36.34	-13	23.34	Pass	101
823	824	0.15	RMS	824	-33.95	-13	20.95	Pass	101
824	839	0.1	RMS	826	1.23	30	28.77	Pass	151




11.37 LTE Band Edge_Part22-24-27(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.2	19.9	30	10.1	Pass	151
849	850	0.15	RMS	849	-28.58	-13	15.58	Pass	101
850	860	0.1	RMS	850	-46.47	-13	33.47	Pass	101




11.38 LTE Band Edge_Part22-24-27(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	843.1	2	30	28	Pass	151
849	850	0.15	RMS	849	-35.66	-13	22.66	Pass	101
850	860	0.1	RMS	850	-38.35	-13	25.35	Pass	101




11.39 LTE Band Edge_Part22-24-27(Subtest:39, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.2	18.91	30	11.09	Pass	151
849	850	0.15	RMS	849	-28.75	-13	15.75	Pass	101
850	860	0.1	RMS	850	-48.82	-13	35.82	Pass	101



11.40 LTE Band Edge_Part22-24-27(Subtest:40, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	843	0.98	30	29.02	Pass	151
849	850	0.15	RMS	849	-36.13	-13	23.13	Pass	101
850	860	0.1	RMS	850	-38.86	-13	25.86	Pass	101



1. LTE_Band26(part90)


1.1 LTE Band Edge_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-21.5	-13	8.5	Pass	101
813.9625	814	0.002	RMS	813.999	-29.56	-20	9.56	Pass	101
814	819	0.1	RMS	814.25	20.06	30	9.94	Pass	101




1.2 LTE Band Edge_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.24	-13	12.24	Pass	101
813.9625	814	0.02	RMS	814	-32.9	-20	12.9	Pass	101
814	819	0.1	RMS	814.3	11.96	30	18.04	Pass	101




1.3 LTE Band Edge_Part90(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.44	-13	7.44	Pass	51
813.9625	814	0.002	RMS	813.99	-34.11	-20	14.11	Pass	101
814	819	0.1	RMS	814.25	19.02	30	10.98	Pass	101




1.4 LTE Band Edge_Part90(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.85	-13	12.85	Pass	101
813.9625	814	0.02	RMS	814	-33.66	-20	13.66	Pass	101
814	819	0.1	RMS	814.7	10.9	30	19.1	Pass	101




1.5 LTE Band Edge_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.11	30	9.89	Pass	101
824	824.0375	0.002	RMS	824.003	-30.6	-20	10.6	Pass	101
824.0875	829	0.1	RMS	824.088	-23.15	-13	10.15	Pass	101




1.6 LTE Band Edge_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.45	11.95	30	18.05	Pass	101
824	824.0375	0.02	RMS	824	-35.92	-20	15.92	Pass	101
824.0375	829	0.1	RMS	824.038	-27.5	-13	14.5	Pass	101




1.7 LTE Band Edge_Part90(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.13	30	10.87	Pass	101
824	824.0375	0.002	RMS	824	-34.98	-20	14.98	Pass	101
824.0875	829	0.1	RMS	824.088	-24.45	-13	11.45	Pass	101




1.8 LTE Band Edge_Part90(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.35	11.03	30	18.97	Pass	101
824	824.0375	0.02	RMS	824	-35.29	-20	15.29	Pass	101
824.0375	829	0.1	RMS	824.038	-27.57	-13	14.57	Pass	101




1.9 LTE Band Edge_Part90(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-14.68	-13	1.68	Pass*	51
813.9625	814	0.002	RMS	813.986	-27.23	-20	7.23	Pass	101
814	819	0.1	RMS	814.25	20.2	30	9.8	Pass	101




1.10 LTE Band Edge_Part90(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.34	-13	12.34	Pass	101
813.9625	814	0.03	RMS	814	-29.13	-20	9.13	Pass	101
814	819	0.1	RMS	815.45	8.44	30	21.56	Pass	101




1.11 LTE Band Edge_Part90(Subtest:11, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-13.66	-13	0.66	Pass*	101
813.9625	814	0.002	RMS	814	-27.11	-20	7.11	Pass	101
814	819	0.1	RMS	814.25	19.33	30	10.67	Pass	101




1.12 LTE Band Edge_Part90(Subtest:12, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.02	-13	14.02	Pass	101
813.9625	814	0.03	RMS	814	-30.77	-20	10.77	Pass	101
814	819	0.1	RMS	815.2	7.39	30	22.61	Pass	101




1.13 LTE Band Edge_Part90(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.14	30	9.86	Pass	101
824	824.0375	0.002	RMS	824.002	-28.19	-20	8.19	Pass	101
824.0875	829	0.1	RMS	824.088	-19.48	-13	6.48	Pass	101




1.14 LTE Band Edge_Part90(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.85	8.39	30	21.61	Pass	101
824	824.0375	0.03	RMS	824	-30.33	-20	10.33	Pass	101
824.0375	829	0.1	RMS	824.038	-26.62	-13	13.62	Pass	101




1.15 LTE Band Edge_Part90(Subtest:15, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.17	30	10.83	Pass	101
824	824.0375	0.002	RMS	824.002	-28.54	-20	8.54	Pass	101
824.0375	829	0.1	RMS	824.038	-16.49	-13	3.49	Pass	51




1.16 LTE Band Edge_Part90(Subtest:16, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823	7.24	30	22.76	Pass	101
824	824.0375	0.03	RMS	824	-30.6	-20	10.6	Pass	101
824.0375	829	0.1	RMS	824.038	-26.74	-13	13.74	Pass	101




1.17 LTE Band Edge_Part90(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.71	-13	7.71	Pass	101
813.9625	814	0.002	RMS	814	-35.4	-20	15.4	Pass	101
814	819	0.1	RMS	814.35	20.3	30	9.7	Pass	101




1.18 LTE Band Edge_Part90(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.55	-13	19.55	Pass	101
813.9625	814	0.051	RMS	814	-34	-20	14	Pass	101
814	819	0.1	RMS	814.35	6.12	30	23.88	Pass	101




1.19 LTE Band Edge_Part90(Subtest:19, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.02	-13	9.02	Pass	101
813.9625	814	0.002	RMS	814	-37.02	-20	17.02	Pass	101
814	819	0.1	RMS	814.35	19.55	30	10.45	Pass	101




1.20 LTE Band Edge_Part90(Subtest:20, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.92	-13	20.92	Pass	101
813.9625	814	0.051	RMS	814	-35.21	-20	15.21	Pass	101
814	819	0.1	RMS	814.35	5.12	30	24.88	Pass	101




1.21 LTE Band Edge_Part90(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	20.4	30	9.6	Pass	101
824	824.0375	0.002	RMS	824.001	-36.9	-20	16.9	Pass	101
824.0375	829	0.1	RMS	824.038	-22.43	-13	9.43	Pass	101




1.22 LTE Band Edge_Part90(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.45	6.58	30	23.42	Pass	101
824	824.0375	0.051	RMS	824	-33.64	-20	13.64	Pass	101
824.0375	829	0.1	RMS	824.038	-31.91	-13	18.91	Pass	101




1.23 LTE Band Edge_Part90(Subtest:23, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	19.6	30	10.4	Pass	101
824	824.0375	0.002	RMS	824.001	-37.61	-20	17.61	Pass	101
824.0375	829	0.1	RMS	824.038	-22.55	-13	9.55	Pass	101




1.24 LTE Band Edge_Part90(Subtest:24, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.45	5.53	30	24.47	Pass	101
824	824.0375	0.051	RMS	824	-34.46	-20	14.46	Pass	101
824.0375	829	0.1	RMS	824.038	-32.58	-13	19.58	Pass	101




1.25 LTE Band Edge_Part90(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.15	-13	17.15	Pass	101
813.9625	814	0.02	RMS	814	-35.29	-20	15.29	Pass	101
814	819	0.1	RMS	814.6	20.5	30	9.5	Pass	101




1.26 LTE Band Edge_Part90(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.73	-13	23.73	Pass	101
813.9625	814	0.1	RMS	814	-35.95	-20	15.95	Pass	101
814	819	0.1	RMS	818.25	2.81	30	27.19	Pass	101




1.27 LTE Band Edge_Part90(Subtest:27, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.92	-13	16.92	Pass	101
813.9625	814	0.02	RMS	814	-35.15	-20	15.15	Pass	101
814	819	0.1	RMS	814.6	19.68	30	10.32	Pass	101




1.28 LTE Band Edge_Part90(Subtest:28, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-39.36	-13	26.36	Pass	101
813.9625	814	0.1	RMS	814	-38.53	-20	18.53	Pass	101
814	819	0.1	RMS	819	1.78	30	28.22	Pass	101




1.29 LTE Band Edge_Part90(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	20.45	30	9.55	Pass	101
824	824.0375	0.02	RMS	824	-35.3	-20	15.3	Pass	101
824.0375	829	0.1	RMS	824.038	-30.16	-13	17.16	Pass	101




1.30 LTE Band Edge_Part90(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.35	3.7	30	26.3	Pass	101
824	824.0375	0.1	RMS	824.008	-36.23	-20	16.23	Pass	101
824.0375	829	0.1	RMS	824.038	-36.87	-13	23.87	Pass	101



1.31 LTE Band Edge_Part90(Subtest:31, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	19.67	30	10.33	Pass	101
824	824.0375	0.02	RMS	824	-34.79	-20	14.79	Pass	101
824.0375	829	0.1	RMS	824.038	-29.65	-13	16.65	Pass	101



1.32 LTE Band Edge_Part90(Subtest:32, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.05	2.52	30	27.48	Pass	101
824	824.0375	0.1	RMS	824	-36.39	-20	16.39	Pass	101
824.0375	829	0.1	RMS	824.038	-36.9	-13	23.9	Pass	101

