

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band41	5	39675	1	#0	QPSK	21.88	-0.12	21.76	33.01	PASS
Band41	5	39675	1	#Mid	QPSK	22.18	-0.12	22.06	33.01	PASS
Band41	5	39675	1	#Max	QPSK	21.84	-0.12	21.72	33.01	PASS
Band41	5	39675	12	#0	QPSK	21.05	-0.12	20.93	33.01	PASS
Band41	5	39675	12	#Mid	QPSK	21.08	-0.12	20.96	33.01	PASS
Band41	5	39675	12	#Max	QPSK	21.05	-0.12	20.93	33.01	PASS
Band41	5	39675	25	#0	QPSK	21.08	-0.12	20.96	33.01	PASS
Band41	5	39675	1	#0	QAM16	20.75	-0.12	20.63	33.01	PASS
Band41	5	39675	1	#Mid	QAM16	21.05	-0.12	20.93	33.01	PASS
Band41	5	39675	1	#Max	QAM16	20.84	-0.12	20.72	33.01	PASS
Band41	5	39675	12	#0	QAM16	19.69	-0.12	19.57	33.01	PASS
Band41	5	39675	12	#Mid	QAM16	19.80	-0.12	19.68	33.01	PASS
Band41	5	39675	12	#Max	QAM16	19.33	-0.12	19.21	33.01	PASS
Band41	5	39675	25	#0	QAM16	19.61	-0.12	19.49	33.01	PASS
Band41	5	40620	1	#0	QPSK	21.81	-0.12	21.69	33.01	PASS
Band41	5	40620	1	#Mid	QPSK	22.13	-0.12	22.01	33.01	PASS
Band41	5	40620	1	#Max	QPSK	21.67	-0.12	21.55	33.01	PASS
Band41	5	40620	12	#0	QPSK	21.09	-0.12	20.97	33.01	PASS
Band41	5	40620	12	#Mid	QPSK	21.10	-0.12	20.98	33.01	PASS
Band41	5	40620	12	#Max	QPSK	21.12	-0.12	21	33.01	PASS
Band41	5	40620	25	#0	QPSK	21.19	-0.12	21.07	33.01	PASS
Band41	5	40620	1	#0	QAM16	20.54	-0.12	20.42	33.01	PASS
Band41	5	40620	1	#Mid	QAM16	20.72	-0.12	20.6	33.01	PASS
Band41	5	40620	1	#Max	QAM16	20.59	-0.12	20.47	33.01	PASS
Band41	5	40620	12	#0	QAM16	19.49	-0.12	19.37	33.01	PASS
Band41	5	40620	12	#Mid	QAM16	19.47	-0.12	19.35	33.01	PASS
Band41	5	40620	12	#Max	QAM16	19.34	-0.12	19.22	33.01	PASS
Band41	5	40620	25	#0	QAM16	19.60	-0.12	19.48	33.01	PASS
Band41	5	41565	1	#0	QPSK	22.15	-0.12	22.03	33.01	PASS
Band41	5	41565	1	#Mid	QPSK	22.18	-0.12	22.06	33.01	PASS
Band41	5	41565	1	#Max	QPSK	22.09	-0.12	21.97	33.01	PASS
Band41	5	41565	12	#0	QPSK	21.39	-0.12	21.27	33.01	PASS
Band41	5	41565	12	#Mid	QPSK	21.38	-0.12	21.26	33.01	PASS
Band41	5	41565	12	#Max	QPSK	21.34	-0.12	21.22	33.01	PASS
Band41	5	41565	25	#0	QPSK	21.42	-0.12	21.3	33.01	PASS
Band41	5	41565	1	#0	QAM16	21.22	-0.12	21.1	33.01	PASS
Band41	5	41565	1	#Mid	QAM16	21.09	-0.12	20.97	33.01	PASS

Band41	5	41565	1	#Max	QAM16	20.90	-0.12	20.78	33.01	PASS
Band41	5	41565	12	#0	QAM16	19.95	-0.12	19.83	33.01	PASS
Band41	5	41565	12	#Mid	QAM16	19.85	-0.12	19.73	33.01	PASS
Band41	5	41565	12	#Max	QAM16	19.80	-0.12	19.68	33.01	PASS
Band41	5	41565	25	#0	QAM16	19.82	-0.12	19.7	33.01	PASS
Band41	10	39700	1	#0	QPSK	22.17	-0.12	22.05	33.01	PASS
Band41	10	39700	1	#Mid	QPSK	22.36	-0.12	22.24	33.01	PASS
Band41	10	39700	1	#Max	QPSK	22.35	-0.12	22.23	33.01	PASS
Band41	10	39700	25	#0	QPSK	21.18	-0.12	21.06	33.01	PASS
Band41	10	39700	25	#Mid	QPSK	21.15	-0.12	21.03	33.01	PASS
Band41	10	39700	25	#Max	QPSK	21.33	-0.12	21.21	33.01	PASS
Band41	10	39700	50	#0	QPSK	21.26	-0.12	21.14	33.01	PASS
Band41	10	39700	1	#0	QAM16	21.93	-0.12	21.81	33.01	PASS
Band41	10	39700	1	#Mid	QAM16	22.11	-0.12	21.99	33.01	PASS
Band41	10	39700	1	#Max	QAM16	22.02	-0.12	21.9	33.01	PASS
Band41	10	39700	25	#0	QAM16	19.74	-0.12	19.62	33.01	PASS
Band41	10	39700	25	#Mid	QAM16	19.66	-0.12	19.54	33.01	PASS
Band41	10	39700	25	#Max	QAM16	19.82	-0.12	19.7	33.01	PASS
Band41	10	39700	50	#0	QAM16	19.70	-0.12	19.58	33.01	PASS
Band41	10	40620	1	#0	QPSK	22.24	-0.12	22.12	33.01	PASS
Band41	10	40620	1	#Mid	QPSK	22.21	-0.12	22.09	33.01	PASS
Band41	10	40620	1	#Max	QPSK	22.19	-0.12	22.07	33.01	PASS
Band41	10	40620	25	#0	QPSK	21.22	-0.12	21.1	33.01	PASS
Band41	10	40620	25	#Mid	QPSK	21.21	-0.12	21.09	33.01	PASS
Band41	10	40620	25	#Max	QPSK	21.20	-0.12	21.08	33.01	PASS
Band41	10	40620	50	#0	QPSK	21.19	-0.12	21.07	33.01	PASS
Band41	10	40620	1	#0	QAM16	20.35	-0.12	20.23	33.01	PASS
Band41	10	40620	1	#Mid	QAM16	20.22	-0.12	20.1	33.01	PASS
Band41	10	40620	1	#Max	QAM16	20.26	-0.12	20.14	33.01	PASS
Band41	10	40620	25	#0	QAM16	19.55	-0.12	19.43	33.01	PASS
Band41	10	40620	25	#Mid	QAM16	19.55	-0.12	19.43	33.01	PASS
Band41	10	40620	25	#Max	QAM16	19.65	-0.12	19.53	33.01	PASS
Band41	10	40620	50	#0	QAM16	19.74	-0.12	19.62	33.01	PASS
Band41	10	41540	1	#0	QPSK	22.45	-0.12	22.33	33.01	PASS
Band41	10	41540	1	#Mid	QPSK	22.42	-0.12	22.3	33.01	PASS
Band41	10	41540	1	#Max	QPSK	22.27	-0.12	22.15	33.01	PASS
Band41	10	41540	25	#0	QPSK	21.52	-0.12	21.4	33.01	PASS
Band41	10	41540	25	#Mid	QPSK	21.43	-0.12	21.31	33.01	PASS
Band41	10	41540	25	#Max	QPSK	21.47	-0.12	21.35	33.01	PASS
Band41	10	41540	50	#0	QPSK	21.47	-0.12	21.35	33.01	PASS
Band41	10	41540	1	#0	QAM16	21.33	-0.12	21.21	33.01	PASS
Band41	10	41540	1	#Mid	QAM16	21.38	-0.12	21.26	33.01	PASS
Band41	10	41540	1	#Max	QAM16	21.67	-0.12	21.55	33.01	PASS
Band41	10	41540	25	#0	QAM16	19.85	-0.12	19.73	33.01	PASS

Band41	10	41540	25	#Mid	QAM16	19.76	-0.12	19.64	33.01	PASS
Band41	10	41540	25	#Max	QAM16	19.68	-0.12	19.56	33.01	PASS
Band41	10	41540	50	#0	QAM16	19.77	-0.12	19.65	33.01	PASS
Band41	15	39725	1	#0	QPSK	22.07	-0.12	21.95	33.01	PASS
Band41	15	39725	1	#Mid	QPSK	22.30	-0.12	22.18	33.01	PASS
Band41	15	39725	1	#Max	QPSK	22.15	-0.12	22.03	33.01	PASS
Band41	15	39725	36	#0	QPSK	21.05	-0.12	20.93	33.01	PASS
Band41	15	39725	36	#Mid	QPSK	21.14	-0.12	21.02	33.01	PASS
Band41	15	39725	36	#Max	QPSK	21.22	-0.12	21.1	33.01	PASS
Band41	15	39725	75	#0	QPSK	21.16	-0.12	21.04	33.01	PASS
Band41	15	39725	1	#0	QAM16	21.64	-0.12	21.52	33.01	PASS
Band41	15	39725	1	#Mid	QAM16	22.07	-0.12	21.95	33.01	PASS
Band41	15	39725	1	#Max	QAM16	22.11	-0.12	21.99	33.01	PASS
Band41	15	39725	36	#0	QAM16	19.37	-0.12	19.25	33.01	PASS
Band41	15	39725	36	#Mid	QAM16	19.45	-0.12	19.33	33.01	PASS
Band41	15	39725	36	#Max	QAM16	19.63	-0.12	19.51	33.01	PASS
Band41	15	39725	75	#0	QAM16	19.59	-0.12	19.47	33.01	PASS
Band41	15	40620	1	#0	QPSK	22.24	-0.12	22.12	33.01	PASS
Band41	15	40620	1	#Mid	QPSK	22.32	-0.12	22.2	33.01	PASS
Band41	15	40620	1	#Max	QPSK	22.32	-0.12	22.2	33.01	PASS
Band41	15	40620	36	#0	QPSK	21.27	-0.12	21.15	33.01	PASS
Band41	15	40620	36	#Mid	QPSK	21.21	-0.12	21.09	33.01	PASS
Band41	15	40620	36	#Max	QPSK	21.11	-0.12	20.99	33.01	PASS
Band41	15	40620	75	#0	QPSK	21.17	-0.12	21.05	33.01	PASS
Band41	15	40620	1	#0	QAM16	20.43	-0.12	20.31	33.01	PASS
Band41	15	40620	1	#Mid	QAM16	20.55	-0.12	20.43	33.01	PASS
Band41	15	40620	1	#Max	QAM16	20.37	-0.12	20.25	33.01	PASS
Band41	15	40620	36	#0	QAM16	19.79	-0.12	19.67	33.01	PASS
Band41	15	40620	36	#Mid	QAM16	19.68	-0.12	19.56	33.01	PASS
Band41	15	40620	36	#Max	QAM16	19.62	-0.12	19.5	33.01	PASS
Band41	15	40620	75	#0	QAM16	19.66	-0.12	19.54	33.01	PASS
Band41	15	41515	1	#0	QPSK	22.30	-0.12	22.18	33.01	PASS
Band41	15	41515	1	#Mid	QPSK	22.58	-0.12	22.46	33.01	PASS
Band41	15	41515	1	#Max	QPSK	22.21	-0.12	22.09	33.01	PASS
Band41	15	41515	36	#0	QPSK	21.42	-0.12	21.3	33.01	PASS
Band41	15	41515	36	#Mid	QPSK	21.41	-0.12	21.29	33.01	PASS
Band41	15	41515	36	#Max	QPSK	21.36	-0.12	21.24	33.01	PASS
Band41	15	41515	75	#0	QPSK	21.40	-0.12	21.28	33.01	PASS
Band41	15	41515	1	#0	QAM16	21.20	-0.12	21.08	33.01	PASS
Band41	15	41515	1	#Mid	QAM16	21.29	-0.12	21.17	33.01	PASS
Band41	15	41515	1	#Max	QAM16	20.99	-0.12	20.87	33.01	PASS
Band41	15	41515	36	#0	QAM16	19.64	-0.12	19.52	33.01	PASS
Band41	15	41515	36	#Mid	QAM16	19.85	-0.12	19.73	33.01	PASS
Band41	15	41515	36	#Max	QAM16	19.86	-0.12	19.74	33.01	PASS

Band41	15	41515	75	#0	QAM16	19.97	-0.12	19.85	33.01	PASS
Band41	20	39750	1	#0	QPSK	21.43	-0.12	21.31	33.01	PASS
Band41	20	39750	1	#Mid	QPSK	22.19	-0.12	22.07	33.01	PASS
Band41	20	39750	1	#Max	QPSK	22.21	-0.12	22.09	33.01	PASS
Band41	20	39750	50	#0	QPSK	21.07	-0.12	20.95	33.01	PASS
Band41	20	39750	50	#Mid	QPSK	21.23	-0.12	21.11	33.01	PASS
Band41	20	39750	50	#Max	QPSK	21.25	-0.12	21.13	33.01	PASS
Band41	20	39750	100	#0	QPSK	21.16	-0.12	21.04	33.01	PASS
Band41	20	39750	1	#0	QAM16	20.52	-0.12	20.4	33.01	PASS
Band41	20	39750	1	#Mid	QAM16	20.95	-0.12	20.83	33.01	PASS
Band41	20	39750	1	#Max	QAM16	20.67	-0.12	20.55	33.01	PASS
Band41	20	39750	50	#0	QAM16	19.80	-0.12	19.68	33.01	PASS
Band41	20	39750	50	#Mid	QAM16	19.86	-0.12	19.74	33.01	PASS
Band41	20	39750	50	#Max	QAM16	19.74	-0.12	19.62	33.01	PASS
Band41	20	39750	100	#0	QAM16	19.62	-0.12	19.5	33.01	PASS
Band41	20	40620	1	#0	QPSK	22.27	-0.12	22.15	33.01	PASS
Band41	20	40620	1	#Mid	QPSK	22.25	-0.12	22.13	33.01	PASS
Band41	20	40620	1	#Max	QPSK	21.91	-0.12	21.79	33.01	PASS
Band41	20	40620	50	#0	QPSK	21.23	-0.12	21.11	33.01	PASS
Band41	20	40620	50	#Mid	QPSK	21.19	-0.12	21.07	33.01	PASS
Band41	20	40620	50	#Max	QPSK	21.12	-0.12	21	33.01	PASS
Band41	20	40620	100	#0	QPSK	21.18	-0.12	21.06	33.01	PASS
Band41	20	40620	1	#0	QAM16	20.40	-0.12	20.28	33.01	PASS
Band41	20	40620	1	#Mid	QAM16	20.47	-0.12	20.35	33.01	PASS
Band41	20	40620	1	#Max	QAM16	20.12	-0.12	20	33.01	PASS
Band41	20	40620	50	#0	QAM16	19.80	-0.12	19.68	33.01	PASS
Band41	20	40620	50	#Mid	QAM16	19.68	-0.12	19.56	33.01	PASS
Band41	20	40620	50	#Max	QAM16	19.63	-0.12	19.51	33.01	PASS
Band41	20	40620	100	#0	QAM16	19.56	-0.12	19.44	33.01	PASS
Band41	20	41490	1	#0	QPSK	22.80	-0.12	22.68	33.01	PASS
Band41	20	41490	1	#Mid	QPSK	22.54	-0.12	22.42	33.01	PASS
Band41	20	41490	1	#Max	QPSK	22.25	-0.12	22.13	33.01	PASS
Band41	20	41490	50	#0	QPSK	21.48	-0.12	21.36	33.01	PASS
Band41	20	41490	50	#Mid	QPSK	21.36	-0.12	21.24	33.01	PASS
Band41	20	41490	50	#Max	QPSK	21.41	-0.12	21.29	33.01	PASS
Band41	20	41490	100	#0	QPSK	21.46	-0.12	21.34	33.01	PASS
Band41	20	41490	1	#0	QAM16	21.48	-0.12	21.36	33.01	PASS
Band41	20	41490	1	#Mid	QAM16	21.61	-0.12	21.49	33.01	PASS
Band41	20	41490	1	#Max	QAM16	21.17	-0.12	21.05	33.01	PASS
Band41	20	41490	50	#0	QAM16	19.97	-0.12	19.85	33.01	PASS
Band41	20	41490	50	#Mid	QAM16	19.85	-0.12	19.73	33.01	PASS
Band41	20	41490	50	#Max	QAM16	19.92	-0.12	19.8	33.01	PASS
Band41	20	41490	100	#0	QAM16	19.92	-0.12	19.8	33.01	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band41	20	39750	100	#0	QPSK	-0.31	0.000	-2.5	2.5	PASS
Band41	20	39750	100	#0	QAM16	0.02	0.000	-2.5	2.5	PASS
Band41	20	40620	100	#0	QPSK	0.20	0.000	-2.5	2.5	PASS
Band41	20	40620	100	#0	QAM16	-2.56	-0.001	-2.5	2.5	PASS
Band41	20	41490	100	#0	QPSK	1.74	0.001	-2.5	2.5	PASS
Band41	20	41490	100	#0	QAM16	-0.04	0.000	-2.5	2.5	PASS


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	40620	1	#0	QPSK	7.80	13	PASS
Band41	5	40620	1	#0	QAM16	8.71	13	PASS
Band41	10	40620	1	#0	QPSK	8.54	13	PASS
Band41	10	40620	1	#0	QAM16	9.27	13	PASS
Band41	15	40620	1	#0	QPSK	7.71	13	PASS
Band41	15	40620	1	#0	QAM16	9.27	13	PASS
Band41	20	40620	1	#0	QPSK	8.98	13	PASS
Band41	20	40620	1	#0	QAM16	7.96	13	PASS

Band41 QAM16 BW=15MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=10MHz Channel=40620 RB Size=1 Position=#0

**Band41 QAM16 BW=20MHz Channel=40620 RB Size=1 Position=#0****Band41 QAM16 BW=5MHz Channel=40620 RB Size=1 Position=#0**

**Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0****Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0**


**Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0****Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band41	5	39675	25	#0	QPSK	4.510	4.882	PASS
Band41	5	39675	25	#0	QAM16	4.497	4.877	PASS
Band41	5	40620	25	#0	QPSK	4.482	4.864	PASS
Band41	5	40620	25	#0	QAM16	4.479	4.938	PASS
Band41	5	41565	25	#0	QPSK	4.480	4.995	PASS
Band41	5	41565	25	#0	QAM16	4.511	4.878	PASS
Band41	10	39700	50	#0	QPSK	8.950	9.625	PASS
Band41	10	39700	50	#0	QAM16	8.955	9.853	PASS
Band41	10	40620	50	#0	QPSK	8.993	9.728	PASS
Band41	10	40620	50	#0	QAM16	8.962	9.689	PASS
Band41	10	41540	50	#0	QPSK	8.970	9.825	PASS
Band41	10	41540	50	#0	QAM16	8.978	9.618	PASS
Band41	15	39725	75	#0	QPSK	13.474	14.686	PASS
Band41	15	39725	75	#0	QAM16	13.402	14.842	PASS
Band41	15	40620	75	#0	QPSK	13.402	14.493	PASS
Band41	15	40620	75	#0	QAM16	13.413	14.698	PASS
Band41	15	41515	75	#0	QPSK	13.364	14.365	PASS
Band41	15	41515	75	#0	QAM16	13.423	14.379	PASS
Band41	20	39750	100	#0	QPSK	17.987	19.201	PASS
Band41	20	39750	100	#0	QAM16	17.875	19.205	PASS
Band41	20	40620	100	#0	QPSK	17.879	19.218	PASS
Band41	20	40620	100	#0	QAM16	17.902	19.202	PASS
Band41	20	41490	100	#0	QPSK	17.948	19.754	PASS
Band41	20	41490	100	#0	QAM16	17.887	20.322	PASS


Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0





Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QAM16 BW=20MHz Channel=40620 RB Size=100 Position=#0



**Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0****Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0**




Band41 QAM16 BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0


**Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0****Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0**




Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0





Band41 QAM16 BW=5MHz Channel=40620 RB Size=25 Position=#0






Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0

**Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0****Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0**


**Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0****Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0**




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0



Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	2495.00	-17.60	-13	PASS
Band41	5	39675	25	#0	QAM16	2494.99	-18.72	-13	PASS
Band41	5	41565	25	#0	QPSK	2691.02	-16.80	-10	PASS
Band41	5	41565	25	#0	QAM16	2691.01	-18.16	-10	PASS
Band41	10	39700	50	#0	QPSK	2485.75	-31.89	-25	PASS
Band41	10	39700	50	#0	QAM16	2484.75	-36.78	-25	PASS
Band41	10	41540	50	#0	QPSK	2700.79	-34.69	-25	PASS
Band41	10	41540	50	#0	QAM16	2700.06	-37.45	-25	PASS
Band41	15	39725	75	#0	QPSK	2480.75	-36.60	-25	PASS
Band41	15	39725	75	#0	QAM16	2479.47	-37.42	-25	PASS
Band41	15	41515	75	#0	QPSK	2705.15	-35.29	-25	PASS
Band41	15	41515	75	#0	QAM16	2705.53	-37.75	-25	PASS
Band41	20	39750	100	#0	QPSK	2475.32	-38.00	-25	PASS
Band41	20	39750	100	#0	QAM16	2474.08	-38.31	-25	PASS
Band41	20	41490	100	#0	QPSK	2710.10	-38.27	-25	PASS
Band41	20	41490	100	#0	QAM16	2710.15	-37.94	-25	PASS


Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0



Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	3789.33	-37.60	-25	PASS
Band41	5	39675	25	#0	QAM16	3758.73	-37.68	-25	PASS
Band41	5	41565	25	#0	QPSK	5376.03	-35.24	-25	PASS
Band41	5	41565	25	#0	QAM16	3804.18	-36.39	-25	PASS
Band41	10	39700	50	#0	QPSK	5943.70	-37.97	-25	PASS
Band41	10	39700	50	#0	QAM16	3756.70	-37.42	-25	PASS
Band41	10	41540	50	#0	QPSK	3735.55	-37.39	-25	PASS
Band41	10	41540	50	#0	QAM16	5369.95	-36.19	-25	PASS
Band41	15	39725	75	#0	QPSK	3730.15	-37.66	-25	PASS
Band41	15	39725	75	#0	QAM16	3787.53	-37.22	-25	PASS
Band41	15	41515	75	#0	QPSK	3748.83	-36.72	-25	PASS
Band41	15	41515	75	#0	QAM16	3761.20	-37.06	-25	PASS
Band41	20	39750	100	#0	QPSK	3799.68	-36.68	-25	PASS
Band41	20	39750	100	#0	QAM16	5037.85	-37.63	-25	PASS
Band41	20	41490	100	#0	QPSK	5354.43	-37.07	-25	PASS
Band41	20	41490	100	#0	QAM16	3781.68	-36.94	-25	PASS


Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0



Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0



Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0



Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0

