

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability8

3 Peak-to-Average Ratio9

4 Occupied bandwidth16

5 Band edge35

6 Out-of-band emissions48

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band66	1.4	131979	1	#0	QPSK	23.18	-2.78	20.4	30.00	PASS
Band66	1.4	131979	1	#Mid	QPSK	23.25	-2.78	20.47	30.00	PASS
Band66	1.4	131979	1	#Max	QPSK	23.21	-2.78	20.43	30.00	PASS
Band66	1.4	131979	3	#0	QPSK	22.90	-2.78	20.12	30.00	PASS
Band66	1.4	131979	3	#Mid	QPSK	23.03	-2.78	20.25	30.00	PASS
Band66	1.4	131979	3	#Max	QPSK	23.07	-2.78	20.29	30.00	PASS
Band66	1.4	131979	6	#0	QPSK	21.92	-2.78	19.14	30.00	PASS
Band66	1.4	131979	1	#0	QAM16	21.91	-2.78	19.13	30.00	PASS
Band66	1.4	131979	1	#Mid	QAM16	22.11	-2.78	19.33	30.00	PASS
Band66	1.4	131979	1	#Max	QAM16	22.20	-2.78	19.42	30.00	PASS
Band66	1.4	131979	3	#0	QAM16	22.03	-2.78	19.25	30.00	PASS
Band66	1.4	131979	3	#Mid	QAM16	22.08	-2.78	19.3	30.00	PASS
Band66	1.4	131979	3	#Max	QAM16	22.11	-2.78	19.33	30.00	PASS
Band66	1.4	131979	6	#0	QAM16	20.93	-2.78	18.15	30.00	PASS
Band66	1.4	132322	1	#0	QPSK	22.84	-2.78	20.06	30.00	PASS
Band66	1.4	132322	1	#Mid	QPSK	22.95	-2.78	20.17	30.00	PASS
Band66	1.4	132322	1	#Max	QPSK	22.79	-2.78	20.01	30.00	PASS
Band66	1.4	132322	3	#0	QPSK	22.89	-2.78	20.11	30.00	PASS
Band66	1.4	132322	3	#Mid	QPSK	22.79	-2.78	20.01	30.00	PASS
Band66	1.4	132322	3	#Max	QPSK	22.84	-2.78	20.06	30.00	PASS
Band66	1.4	132322	6	#0	QPSK	21.79	-2.78	19.01	30.00	PASS
Band66	1.4	132322	1	#0	QAM16	21.78	-2.78	19	30.00	PASS
Band66	1.4	132322	1	#Mid	QAM16	21.84	-2.78	19.06	30.00	PASS
Band66	1.4	132322	1	#Max	QAM16	21.75	-2.78	18.97	30.00	PASS
Band66	1.4	132322	3	#0	QAM16	22.06	-2.78	19.28	30.00	PASS
Band66	1.4	132322	3	#Mid	QAM16	21.96	-2.78	19.18	30.00	PASS
Band66	1.4	132322	3	#Max	QAM16	21.90	-2.78	19.12	30.00	PASS
Band66	1.4	132322	6	#0	QAM16	20.83	-2.78	18.05	30.00	PASS
Band66	1.4	132665	1	#0	QPSK	22.81	-2.78	20.03	30.00	PASS
Band66	1.4	132665	1	#Mid	QPSK	23.09	-2.78	20.31	30.00	PASS
Band66	1.4	132665	1	#Max	QPSK	23.11	-2.78	20.33	30.00	PASS
Band66	1.4	132665	3	#0	QPSK	23.08	-2.78	20.3	30.00	PASS
Band66	1.4	132665	3	#Mid	QPSK	23.20	-2.78	20.42	30.00	PASS
Band66	1.4	132665	3	#Max	QPSK	22.92	-2.78	20.14	30.00	PASS
Band66	1.4	132665	6	#0	QPSK	21.79	-2.78	19.01	30.00	PASS
Band66	1.4	132665	1	#0	QAM16	21.67	-2.78	18.89	30.00	PASS
Band66	1.4	132665	1	#Mid	QAM16	21.65	-2.78	18.87	30.00	PASS

Band66	1.4	132665	1	#Max	QAM16	21.54	-2.78	18.76	30.00	PASS
Band66	1.4	132665	3	#0	QAM16	21.46	-2.78	18.68	30.00	PASS
Band66	1.4	132665	3	#Mid	QAM16	21.73	-2.78	18.95	30.00	PASS
Band66	1.4	132665	3	#Max	QAM16	21.78	-2.78	19	30.00	PASS
Band66	1.4	132665	6	#0	QAM16	21.00	-2.78	18.22	30.00	PASS
Band66	3	131987	1	#0	QPSK	22.70	-2.78	19.92	30.00	PASS
Band66	3	131987	1	#Mid	QPSK	22.94	-2.78	20.16	30.00	PASS
Band66	3	131987	1	#Max	QPSK	22.65	-2.78	19.87	30.00	PASS
Band66	3	131987	8	#0	QPSK	22.00	-2.78	19.22	30.00	PASS
Band66	3	131987	8	#Mid	QPSK	21.99	-2.78	19.21	30.00	PASS
Band66	3	131987	8	#Max	QPSK	21.82	-2.78	19.04	30.00	PASS
Band66	3	131987	15	#0	QPSK	21.91	-2.78	19.13	30.00	PASS
Band66	3	131987	1	#0	QAM16	22.40	-2.78	19.62	30.00	PASS
Band66	3	131987	1	#Mid	QAM16	22.46	-2.78	19.68	30.00	PASS
Band66	3	131987	1	#Max	QAM16	22.28	-2.78	19.5	30.00	PASS
Band66	3	131987	8	#0	QAM16	21.14	-2.78	18.36	30.00	PASS
Band66	3	131987	8	#Mid	QAM16	20.72	-2.78	17.94	30.00	PASS
Band66	3	131987	8	#Max	QAM16	20.85	-2.78	18.07	30.00	PASS
Band66	3	131987	15	#0	QAM16	20.75	-2.78	17.97	30.00	PASS
Band66	3	132322	1	#0	QPSK	22.62	-2.78	19.84	30.00	PASS
Band66	3	132322	1	#Mid	QPSK	22.88	-2.78	20.1	30.00	PASS
Band66	3	132322	1	#Max	QPSK	22.70	-2.78	19.92	30.00	PASS
Band66	3	132322	8	#0	QPSK	21.84	-2.78	19.06	30.00	PASS
Band66	3	132322	8	#Mid	QPSK	21.89	-2.78	19.11	30.00	PASS
Band66	3	132322	8	#Max	QPSK	21.90	-2.78	19.12	30.00	PASS
Band66	3	132322	15	#0	QPSK	21.93	-2.78	19.15	30.00	PASS
Band66	3	132322	1	#0	QAM16	21.68	-2.78	18.9	30.00	PASS
Band66	3	132322	1	#Mid	QAM16	21.90	-2.78	19.12	30.00	PASS
Band66	3	132322	1	#Max	QAM16	21.43	-2.78	18.65	30.00	PASS
Band66	3	132322	8	#0	QAM16	20.75	-2.78	17.97	30.00	PASS
Band66	3	132322	8	#Mid	QAM16	20.91	-2.78	18.13	30.00	PASS
Band66	3	132322	8	#Max	QAM16	20.90	-2.78	18.12	30.00	PASS
Band66	3	132322	15	#0	QAM16	20.75	-2.78	17.97	30.00	PASS
Band66	3	132657	1	#0	QPSK	23.08	-2.78	20.3	30.00	PASS
Band66	3	132657	1	#Mid	QPSK	23.27	-2.78	20.49	30.00	PASS
Band66	3	132657	1	#Max	QPSK	23.05	-2.78	20.27	30.00	PASS
Band66	3	132657	8	#0	QPSK	21.99	-2.78	19.21	30.00	PASS
Band66	3	132657	8	#Mid	QPSK	22.01	-2.78	19.23	30.00	PASS
Band66	3	132657	8	#Max	QPSK	21.98	-2.78	19.2	30.00	PASS
Band66	3	132657	15	#0	QPSK	21.96	-2.78	19.18	30.00	PASS
Band66	3	132657	1	#0	QAM16	22.07	-2.78	19.29	30.00	PASS
Band66	3	132657	1	#Mid	QAM16	22.23	-2.78	19.45	30.00	PASS
Band66	3	132657	1	#Max	QAM16	21.95	-2.78	19.17	30.00	PASS
Band66	3	132657	8	#0	QAM16	20.89	-2.78	18.11	30.00	PASS

Band66	3	132657	8	#Mid	QAM16	20.92	-2.78	18.14	30.00	PASS
Band66	3	132657	8	#Max	QAM16	20.96	-2.78	18.18	30.00	PASS
Band66	3	132657	15	#0	QAM16	20.95	-2.78	18.17	30.00	PASS
Band66	5	131997	1	#0	QPSK	22.52	-2.78	19.74	30.00	PASS
Band66	5	131997	1	#Mid	QPSK	23.09	-2.78	20.31	30.00	PASS
Band66	5	131997	1	#Max	QPSK	22.41	-2.78	19.63	30.00	PASS
Band66	5	131997	12	#0	QPSK	21.84	-2.78	19.06	30.00	PASS
Band66	5	131997	12	#Mid	QPSK	21.90	-2.78	19.12	30.00	PASS
Band66	5	131997	12	#Max	QPSK	21.84	-2.78	19.06	30.00	PASS
Band66	5	131997	25	#0	QPSK	21.81	-2.78	19.03	30.00	PASS
Band66	5	131997	1	#0	QAM16	22.00	-2.78	19.22	30.00	PASS
Band66	5	131997	1	#Mid	QAM16	22.20	-2.78	19.42	30.00	PASS
Band66	5	131997	1	#Max	QAM16	21.79	-2.78	19.01	30.00	PASS
Band66	5	131997	12	#0	QAM16	20.91	-2.78	18.13	30.00	PASS
Band66	5	131997	12	#Mid	QAM16	20.92	-2.78	18.14	30.00	PASS
Band66	5	131997	12	#Max	QAM16	20.88	-2.78	18.1	30.00	PASS
Band66	5	131997	25	#0	QAM16	21.00	-2.78	18.22	30.00	PASS
Band66	5	132322	1	#0	QPSK	22.61	-2.78	19.83	30.00	PASS
Band66	5	132322	1	#Mid	QPSK	22.82	-2.78	20.04	30.00	PASS
Band66	5	132322	1	#Max	QPSK	22.47	-2.78	19.69	30.00	PASS
Band66	5	132322	12	#0	QPSK	21.79	-2.78	19.01	30.00	PASS
Band66	5	132322	12	#Mid	QPSK	21.81	-2.78	19.03	30.00	PASS
Band66	5	132322	12	#Max	QPSK	21.78	-2.78	19	30.00	PASS
Band66	5	132322	25	#0	QPSK	21.86	-2.78	19.08	30.00	PASS
Band66	5	132322	1	#0	QAM16	21.99	-2.78	19.21	30.00	PASS
Band66	5	132322	1	#Mid	QAM16	21.85	-2.78	19.07	30.00	PASS
Band66	5	132322	1	#Max	QAM16	21.21	-2.78	18.43	30.00	PASS
Band66	5	132322	12	#0	QAM16	20.40	-2.78	17.62	30.00	PASS
Band66	5	132322	12	#Mid	QAM16	20.45	-2.78	17.67	30.00	PASS
Band66	5	132322	12	#Max	QAM16	20.43	-2.78	17.65	30.00	PASS
Band66	5	132322	25	#0	QAM16	20.66	-2.78	17.88	30.00	PASS
Band66	5	132647	1	#0	QPSK	22.93	-2.78	20.15	30.00	PASS
Band66	5	132647	1	#Mid	QPSK	23.11	-2.78	20.33	30.00	PASS
Band66	5	132647	1	#Max	QPSK	22.56	-2.78	19.78	30.00	PASS
Band66	5	132647	12	#0	QPSK	21.96	-2.78	19.18	30.00	PASS
Band66	5	132647	12	#Mid	QPSK	21.92	-2.78	19.14	30.00	PASS
Band66	5	132647	12	#Max	QPSK	21.87	-2.78	19.09	30.00	PASS
Band66	5	132647	25	#0	QPSK	21.93	-2.78	19.15	30.00	PASS
Band66	5	132647	1	#0	QAM16	22.24	-2.78	19.46	30.00	PASS
Band66	5	132647	1	#Mid	QAM16	21.93	-2.78	19.15	30.00	PASS
Band66	5	132647	1	#Max	QAM16	21.71	-2.78	18.93	30.00	PASS
Band66	5	132647	12	#0	QAM16	20.90	-2.78	18.12	30.00	PASS
Band66	5	132647	12	#Mid	QAM16	20.87	-2.78	18.09	30.00	PASS
Band66	5	132647	12	#Max	QAM16	20.64	-2.78	17.86	30.00	PASS

Band66	5	132647	25	#0	QAM16	20.97	-2.78	18.19	30.00	PASS
Band66	10	132022	1	#0	QPSK	22.92	-2.78	20.14	30.00	PASS
Band66	10	132022	1	#Mid	QPSK	23.03	-2.78	20.25	30.00	PASS
Band66	10	132022	1	#Max	QPSK	22.59	-2.78	19.81	30.00	PASS
Band66	10	132022	25	#0	QPSK	21.89	-2.78	19.11	30.00	PASS
Band66	10	132022	25	#Mid	QPSK	21.86	-2.78	19.08	30.00	PASS
Band66	10	132022	25	#Max	QPSK	21.84	-2.78	19.06	30.00	PASS
Band66	10	132022	50	#0	QPSK	21.85	-2.78	19.07	30.00	PASS
Band66	10	132022	1	#0	QAM16	22.66	-2.78	19.88	30.00	PASS
Band66	10	132022	1	#Mid	QAM16	22.94	-2.78	20.16	30.00	PASS
Band66	10	132022	1	#Max	QAM16	22.19	-2.78	19.41	30.00	PASS
Band66	10	132022	25	#0	QAM16	20.78	-2.78	18	30.00	PASS
Band66	10	132022	25	#Mid	QAM16	20.81	-2.78	18.03	30.00	PASS
Band66	10	132022	25	#Max	QAM16	20.72	-2.78	17.94	30.00	PASS
Band66	10	132022	50	#0	QAM16	20.90	-2.78	18.12	30.00	PASS
Band66	10	132322	1	#0	QPSK	23.04	-2.78	20.26	30.00	PASS
Band66	10	132322	1	#Mid	QPSK	22.92	-2.78	20.14	30.00	PASS
Band66	10	132322	1	#Max	QPSK	22.67	-2.78	19.89	30.00	PASS
Band66	10	132322	25	#0	QPSK	21.90	-2.78	19.12	30.00	PASS
Band66	10	132322	25	#Mid	QPSK	21.87	-2.78	19.09	30.00	PASS
Band66	10	132322	25	#Max	QPSK	21.80	-2.78	19.02	30.00	PASS
Band66	10	132322	50	#0	QPSK	21.91	-2.78	19.13	30.00	PASS
Band66	10	132322	1	#0	QAM16	22.05	-2.78	19.27	30.00	PASS
Band66	10	132322	1	#Mid	QAM16	21.69	-2.78	18.91	30.00	PASS
Band66	10	132322	1	#Max	QAM16	21.17	-2.78	18.39	30.00	PASS
Band66	10	132322	25	#0	QAM16	20.71	-2.78	17.93	30.00	PASS
Band66	10	132322	25	#Mid	QAM16	20.87	-2.78	18.09	30.00	PASS
Band66	10	132322	25	#Max	QAM16	20.81	-2.78	18.03	30.00	PASS
Band66	10	132322	50	#0	QAM16	20.79	-2.78	18.01	30.00	PASS
Band66	10	132622	1	#0	QPSK	23.12	-2.78	20.34	30.00	PASS
Band66	10	132622	1	#Mid	QPSK	23.32	-2.78	20.54	30.00	PASS
Band66	10	132622	1	#Max	QPSK	22.73	-2.78	19.95	30.00	PASS
Band66	10	132622	25	#0	QPSK	21.88	-2.78	19.1	30.00	PASS
Band66	10	132622	25	#Mid	QPSK	21.97	-2.78	19.19	30.00	PASS
Band66	10	132622	25	#Max	QPSK	21.91	-2.78	19.13	30.00	PASS
Band66	10	132622	50	#0	QPSK	22.01	-2.78	19.23	30.00	PASS
Band66	10	132622	1	#0	QAM16	21.87	-2.78	19.09	30.00	PASS
Band66	10	132622	1	#Mid	QAM16	22.03	-2.78	19.25	30.00	PASS
Band66	10	132622	1	#Max	QAM16	21.95	-2.78	19.17	30.00	PASS
Band66	10	132622	25	#0	QAM16	21.00	-2.78	18.22	30.00	PASS
Band66	10	132622	25	#Mid	QAM16	20.75	-2.78	17.97	30.00	PASS
Band66	10	132622	25	#Max	QAM16	20.79	-2.78	18.01	30.00	PASS
Band66	10	132622	50	#0	QAM16	20.78	-2.78	18	30.00	PASS
Band66	15	132047	1	#0	QPSK	23.09	-2.78	20.31	30.00	PASS

Band66	15	132047	1	#Mid	QPSK	23.12	-2.78	20.34	30.00	PASS
Band66	15	132047	1	#Max	QPSK	22.58	-2.78	19.8	30.00	PASS
Band66	15	132047	36	#0	QPSK	21.82	-2.78	19.04	30.00	PASS
Band66	15	132047	36	#Mid	QPSK	21.82	-2.78	19.04	30.00	PASS
Band66	15	132047	36	#Max	QPSK	21.74	-2.78	18.96	30.00	PASS
Band66	15	132047	75	#0	QPSK	21.83	-2.78	19.05	30.00	PASS
Band66	15	132047	1	#0	QAM16	22.71	-2.78	19.93	30.00	PASS
Band66	15	132047	1	#Mid	QAM16	22.60	-2.78	19.82	30.00	PASS
Band66	15	132047	1	#Max	QAM16	22.11	-2.78	19.33	30.00	PASS
Band66	15	132047	36	#0	QAM16	20.73	-2.78	17.95	30.00	PASS
Band66	15	132047	36	#Mid	QAM16	20.78	-2.78	18	30.00	PASS
Band66	15	132047	36	#Max	QAM16	20.77	-2.78	17.99	30.00	PASS
Band66	15	132047	75	#0	QAM16	20.72	-2.78	17.94	30.00	PASS
Band66	15	132322	1	#0	QPSK	23.03	-2.78	20.25	30.00	PASS
Band66	15	132322	1	#Mid	QPSK	23.00	-2.78	20.22	30.00	PASS
Band66	15	132322	1	#Max	QPSK	22.69	-2.78	19.91	30.00	PASS
Band66	15	132322	36	#0	QPSK	22.06	-2.78	19.28	30.00	PASS
Band66	15	132322	36	#Mid	QPSK	21.91	-2.78	19.13	30.00	PASS
Band66	15	132322	36	#Max	QPSK	21.76	-2.78	18.98	30.00	PASS
Band66	15	132322	75	#0	QPSK	21.82	-2.78	19.04	30.00	PASS
Band66	15	132322	1	#0	QAM16	22.07	-2.78	19.29	30.00	PASS
Band66	15	132322	1	#Mid	QAM16	21.90	-2.78	19.12	30.00	PASS
Band66	15	132322	1	#Max	QAM16	21.10	-2.78	18.32	30.00	PASS
Band66	15	132322	36	#0	QAM16	21.07	-2.78	18.29	30.00	PASS
Band66	15	132322	36	#Mid	QAM16	20.87	-2.78	18.09	30.00	PASS
Band66	15	132322	36	#Max	QAM16	20.66	-2.78	17.88	30.00	PASS
Band66	15	132322	75	#0	QAM16	20.85	-2.78	18.07	30.00	PASS
Band66	15	132597	1	#0	QPSK	23.02	-2.78	20.24	30.00	PASS
Band66	15	132597	1	#Mid	QPSK	23.02	-2.78	20.24	30.00	PASS
Band66	15	132597	1	#Max	QPSK	22.97	-2.78	20.19	30.00	PASS
Band66	15	132597	36	#0	QPSK	21.93	-2.78	19.15	30.00	PASS
Band66	15	132597	36	#Mid	QPSK	22.02	-2.78	19.24	30.00	PASS
Band66	15	132597	36	#Max	QPSK	21.99	-2.78	19.21	30.00	PASS
Band66	15	132597	75	#0	QPSK	21.97	-2.78	19.19	30.00	PASS
Band66	15	132597	1	#0	QAM16	22.22	-2.78	19.44	30.00	PASS
Band66	15	132597	1	#Mid	QAM16	22.16	-2.78	19.38	30.00	PASS
Band66	15	132597	1	#Max	QAM16	22.12	-2.78	19.34	30.00	PASS
Band66	15	132597	36	#0	QAM16	20.84	-2.78	18.06	30.00	PASS
Band66	15	132597	36	#Mid	QAM16	20.78	-2.78	18	30.00	PASS
Band66	15	132597	36	#Max	QAM16	20.88	-2.78	18.1	30.00	PASS
Band66	15	132597	75	#0	QAM16	21.06	-2.78	18.28	30.00	PASS
Band66	20	132072	1	#0	QPSK	23.07	-2.78	20.29	30.00	PASS
Band66	20	132072	1	#Mid	QPSK	22.86	-2.78	20.08	30.00	PASS
Band66	20	132072	1	#Max	QPSK	22.69	-2.78	19.91	30.00	PASS

Band66	20	132072	50	#0	QPSK	21.89	-2.78	19.11	30.00	PASS
Band66	20	132072	50	#Mid	QPSK	21.82	-2.78	19.04	30.00	PASS
Band66	20	132072	50	#Max	QPSK	21.72	-2.78	18.94	30.00	PASS
Band66	20	132072	100	#0	QPSK	21.75	-2.78	18.97	30.00	PASS
Band66	20	132072	1	#0	QAM16	21.79	-2.78	19.01	30.00	PASS
Band66	20	132072	1	#Mid	QAM16	21.57	-2.78	18.79	30.00	PASS
Band66	20	132072	1	#Max	QAM16	21.11	-2.78	18.33	30.00	PASS
Band66	20	132072	50	#0	QAM16	20.74	-2.78	17.96	30.00	PASS
Band66	20	132072	50	#Mid	QAM16	20.88	-2.78	18.1	30.00	PASS
Band66	20	132072	50	#Max	QAM16	20.86	-2.78	18.08	30.00	PASS
Band66	20	132072	100	#0	QAM16	20.71	-2.78	17.93	30.00	PASS
Band66	20	132322	1	#0	QPSK	23.27	-2.78	20.49	30.00	PASS
Band66	20	132322	1	#Mid	QPSK	23.31	-2.78	20.53	30.00	PASS
Band66	20	132322	1	#Max	QPSK	22.83	-2.78	20.05	30.00	PASS
Band66	20	132322	50	#0	QPSK	22.08	-2.78	19.3	30.00	PASS
Band66	20	132322	50	#Mid	QPSK	21.87	-2.78	19.09	30.00	PASS
Band66	20	132322	50	#Max	QPSK	21.82	-2.78	19.04	30.00	PASS
Band66	20	132322	100	#0	QPSK	21.92	-2.78	19.14	30.00	PASS
Band66	20	132322	1	#0	QAM16	21.53	-2.78	18.75	30.00	PASS
Band66	20	132322	1	#Mid	QAM16	21.77	-2.78	18.99	30.00	PASS
Band66	20	132322	1	#Max	QAM16	21.25	-2.78	18.47	30.00	PASS
Band66	20	132322	50	#0	QAM16	20.99	-2.78	18.21	30.00	PASS
Band66	20	132322	50	#Mid	QAM16	20.88	-2.78	18.1	30.00	PASS
Band66	20	132322	50	#Max	QAM16	20.64	-2.78	17.86	30.00	PASS
Band66	20	132322	100	#0	QAM16	20.83	-2.78	18.05	30.00	PASS
Band66	20	132572	1	#0	QPSK	22.83	-2.78	20.05	30.00	PASS
Band66	20	132572	1	#Mid	QPSK	22.94	-2.78	20.16	30.00	PASS
Band66	20	132572	1	#Max	QPSK	22.84	-2.78	20.06	30.00	PASS
Band66	20	132572	50	#0	QPSK	21.75	-2.78	18.97	30.00	PASS
Band66	20	132572	50	#Mid	QPSK	21.83	-2.78	19.05	30.00	PASS
Band66	20	132572	50	#Max	QPSK	22.01	-2.78	19.23	30.00	PASS
Band66	20	132572	100	#0	QPSK	21.84	-2.78	19.06	30.00	PASS
Band66	20	132572	1	#0	QAM16	21.28	-2.78	18.5	30.00	PASS
Band66	20	132572	1	#Mid	QAM16	21.48	-2.78	18.7	30.00	PASS
Band66	20	132572	1	#Max	QAM16	21.38	-2.78	18.6	30.00	PASS
Band66	20	132572	50	#0	QAM16	20.73	-2.78	17.95	30.00	PASS
Band66	20	132572	50	#Mid	QAM16	20.85	-2.78	18.07	30.00	PASS
Band66	20	132572	50	#Max	QAM16	20.81	-2.78	18.03	30.00	PASS
Band66	20	132572	100	#0	QAM16	20.81	-2.78	18.03	30.00	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band66	20	132072	100	#0	QPSK	2.51	0.001	-2.5	2.5	PASS
Band66	20	132072	100	#0	QAM16	2.64	0.002	-2.5	2.5	PASS
Band66	20	132322	100	#0	QPSK	-2.34	-0.001	-2.5	2.5	PASS
Band66	20	132322	100	#0	QAM16	-2.76	-0.002	-2.5	2.5	PASS
Band66	20	132572	100	#0	QPSK	2.05	0.001	-2.5	2.5	PASS
Band66	20	132572	100	#0	QAM16	0.40	0.000	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band66	1.4	132322	1	#0	QPSK	3.83	13	PASS
Band66	1.4	132322	1	#0	QAM16	4.88	13	PASS
Band66	3	132322	1	#0	QPSK	4.00	13	PASS
Band66	3	132322	1	#0	QAM16	4.88	13	PASS
Band66	5	132322	1	#0	QPSK	4.04	13	PASS
Band66	5	132322	1	#0	QAM16	5.12	13	PASS
Band66	10	132322	1	#0	QPSK	4.07	13	PASS
Band66	10	132322	1	#0	QAM16	4.89	13	PASS
Band66	15	132322	1	#0	QPSK	4.11	13	PASS
Band66	15	132322	1	#0	QAM16	4.98	13	PASS
Band66	20	132322	1	#0	QPSK	4.27	13	PASS
Band66	20	132322	1	#0	QAM16	5.03	13	PASS



Band66 QAM16 BW=10MHz Channel=132322 RB Size=1 Position=#0







Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=1 Position=#0


**Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0****Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0**

**Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0****Band66 QAM16 BW=5MHz Channel=132322 RB Size=1 Position=#0**

**Band66 QAM16 BW=15MHz Channel=132322 RB Size=1 Position=#0****Band66 QAM16 BW=20MHz Channel=132322 RB Size=1 Position=#0**

**Band66 QAM16 BW=3MHz Channel=132322 RB Size=1 Position=#0****Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0**



**Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0****Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0**




4 Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band66	1.4	131979	6	#0	QPSK	1.098	1.300	PASS
Band66	1.4	131979	6	#0	QAM16	1.100	1.269	PASS
Band66	1.4	132322	6	#0	QPSK	1.093	1.311	PASS
Band66	1.4	132322	6	#0	QAM16	1.095	1.284	PASS
Band66	1.4	132665	6	#0	QPSK	1.108	1.281	PASS
Band66	1.4	132665	6	#0	QAM16	1.099	1.287	PASS
Band66	3	131987	15	#0	QPSK	2.702	3.005	PASS
Band66	3	131987	15	#0	QAM16	2.688	2.959	PASS
Band66	3	132322	15	#0	QPSK	2.710	2.986	PASS
Band66	3	132322	15	#0	QAM16	2.701	3.023	PASS
Band66	3	132657	15	#0	QPSK	2.707	2.980	PASS
Band66	3	132657	15	#0	QAM16	2.693	2.983	PASS
Band66	5	131997	25	#0	QPSK	4.503	4.912	PASS
Band66	5	131997	25	#0	QAM16	4.516	5.027	PASS
Band66	5	132322	25	#0	QPSK	4.517	4.945	PASS
Band66	5	132322	25	#0	QAM16	4.506	4.940	PASS
Band66	5	132647	25	#0	QPSK	4.502	4.919	PASS
Band66	5	132647	25	#0	QAM16	4.507	4.935	PASS
Band66	10	132022	50	#0	QPSK	8.970	9.817	PASS
Band66	10	132022	50	#0	QAM16	8.964	9.730	PASS
Band66	10	132322	50	#0	QPSK	8.960	9.912	PASS
Band66	10	132322	50	#0	QAM16	8.973	9.787	PASS
Band66	10	132622	50	#0	QPSK	8.991	9.797	PASS
Band66	10	132622	50	#0	QAM16	8.986	9.687	PASS
Band66	15	132047	75	#0	QPSK	13.393	14.463	PASS
Band66	15	132047	75	#0	QAM16	13.443	14.649	PASS
Band66	15	132322	75	#0	QPSK	13.402	14.421	PASS
Band66	15	132322	75	#0	QAM16	13.419	14.470	PASS
Band66	15	132597	75	#0	QPSK	13.366	14.571	PASS
Band66	15	132597	75	#0	QAM16	13.408	14.331	PASS
Band66	20	132072	100	#0	QPSK	17.984	19.255	PASS
Band66	20	132072	100	#0	QAM16	17.937	19.302	PASS
Band66	20	132322	100	#0	QPSK	17.944	19.238	PASS
Band66	20	132322	100	#0	QAM16	17.887	19.396	PASS
Band66	20	132572	100	#0	QPSK	17.870	19.120	PASS
Band66	20	132572	100	#0	QAM16	17.841	19.108	PASS

Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0


**Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0****Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0**




Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QAM16 BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QAM16 BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QAM16 BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0





Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QAM16 BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0



**Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0****Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0**




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QAM16 BW=5MHz Channel=132322 RB Size=25 Position=#0


**Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0****Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0**




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0





Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0






Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0

**Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0****Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0**

**Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0****Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0**




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	1709.99	-28.00	-13	PASS
Band66	1.4	131979	6	#0	QAM16	1709.99	-29.41	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1780.00	-27.59	-13	PASS
Band66	1.4	132665	6	#0	QAM16	1780.01	-28.71	-13	PASS
Band66	3	131987	15	#0	QPSK	1710.00	-27.51	-13	PASS
Band66	3	131987	15	#0	QAM16	1710.00	-28.59	-13	PASS
Band66	3	132657	15	#0	QPSK	1780.00	-28.84	-13	PASS
Band66	3	132657	15	#0	QAM16	1780.01	-29.38	-13	PASS
Band66	5	131997	25	#0	QPSK	1709.96	-28.72	-13	PASS
Band66	5	131997	25	#0	QAM16	1710.00	-28.53	-13	PASS
Band66	5	132647	25	#0	QPSK	1780.00	-26.88	-13	PASS
Band66	5	132647	25	#0	QAM16	1780.00	-28.44	-13	PASS
Band66	10	132022	50	#0	QPSK	1709.96	-30.32	-13	PASS
Band66	10	132022	50	#0	QAM16	1710.00	-31.99	-13	PASS
Band66	10	132622	50	#0	QPSK	1780.00	-31.88	-13	PASS
Band66	10	132622	50	#0	QAM16	1780.02	-32.31	-13	PASS
Band66	15	132047	75	#0	QPSK	1710.00	-31.41	-13	PASS
Band66	15	132047	75	#0	QAM16	1709.73	-33.00	-13	PASS
Band66	15	132597	75	#0	QPSK	1780.00	-31.74	-13	PASS
Band66	15	132597	75	#0	QAM16	1781.80	-33.60	-13	PASS
Band66	20	132072	100	#0	QPSK	1710.00	-31.75	-13	PASS
Band66	20	132072	100	#0	QAM16	1709.88	-31.84	-13	PASS
Band66	20	132572	100	#0	QPSK	1780.00	-33.29	-13	PASS
Band66	20	132572	100	#0	QAM16	1780.00	-34.30	-13	PASS

Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0



Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0



Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0



Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0



Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band66	1.4	131979	6	#0	QPSK	3760.30	-38.31	-13	PASS
Band66	1.4	131979	6	#0	QAM16	5149.90	-37.78	-13	PASS
Band66	1.4	132665	6	#0	QPSK	3751.08	-37.74	-13	PASS
Band66	1.4	132665	6	#0	QAM16	4918.83	-38.45	-13	PASS
Band66	3	131987	15	#0	QPSK	5029.30	-37.67	-13	PASS
Band66	3	131987	15	#0	QAM16	3838.60	-37.81	-13	PASS
Band66	3	132657	15	#0	QPSK	3799.00	-38.22	-13	PASS
Band66	3	132657	15	#0	QAM16	5052.93	-37.92	-13	PASS
Band66	5	131997	25	#0	QPSK	3783.03	-37.98	-13	PASS
Band66	5	131997	25	#0	QAM16	3834.10	-37.18	-13	PASS
Band66	5	132647	25	#0	QPSK	3976.53	-38.44	-13	PASS
Band66	5	132647	25	#0	QAM16	3829.38	-37.00	-13	PASS
Band66	10	132022	50	#0	QPSK	3832.30	-37.24	-13	PASS
Band66	10	132022	50	#0	QAM16	4708.23	-37.49	-13	PASS
Band66	10	132622	50	#0	QPSK	3809.58	-38.46	-13	PASS
Band66	10	132622	50	#0	QAM16	3963.93	-38.28	-13	PASS
Band66	15	132047	75	#0	QPSK	3821.50	-37.71	-13	PASS
Band66	15	132047	75	#0	QAM16	3709.45	-37.90	-13	PASS
Band66	15	132597	75	#0	QPSK	5053.83	-37.70	-13	PASS
Band66	15	132597	75	#0	QAM16	5093.20	-37.77	-13	PASS
Band66	20	132072	100	#0	QPSK	3852.78	-38.78	-13	PASS
Band66	20	132072	100	#0	QAM16	3815.20	-37.91	-13	PASS
Band66	20	132572	100	#0	QPSK	3730.15	-38.34	-13	PASS
Band66	20	132572	100	#0	QAM16	2463.63	-38.01	-13	PASS


Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0



Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0



Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0

