

## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Conducted Power (dBm) | ERP/EIRP (dBm) | ERP/EIRP Limit (dBm) | Verdict |
|-------|-----------|------------|---------|------------------|-----------------------|----------------|----------------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 22.75                 | 20.25          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#2            | 22.85                 | 20.35          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | 22.73                 | 20.23          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#0            | 22.81                 | 20.31          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#1            | 22.82                 | 20.32          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#2            | 22.85                 | 20.35          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 21.85                 | 19.35          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 22.73                 | 20.23          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#2            | 22.82                 | 20.32          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#5            | 22.80                 | 20.3           | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#0            | 22.78                 | 20.28          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#1            | 22.82                 | 20.32          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#2            | 22.81                 | 20.31          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 21.85                 | 19.35          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 22.61                 | 20.11          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#2            | 22.82                 | 20.32          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | 22.61                 | 20.11          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#0            | 22.67                 | 20.17          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#1            | 22.64                 | 20.14          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#2            | 22.65                 | 20.15          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 21.68                 | 19.18          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | 21.92                 | 19.42          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#2            | 22.10                 | 19.6           | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#5            | 21.92                 | 19.42          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#0            | 21.77                 | 19.27          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#1            | 21.75                 | 19.25          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#2            | 21.79                 | 19.29          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | 20.87                 | 18.37          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | 21.96                 | 19.46          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#2            | 22.15                 | 19.65          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#5            | 21.98                 | 19.48          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#0            | 21.79                 | 19.29          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#1            | 21.75                 | 19.25          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#2            | 21.79                 | 19.29          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | 20.73                 | 18.23          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#0            | 21.50                 | 19             | 33.01                | PASS    |

|       |        |       |       |        |       |       |       |      |
|-------|--------|-------|-------|--------|-------|-------|-------|------|
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#2  | 21.69 | 19.19 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#5  | 21.54 | 19.04 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#0  | 21.52 | 19.02 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#1  | 21.57 | 19.07 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#2  | 21.50 | 19    | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0  | 20.65 | 18.15 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#0  | 22.81 | 20.31 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#7  | 22.76 | 20.26 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#14 | 22.74 | 20.24 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#0  | 21.87 | 19.37 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#4  | 21.83 | 19.33 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#7  | 21.82 | 19.32 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | 21.77 | 19.27 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#0  | 22.87 | 20.37 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#7  | 22.79 | 20.29 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#14 | 22.82 | 20.32 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#0  | 21.90 | 19.4  | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#4  | 21.89 | 19.39 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#7  | 21.87 | 19.37 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | 21.83 | 19.33 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#0  | 22.69 | 20.19 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#7  | 22.76 | 20.26 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#14 | 22.76 | 20.26 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#0  | 21.73 | 19.23 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#4  | 21.72 | 19.22 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#7  | 21.77 | 19.27 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | 21.70 | 19.2  | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#0  | 22.01 | 19.51 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#7  | 22.02 | 19.52 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#14 | 22.00 | 19.5  | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 8RB#0  | 20.93 | 18.43 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 8RB#4  | 20.92 | 18.42 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 8RB#7  | 20.86 | 18.36 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | 20.81 | 18.31 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 1RB#0  | 22.10 | 19.6  | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 1RB#7  | 22.01 | 19.51 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 1RB#14 | 22.00 | 19.5  | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 8RB#0  | 20.90 | 18.4  | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 8RB#4  | 20.91 | 18.41 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 8RB#7  | 20.96 | 18.46 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 15RB#0 | 20.82 | 18.32 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 19185 | 1RB#0  | 21.63 | 19.13 | 33.01 | PASS |

|       |      |       |       |         |       |       |       |      |
|-------|------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 3MHz | 16QAM | 19185 | 1RB#7   | 21.62 | 19.12 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#14  | 21.75 | 19.25 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#0   | 20.75 | 18.25 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#4   | 20.75 | 18.25 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#7   | 20.77 | 18.27 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0  | 20.63 | 18.13 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#0   | 22.75 | 20.25 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#12  | 22.85 | 20.35 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#24  | 22.68 | 20.18 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#0  | 21.79 | 19.29 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#6  | 21.81 | 19.31 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#11 | 21.83 | 19.33 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0  | 21.81 | 19.31 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#0   | 22.77 | 20.27 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#12  | 22.88 | 20.38 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#24  | 22.78 | 20.28 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#0  | 21.93 | 19.43 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#6  | 21.88 | 19.38 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#11 | 21.93 | 19.43 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0  | 21.91 | 19.41 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#0   | 22.68 | 20.18 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#12  | 22.80 | 20.3  | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#24  | 22.74 | 20.24 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#0  | 21.74 | 19.24 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#6  | 21.73 | 19.23 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#11 | 21.77 | 19.27 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0  | 21.72 | 19.22 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#0   | 21.84 | 19.34 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#12  | 21.90 | 19.4  | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#24  | 21.81 | 19.31 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#0  | 20.81 | 18.31 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#6  | 20.79 | 18.29 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#11 | 20.84 | 18.34 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 25RB#0  | 20.85 | 18.35 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#0   | 22.10 | 19.6  | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#12  | 22.14 | 19.64 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#24  | 22.07 | 19.57 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 12RB#0  | 20.89 | 18.39 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 12RB#6  | 20.94 | 18.44 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 12RB#11 | 20.91 | 18.41 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 25RB#0  | 20.84 | 18.34 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 19175 | 1RB#0   | 21.68 | 19.18 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#12  | 21.88 | 19.38 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#24  | 21.80 | 19.3  | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#0  | 20.74 | 18.24 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#6  | 20.75 | 18.25 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#11 | 20.72 | 18.22 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0  | 20.82 | 18.32 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0   | 22.75 | 20.25 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#24  | 22.85 | 20.35 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#49  | 22.59 | 20.09 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#0  | 21.86 | 19.36 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#12 | 21.85 | 19.35 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#24 | 21.82 | 19.32 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0  | 21.78 | 19.28 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0   | 22.86 | 20.36 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#24  | 22.96 | 20.46 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#49  | 22.76 | 20.26 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#0  | 21.99 | 19.49 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#12 | 22.01 | 19.51 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#24 | 22.06 | 19.56 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0  | 21.89 | 19.39 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0   | 22.67 | 20.17 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#24  | 22.81 | 20.31 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#49  | 22.79 | 20.29 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#0  | 21.82 | 19.32 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#12 | 21.83 | 19.33 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#24 | 21.85 | 19.35 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0  | 21.76 | 19.26 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0   | 21.96 | 19.46 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#24  | 21.99 | 19.49 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#49  | 21.87 | 19.37 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#0  | 20.84 | 18.34 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#12 | 20.85 | 18.35 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#24 | 20.82 | 18.32 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0  | 20.77 | 18.27 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0   | 22.10 | 19.6  | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#24  | 22.16 | 19.66 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#49  | 22.04 | 19.54 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#0  | 21.07 | 18.57 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#12 | 21.07 | 18.57 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#24 | 21.10 | 18.6  | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0  | 20.95 | 18.45 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0   | 21.61 | 19.11 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 10MHz | 16QAM | 19150 | 1RB#24  | 21.76 | 19.26 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#49  | 21.71 | 19.21 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#0  | 20.85 | 18.35 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#12 | 20.87 | 18.37 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#24 | 20.87 | 18.37 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0  | 20.74 | 18.24 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0   | 22.70 | 20.2  | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#37  | 22.66 | 20.16 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#74  | 22.53 | 20.03 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 36RB#0  | 21.82 | 19.32 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 36RB#16 | 21.83 | 19.33 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 36RB#35 | 21.77 | 19.27 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0  | 21.77 | 19.27 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0   | 22.74 | 20.24 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#37  | 22.92 | 20.42 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#74  | 22.70 | 20.2  | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 36RB#0  | 22.00 | 19.5  | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 36RB#16 | 21.98 | 19.48 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 36RB#35 | 22.00 | 19.5  | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0  | 21.95 | 19.45 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0   | 22.53 | 20.03 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#37  | 22.76 | 20.26 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#74  | 22.74 | 20.24 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 36RB#0  | 21.72 | 19.22 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 36RB#16 | 21.72 | 19.22 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 36RB#35 | 21.74 | 19.24 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0  | 21.75 | 19.25 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0   | 21.92 | 19.42 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#37  | 21.88 | 19.38 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#74  | 21.77 | 19.27 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 36RB#0  | 20.81 | 18.31 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 36RB#16 | 20.73 | 18.23 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 36RB#35 | 20.77 | 18.27 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0  | 20.72 | 18.22 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0   | 22.07 | 19.57 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#37  | 22.22 | 19.72 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#74  | 22.03 | 19.53 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 36RB#0  | 21.01 | 18.51 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 36RB#16 | 21.07 | 18.57 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 36RB#35 | 21.02 | 18.52 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0  | 20.93 | 18.43 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0   | 21.42 | 18.92 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 15MHz | 16QAM | 19125 | 1RB#37  | 21.67 | 19.17 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#74  | 21.65 | 19.15 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 36RB#0  | 20.67 | 18.17 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 36RB#16 | 20.63 | 18.13 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 36RB#35 | 20.65 | 18.15 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0  | 20.71 | 18.21 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0   | 22.69 | 20.19 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#49  | 22.90 | 20.4  | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#99  | 22.54 | 20.04 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#0  | 21.72 | 19.22 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#24 | 21.75 | 19.25 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#49 | 21.72 | 19.22 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | 21.72 | 19.22 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0   | 22.63 | 20.13 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#49  | 23.08 | 20.58 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#99  | 22.60 | 20.1  | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#0  | 21.98 | 19.48 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#24 | 21.97 | 19.47 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#49 | 22.00 | 19.5  | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | 21.93 | 19.43 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0   | 22.37 | 19.87 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#49  | 22.67 | 20.17 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#99  | 22.50 | 20    | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#0  | 21.63 | 19.13 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#24 | 21.64 | 19.14 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#49 | 21.60 | 19.1  | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | 21.62 | 19.12 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0   | 21.73 | 19.23 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#49  | 21.90 | 19.4  | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#99  | 21.66 | 19.16 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#0  | 20.74 | 18.24 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#24 | 20.70 | 18.2  | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#49 | 20.70 | 18.2  | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | 20.72 | 18.22 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0   | 21.84 | 19.34 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#49  | 22.23 | 19.73 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#99  | 21.87 | 19.37 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#0  | 20.99 | 18.49 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#24 | 20.97 | 18.47 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#49 | 21.01 | 18.51 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | 20.90 | 18.4  | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0   | 21.52 | 19.02 | 33.01 | PASS |

|       |        |       |       |         |       |       |       |      |
|-------|--------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 20MHz  | 16QAM | 19100 | 1RB#49  | 21.86 | 19.36 | 33.01 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 1RB#99  | 21.63 | 19.13 | 33.01 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 50RB#0  | 20.72 | 18.22 | 33.01 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 50RB#24 | 20.63 | 18.13 | 33.01 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 50RB#49 | 20.65 | 18.15 | 33.01 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | 20.61 | 18.11 | 33.01 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 1RB#0   | 22.70 | 19.70 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 1RB#2   | 22.76 | 19.76 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 1RB#5   | 22.73 | 19.73 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 3RB#0   | 22.82 | 19.82 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 3RB#1   | 22.79 | 19.79 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 3RB#2   | 22.80 | 19.80 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | 21.73 | 18.73 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 1RB#0   | 22.91 | 19.91 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 1RB#2   | 23.07 | 20.07 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 1RB#5   | 22.89 | 19.89 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 3RB#0   | 23.03 | 20.03 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 3RB#1   | 23.02 | 20.02 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 3RB#2   | 23.00 | 20.00 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | 21.95 | 18.95 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 1RB#0   | 23.05 | 20.05 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 1RB#2   | 23.25 | 20.25 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 1RB#5   | 23.06 | 20.06 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 3RB#0   | 23.16 | 20.16 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 3RB#1   | 23.14 | 20.14 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 3RB#2   | 23.12 | 20.12 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | 22.13 | 19.13 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#0   | 21.86 | 18.86 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#2   | 22.08 | 19.08 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#5   | 21.83 | 18.83 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 3RB#0   | 21.68 | 18.68 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 3RB#1   | 21.69 | 18.69 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 3RB#2   | 21.66 | 18.66 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0   | 20.78 | 17.78 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#0   | 22.06 | 19.06 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#2   | 22.23 | 19.23 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#5   | 22.08 | 19.08 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 3RB#0   | 21.95 | 18.95 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 3RB#1   | 21.90 | 18.90 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 3RB#2   | 21.95 | 18.95 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0   | 20.85 | 17.85 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#0   | 21.99 | 18.99 | 30.00 | PASS |

|       |        |       |       |        |       |       |       |      |
|-------|--------|-------|-------|--------|-------|-------|-------|------|
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#2  | 22.13 | 19.13 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#5  | 22.00 | 19.00 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 3RB#0  | 22.02 | 19.02 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 3RB#1  | 22.02 | 19.02 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 3RB#2  | 22.01 | 19.01 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | 21.17 | 18.17 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#0  | 22.66 | 19.66 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#7  | 22.70 | 19.70 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#14 | 22.69 | 19.69 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 8RB#0  | 21.71 | 18.71 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 8RB#4  | 21.76 | 18.76 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 8RB#7  | 21.75 | 18.75 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | 21.69 | 18.69 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#0  | 22.96 | 19.96 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#7  | 22.95 | 19.95 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#14 | 22.85 | 19.85 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 8RB#0  | 21.94 | 18.94 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 8RB#4  | 21.95 | 18.95 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 8RB#7  | 21.91 | 18.91 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | 21.95 | 18.95 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#0  | 23.05 | 20.05 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#7  | 23.01 | 20.01 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#14 | 23.11 | 20.11 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 8RB#0  | 22.15 | 19.15 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 8RB#4  | 22.14 | 19.14 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 8RB#7  | 22.10 | 19.10 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 15RB#0 | 22.11 | 19.11 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 1RB#0  | 21.94 | 18.94 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 1RB#7  | 21.87 | 18.87 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 1RB#14 | 21.89 | 18.89 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 8RB#0  | 20.81 | 17.81 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 8RB#4  | 20.79 | 17.79 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 8RB#7  | 20.80 | 17.80 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 15RB#0 | 20.76 | 17.76 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 1RB#0  | 22.17 | 19.17 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 1RB#7  | 22.11 | 19.11 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 1RB#14 | 22.10 | 19.10 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 8RB#0  | 20.98 | 17.98 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 8RB#4  | 20.97 | 17.97 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 8RB#7  | 20.91 | 17.91 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 15RB#0 | 20.88 | 17.88 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20385 | 1RB#0  | 22.01 | 19.01 | 30.00 | PASS |

|       |      |       |       |         |       |       |       |      |
|-------|------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 3MHz | 16QAM | 20385 | 1RB#7   | 22.01 | 19.01 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#14  | 22.03 | 19.03 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 8RB#0   | 21.17 | 18.17 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 8RB#4   | 21.16 | 18.16 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 8RB#7   | 21.11 | 18.11 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0  | 21.00 | 18.00 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#0   | 22.69 | 19.69 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#12  | 22.86 | 19.86 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#24  | 22.82 | 19.82 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 12RB#0  | 21.69 | 18.69 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 12RB#6  | 21.70 | 18.70 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 12RB#11 | 21.67 | 18.67 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0  | 21.73 | 18.73 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#0   | 22.89 | 19.89 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#12  | 23.05 | 20.05 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#24  | 22.91 | 19.91 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 12RB#0  | 21.96 | 18.96 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 12RB#6  | 21.91 | 18.91 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 12RB#11 | 21.95 | 18.95 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0  | 21.94 | 18.94 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#0   | 22.93 | 19.93 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#12  | 23.15 | 20.15 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#24  | 23.06 | 20.06 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 12RB#0  | 22.14 | 19.14 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 12RB#6  | 22.17 | 19.17 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 12RB#11 | 22.19 | 19.19 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0  | 22.13 | 19.13 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#0   | 21.71 | 18.71 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#12  | 21.84 | 18.84 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#24  | 21.82 | 18.82 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 12RB#0  | 20.72 | 17.72 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 12RB#6  | 20.73 | 17.73 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 12RB#11 | 20.66 | 17.66 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0  | 20.80 | 17.80 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#0   | 22.08 | 19.08 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#12  | 22.27 | 19.27 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#24  | 22.09 | 19.09 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 12RB#0  | 21.00 | 18.00 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 12RB#6  | 20.92 | 17.92 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 12RB#11 | 20.94 | 17.94 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0  | 20.91 | 17.91 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20375 | 1RB#0   | 22.03 | 19.03 | 30.00 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#12  | 22.16 | 19.16 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#24  | 22.15 | 19.15 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 12RB#0  | 21.18 | 18.18 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 12RB#6  | 21.16 | 18.16 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 12RB#11 | 21.13 | 18.13 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0  | 21.15 | 18.15 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#0   | 22.68 | 19.68 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#24  | 22.90 | 19.90 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#49  | 22.86 | 19.86 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 25RB#0  | 21.73 | 18.73 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 25RB#12 | 21.73 | 18.73 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 25RB#24 | 21.74 | 18.74 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0  | 21.72 | 18.72 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#0   | 22.90 | 19.90 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#24  | 22.91 | 19.91 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#49  | 22.92 | 19.92 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 25RB#0  | 21.99 | 18.99 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 25RB#12 | 22.00 | 19.00 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 25RB#24 | 21.96 | 18.96 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0  | 21.95 | 18.95 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#0   | 22.91 | 19.91 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#24  | 23.17 | 20.17 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#49  | 23.06 | 20.06 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 25RB#0  | 22.04 | 19.04 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 25RB#12 | 22.09 | 19.09 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 25RB#24 | 22.10 | 19.10 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0  | 22.03 | 19.03 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#0   | 21.84 | 18.84 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#24  | 22.00 | 19.00 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#49  | 22.08 | 19.08 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 25RB#0  | 20.72 | 17.72 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 25RB#12 | 20.75 | 17.75 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 25RB#24 | 20.75 | 17.75 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0  | 20.75 | 17.75 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#0   | 22.14 | 19.14 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#24  | 22.20 | 19.20 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#49  | 22.14 | 19.14 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 25RB#0  | 21.00 | 18.00 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 25RB#12 | 20.98 | 17.98 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 25RB#24 | 21.00 | 18.00 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0  | 21.01 | 18.01 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#0   | 21.84 | 18.84 | 30.00 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 10MHz | 16QAM | 20350 | 1RB#24  | 21.99 | 18.99 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#49  | 22.02 | 19.02 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 25RB#0  | 21.13 | 18.13 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 25RB#12 | 21.13 | 18.13 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 25RB#24 | 21.12 | 18.12 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0  | 21.04 | 18.04 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#0   | 22.60 | 19.60 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#37  | 22.83 | 19.83 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#74  | 22.81 | 19.81 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 36RB#0  | 21.82 | 18.82 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 36RB#16 | 21.83 | 18.83 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 36RB#35 | 21.81 | 18.81 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0  | 21.86 | 18.86 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#0   | 22.86 | 19.86 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#37  | 22.91 | 19.91 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#74  | 22.87 | 19.87 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 36RB#0  | 21.99 | 18.99 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 36RB#16 | 21.98 | 18.98 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 36RB#35 | 22.02 | 19.02 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0  | 21.97 | 18.97 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#0   | 22.86 | 19.86 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#37  | 23.05 | 20.05 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#74  | 23.06 | 20.06 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 36RB#0  | 21.93 | 18.93 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 36RB#16 | 21.95 | 18.95 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 36RB#35 | 21.97 | 18.97 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0  | 21.96 | 18.96 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#0   | 21.78 | 18.78 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#37  | 22.03 | 19.03 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#74  | 22.03 | 19.03 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 36RB#0  | 20.75 | 17.75 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 36RB#16 | 20.73 | 17.73 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 36RB#35 | 20.73 | 17.73 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | 20.73 | 17.73 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#0   | 22.21 | 19.21 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#37  | 22.25 | 19.25 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#74  | 22.19 | 19.19 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 36RB#0  | 20.99 | 17.99 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 36RB#16 | 21.05 | 18.05 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 36RB#35 | 21.04 | 18.04 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | 20.98 | 17.98 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#0   | 21.79 | 18.79 | 30.00 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 15MHz | 16QAM | 20325 | 1RB#37  | 21.98 | 18.98 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#74  | 22.01 | 19.01 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 36RB#0  | 20.91 | 17.91 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 36RB#16 | 20.85 | 17.85 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 36RB#35 | 20.88 | 17.88 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | 20.99 | 17.99 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#0   | 22.59 | 19.59 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#49  | 23.12 | 20.12 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#99  | 22.88 | 19.88 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 50RB#0  | 21.81 | 18.81 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 50RB#24 | 21.86 | 18.86 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 50RB#49 | 21.85 | 18.85 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | 21.87 | 18.87 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#0   | 22.74 | 19.74 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#49  | 23.15 | 20.15 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#99  | 22.85 | 19.85 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 50RB#0  | 22.01 | 19.01 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 50RB#24 | 21.99 | 18.99 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 50RB#49 | 21.99 | 18.99 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | 21.96 | 18.96 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#0   | 22.59 | 19.59 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#49  | 23.07 | 20.07 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#99  | 22.79 | 19.79 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 50RB#0  | 22.03 | 19.03 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 50RB#24 | 22.00 | 19.00 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 50RB#49 | 22.00 | 19.00 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | 21.94 | 18.94 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#0   | 21.58 | 18.58 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#49  | 22.10 | 19.10 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#99  | 21.88 | 18.88 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 50RB#0  | 20.82 | 17.82 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 50RB#24 | 20.83 | 17.83 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 50RB#49 | 20.86 | 17.86 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | 20.88 | 17.88 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#0   | 21.94 | 18.94 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#49  | 22.33 | 19.33 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#99  | 22.00 | 19.00 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 50RB#0  | 21.06 | 18.06 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 50RB#24 | 21.06 | 18.06 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 50RB#49 | 21.02 | 18.02 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | 20.98 | 17.98 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#0   | 21.67 | 18.67 | 30.00 | PASS |

|       |        |       |       |         |       |       |       |      |
|-------|--------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 20MHz  | 16QAM | 20300 | 1RB#49  | 22.07 | 19.07 | 30.00 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 1RB#99  | 21.96 | 18.96 | 30.00 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 50RB#0  | 21.04 | 18.04 | 30.00 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 50RB#24 | 21.07 | 18.07 | 30.00 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 50RB#49 | 21.04 | 18.04 | 30.00 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 100RB#0 | 20.95 | 17.95 | 30.00 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 1RB#0   | 23.87 | 16.72 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 1RB#2   | 23.97 | 16.82 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 1RB#5   | 24.00 | 16.85 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 3RB#0   | 24.00 | 16.85 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 3RB#1   | 23.99 | 16.84 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 3RB#2   | 24.00 | 16.85 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 6RB#0   | 23.05 | 15.9  | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 1RB#0   | 24.12 | 16.97 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 1RB#2   | 24.30 | 17.15 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 1RB#5   | 24.14 | 16.99 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 3RB#0   | 24.22 | 17.07 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 3RB#1   | 24.23 | 17.08 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 3RB#2   | 24.24 | 17.09 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 6RB#0   | 23.20 | 16.05 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 1RB#0   | 23.87 | 16.72 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 1RB#2   | 24.16 | 17.01 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 1RB#5   | 23.86 | 16.71 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 3RB#0   | 24.03 | 16.88 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 3RB#1   | 24.01 | 16.86 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 3RB#2   | 24.05 | 16.9  | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 6RB#0   | 23.01 | 15.86 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#0   | 22.87 | 15.72 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#2   | 23.02 | 15.87 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#5   | 22.94 | 15.79 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#0   | 22.89 | 15.74 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#1   | 22.84 | 15.69 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#2   | 22.87 | 15.72 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 6RB#0   | 22.06 | 14.91 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#0   | 23.29 | 16.14 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#2   | 23.44 | 16.29 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#5   | 23.30 | 16.15 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#0   | 23.13 | 15.98 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#1   | 23.15 | 16    | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#2   | 23.14 | 15.99 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 6RB#0   | 22.28 | 15.13 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#0   | 23.09 | 15.94 | 38.45 | PASS |

|       |        |       |       |        |       |       |       |      |
|-------|--------|-------|-------|--------|-------|-------|-------|------|
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#2  | 23.36 | 16.21 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#5  | 23.11 | 15.96 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#0  | 22.98 | 15.83 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#1  | 22.96 | 15.81 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#2  | 22.97 | 15.82 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 6RB#0  | 21.92 | 14.77 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 1RB#0  | 23.84 | 16.69 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 1RB#7  | 23.97 | 16.82 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 1RB#14 | 23.98 | 16.83 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 8RB#0  | 23.02 | 15.87 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 8RB#4  | 23.00 | 15.85 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 8RB#7  | 23.08 | 15.93 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 15RB#0 | 23.06 | 15.91 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 1RB#0  | 24.11 | 16.96 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 1RB#7  | 24.17 | 17.02 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 1RB#14 | 24.14 | 16.99 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 8RB#0  | 23.21 | 16.06 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 8RB#4  | 23.18 | 16.03 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 8RB#7  | 23.17 | 16.02 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 15RB#0 | 23.19 | 16.04 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 1RB#0  | 23.98 | 16.83 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 1RB#7  | 23.93 | 16.78 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 1RB#14 | 23.91 | 16.76 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 8RB#0  | 23.04 | 15.89 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 8RB#4  | 23.05 | 15.9  | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 8RB#7  | 23.05 | 15.9  | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 15RB#0 | 23.00 | 15.85 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 1RB#0  | 23.10 | 15.95 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 1RB#7  | 23.19 | 16.04 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 1RB#14 | 23.28 | 16.13 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 8RB#0  | 22.06 | 14.91 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 8RB#4  | 22.08 | 14.93 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 8RB#7  | 22.15 | 15    | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 15RB#0 | 22.03 | 14.88 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 1RB#0  | 23.34 | 16.19 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 1RB#7  | 23.38 | 16.23 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 1RB#14 | 23.32 | 16.17 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 8RB#0  | 22.19 | 15.04 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 8RB#4  | 22.21 | 15.06 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 8RB#7  | 22.19 | 15.04 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 15RB#0 | 22.16 | 15.01 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20635 | 1RB#0  | 22.94 | 15.79 | 38.45 | PASS |

|       |      |       |       |         |       |       |       |      |
|-------|------|-------|-------|---------|-------|-------|-------|------|
| Band5 | 3MHz | 16QAM | 20635 | 1RB#7   | 22.94 | 15.79 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#14  | 22.89 | 15.74 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#0   | 22.08 | 14.93 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#4   | 22.05 | 14.9  | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#7   | 22.04 | 14.89 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 15RB#0  | 21.94 | 14.79 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 1RB#0   | 23.88 | 16.73 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 1RB#12  | 24.14 | 16.99 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 1RB#24  | 24.07 | 16.92 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 12RB#0  | 22.98 | 15.83 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 12RB#6  | 23.05 | 15.9  | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 12RB#11 | 23.00 | 15.85 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 25RB#0  | 23.14 | 15.99 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 1RB#0   | 24.05 | 16.9  | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 1RB#12  | 24.23 | 17.08 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 1RB#24  | 24.08 | 16.93 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 12RB#0  | 23.22 | 16.07 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 12RB#6  | 23.23 | 16.08 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 12RB#11 | 23.17 | 16.02 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 25RB#0  | 23.24 | 16.09 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 1RB#0   | 24.01 | 16.86 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 1RB#12  | 24.04 | 16.89 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 1RB#24  | 23.96 | 16.81 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 12RB#0  | 23.14 | 15.99 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 12RB#6  | 23.08 | 15.93 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 12RB#11 | 23.13 | 15.98 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 25RB#0  | 23.08 | 15.93 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#0   | 22.95 | 15.8  | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#12  | 23.20 | 16.05 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#24  | 23.05 | 15.9  | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#0  | 22.04 | 14.89 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#6  | 22.03 | 14.88 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#11 | 22.01 | 14.86 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 25RB#0  | 22.15 | 15    | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#0   | 23.31 | 16.16 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#12  | 23.44 | 16.29 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#24  | 23.28 | 16.13 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#0  | 22.26 | 15.11 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#6  | 22.26 | 15.11 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#11 | 22.27 | 15.12 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 25RB#0  | 22.23 | 15.08 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 1RB#0   | 23.07 | 15.92 | 38.45 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band5 | 5MHz  | 16QAM | 20625 | 1RB#12  | 23.18 | 16.03 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 1RB#24  | 23.02 | 15.87 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 12RB#0  | 22.18 | 15.03 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 12RB#6  | 22.12 | 14.97 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 12RB#11 | 22.12 | 14.97 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 25RB#0  | 22.15 | 15    | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 1RB#0   | 23.85 | 16.7  | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 1RB#24  | 24.16 | 17.01 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 1RB#49  | 24.07 | 16.92 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 25RB#0  | 23.07 | 15.92 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 25RB#12 | 23.11 | 15.96 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 25RB#24 | 23.10 | 15.95 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 50RB#0  | 23.15 | 16    | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 1RB#0   | 24.06 | 16.91 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 1RB#24  | 24.27 | 17.12 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 1RB#49  | 24.05 | 16.9  | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 25RB#0  | 23.22 | 16.07 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 25RB#12 | 23.23 | 16.08 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 25RB#24 | 23.22 | 16.07 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 50RB#0  | 23.24 | 16.09 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 1RB#0   | 24.06 | 16.91 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 1RB#24  | 24.20 | 17.05 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 1RB#49  | 23.95 | 16.8  | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 25RB#0  | 23.24 | 16.09 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 25RB#12 | 23.22 | 16.07 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 25RB#24 | 23.18 | 16.03 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 50RB#0  | 23.19 | 16.04 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#0   | 23.11 | 15.96 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#24  | 23.29 | 16.14 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#49  | 23.34 | 16.19 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#0  | 22.10 | 14.95 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#12 | 22.11 | 14.96 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#24 | 22.11 | 14.96 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 50RB#0  | 22.15 | 15    | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#0   | 23.34 | 16.19 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#24  | 23.44 | 16.29 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#49  | 23.34 | 16.19 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#0  | 22.26 | 15.11 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#12 | 22.28 | 15.13 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#24 | 22.30 | 15.15 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 50RB#0  | 22.21 | 15.06 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#0   | 23.05 | 15.9  | 38.45 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band5 | 10MHz | 16QAM | 20600 | 1RB#24  | 23.14 | 15.99 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#49  | 22.98 | 15.83 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#0  | 22.30 | 15.15 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#12 | 22.28 | 15.13 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#24 | 22.26 | 15.11 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 50RB#0  | 22.16 | 15.01 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 1RB#0   | 22.46 | 23.46 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 1RB#12  | 22.51 | 23.51 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 1RB#24  | 22.40 | 23.4  | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 12RB#0  | 21.48 | 22.48 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 12RB#6  | 21.51 | 22.51 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 12RB#11 | 21.53 | 22.53 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | 21.51 | 22.51 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 1RB#0   | 22.69 | 23.69 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 1RB#12  | 22.76 | 23.76 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 1RB#24  | 22.65 | 23.65 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 12RB#0  | 21.69 | 22.69 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 12RB#6  | 21.64 | 22.64 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 12RB#11 | 21.67 | 22.67 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 25RB#0  | 21.69 | 22.69 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 1RB#0   | 22.74 | 23.74 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 1RB#12  | 22.79 | 23.79 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 1RB#24  | 22.70 | 23.7  | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 12RB#0  | 21.68 | 22.68 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 12RB#6  | 21.71 | 22.71 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 12RB#11 | 21.73 | 22.73 | 33.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 25RB#0  | 21.69 | 22.69 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 1RB#0   | 21.51 | 22.51 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 1RB#12  | 21.57 | 22.57 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 1RB#24  | 21.46 | 22.46 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 12RB#0  | 20.54 | 21.54 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 12RB#6  | 20.58 | 21.58 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 12RB#11 | 20.55 | 21.55 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 25RB#0  | 20.58 | 21.58 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 1RB#0   | 21.82 | 22.82 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 1RB#12  | 21.99 | 22.99 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 1RB#24  | 21.80 | 22.8  | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 12RB#0  | 20.78 | 21.78 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 12RB#6  | 20.82 | 21.82 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 12RB#11 | 20.81 | 21.81 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 25RB#0  | 20.75 | 21.75 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#0   | 21.70 | 22.7  | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#12  | 21.79 | 22.79 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#24  | 21.70 | 22.7  | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#0  | 20.82 | 21.82 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#6  | 20.74 | 21.74 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#11 | 20.73 | 21.73 | 33.01 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0  | 20.76 | 21.76 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#0   | 22.50 | 23.5  | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#24  | 22.57 | 23.57 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#49  | 22.51 | 23.51 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#0  | 21.54 | 22.54 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#12 | 21.58 | 22.58 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#24 | 21.51 | 22.51 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0  | 21.57 | 22.57 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#0   | 22.72 | 23.72 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#24  | 22.81 | 23.81 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#49  | 22.65 | 23.65 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#0  | 21.86 | 22.86 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#12 | 21.80 | 22.8  | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#24 | 21.84 | 22.84 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0  | 21.78 | 22.78 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#0   | 22.76 | 23.76 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#24  | 22.83 | 23.83 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#49  | 22.65 | 23.65 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#0  | 21.85 | 22.85 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#12 | 21.77 | 22.77 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#24 | 21.86 | 22.86 | 33.01 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0  | 21.73 | 22.73 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#0   | 21.71 | 22.71 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#24  | 21.74 | 22.74 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#49  | 21.69 | 22.69 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#0  | 20.58 | 21.58 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#12 | 20.59 | 21.59 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#24 | 20.62 | 21.62 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0  | 20.59 | 21.59 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#0   | 21.85 | 22.85 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#24  | 21.82 | 22.82 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#49  | 21.86 | 22.86 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#0  | 20.90 | 21.9  | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#12 | 20.88 | 21.88 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#24 | 20.94 | 21.94 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0  | 20.85 | 21.85 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#0   | 21.62 | 22.62 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7 | 10MHz | 16QAM | 21400 | 1RB#24  | 21.83 | 22.83 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#49  | 21.63 | 22.63 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#0  | 20.89 | 21.89 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#12 | 20.85 | 21.85 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#24 | 20.88 | 21.88 | 33.01 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0  | 20.77 | 21.77 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#0   | 22.40 | 23.4  | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#37  | 22.49 | 23.49 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#74  | 22.47 | 23.47 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 36RB#0  | 21.48 | 22.48 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 36RB#16 | 21.52 | 22.52 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 36RB#35 | 21.49 | 22.49 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0  | 21.53 | 22.53 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#0   | 22.59 | 23.59 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#37  | 22.66 | 23.66 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#74  | 22.58 | 23.58 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 36RB#0  | 21.85 | 22.85 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 36RB#16 | 21.77 | 22.77 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 36RB#35 | 21.79 | 22.79 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0  | 21.80 | 22.8  | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#0   | 22.70 | 23.7  | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#37  | 22.79 | 23.79 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#74  | 22.66 | 23.66 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 36RB#0  | 21.78 | 22.78 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 36RB#16 | 21.80 | 22.8  | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 36RB#35 | 21.77 | 22.77 | 33.01 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0  | 21.75 | 22.75 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#0   | 21.59 | 22.59 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#37  | 21.62 | 22.62 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#74  | 21.66 | 22.66 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 36RB#0  | 20.46 | 21.46 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 36RB#16 | 20.49 | 21.49 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 36RB#35 | 20.51 | 21.51 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | 20.53 | 21.53 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#0   | 21.87 | 22.87 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#37  | 22.00 | 23    | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#74  | 21.92 | 22.92 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 36RB#0  | 20.87 | 21.87 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 36RB#16 | 20.86 | 21.86 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 36RB#35 | 20.88 | 21.88 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | 20.79 | 21.79 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 1RB#0   | 21.62 | 22.62 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7 | 15MHz | 16QAM | 21375 | 1RB#37  | 21.67 | 22.67 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 1RB#74  | 21.56 | 22.56 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 36RB#0  | 20.74 | 21.74 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 36RB#16 | 20.71 | 21.71 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 36RB#35 | 20.78 | 21.78 | 33.01 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | 20.73 | 21.73 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#0   | 22.31 | 23.31 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#49  | 22.60 | 23.6  | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#99  | 22.41 | 23.41 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#0  | 21.41 | 22.41 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#24 | 21.41 | 22.41 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#49 | 21.40 | 22.4  | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | 21.51 | 22.51 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#0   | 22.53 | 23.53 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#49  | 22.82 | 23.82 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#99  | 22.50 | 23.5  | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#0  | 21.77 | 22.77 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#24 | 21.76 | 22.76 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#49 | 21.77 | 22.77 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | 21.69 | 22.69 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#0   | 22.50 | 23.5  | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#49  | 22.76 | 23.76 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#99  | 22.42 | 23.42 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#0  | 21.67 | 22.67 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#24 | 21.72 | 22.72 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#49 | 21.69 | 22.69 | 33.01 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 100RB#0 | 21.68 | 22.68 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#0   | 21.40 | 22.4  | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#49  | 21.77 | 22.77 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#99  | 21.52 | 22.52 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#0  | 20.46 | 21.46 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#24 | 20.43 | 21.43 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#49 | 20.45 | 21.45 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 100RB#0 | 20.57 | 21.57 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#0   | 21.69 | 22.69 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#49  | 22.01 | 23.01 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#99  | 21.73 | 22.73 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#0  | 20.84 | 21.84 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#24 | 20.81 | 21.81 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#49 | 20.82 | 21.82 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 100RB#0 | 20.76 | 21.76 | 33.01 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#0   | 21.67 | 22.67 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7  | 20MHz | 16QAM | 21350 | 1RB#49  | 21.86 | 22.86 | 33.01 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 1RB#99  | 21.50 | 22.5  | 33.01 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 50RB#0  | 20.79 | 21.79 | 33.01 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 50RB#24 | 20.81 | 21.81 | 33.01 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 50RB#49 | 20.78 | 21.78 | 33.01 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | 20.68 | 21.68 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40065 | 1RB#0   | 22.97 | 22.97 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40065 | 1RB#12  | 23.10 | 23.10 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40065 | 1RB#24  | 22.95 | 22.95 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40065 | 12RB#0  | 22.02 | 22.02 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40065 | 12RB#6  | 21.99 | 21.99 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40065 | 12RB#11 | 22.01 | 22.01 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40065 | 25RB#0  | 22.06 | 22.06 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40640 | 1RB#0   | 22.43 | 22.43 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40640 | 1RB#12  | 22.58 | 22.58 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40640 | 1RB#24  | 22.39 | 22.39 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40640 | 12RB#0  | 21.50 | 21.50 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40640 | 12RB#6  | 21.54 | 21.54 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40640 | 12RB#11 | 21.56 | 21.56 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 40640 | 25RB#0  | 21.54 | 21.54 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 41215 | 1RB#0   | 21.90 | 21.90 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 41215 | 1RB#12  | 22.04 | 22.04 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 41215 | 1RB#24  | 21.87 | 21.87 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 41215 | 12RB#0  | 21.06 | 21.06 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 41215 | 12RB#6  | 21.04 | 21.04 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 41215 | 12RB#11 | 21.00 | 21.00 | 33.01 | PASS |
| Band41 | 5MHz  | QPSK  | 41215 | 25RB#0  | 21.05 | 21.05 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40065 | 1RB#0   | 22.14 | 22.14 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40065 | 1RB#12  | 22.30 | 22.30 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40065 | 1RB#24  | 22.13 | 22.13 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40065 | 12RB#0  | 20.97 | 20.97 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40065 | 12RB#6  | 20.98 | 20.98 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40065 | 12RB#11 | 20.95 | 20.95 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40065 | 25RB#0  | 21.03 | 21.03 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40640 | 1RB#0   | 21.76 | 21.76 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40640 | 1RB#12  | 21.91 | 21.91 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40640 | 1RB#24  | 21.84 | 21.84 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40640 | 12RB#0  | 20.50 | 20.50 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40640 | 12RB#6  | 20.50 | 20.50 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40640 | 12RB#11 | 20.45 | 20.45 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 40640 | 25RB#0  | 20.55 | 20.55 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41215 | 1RB#0   | 21.22 | 21.22 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 5MHz  | 16QAM | 41215 | 1RB#12  | 21.36 | 21.36 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41215 | 1RB#24  | 21.16 | 21.16 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41215 | 12RB#0  | 20.05 | 20.05 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41215 | 12RB#6  | 20.11 | 20.11 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41215 | 12RB#11 | 20.02 | 20.02 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41215 | 25RB#0  | 20.07 | 20.07 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40090 | 1RB#0   | 22.98 | 22.98 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40090 | 1RB#24  | 23.23 | 23.23 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40090 | 1RB#49  | 23.01 | 23.01 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40090 | 25RB#0  | 22.06 | 22.06 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40090 | 25RB#12 | 22.04 | 22.04 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40090 | 25RB#24 | 22.05 | 22.05 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40090 | 50RB#0  | 22.08 | 22.08 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40640 | 1RB#0   | 22.50 | 22.50 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40640 | 1RB#24  | 22.67 | 22.67 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40640 | 1RB#49  | 22.52 | 22.52 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40640 | 25RB#0  | 21.59 | 21.59 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40640 | 25RB#12 | 21.53 | 21.53 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40640 | 25RB#24 | 21.58 | 21.58 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40640 | 50RB#0  | 21.58 | 21.58 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41190 | 1RB#0   | 22.12 | 22.12 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41190 | 1RB#24  | 22.28 | 22.28 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41190 | 1RB#49  | 22.02 | 22.02 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41190 | 25RB#0  | 21.15 | 21.15 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41190 | 25RB#12 | 21.16 | 21.16 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41190 | 25RB#24 | 21.16 | 21.16 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41190 | 50RB#0  | 21.08 | 21.08 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40090 | 1RB#0   | 22.37 | 22.37 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40090 | 1RB#24  | 22.59 | 22.59 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40090 | 1RB#49  | 22.36 | 22.36 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40090 | 25RB#0  | 21.12 | 21.12 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40090 | 25RB#12 | 21.10 | 21.10 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40090 | 25RB#24 | 21.15 | 21.15 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40090 | 50RB#0  | 21.04 | 21.04 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40640 | 1RB#0   | 21.87 | 21.87 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40640 | 1RB#24  | 22.01 | 22.01 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40640 | 1RB#49  | 21.80 | 21.80 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40640 | 25RB#0  | 20.63 | 20.63 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40640 | 25RB#12 | 20.64 | 20.64 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40640 | 25RB#24 | 20.65 | 20.65 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40640 | 50RB#0  | 20.56 | 20.56 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41190 | 1RB#0   | 21.07 | 21.07 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 10MHz | 16QAM | 41190 | 1RB#24  | 21.19 | 21.19 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41190 | 1RB#49  | 20.95 | 20.95 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41190 | 25RB#0  | 20.16 | 20.16 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41190 | 25RB#12 | 20.13 | 20.13 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41190 | 25RB#24 | 20.13 | 20.13 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41190 | 50RB#0  | 20.10 | 20.10 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40115 | 1RB#0   | 22.95 | 22.95 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40115 | 1RB#37  | 23.02 | 23.02 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40115 | 1RB#74  | 22.96 | 22.96 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40115 | 36RB#0  | 22.01 | 22.01 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40115 | 36RB#16 | 22.05 | 22.05 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40115 | 36RB#35 | 22.06 | 22.06 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40115 | 75RB#0  | 22.05 | 22.05 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40640 | 1RB#0   | 22.47 | 22.47 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40640 | 1RB#37  | 22.54 | 22.54 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40640 | 1RB#74  | 22.37 | 22.37 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40640 | 36RB#0  | 21.58 | 21.58 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40640 | 36RB#16 | 21.58 | 21.58 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40640 | 36RB#35 | 21.58 | 21.58 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40640 | 75RB#0  | 21.51 | 21.51 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41165 | 1RB#0   | 22.22 | 22.22 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41165 | 1RB#37  | 22.19 | 22.19 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41165 | 1RB#74  | 21.99 | 21.99 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41165 | 36RB#0  | 21.23 | 21.23 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41165 | 36RB#16 | 21.23 | 21.23 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41165 | 36RB#35 | 21.20 | 21.20 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41165 | 75RB#0  | 21.18 | 21.18 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40115 | 1RB#0   | 22.27 | 22.27 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40115 | 1RB#37  | 22.37 | 22.37 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40115 | 1RB#74  | 22.28 | 22.28 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40115 | 36RB#0  | 21.05 | 21.05 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40115 | 36RB#16 | 21.03 | 21.03 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40115 | 36RB#35 | 21.03 | 21.03 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40115 | 75RB#0  | 21.03 | 21.03 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40640 | 1RB#0   | 21.85 | 21.85 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40640 | 1RB#37  | 21.85 | 21.85 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40640 | 1RB#74  | 21.72 | 21.72 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40640 | 36RB#0  | 20.57 | 20.57 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40640 | 36RB#16 | 20.57 | 20.57 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40640 | 36RB#35 | 20.55 | 20.55 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40640 | 75RB#0  | 20.55 | 20.55 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41165 | 1RB#0   | 21.20 | 21.20 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 15MHz | 16QAM | 41165 | 1RB#37  | 21.21 | 21.21 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41165 | 1RB#74  | 20.97 | 20.97 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41165 | 36RB#0  | 20.19 | 20.19 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41165 | 36RB#16 | 20.17 | 20.17 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41165 | 36RB#35 | 20.16 | 20.16 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41165 | 75RB#0  | 20.16 | 20.16 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40140 | 1RB#0   | 22.82 | 22.82 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40140 | 1RB#49  | 23.17 | 23.17 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40140 | 1RB#99  | 22.76 | 22.76 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40140 | 50RB#0  | 21.95 | 21.95 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40140 | 50RB#24 | 21.97 | 21.97 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40140 | 50RB#49 | 21.95 | 21.95 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40140 | 100RB#0 | 22.02 | 22.02 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40640 | 1RB#0   | 22.33 | 22.33 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40640 | 1RB#49  | 22.65 | 22.65 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40640 | 1RB#99  | 22.20 | 22.20 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40640 | 50RB#0  | 21.51 | 21.51 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40640 | 50RB#24 | 21.56 | 21.56 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40640 | 50RB#49 | 21.55 | 21.55 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40640 | 100RB#0 | 21.51 | 21.51 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41140 | 1RB#0   | 22.03 | 22.03 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41140 | 1RB#49  | 22.35 | 22.35 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41140 | 1RB#99  | 21.87 | 21.87 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41140 | 50RB#0  | 21.22 | 21.22 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41140 | 50RB#24 | 21.21 | 21.21 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41140 | 50RB#49 | 21.22 | 21.22 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41140 | 100RB#0 | 21.16 | 21.16 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40140 | 1RB#0   | 22.00 | 22.00 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40140 | 1RB#49  | 22.37 | 22.37 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40140 | 1RB#99  | 21.94 | 21.94 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40140 | 50RB#0  | 20.98 | 20.98 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40140 | 50RB#24 | 20.98 | 20.98 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40140 | 50RB#49 | 20.98 | 20.98 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40140 | 100RB#0 | 20.99 | 20.99 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40640 | 1RB#0   | 21.53 | 21.53 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40640 | 1RB#49  | 21.86 | 21.86 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40640 | 1RB#99  | 21.47 | 21.47 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40640 | 50RB#0  | 20.54 | 20.54 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40640 | 50RB#24 | 20.55 | 20.55 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40640 | 50RB#49 | 20.58 | 20.58 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40640 | 100RB#0 | 20.51 | 20.51 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41140 | 1RB#0   | 20.70 | 20.70 | 33.01 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 20MHz | 16QAM | 41140 | 1RB#49  | 21.01 | 21.01 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41140 | 1RB#99  | 20.51 | 20.51 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41140 | 50RB#0  | 20.26 | 20.26 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41140 | 50RB#24 | 20.26 | 20.26 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41140 | 50RB#49 | 20.25 | 20.25 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41140 | 100RB#0 | 20.12 | 20.12 | 33.01 | PASS |

*Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 2 & 4 & 7 & 41)*

*ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band 5)*


## Appendix B: Peak-to-Average Ratio(CCDF)


### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|--------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band2  | 20MHz     | QPSK       | 18900   | 100RB#0          | 5.68       | 13        | PASS    |
| Band2  | 20MHz     | 16QAM      | 18900   | 100RB#0          | 6.50       | 13        | PASS    |
| Band4  | 20MHz     | QPSK       | 20175   | 100RB#0          | 5.77       | 13        | PASS    |
| Band4  | 20MHz     | 16QAM      | 20175   | 100RB#0          | 6.57       | 13        | PASS    |
| Band5  | 10MHz     | QPSK       | 20525   | 50RB#0           | 5.11       | 13        | PASS    |
| Band5  | 10MHz     | 16QAM      | 20525   | 50RB#0           | 5.95       | 13        | PASS    |
| Band7  | 20MHz     | QPSK       | 21100   | 100RB#0          | 5.55       | 13        | PASS    |
| Band7  | 20MHz     | 16QAM      | 21100   | 100RB#0          | 6.34       | 13        | PASS    |
| Band41 | 20MHz     | QPSK       | 40640   | 100RB#0          | 5.74       | 13        | PASS    |
| Band41 | 20MHz     | 16QAM      | 40640   | 100RB#0          | 6.49       | 13        | PASS    |

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

## Test Graphs





## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|-------|-----------|------------|---------|------------------|--------------------------|----------------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 1.0906                   | 1.282                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 1.0913                   | 1.283                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 1.0989                   | 1.297                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | 1.0974                   | 1.303                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | 1.0974                   | 1.308                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 6RB#0            | 1.0926                   | 1.274                | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 15RB#0           | 2.6888                   | 2.910                | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 15RB#0           | 2.6859                   | 2.898                | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 15RB#0           | 2.6862                   | 2.907                | PASS    |
| Band2 | 3MHz      | 16QAM      | 18615   | 15RB#0           | 2.6792                   | 2.890                | PASS    |
| Band2 | 3MHz      | 16QAM      | 18900   | 15RB#0           | 2.6882                   | 2.908                | PASS    |
| Band2 | 3MHz      | 16QAM      | 19185   | 15RB#0           | 2.6829                   | 2.896                | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 25RB#0           | 4.5047                   | 4.946                | PASS    |
| Band2 | 5MHz      | QPSK       | 18900   | 25RB#0           | 4.5085                   | 4.947                | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 25RB#0           | 4.4921                   | 4.922                | PASS    |
| Band2 | 5MHz      | 16QAM      | 18625   | 25RB#0           | 4.4880                   | 4.911                | PASS    |
| Band2 | 5MHz      | 16QAM      | 18900   | 25RB#0           | 4.4856                   | 4.971                | PASS    |
| Band2 | 5MHz      | 16QAM      | 19175   | 25RB#0           | 4.4971                   | 4.960                | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 50RB#0           | 8.9999                   | 9.795                | PASS    |
| Band2 | 10MHz     | QPSK       | 18900   | 50RB#0           | 8.9891                   | 9.852                | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 50RB#0           | 8.9964                   | 10.12                | PASS    |
| Band2 | 10MHz     | 16QAM      | 18650   | 50RB#0           | 8.9835                   | 9.757                | PASS    |
| Band2 | 10MHz     | 16QAM      | 18900   | 50RB#0           | 8.9756                   | 9.723                | PASS    |
| Band2 | 10MHz     | 16QAM      | 19150   | 50RB#0           | 8.9745                   | 9.789                | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 75RB#0           | 13.481                   | 15.10                | PASS    |
| Band2 | 15MHz     | QPSK       | 18900   | 75RB#0           | 13.469                   | 14.69                | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 75RB#0           | 13.481                   | 14.67                | PASS    |
| Band2 | 15MHz     | 16QAM      | 18675   | 75RB#0           | 13.460                   | 14.64                | PASS    |
| Band2 | 15MHz     | 16QAM      | 18900   | 75RB#0           | 13.453                   | 14.61                | PASS    |
| Band2 | 15MHz     | 16QAM      | 19125   | 75RB#0           | 13.477                   | 14.66                | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 100RB#0          | 17.927                   | 19.23                | PASS    |
| Band2 | 20MHz     | QPSK       | 18900   | 100RB#0          | 17.945                   | 19.31                | PASS    |
| Band2 | 20MHz     | QPSK       | 19100   | 100RB#0          | 17.959                   | 19.65                | PASS    |
| Band2 | 20MHz     | 16QAM      | 18700   | 100RB#0          | 17.992                   | 19.42                | PASS    |
| Band2 | 20MHz     | 16QAM      | 18900   | 100RB#0          | 17.983                   | 19.44                | PASS    |
| Band2 | 20MHz     | 16QAM      | 19100   | 100RB#0          | 17.921                   | 19.37                | PASS    |

|       |        |       |       |         |        |       |      |
|-------|--------|-------|-------|---------|--------|-------|------|
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | 1.0910 | 1.276 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | 1.0885 | 1.283 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | 1.0971 | 1.286 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0   | 1.0986 | 1.302 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0   | 1.0979 | 1.313 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0   | 1.0943 | 1.280 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0  | 2.6869 | 2.885 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0  | 2.6883 | 2.890 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 15RB#0  | 2.6943 | 2.895 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 15RB#0  | 2.6899 | 2.911 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 15RB#0  | 2.6838 | 2.893 | PASS |
| Band4 | 3MHz   | 16QAM | 20385 | 15RB#0  | 2.6811 | 2.890 | PASS |
| Band4 | 5MHz   | QPSK  | 19975 | 25RB#0  | 4.5033 | 4.942 | PASS |
| Band4 | 5MHz   | QPSK  | 20175 | 25RB#0  | 4.5023 | 4.946 | PASS |
| Band4 | 5MHz   | QPSK  | 20375 | 25RB#0  | 4.4871 | 4.915 | PASS |
| Band4 | 5MHz   | 16QAM | 19975 | 25RB#0  | 4.4836 | 4.908 | PASS |
| Band4 | 5MHz   | 16QAM | 20175 | 25RB#0  | 4.4849 | 4.901 | PASS |
| Band4 | 5MHz   | 16QAM | 20375 | 25RB#0  | 4.4981 | 4.968 | PASS |
| Band4 | 10MHz  | QPSK  | 20000 | 50RB#0  | 8.9745 | 9.824 | PASS |
| Band4 | 10MHz  | QPSK  | 20175 | 50RB#0  | 9.0001 | 9.807 | PASS |
| Band4 | 10MHz  | QPSK  | 20350 | 50RB#0  | 8.9997 | 10.18 | PASS |
| Band4 | 10MHz  | 16QAM | 20000 | 50RB#0  | 8.9814 | 9.749 | PASS |
| Band4 | 10MHz  | 16QAM | 20175 | 50RB#0  | 8.9841 | 9.718 | PASS |
| Band4 | 10MHz  | 16QAM | 20350 | 50RB#0  | 8.9737 | 9.808 | PASS |
| Band4 | 15MHz  | QPSK  | 20025 | 75RB#0  | 13.453 | 14.68 | PASS |
| Band4 | 15MHz  | QPSK  | 20175 | 75RB#0  | 13.474 | 14.76 | PASS |
| Band4 | 15MHz  | QPSK  | 20325 | 75RB#0  | 13.416 | 14.69 | PASS |
| Band4 | 15MHz  | 16QAM | 20025 | 75RB#0  | 13.438 | 14.62 | PASS |
| Band4 | 15MHz  | 16QAM | 20175 | 75RB#0  | 13.473 | 14.64 | PASS |
| Band4 | 15MHz  | 16QAM | 20325 | 75RB#0  | 13.462 | 15.03 | PASS |
| Band4 | 20MHz  | QPSK  | 20050 | 100RB#0 | 17.974 | 19.31 | PASS |
| Band4 | 20MHz  | QPSK  | 20175 | 100RB#0 | 17.981 | 19.40 | PASS |
| Band4 | 20MHz  | QPSK  | 20300 | 100RB#0 | 17.923 | 19.52 | PASS |
| Band4 | 20MHz  | 16QAM | 20050 | 100RB#0 | 18.011 | 19.37 | PASS |
| Band4 | 20MHz  | 16QAM | 20175 | 100RB#0 | 17.998 | 19.42 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 100RB#0 | 17.911 | 19.35 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 6RB#0   | 1.0946 | 1.282 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 6RB#0   | 1.0920 | 1.277 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 6RB#0   | 1.0989 | 1.285 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 6RB#0   | 1.0984 | 1.307 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 6RB#0   | 1.0973 | 1.308 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 6RB#0   | 1.0931 | 1.287 | PASS |

|       |       |       |       |         |        |       |      |
|-------|-------|-------|-------|---------|--------|-------|------|
| Band5 | 3MHz  | QPSK  | 20415 | 15RB#0  | 2.6867 | 2.911 | PASS |
| Band5 | 3MHz  | QPSK  | 20525 | 15RB#0  | 2.6886 | 2.923 | PASS |
| Band5 | 3MHz  | QPSK  | 20635 | 15RB#0  | 2.6888 | 2.904 | PASS |
| Band5 | 3MHz  | 16QAM | 20415 | 15RB#0  | 2.6830 | 2.910 | PASS |
| Band5 | 3MHz  | 16QAM | 20525 | 15RB#0  | 2.6796 | 2.900 | PASS |
| Band5 | 3MHz  | 16QAM | 20635 | 15RB#0  | 2.6859 | 2.900 | PASS |
| Band5 | 5MHz  | QPSK  | 20425 | 25RB#0  | 4.5070 | 4.935 | PASS |
| Band5 | 5MHz  | QPSK  | 20525 | 25RB#0  | 4.4990 | 4.935 | PASS |
| Band5 | 5MHz  | QPSK  | 20625 | 25RB#0  | 4.4895 | 4.915 | PASS |
| Band5 | 5MHz  | 16QAM | 20425 | 25RB#0  | 4.4860 | 4.909 | PASS |
| Band5 | 5MHz  | 16QAM | 20525 | 25RB#0  | 4.4819 | 4.906 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 25RB#0  | 4.5020 | 4.963 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 50RB#0  | 8.9950 | 9.797 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 50RB#0  | 8.9827 | 9.796 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 50RB#0  | 8.9923 | 9.770 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 50RB#0  | 8.9978 | 9.719 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 50RB#0  | 8.9691 | 9.779 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 50RB#0  | 8.9809 | 9.790 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | 4.5104 | 4.953 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 25RB#0  | 4.4889 | 4.912 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 25RB#0  | 4.4961 | 4.927 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 25RB#0  | 4.4841 | 4.909 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 25RB#0  | 4.4978 | 4.941 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0  | 4.5101 | 4.928 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0  | 9.0051 | 9.840 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0  | 8.9983 | 9.746 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0  | 8.9583 | 9.723 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0  | 8.9864 | 9.710 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0  | 8.9849 | 9.848 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0  | 8.9866 | 9.762 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0  | 13.498 | 14.65 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0  | 13.487 | 14.70 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0  | 13.417 | 14.56 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | 13.477 | 14.66 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | 13.481 | 14.65 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | 13.440 | 14.57 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | 17.965 | 19.29 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | 17.965 | 19.52 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 100RB#0 | 17.918 | 19.35 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 100RB#0 | 17.961 | 19.40 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 100RB#0 | 17.942 | 19.46 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 100RB#0 | 17.913 | 19.46 | PASS |

|        |       |       |       |         |        |       |      |
|--------|-------|-------|-------|---------|--------|-------|------|
| Band41 | 5MHz  | QPSK  | 40065 | 25RB#0  | 4.4885 | 4.933 | PASS |
| Band41 | 5MHz  | QPSK  | 40640 | 25RB#0  | 4.4877 | 4.946 | PASS |
| Band41 | 5MHz  | QPSK  | 41215 | 25RB#0  | 4.4905 | 4.937 | PASS |
| Band41 | 5MHz  | 16QAM | 40065 | 25RB#0  | 4.4879 | 4.913 | PASS |
| Band41 | 5MHz  | 16QAM | 40640 | 25RB#0  | 4.4887 | 4.910 | PASS |
| Band41 | 5MHz  | 16QAM | 41215 | 25RB#0  | 4.4926 | 4.904 | PASS |
| Band41 | 10MHz | QPSK  | 40090 | 50RB#0  | 8.9861 | 10.15 | PASS |
| Band41 | 10MHz | QPSK  | 40640 | 50RB#0  | 8.9889 | 10.04 | PASS |
| Band41 | 10MHz | QPSK  | 41190 | 50RB#0  | 8.9824 | 10.07 | PASS |
| Band41 | 10MHz | 16QAM | 40090 | 50RB#0  | 8.9563 | 9.684 | PASS |
| Band41 | 10MHz | 16QAM | 40640 | 50RB#0  | 8.9873 | 9.700 | PASS |
| Band41 | 10MHz | 16QAM | 41190 | 50RB#0  | 8.9503 | 9.694 | PASS |
| Band41 | 15MHz | QPSK  | 40115 | 75RB#0  | 13.500 | 14.55 | PASS |
| Band41 | 15MHz | QPSK  | 40640 | 75RB#0  | 13.481 | 14.77 | PASS |
| Band41 | 15MHz | QPSK  | 41165 | 75RB#0  | 13.460 | 14.56 | PASS |
| Band41 | 15MHz | 16QAM | 40115 | 75RB#0  | 13.469 | 14.59 | PASS |
| Band41 | 15MHz | 16QAM | 40640 | 75RB#0  | 13.472 | 14.53 | PASS |
| Band41 | 15MHz | 16QAM | 41165 | 75RB#0  | 13.473 | 14.62 | PASS |
| Band41 | 20MHz | QPSK  | 40140 | 100RB#0 | 17.928 | 19.27 | PASS |
| Band41 | 20MHz | QPSK  | 40640 | 100RB#0 | 17.963 | 19.32 | PASS |
| Band41 | 20MHz | QPSK  | 41140 | 100RB#0 | 17.957 | 19.26 | PASS |
| Band41 | 20MHz | 16QAM | 40140 | 100RB#0 | 17.925 | 19.34 | PASS |
| Band41 | 20MHz | 16QAM | 40640 | 100RB#0 | 17.931 | 19.42 | PASS |
| Band41 | 20MHz | 16QAM | 41140 | 100RB#0 | 17.932 | 19.37 | PASS |

# Test Graphs

