

Band5-10MHz-16QAM-20450-50RB#0



Band5-10MHz-16QAM-20600-1RB#0



Band5-10MHz-16QAM-20600-1RB#49



Band5-10MHz-16QAM-20600-50RB#0



Band7-5MHz-QPSK-20775-1RB#0



Band7-5MHz-QPSK-20775-1RB#24



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4850 GHz	2.4940 GHz	1.000 MHz	2.491804000 GHz	-43.70 dBm	-18.70 dB
2	2	2.4940 GHz	2.4960 GHz	1.000 MHz	2.495858000 GHz	-34.66 dBm	-21.66 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.496042000 GHz	-34.56 dBm	-24.56 dB
4	4	2.4990 GHz	2.5000 GHz	10.00 kHz	2.499996000 GHz	-28.21 dBm	-18.21 dB
5	5	2.5000 GHz	2.5100 GHz	10.00 kHz	2.500270000 GHz	11.13 dBm	-21.87 dB

Band7-5MHz-QPSK-20775-25RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4850 GHz	2.4940 GHz	1.000 MHz	2.493892000 GHz	-44.28 dBm	-19.28 dB
2	2	2.4940 GHz	2.4960 GHz	1.000 MHz	2.495978000 GHz	-31.30 dBm	-18.30 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.496096000 GHz	-31.16 dBm	-21.16 dB
4	4	2.4990 GHz	2.5000 GHz	10.00 kHz	2.499966000 GHz	-53.16 dBm	-43.16 dB
5	5	2.5000 GHz	2.5100 GHz	10.00 kHz	2.504580000 GHz	11.10 dBm	-21.90 dB

Band7-5MHz-QPSK-21425-1RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4850 GHz	2.4940 GHz	1.000 MHz	2.493955000 GHz	-40.58 dBm	-15.58 dB
2	2	2.4940 GHz	2.4960 GHz	1.000 MHz	2.495880000 GHz	-36.01 dBm	-23.01 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498997000 GHz	-31.31 dBm	-21.31 dB
4	4	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499992000 GHz	-33.55 dBm	-23.55 dB
5	5	2.5000 GHz	2.5100 GHz	100.0 kHz	2.504630000 GHz	4.641 dBm	-28.36 dB

Band7-5MHz-QPSK-21425-1RB#24



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5700 GHz	10.00 kHz	2.565280000 GHz	11.68 dBm	-21.32 dB
2	2	2.5700 GHz	2.5710 GHz	10.00 kHz	2.570053000 GHz	-53.19 dBm	-43.19 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.573784000 GHz	-29.46 dBm	-19.46 dB
4	4	2.5750 GHz	2.5760 GHz	1.000 MHz	2.575021000 GHz	-43.35 dBm	-30.35 dB
5	5	2.5760 GHz	2.5800 GHz	1.000 MHz	2.576032000 GHz	-44.10 dBm	-19.10 dB

Band7-5MHz-QPSK-21425-25RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5700 GHz	10.00 kHz	2.569580000 GHz	11.93 dBm	-21.07 dB
2	2	2.5700 GHz	2.5710 GHz	10.00 kHz	2.570003000 GHz	-26.01 dBm	-16.01 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.573952000 GHz	-36.07 dBm	-26.07 dB
4	4	2.5750 GHz	2.5760 GHz	1.000 MHz	2.575024000 GHz	-43.33 dBm	-30.33 dB
5	5	2.5760 GHz	2.5800 GHz	1.000 MHz	2.578104000 GHz	-41.68 dBm	-16.68 dB

Band7-5MHz-16QAM-20775-1RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5700 GHz	100.0 kHz	2.569200000 GHz	4.546 dBm	-28.45 dB
2	2	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570015000 GHz	-32.41 dBm	-22.41 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571140000 GHz	-29.96 dBm	-19.96 dB
4	4	2.5750 GHz	2.5760 GHz	1.000 MHz	2.575015000 GHz	-37.19 dBm	-24.19 dB
5	5	2.5760 GHz	2.5800 GHz	1.000 MHz	2.576012000 GHz	-39.40 dBm	-14.40 dB

Band7-5MHz-16QAM-20775-1RB#24



Band7-5MHz-16QAM-20775-25RB#0



Band7-5MHz-16QAM-21425-1RB#0



Band7-5MHz-16QAM-21425-1RB#24



Band7-5MHz-16QAM-21425-25RB#0



Band7-20MHz-QPSK-20850-1RB#0



Band7-20MHz-QPSK-20850-1RB#99



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4905 GHz	2.4960 GHz	1.000 MHz	2.491913500 GHz	-42.66 dBm	-29.66 dB
2	2	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498997000 GHz	-41.25 dBm	-31.25 dB
3	3	2.4990 GHz	2.5000 GHz	10.00 kHz	2.499971000 GHz	-39.97 dBm	-29.97 dB
4	4	2.5000 GHz	2.5230 GHz	10.00 kHz	2.501099400 GHz	12.40 dBm	-20.60 dB

Band7-20MHz-QPSK-20850-100RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492370000 GHz	-43.46 dBm	-30.46 dB
2	2	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498103000 GHz	-42.92 dBm	-32.92 dB
3	3	2.4990 GHz	2.5000 GHz	10.00 kHz	2.499836000 GHz	-57.56 dBm	-47.56 dB
4	4	2.5000 GHz	2.5230 GHz	10.00 kHz	2.518947400 GHz	12.26 dBm	-20.74 dB

Band7-20MHz-QPSK-21350-1RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4780 GHz	2.4905 GHz	1.000 MHz	2.490312500 GHz	-38.88 dBm	-13.88 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495818500 GHz	-37.09 dBm	-24.09 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498865000 GHz	-35.68 dBm	-25.68 dB
4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499888000 GHz	-38.86 dBm	-28.86 dB
5	5	2.5000 GHz	2.5230 GHz	300.0 kHz	2.510637500 GHz	3.939 dBm	-29.06 dB

Band7-20MHz-QPSK-21350-1RB#99



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5480 GHz	2.5700 GHz	10.00 kHz	2.551022800 GHz	12.60 dBm	-20.40 dB
2	2	2.5700 GHz	2.5710 GHz	10.00 kHz	2.570020000 GHz	-56.93 dBm	-46.93 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.572048000 GHz	-42.44 dBm	-32.44 dB
4	4	2.5750 GHz	2.5894 GHz	1.000 MHz	2.586575900 GHz	-33.21 dBm	-20.21 dB
5	5	2.5894 GHz	2.5920 GHz	1.000 MHz	2.589851600 GHz	-44.58 dBm	-19.58 dB

Band7-20MHz-QPSK-21350-100RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5480 GHz	2.5700 GHz	10.00 kHz	2.568842800 GHz	13.58 dBm	-19.42 dB
2	2	2.5700 GHz	2.5710 GHz	10.00 kHz	2.570002000 GHz	-39.56 dBm	-29.56 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571024000 GHz	-41.06 dBm	-31.06 dB
4	4	2.5750 GHz	2.5894 GHz	1.000 MHz	2.578019800 GHz	-42.30 dBm	-29.30 dB
5	5	2.5894 GHz	2.5920 GHz	1.000 MHz	2.590821000 GHz	-44.63 dBm	-19.63 dB

Band7-20MHz-16QAM-20850-1RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5470 GHz	2.5700 GHz	300.0 kHz	2.554705000 GHz	3.954 dBm	-29.05 dB
2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.570108000 GHz	-36.46 dBm	-26.46 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571048000 GHz	-33.38 dBm	-23.38 dB
4	4	2.5750 GHz	2.5894 GHz	1.000 MHz	2.575359500 GHz	-34.26 dBm	-21.26 dB
5	5	2.5894 GHz	2.5930 GHz	1.000 MHz	2.589387240 GHz	-41.65 dBm	-16.65 dB

Band7-20MHz-16QAM-20850-1RB#99



Band7-20MHz-16QAM-20850-100RB#0



Band7-20MHz-16QAM-21350-1RB#0



Band7-20MHz-16QAM-21350-1RB#99



Band7-20MHz-16QAM-21350-100RB#0



Band41-5MHz-QPSK-40065-1RB#0



Band41-5MHz-QPSK-40065-1RB#24



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5250 GHz	2.5290 GHz	1.000 MHz	2.526880000 GHz	-43.65 dBm	-18.65 dB
2	2	2.5290 GHz	2.5300 GHz	1.000 MHz	2.529987000 GHz	-44.02 dBm	-31.02 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.530996000 GHz	-39.96 dBm	-29.96 dB
4	4	2.5340 GHz	2.5350 GHz	10.00 kHz	2.534990000 GHz	-31.37 dBm	-21.37 dB
5	5	2.5350 GHz	2.5450 GHz	10.00 kHz	2.535410000 GHz	7.329 dBm	-25.67 dB

Band41-5MHz-QPSK-40065-25RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5250 GHz	2.5290 GHz	1.000 MHz	2.526596000 GHz	-44.46 dBm	-19.46 dB
2	2	2.5290 GHz	2.5300 GHz	1.000 MHz	2.529993000 GHz	-44.10 dBm	-31.10 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.530832000 GHz	-33.17 dBm	-23.17 dB
4	4	2.5340 GHz	2.5350 GHz	10.00 kHz	2.534588000 GHz	-56.91 dBm	-46.91 dB
5	5	2.5350 GHz	2.5450 GHz	10.00 kHz	2.539730000 GHz	7.220 dBm	-25.78 dB

Band41-5MHz-QPSK-41215-1RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5250 GHz	2.5290 GHz	1.000 MHz	2.528956000 GHz	-43.38 dBm	-18.38 dB
2	2	2.5290 GHz	2.5300 GHz	1.000 MHz	2.529968000 GHz	-42.82 dBm	-29.82 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.533904000 GHz	-31.99 dBm	-21.99 dB
4	4	2.5340 GHz	2.5350 GHz	100.0 kHz	2.534973000 GHz	-36.65 dBm	-26.65 dB
5	5	2.5350 GHz	2.5450 GHz	100.0 kHz	2.539520000 GHz	0.582 dBm	-32.42 dB

Band41-5MHz-QPSK-41215-1RB#24



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6450 GHz	2.6550 GHz	10.00 kHz	2.650280000 GHz	7.968 dBm	-25.03 dB
2	2	2.6550 GHz	2.6560 GHz	10.00 kHz	2.655270000 GHz	-55.67 dBm	-45.67 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.659052000 GHz	-31.99 dBm	-21.99 dB
4	4	2.6600 GHz	2.6610 GHz	1.000 MHz	2.660063000 GHz	-43.15 dBm	-30.15 dB
5	5	2.6610 GHz	2.6650 GHz	1.000 MHz	2.661068000 GHz	-43.38 dBm	-18.38 dB

Band41-5MHz-QPSK-41215-25RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6450 GHz	2.6550 GHz	10.00 kHz	2.654730000 GHz	8.527 dBm	-24.47 dB
2	2	2.6550 GHz	2.6560 GHz	10.00 kHz	2.655005000 GHz	-31.82 dBm	-21.82 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.656012000 GHz	-40.65 dBm	-30.65 dB
4	4	2.6600 GHz	2.6610 GHz	1.000 MHz	2.660068000 GHz	-43.09 dBm	-30.09 dB
5	5	2.6610 GHz	2.6650 GHz	1.000 MHz	2.663212000 GHz	-42.89 dBm	-17.89 dB

Band41-5MHz-16QAM-40065-1RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6450 GHz	2.6550 GHz	100.0 kHz	2.654490000 GHz	0.940 dBm	-32.06 dB
2	2	2.6550 GHz	2.6560 GHz	100.0 kHz	2.655008000 GHz	-39.05 dBm	-29.05 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.656028000 GHz	-33.22 dBm	-23.22 dB
4	4	2.6600 GHz	2.6610 GHz	1.000 MHz	2.660098000 GHz	-41.38 dBm	-28.38 dB
5	5	2.6610 GHz	2.6650 GHz	1.000 MHz	2.661116000 GHz	-42.12 dBm	-17.12 dB

Band41-5MHz-16QAM-40065-1RB#24



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5250 GHz	2.5290 GHz	1.000 MHz	2.526716000 GHz	-43.91 dBm	-18.91 dB
2	2	2.5290 GHz	2.5300 GHz	1.000 MHz	2.529982000 GHz	-44.06 dBm	-31.06 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.531256000 GHz	-40.91 dBm	-30.91 dB
4	4	2.5340 GHz	2.5350 GHz	10.00 kHz	2.534998000 GHz	-30.21 dBm	-20.21 dB
5	5	2.5350 GHz	2.5450 GHz	10.00 kHz	2.535260000 GHz	7.725 dBm	-25.27 dB

Band41-5MHz-16QAM-40065-25RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5250 GHz	2.5290 GHz	1.000 MHz	2.528756000 GHz	-44.46 dBm	-19.46 dB
2	2	2.5290 GHz	2.5300 GHz	1.000 MHz	2.529989000 GHz	-44.16 dBm	-31.16 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.531172000 GHz	-34.07 dBm	-24.07 dB
4	4	2.5340 GHz	2.5350 GHz	10.00 kHz	2.534986000 GHz	-56.89 dBm	-46.89 dB
5	5	2.5350 GHz	2.5450 GHz	10.00 kHz	2.539650000 GHz	7.801 dBm	-25.20 dB

Band41-5MHz-16QAM-41215-1RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5250 GHz	2.5290 GHz	1.000 MHz	2.528944000 GHz	-43.38 dBm	-18.38 dB
2	2	2.5290 GHz	2.5300 GHz	1.000 MHz	2.529938000 GHz	-42.63 dBm	-29.63 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.533860000 GHz	-32.09 dBm	-22.09 dB
4	4	2.5340 GHz	2.5350 GHz	100.0 kHz	2.534985000 GHz	-37.42 dBm	-27.42 dB
5	5	2.5350 GHz	2.5450 GHz	100.0 kHz	2.537520000 GHz	-0.593 dBm	-33.59 dB

Band41-5MHz-16QAM-41215-1RB#24



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6450 GHz	2.6550 GHz	10.00 kHz	2.650260000 GHz	8.569 dBm	-24.43 dB
2	2	2.6550 GHz	2.6560 GHz	10.00 kHz	2.655144000 GHz	-56.45 dBm	-46.45 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.659076000 GHz	-34.22 dBm	-24.22 dB
4	4	2.6600 GHz	2.6610 GHz	1.000 MHz	2.660004000 GHz	-43.23 dBm	-30.23 dB
5	5	2.6610 GHz	2.6650 GHz	1.000 MHz	2.661112000 GHz	-43.37 dBm	-18.37 dB

Band41-5MHz-16QAM-41215-25RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6450 GHz	2.6550 GHz	10.00 kHz	2.654650000 GHz	7.210 dBm	-25.79 dB
2	2	2.6550 GHz	2.6560 GHz	10.00 kHz	2.655009000 GHz	-32.14 dBm	-22.14 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.656072000 GHz	-40.93 dBm	-30.93 dB
4	4	2.6600 GHz	2.6610 GHz	1.000 MHz	2.660123000 GHz	-43.11 dBm	-30.11 dB
5	5	2.6610 GHz	2.6650 GHz	1.000 MHz	2.663216000 GHz	-43.05 dBm	-18.05 dB

Band41-20MHz-QPSK-40140-1RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6450 GHz	2.6550 GHz	100.0 kHz	2.650890000 GHz	-0.281 dBm	-33.28 dB
2	2	2.6550 GHz	2.6560 GHz	100.0 kHz	2.655023000 GHz	-39.26 dBm	-29.26 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.656016000 GHz	-33.15 dBm	-23.15 dB
4	4	2.6600 GHz	2.6610 GHz	1.000 MHz	2.660005000 GHz	-41.43 dBm	-28.43 dB
5	5	2.6610 GHz	2.6650 GHz	1.000 MHz	2.661124000 GHz	-42.07 dBm	-17.07 dB

Band41-20MHz-QPSK-40140-1RB#99



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5120 GHz	2.5151 GHz	1.000 MHz	2.514977900 GHz	-44.65 dBm	-19.65 dB
2	2	2.5151 GHz	2.5300 GHz	1.000 MHz	2.518354600 GHz	-43.68 dBm	-30.68 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.533800000 GHz	-43.22 dBm	-33.22 dB
4	4	2.5340 GHz	2.5350 GHz	10.00 kHz	2.534994975 GHz	-41.36 dBm	-31.36 dB
5	5	2.5350 GHz	2.5580 GHz	10.00 kHz	2.536075234 GHz	6.997 dBm	-26.00 dB

Band41-20MHz-QPSK-40140-100RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5120 GHz	2.5151 GHz	1.000 MHz	2.514977900 GHz	-44.69 dBm	-19.69 dB
2	2	2.5151 GHz	2.5300 GHz	1.000 MHz	2.518354600 GHz	-38.56 dBm	-25.56 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.532640000 GHz	-43.62 dBm	-33.62 dB
4	4	2.5340 GHz	2.5350 GHz	10.00 kHz	2.534427136 GHz	-59.85 dBm	-49.85 dB
5	5	2.5350 GHz	2.5580 GHz	10.00 kHz	2.553904110 GHz	7.451 dBm	-25.55 dB

Band41-20MHz-QPSK-41140-1RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5120 GHz	2.5151 GHz	1.000 MHz	2.514947200 GHz	-44.51 dBm	-19.51 dB
2	2	2.5151 GHz	2.5300 GHz	1.000 MHz	2.529701400 GHz	-39.04 dBm	-26.04 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.533880000 GHz	-36.70 dBm	-26.70 dB
4	4	2.5340 GHz	2.5350 GHz	300.0 kHz	2.534970000 GHz	-41.14 dBm	-31.14 dB
5	5	2.5350 GHz	2.5580 GHz	300.0 kHz	2.553611842 GHz	-0.821 dBm	-33.82 dB

Band41-20MHz-QPSK-41140-1RB#99



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6320 GHz	2.6550 GHz	10.00 kHz	2.636085888 GHz	7.361 dBm	-25.64 dB
2	2	2.6550 GHz	2.6560 GHz	10.00 kHz	2.655804020 GHz	-59.66 dBm	-49.66 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.656520000 GHz	-43.16 dBm	-33.16 dB
4	4	2.6600 GHz	2.6754 GHz	1.000 MHz	2.671688800 GHz	-37.06 dBm	-24.06 dB
5	5	2.6754 GHz	2.6780 GHz	1.000 MHz	2.675904000 GHz	-43.97 dBm	-18.97 dB

Band41-20MHz-QPSK-41140-100RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6320 GHz	2.6550 GHz	10.00 kHz	2.653939770 GHz	6.817 dBm	-26.18 dB
2	2	2.6550 GHz	2.6560 GHz	10.00 kHz	2.655025126 GHz	-42.50 dBm	-32.50 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.656040000 GHz	-42.70 dBm	-32.70 dB
4	4	2.6600 GHz	2.6754 GHz	1.000 MHz	2.663076000 GHz	-42.96 dBm	-29.96 dB
5	5	2.6754 GHz	2.6780 GHz	1.000 MHz	2.675406200 GHz	-43.98 dBm	-18.98 dB

Band41-20MHz-16QAM-40140-1RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6320 GHz	2.6550 GHz	300.0 kHz	2.636539474 GHz	-0.805 dBm	-33.81 dB
2	2	2.6550 GHz	2.6560 GHz	300.0 kHz	2.655050000 GHz	-42.51 dBm	-32.51 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.656120000 GHz	-38.19 dBm	-28.19 dB
4	4	2.6600 GHz	2.6754 GHz	1.000 MHz	2.660461400 GHz	-40.20 dBm	-27.20 dB
5	5	2.6754 GHz	2.6780 GHz	1.000 MHz	2.676035000 GHz	-43.66 dBm	-18.66 dB

Band41-20MHz-16QAM-40140-1RB#99



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5120 GHz	2.5152 GHz	1.000 MHz	2.515017400 GHz	-44.69 dBm	-19.69 dB
2	2	2.5152 GHz	2.5300 GHz	1.000 MHz	2.526894100 GHz	-43.80 dBm	-30.80 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.533840000 GHz	-43.22 dBm	-33.22 dB
4	4	2.5340 GHz	2.5350 GHz	10.00 kHz	2.534984925 GHz	-41.30 dBm	-31.30 dB
5	5	2.5350 GHz	2.5580 GHz	10.00 kHz	2.536115242 GHz	8.150 dBm	-24.85 dB

Band41-20MHz-16QAM-40140-100RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5120 GHz	2.5152 GHz	1.000 MHz	2.514375400 GHz	-44.70 dBm	-19.70 dB
2	2	2.5152 GHz	2.5300 GHz	1.000 MHz	2.518463800 GHz	-40.28 dBm	-27.28 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.533840000 GHz	-43.67 dBm	-33.67 dB
4	4	2.5340 GHz	2.5350 GHz	10.00 kHz	2.534477387 GHz	-59.82 dBm	-49.82 dB
5	5	2.5350 GHz	2.5580 GHz	10.00 kHz	2.553884105 GHz	9.015 dBm	-23.99 dB

Band41-20MHz-16QAM-41140-1RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5120 GHz	2.5152 GHz	1.000 MHz	2.515177900 GHz	-44.49 dBm	-19.49 dB
2	2	2.5152 GHz	2.5300 GHz	1.000 MHz	2.529260500 GHz	-39.00 dBm	-26.00 dB
3	3	2.5300 GHz	2.5340 GHz	1.000 MHz	2.533840000 GHz	-37.24 dBm	-27.24 dB
4	4	2.5340 GHz	2.5350 GHz	300.0 kHz	2.534960000 GHz	-41.53 dBm	-31.53 dB
5	5	2.5350 GHz	2.5580 GHz	300.0 kHz	2.553611842 GHz	-0.953 dBm	-33.95 dB

Band41-20MHz-16QAM-41140-1RB#99



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6320 GHz	2.6550 GHz	10.00 kHz	2.636130898 GHz	6.933 dBm	-26.07 dB
2	2	2.6550 GHz	2.6560 GHz	10.00 kHz	2.655386935 GHz	-58.61 dBm	-48.61 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.656120000 GHz	-43.21 dBm	-33.21 dB
4	4	2.6600 GHz	2.6751 GHz	1.000 MHz	2.671913200 GHz	-38.81 dBm	-25.81 dB
5	5	2.6751 GHz	2.6780 GHz	1.000 MHz	2.675255200 GHz	-43.97 dBm	-18.97 dB

Band41-20MHz-16QAM-41140-100RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6320 GHz	2.6550 GHz	10.00 kHz	2.653919765 GHz	7.986 dBm	-25.01 dB
2	2	2.6550 GHz	2.6560 GHz	10.00 kHz	2.655005025 GHz	-43.41 dBm	-33.41 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.656200000 GHz	-42.82 dBm	-32.82 dB
4	4	2.6600 GHz	2.6751 GHz	1.000 MHz	2.663016000 GHz	-43.19 dBm	-30.19 dB
5	5	2.6751 GHz	2.6780 GHz	1.000 MHz	2.675488800 GHz	-43.94 dBm	-18.94 dB



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6320 GHz	2.6550 GHz	300.0 kHz	2.639111842 GHz	-1.413 dBm	-34.41 dB
2	2	2.6550 GHz	2.6560 GHz	300.0 kHz	2.655100000 GHz	-43.48 dBm	-33.48 dB
3	3	2.6560 GHz	2.6600 GHz	1.000 MHz	2.656080000 GHz	-38.06 dBm	-28.06 dB
4	4	2.6600 GHz	2.6751 GHz	1.000 MHz	2.660452400 GHz	-40.02 dBm	-27.02 dB
5	5	2.6751 GHz	2.6780 GHz	1.000 MHz	2.675226000 GHz	-43.73 dBm	-18.73 dB

Appendix E: Conducted Spurious Emission

Test Result (worst case)

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	Range1:30~1000MHz	-29.03	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	Range2:1000~20000MHz	-27.73	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	Range1:30~1000MHz	-29.87	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	Range2:1000~20000MHz	-28.96	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	Range1:30~1000MHz	-31.06	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	Range2:1000~20000MHz	-28.52	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	Range1:30~1000MHz	-30.35	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	Range2:1000~20000MHz	-28.35	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	Range1:30~1000MHz	-30.31	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	Range2:1000~20000MHz	-28.25	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	Range1:30~1000MHz	-29.98	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	Range2:1000~20000MHz	-28.64	PASS
Band2	20MHz	QPSK	18700	1RB#0	Range1:30~1000MHz	-30.33	PASS
Band2	20MHz	QPSK	18700	1RB#0	Range2:1000~20000MHz	-28.17	PASS
Band2	20MHz	QPSK	18900	1RB#0	Range1:30~1000MHz	-30.44	PASS
Band2	20MHz	QPSK	18900	1RB#0	Range2:1000~20000MHz	-29.11	PASS
Band2	20MHz	QPSK	19100	1RB#0	Range1:30~1000MHz	-31.66	PASS
Band2	20MHz	QPSK	19100	1RB#0	Range2:1000~20000MHz	-28.98	PASS
Band2	20MHz	16QAM	18700	1RB#0	Range1:30~1000MHz	-29.6	PASS
Band2	20MHz	16QAM	18700	1RB#0	Range2:1000~20000MHz	-28.78	PASS
Band2	20MHz	16QAM	18900	1RB#0	Range1:30~1000MHz	-32.14	PASS
Band2	20MHz	16QAM	18900	1RB#0	Range2:1000~20000MHz	-28.74	PASS
Band2	20MHz	16QAM	19100	1RB#0	Range1:30~1000MHz	-31.45	PASS
Band2	20MHz	16QAM	19100	1RB#0	Range2:1000~20000MHz	-29.31	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	Range1:30~1000MHz	-30.03	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	Range2:1000~20000MHz	-29.33	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	Range1:30~1000MHz	-30.78	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	Range2:1000~20000MHz	-28.73	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	Range1:30~1000MHz	-30.53	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	Range2:1000~20000MHz	-28.47	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	Range1:30~1000MHz	-30.78	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	Range2:1000~20000MHz	-28.57	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	Range1:30~1000MHz	-30.98	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	Range2:1000~20000MHz	-29.18	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	Range1:30~1000MHz	-29.61	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	Range2:1000~20000MHz	-28.93	PASS

Band4	20MHz	QPSK	20050	1RB#0	Range1:30~1000MHz	-30.46	PASS
Band4	20MHz	QPSK	20050	1RB#0	Range2:1000~20000MHz	-28.52	PASS
Band4	20MHz	QPSK	20175	1RB#0	Range1:30~1000MHz	-30.75	PASS
Band4	20MHz	QPSK	20175	1RB#0	Range2:1000~20000MHz	-27.6	PASS
Band4	20MHz	QPSK	20300	1RB#0	Range1:30~1000MHz	-30.58	PASS
Band4	20MHz	QPSK	20300	1RB#0	Range2:1000~20000MHz	-28.83	PASS
Band4	20MHz	16QAM	20050	1RB#0	Range1:30~1000MHz	-29.82	PASS
Band4	20MHz	16QAM	20050	1RB#0	Range2:1000~20000MHz	-28.32	PASS
Band4	20MHz	16QAM	20175	1RB#0	Range1:30~1000MHz	-30.67	PASS
Band4	20MHz	16QAM	20175	1RB#0	Range2:1000~20000MHz	-28.62	PASS
Band4	20MHz	16QAM	20300	1RB#0	Range1:30~1000MHz	-30.76	PASS
Band4	20MHz	16QAM	20300	1RB#0	Range2:1000~20000MHz	-28.13	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	Range1:30~1000MHz	-40.26	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	Range2:1000~10000MHz	-34.93	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	Range1:30~1000MHz	-40.8	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	Range2:1000~10000MHz	-34.53	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	Range1:30~1000MHz	-40.09	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	Range2:1000~10000MHz	-34.82	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	Range1:30~1000MHz	-41.25	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	Range2:1000~10000MHz	-33.53	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	Range1:30~1000MHz	-40.26	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	Range2:1000~10000MHz	-35.18	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	Range1:30~1000MHz	-41.26	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	Range2:1000~10000MHz	-34.02	PASS
Band5	10MHz	QPSK	20450	1RB#0	Range1:30~1000MHz	-41.03	PASS
Band5	10MHz	QPSK	20450	1RB#0	Range2:1000~10000MHz	-34.17	PASS
Band5	10MHz	QPSK	20525	1RB#0	Range1:30~1000MHz	-40.48	PASS
Band5	10MHz	QPSK	20525	1RB#0	Range2:1000~10000MHz	-35.26	PASS
Band5	10MHz	QPSK	20600	1RB#0	Range1:30~1000MHz	-40.3	PASS
Band5	10MHz	QPSK	20600	1RB#0	Range2:1000~10000MHz	-34.31	PASS
Band5	10MHz	16QAM	20450	1RB#0	Range1:30~1000MHz	-40.66	PASS
Band5	10MHz	16QAM	20450	1RB#0	Range2:1000~10000MHz	-35.07	PASS
Band5	10MHz	16QAM	20525	1RB#0	Range1:30~1000MHz	-41.1	PASS
Band5	10MHz	16QAM	20525	1RB#0	Range2:1000~10000MHz	-35.07	PASS
Band5	10MHz	16QAM	20600	1RB#0	Range1:30~1000MHz	-40.26	PASS
Band5	10MHz	16QAM	20600	1RB#0	Range2:1000~10000MHz	-35.14	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range1:30~1000MHz	-41.75	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range2:1000~26500MHz	-32.73	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range1:30~1000MHz	-41.73	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range2:1000~26500MHz	-34.25	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range1:30~1000MHz	-41.54	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range2:1000~26500MHz	-33.9	PASS

Band7	5MHz	16QAM	20775	1RB#0	Range1:30~1000MHz	-40.91	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range2:1000~26500MHz	-34.12	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range1:30~1000MHz	-41.55	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range2:1000~26500MHz	-33.75	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range1:30~1000MHz	-41.75	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range2:1000~26500MHz	-32.65	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range1:30~1000MHz	-40.64	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range2:1000~26500MHz	-32.71	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range1:30~1000MHz	-39.12	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range2:1000~26500MHz	-34.34	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range1:30~1000MHz	-40.68	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range2:1000~26500MHz	-33.41	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range1:30~1000MHz	-41.14	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range2:1000~26500MHz	-33.54	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range1:30~1000MHz	-39.65	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range2:1000~26500MHz	-34.24	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range1:30~1000MHz	-41.32	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range2:1000~26500MHz	-34.57	PASS
Band41	5MHz	QPSK	40065	1RB#0	Range1:30~1000MHz	-42	PASS
Band41	5MHz	QPSK	40065	1RB#0	Range2:1000~26500MHz	-33.58	PASS
Band41	5MHz	QPSK	40640	1RB#0	Range1:30~1000MHz	-42	PASS
Band41	5MHz	QPSK	40640	1RB#0	Range2:1000~26500MHz	-34.09	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range1:30~1000MHz	-42.07	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range2:1000~26500MHz	-32.07	PASS
Band41	5MHz	16QAM	40065	1RB#0	Range1:30~1000MHz	-41.25	PASS
Band41	5MHz	16QAM	40065	1RB#0	Range2:1000~26500MHz	-32.9	PASS
Band41	5MHz	16QAM	40640	1RB#0	Range1:30~1000MHz	-41.35	PASS
Band41	5MHz	16QAM	40640	1RB#0	Range2:1000~26500MHz	-34.21	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range1:30~1000MHz	-40.72	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range2:1000~26500MHz	-33.87	PASS
Band41	20MHz	QPSK	40140	1RB#0	Range1:30~1000MHz	-40.48	PASS
Band41	20MHz	QPSK	40140	1RB#0	Range2:1000~26500MHz	-33.87	PASS
Band41	20MHz	QPSK	40640	1RB#0	Range1:30~1000MHz	-40.65	PASS
Band41	20MHz	QPSK	40640	1RB#0	Range2:1000~26500MHz	-33.68	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range1:30~1000MHz	-41.34	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range2:1000~26500MHz	-33.52	PASS
Band41	20MHz	16QAM	40140	1RB#0	Range1:30~1000MHz	-41.18	PASS
Band41	20MHz	16QAM	40140	1RB#0	Range2:1000~26500MHz	-32.85	PASS
Band41	20MHz	16QAM	40640	1RB#0	Range1:30~1000MHz	-41.3	PASS
Band41	20MHz	16QAM	40640	1RB#0	Range2:1000~26500MHz	-33.23	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range1:30~1000MHz	-41.43	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range2:1000~26500MHz	-33.27	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs

Band2-1.4MHz-QPSK-18607-1RB#0-Range1:30~1000MHz	Band2-1.4MHz-QPSK-18607-1RB#0-Range2:1000~20000MHz
	
Band2-1.4MHz-QPSK-18900-1RB#0-Range1:30~1000MHz	Band2-1.4MHz-QPSK-18900-1RB#0-Range2:1000~20000MHz
	
Band2-1.4MHz-QPSK-19193-1RB#0-Range1:30~1000MHz	Band2-1.4MHz-QPSK-19193-1RB#0-Range2:1000~20000MHz



Band2-1.4MHz-16QAM-18607-1RB#0-Range1:30~1000MHz



Band2-1.4MHz-16QAM-18607-1RB#0-Range2:1000~20000MHz



Band2-1.4MHz-16QAM-18900-1RB#0-Range1:30~1000MHz

Band2-1.4MHz-16QAM-18900-1RB#0-Range2:1000~20000MHz





Band2-1.4MHz-16QAM-19193-1RB#0-Range1:30~1000MHz	Band2-1.4MHz-16QAM-19193-1RB#0-Range2:1000~20000MHz
	
Band2-20MHz-QPSK-18700-1RB#0-Range1:30~1000MHz	Band2-20MHz-QPSK-18700-1RB#0-Range2:1000~20000MHz
	
Band2-20MHz-QPSK-18900-1RB#0-Range1:30~1000MHz	Band2-20MHz-QPSK-18900-1RB#0-Range2:1000~20000MHz