

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability8

3 Peak-to-Average Ratio9

4 Occupied bandwidth16

5 Band edge35

6 Out-of-band emissions48

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	22.49	-2.17	20.32	33.01	PASS
Band2	1.4	18607	1	#Mid	QPSK	22.52	-2.17	20.35	33.01	PASS
Band2	1.4	18607	1	#Max	QPSK	22.55	-2.17	20.38	33.01	PASS
Band2	1.4	18607	3	#0	QPSK	22.38	-2.17	20.21	33.01	PASS
Band2	1.4	18607	3	#Mid	QPSK	22.42	-2.17	20.25	33.01	PASS
Band2	1.4	18607	3	#Max	QPSK	22.36	-2.17	20.19	33.01	PASS
Band2	1.4	18607	6	#0	QPSK	21.43	-2.17	19.26	33.01	PASS
Band2	1.4	18607	1	#0	QAM16	22.43	-2.17	20.26	33.01	PASS
Band2	1.4	18607	1	#Mid	QAM16	22.42	-2.17	20.25	33.01	PASS
Band2	1.4	18607	1	#Max	QAM16	22.44	-2.17	20.27	33.01	PASS
Band2	1.4	18607	3	#0	QAM16	21.59	-2.17	19.42	33.01	PASS
Band2	1.4	18607	3	#Mid	QAM16	21.59	-2.17	19.42	33.01	PASS
Band2	1.4	18607	3	#Max	QAM16	21.55	-2.17	19.38	33.01	PASS
Band2	1.4	18607	6	#0	QAM16	20.95	-2.17	18.78	33.01	PASS
Band2	1.4	18900	1	#0	QPSK	22.25	-2.17	20.08	33.01	PASS
Band2	1.4	18900	1	#Mid	QPSK	22.20	-2.17	20.03	33.01	PASS
Band2	1.4	18900	1	#Max	QPSK	22.26	-2.17	20.09	33.01	PASS
Band2	1.4	18900	3	#0	QPSK	22.35	-2.17	20.18	33.01	PASS
Band2	1.4	18900	3	#Mid	QPSK	22.32	-2.17	20.15	33.01	PASS
Band2	1.4	18900	3	#Max	QPSK	22.34	-2.17	20.17	33.01	PASS
Band2	1.4	18900	6	#0	QPSK	21.30	-2.17	19.13	33.01	PASS
Band2	1.4	18900	1	#0	QAM16	21.37	-2.17	19.2	33.01	PASS
Band2	1.4	18900	1	#Mid	QAM16	21.36	-2.17	19.19	33.01	PASS
Band2	1.4	18900	1	#Max	QAM16	21.41	-2.17	19.24	33.01	PASS
Band2	1.4	18900	3	#0	QAM16	21.35	-2.17	19.18	33.01	PASS
Band2	1.4	18900	3	#Mid	QAM16	21.29	-2.17	19.12	33.01	PASS
Band2	1.4	18900	3	#Max	QAM16	21.37	-2.17	19.2	33.01	PASS
Band2	1.4	18900	6	#0	QAM16	20.67	-2.17	18.5	33.01	PASS
Band2	1.4	19193	1	#0	QPSK	22.34	-2.17	20.17	33.01	PASS
Band2	1.4	19193	1	#Mid	QPSK	22.37	-2.17	20.2	33.01	PASS
Band2	1.4	19193	1	#Max	QPSK	22.36	-2.17	20.19	33.01	PASS
Band2	1.4	19193	3	#0	QPSK	22.31	-2.17	20.14	33.01	PASS
Band2	1.4	19193	3	#Mid	QPSK	22.34	-2.17	20.17	33.01	PASS
Band2	1.4	19193	3	#Max	QPSK	22.35	-2.17	20.18	33.01	PASS
Band2	1.4	19193	6	#0	QPSK	21.41	-2.17	19.24	33.01	PASS
Band2	1.4	19193	1	#0	QAM16	21.64	-2.17	19.47	33.01	PASS
Band2	1.4	19193	1	#Mid	QAM16	21.71	-2.17	19.54	33.01	PASS

Band2	1.4	19193	1	#Max	QAM16	21.70	-2.17	19.53	33.01	PASS
Band2	1.4	19193	3	#0	QAM16	21.81	-2.17	19.64	33.01	PASS
Band2	1.4	19193	3	#Mid	QAM16	21.74	-2.17	19.57	33.01	PASS
Band2	1.4	19193	3	#Max	QAM16	21.76	-2.17	19.59	33.01	PASS
Band2	1.4	19193	6	#0	QAM16	21.03	-2.17	18.86	33.01	PASS
Band2	3	18615	1	#0	QPSK	22.29	-2.17	20.12	33.01	PASS
Band2	3	18615	1	#Mid	QPSK	22.24	-2.17	20.07	33.01	PASS
Band2	3	18615	1	#Max	QPSK	22.32	-2.17	20.15	33.01	PASS
Band2	3	18615	8	#0	QPSK	21.42	-2.17	19.25	33.01	PASS
Band2	3	18615	8	#Mid	QPSK	21.31	-2.17	19.14	33.01	PASS
Band2	3	18615	8	#Max	QPSK	21.45	-2.17	19.28	33.01	PASS
Band2	3	18615	15	#0	QPSK	21.29	-2.17	19.12	33.01	PASS
Band2	3	18615	1	#0	QAM16	22.46	-2.17	20.29	33.01	PASS
Band2	3	18615	1	#Mid	QAM16	22.49	-2.17	20.32	33.01	PASS
Band2	3	18615	1	#Max	QAM16	22.47	-2.17	20.3	33.01	PASS
Band2	3	18615	8	#0	QAM16	20.76	-2.17	18.59	33.01	PASS
Band2	3	18615	8	#Mid	QAM16	20.80	-2.17	18.63	33.01	PASS
Band2	3	18615	8	#Max	QAM16	20.36	-2.17	18.19	33.01	PASS
Band2	3	18615	15	#0	QAM16	20.94	-2.17	18.77	33.01	PASS
Band2	3	18900	1	#0	QPSK	22.26	-2.17	20.09	33.01	PASS
Band2	3	18900	1	#Mid	QPSK	22.18	-2.17	20.01	33.01	PASS
Band2	3	18900	1	#Max	QPSK	22.19	-2.17	20.02	33.01	PASS
Band2	3	18900	8	#0	QPSK	21.27	-2.17	19.1	33.01	PASS
Band2	3	18900	8	#Mid	QPSK	21.34	-2.17	19.17	33.01	PASS
Band2	3	18900	8	#Max	QPSK	21.32	-2.17	19.15	33.01	PASS
Band2	3	18900	15	#0	QPSK	21.32	-2.17	19.15	33.01	PASS
Band2	3	18900	1	#0	QAM16	21.41	-2.17	19.24	33.01	PASS
Band2	3	18900	1	#Mid	QAM16	21.31	-2.17	19.14	33.01	PASS
Band2	3	18900	1	#Max	QAM16	21.38	-2.17	19.21	33.01	PASS
Band2	3	18900	8	#0	QAM16	20.75	-2.17	18.58	33.01	PASS
Band2	3	18900	8	#Mid	QAM16	20.81	-2.17	18.64	33.01	PASS
Band2	3	18900	8	#Max	QAM16	20.80	-2.17	18.63	33.01	PASS
Band2	3	18900	15	#0	QAM16	20.62	-2.17	18.45	33.01	PASS
Band2	3	19185	1	#0	QPSK	22.27	-2.17	20.1	33.01	PASS
Band2	3	19185	1	#Mid	QPSK	22.38	-2.17	20.21	33.01	PASS
Band2	3	19185	1	#Max	QPSK	22.37	-2.17	20.2	33.01	PASS
Band2	3	19185	8	#0	QPSK	21.23	-2.17	19.06	33.01	PASS
Band2	3	19185	8	#Mid	QPSK	21.43	-2.17	19.26	33.01	PASS
Band2	3	19185	8	#Max	QPSK	21.32	-2.17	19.15	33.01	PASS
Band2	3	19185	15	#0	QPSK	21.41	-2.17	19.24	33.01	PASS
Band2	3	19185	1	#0	QAM16	21.65	-2.17	19.48	33.01	PASS
Band2	3	19185	1	#Mid	QAM16	21.68	-2.17	19.51	33.01	PASS
Band2	3	19185	1	#Max	QAM16	21.69	-2.17	19.52	33.01	PASS
Band2	3	19185	8	#0	QAM16	20.79	-2.17	18.62	33.01	PASS

Band2	3	19185	8	#Mid	QAM16	20.78	-2.17	18.61	33.01	PASS
Band2	3	19185	8	#Max	QAM16	20.81	-2.17	18.64	33.01	PASS
Band2	3	19185	15	#0	QAM16	20.81	-2.17	18.64	33.01	PASS
Band2	5	18625	1	#0	QPSK	22.29	-2.17	20.12	33.01	PASS
Band2	5	18625	1	#Mid	QPSK	22.33	-2.17	20.16	33.01	PASS
Band2	5	18625	1	#Max	QPSK	22.31	-2.17	20.14	33.01	PASS
Band2	5	18625	12	#0	QPSK	21.38	-2.17	19.21	33.01	PASS
Band2	5	18625	12	#Mid	QPSK	21.31	-2.17	19.14	33.01	PASS
Band2	5	18625	12	#Max	QPSK	21.37	-2.17	19.2	33.01	PASS
Band2	5	18625	25	#0	QPSK	21.39	-2.17	19.22	33.01	PASS
Band2	5	18625	1	#0	QAM16	21.54	-2.17	19.37	33.01	PASS
Band2	5	18625	1	#Mid	QAM16	21.58	-2.17	19.41	33.01	PASS
Band2	5	18625	1	#Max	QAM16	21.58	-2.17	19.41	33.01	PASS
Band2	5	18625	12	#0	QAM16	20.71	-2.17	18.54	33.01	PASS
Band2	5	18625	12	#Mid	QAM16	20.36	-2.17	18.19	33.01	PASS
Band2	5	18625	12	#Max	QAM16	20.33	-2.17	18.16	33.01	PASS
Band2	5	18625	25	#0	QAM16	20.44	-2.17	18.27	33.01	PASS
Band2	5	18900	1	#0	QPSK	22.25	-2.17	20.08	33.01	PASS
Band2	5	18900	1	#Mid	QPSK	22.19	-2.17	20.02	33.01	PASS
Band2	5	18900	1	#Max	QPSK	22.32	-2.17	20.15	33.01	PASS
Band2	5	18900	12	#0	QPSK	21.21	-2.17	19.04	33.01	PASS
Band2	5	18900	12	#Mid	QPSK	21.29	-2.17	19.12	33.01	PASS
Band2	5	18900	12	#Max	QPSK	21.27	-2.17	19.1	33.01	PASS
Band2	5	18900	25	#0	QPSK	21.28	-2.17	19.11	33.01	PASS
Band2	5	18900	1	#0	QAM16	20.94	-2.17	18.77	33.01	PASS
Band2	5	18900	1	#Mid	QAM16	20.87	-2.17	18.7	33.01	PASS
Band2	5	18900	1	#Max	QAM16	20.91	-2.17	18.74	33.01	PASS
Band2	5	18900	12	#0	QAM16	20.61	-2.17	18.44	33.01	PASS
Band2	5	18900	12	#Mid	QAM16	20.62	-2.17	18.45	33.01	PASS
Band2	5	18900	12	#Max	QAM16	20.61	-2.17	18.44	33.01	PASS
Band2	5	18900	25	#0	QAM16	20.76	-2.17	18.59	33.01	PASS
Band2	5	19175	1	#0	QPSK	22.32	-2.17	20.15	33.01	PASS
Band2	5	19175	1	#Mid	QPSK	22.24	-2.17	20.07	33.01	PASS
Band2	5	19175	1	#Max	QPSK	22.26	-2.17	20.09	33.01	PASS
Band2	5	19175	12	#0	QPSK	21.25	-2.17	19.08	33.01	PASS
Band2	5	19175	12	#Mid	QPSK	21.25	-2.17	19.08	33.01	PASS
Band2	5	19175	12	#Max	QPSK	21.37	-2.17	19.2	33.01	PASS
Band2	5	19175	25	#0	QPSK	21.21	-2.17	19.04	33.01	PASS
Band2	5	19175	1	#0	QAM16	21.85	-2.17	19.68	33.01	PASS
Band2	5	19175	1	#Mid	QAM16	21.79	-2.17	19.62	33.01	PASS
Band2	5	19175	1	#Max	QAM16	21.91	-2.17	19.74	33.01	PASS
Band2	5	19175	12	#0	QAM16	20.70	-2.17	18.53	33.01	PASS
Band2	5	19175	12	#Mid	QAM16	20.74	-2.17	18.57	33.01	PASS
Band2	5	19175	12	#Max	QAM16	20.75	-2.17	18.58	33.01	PASS

Band2	5	19175	25	#0	QAM16	20.83	-2.17	18.66	33.01	PASS
Band2	10	18650	1	#0	QPSK	22.37	-2.17	20.2	33.01	PASS
Band2	10	18650	1	#Mid	QPSK	22.45	-2.17	20.28	33.01	PASS
Band2	10	18650	1	#Max	QPSK	22.38	-2.17	20.21	33.01	PASS
Band2	10	18650	25	#0	QPSK	21.34	-2.17	19.17	33.01	PASS
Band2	10	18650	25	#Mid	QPSK	21.44	-2.17	19.27	33.01	PASS
Band2	10	18650	25	#Max	QPSK	21.38	-2.17	19.21	33.01	PASS
Band2	10	18650	50	#0	QPSK	21.33	-2.17	19.16	33.01	PASS
Band2	10	18650	1	#0	QAM16	22.47	-2.17	20.3	33.01	PASS
Band2	10	18650	1	#Mid	QAM16	22.50	-2.17	20.33	33.01	PASS
Band2	10	18650	1	#Max	QAM16	22.42	-2.17	20.25	33.01	PASS
Band2	10	18650	25	#0	QAM16	20.51	-2.17	18.34	33.01	PASS
Band2	10	18650	25	#Mid	QAM16	20.49	-2.17	18.32	33.01	PASS
Band2	10	18650	25	#Max	QAM16	20.84	-2.17	18.67	33.01	PASS
Band2	10	18650	50	#0	QAM16	20.44	-2.17	18.27	33.01	PASS
Band2	10	18900	1	#0	QPSK	22.43	-2.17	20.26	33.01	PASS
Band2	10	18900	1	#Mid	QPSK	22.40	-2.17	20.23	33.01	PASS
Band2	10	18900	1	#Max	QPSK	22.41	-2.17	20.24	33.01	PASS
Band2	10	18900	25	#0	QPSK	21.25	-2.17	19.08	33.01	PASS
Band2	10	18900	25	#Mid	QPSK	21.16	-2.17	18.99	33.01	PASS
Band2	10	18900	25	#Max	QPSK	21.23	-2.17	19.06	33.01	PASS
Band2	10	18900	50	#0	QPSK	21.22	-2.17	19.05	33.01	PASS
Band2	10	18900	1	#0	QAM16	21.27	-2.17	19.1	33.01	PASS
Band2	10	18900	1	#Mid	QAM16	21.23	-2.17	19.06	33.01	PASS
Band2	10	18900	1	#Max	QAM16	21.30	-2.17	19.13	33.01	PASS
Band2	10	18900	25	#0	QAM16	20.73	-2.17	18.56	33.01	PASS
Band2	10	18900	25	#Mid	QAM16	20.74	-2.17	18.57	33.01	PASS
Band2	10	18900	25	#Max	QAM16	20.74	-2.17	18.57	33.01	PASS
Band2	10	18900	50	#0	QAM16	20.83	-2.17	18.66	33.01	PASS
Band2	10	19150	1	#0	QPSK	22.35	-2.17	20.18	33.01	PASS
Band2	10	19150	1	#Mid	QPSK	22.42	-2.17	20.25	33.01	PASS
Band2	10	19150	1	#Max	QPSK	22.51	-2.17	20.34	33.01	PASS
Band2	10	19150	25	#0	QPSK	21.26	-2.17	19.09	33.01	PASS
Band2	10	19150	25	#Mid	QPSK	21.26	-2.17	19.09	33.01	PASS
Band2	10	19150	25	#Max	QPSK	21.24	-2.17	19.07	33.01	PASS
Band2	10	19150	50	#0	QPSK	21.35	-2.17	19.18	33.01	PASS
Band2	10	19150	1	#0	QAM16	21.27	-2.17	19.1	33.01	PASS
Band2	10	19150	1	#Mid	QAM16	21.21	-2.17	19.04	33.01	PASS
Band2	10	19150	1	#Max	QAM16	21.28	-2.17	19.11	33.01	PASS
Band2	10	19150	25	#0	QAM16	20.35	-2.17	18.18	33.01	PASS
Band2	10	19150	25	#Mid	QAM16	20.73	-2.17	18.56	33.01	PASS
Band2	10	19150	25	#Max	QAM16	20.80	-2.17	18.63	33.01	PASS
Band2	10	19150	50	#0	QAM16	20.81	-2.17	18.64	33.01	PASS
Band2	15	18675	1	#0	QPSK	22.32	-2.17	20.15	33.01	PASS

Band2	15	18675	1	#Mid	QPSK	22.23	-2.17	20.06	33.01	PASS
Band2	15	18675	1	#Max	QPSK	22.22	-2.17	20.05	33.01	PASS
Band2	15	18675	36	#0	QPSK	21.42	-2.17	19.25	33.01	PASS
Band2	15	18675	36	#Mid	QPSK	21.35	-2.17	19.18	33.01	PASS
Band2	15	18675	36	#Max	QPSK	21.22	-2.17	19.05	33.01	PASS
Band2	15	18675	75	#0	QPSK	21.27	-2.17	19.1	33.01	PASS
Band2	15	18675	1	#0	QAM16	22.51	-2.17	20.34	33.01	PASS
Band2	15	18675	1	#Mid	QAM16	22.46	-2.17	20.29	33.01	PASS
Band2	15	18675	1	#Max	QAM16	22.41	-2.17	20.24	33.01	PASS
Band2	15	18675	36	#0	QAM16	20.37	-2.17	18.2	33.01	PASS
Band2	15	18675	36	#Mid	QAM16	20.82	-2.17	18.65	33.01	PASS
Band2	15	18675	36	#Max	QAM16	20.68	-2.17	18.51	33.01	PASS
Band2	15	18675	75	#0	QAM16	20.89	-2.17	18.72	33.01	PASS
Band2	15	18900	1	#0	QPSK	22.37	-2.17	20.2	33.01	PASS
Band2	15	18900	1	#Mid	QPSK	22.29	-2.17	20.12	33.01	PASS
Band2	15	18900	1	#Max	QPSK	22.32	-2.17	20.15	33.01	PASS
Band2	15	18900	36	#0	QPSK	21.24	-2.17	19.07	33.01	PASS
Band2	15	18900	36	#Mid	QPSK	21.25	-2.17	19.08	33.01	PASS
Band2	15	18900	36	#Max	QPSK	21.25	-2.17	19.08	33.01	PASS
Band2	15	18900	75	#0	QPSK	21.22	-2.17	19.05	33.01	PASS
Band2	15	18900	1	#0	QAM16	21.28	-2.17	19.11	33.01	PASS
Band2	15	18900	1	#Mid	QAM16	21.28	-2.17	19.11	33.01	PASS
Band2	15	18900	1	#Max	QAM16	21.18	-2.17	19.01	33.01	PASS
Band2	15	18900	36	#0	QAM16	20.79	-2.17	18.62	33.01	PASS
Band2	15	18900	36	#Mid	QAM16	20.80	-2.17	18.63	33.01	PASS
Band2	15	18900	36	#Max	QAM16	20.73	-2.17	18.56	33.01	PASS
Band2	15	18900	75	#0	QAM16	20.68	-2.17	18.51	33.01	PASS
Band2	15	19125	1	#0	QPSK	22.29	-2.17	20.12	33.01	PASS
Band2	15	19125	1	#Mid	QPSK	22.23	-2.17	20.06	33.01	PASS
Band2	15	19125	1	#Max	QPSK	22.34	-2.17	20.17	33.01	PASS
Band2	15	19125	36	#0	QPSK	21.26	-2.17	19.09	33.01	PASS
Band2	15	19125	36	#Mid	QPSK	21.27	-2.17	19.1	33.01	PASS
Band2	15	19125	36	#Max	QPSK	21.14	-2.17	18.97	33.01	PASS
Band2	15	19125	75	#0	QPSK	21.25	-2.17	19.08	33.01	PASS
Band2	15	19125	1	#0	QAM16	21.91	-2.17	19.74	33.01	PASS
Band2	15	19125	1	#Mid	QAM16	21.89	-2.17	19.72	33.01	PASS
Band2	15	19125	1	#Max	QAM16	21.95	-2.17	19.78	33.01	PASS
Band2	15	19125	36	#0	QAM16	20.68	-2.17	18.51	33.01	PASS
Band2	15	19125	36	#Mid	QAM16	20.32	-2.17	18.15	33.01	PASS
Band2	15	19125	36	#Max	QAM16	20.68	-2.17	18.51	33.01	PASS
Band2	15	19125	75	#0	QAM16	20.33	-2.17	18.16	33.01	PASS
Band2	20	18700	1	#0	QPSK	22.35	-2.17	20.18	33.01	PASS
Band2	20	18700	1	#Mid	QPSK	22.29	-2.17	20.12	33.01	PASS
Band2	20	18700	1	#Max	QPSK	22.25	-2.17	20.08	33.01	PASS

Band2	20	18700	50	#0	QPSK	21.37	-2.17	19.2	33.01	PASS
Band2	20	18700	50	#Mid	QPSK	21.30	-2.17	19.13	33.01	PASS
Band2	20	18700	50	#Max	QPSK	21.26	-2.17	19.09	33.01	PASS
Band2	20	18700	100	#0	QPSK	21.24	-2.17	19.07	33.01	PASS
Band2	20	18700	1	#0	QAM16	21.03	-2.17	18.86	33.01	PASS
Band2	20	18700	1	#Mid	QAM16	20.93	-2.17	18.76	33.01	PASS
Band2	20	18700	1	#Max	QAM16	20.92	-2.17	18.75	33.01	PASS
Band2	20	18700	50	#0	QAM16	20.47	-2.17	18.3	33.01	PASS
Band2	20	18700	50	#Mid	QAM16	20.85	-2.17	18.68	33.01	PASS
Band2	20	18700	50	#Max	QAM16	20.86	-2.17	18.69	33.01	PASS
Band2	20	18700	100	#0	QAM16	20.83	-2.17	18.66	33.01	PASS
Band2	20	18900	1	#0	QPSK	22.42	-2.17	20.25	33.01	PASS
Band2	20	18900	1	#Mid	QPSK	22.32	-2.17	20.15	33.01	PASS
Band2	20	18900	1	#Max	QPSK	22.37	-2.17	20.2	33.01	PASS
Band2	20	18900	50	#0	QPSK	21.39	-2.17	19.22	33.01	PASS
Band2	20	18900	50	#Mid	QPSK	21.23	-2.17	19.06	33.01	PASS
Band2	20	18900	50	#Max	QPSK	21.29	-2.17	19.12	33.01	PASS
Band2	20	18900	100	#0	QPSK	21.21	-2.17	19.04	33.01	PASS
Band2	20	18900	1	#0	QAM16	21.01	-2.17	18.84	33.01	PASS
Band2	20	18900	1	#Mid	QAM16	20.94	-2.17	18.77	33.01	PASS
Band2	20	18900	1	#Max	QAM16	20.92	-2.17	18.75	33.01	PASS
Band2	20	18900	50	#0	QAM16	20.73	-2.17	18.56	33.01	PASS
Band2	20	18900	50	#Mid	QAM16	20.70	-2.17	18.53	33.01	PASS
Band2	20	18900	50	#Max	QAM16	20.55	-2.17	18.38	33.01	PASS
Band2	20	18900	100	#0	QAM16	20.58	-2.17	18.41	33.01	PASS
Band2	20	19100	1	#0	QPSK	22.41	-2.17	20.24	33.01	PASS
Band2	20	19100	1	#Mid	QPSK	22.40	-2.17	20.23	33.01	PASS
Band2	20	19100	1	#Max	QPSK	22.49	-2.17	20.32	33.01	PASS
Band2	20	19100	50	#0	QPSK	21.20	-2.17	19.03	33.01	PASS
Band2	20	19100	50	#Mid	QPSK	21.26	-2.17	19.09	33.01	PASS
Band2	20	19100	50	#Max	QPSK	21.21	-2.17	19.04	33.01	PASS
Band2	20	19100	100	#0	QPSK	21.15	-2.17	18.98	33.01	PASS
Band2	20	19100	1	#0	QAM16	21.09	-2.17	18.92	33.01	PASS
Band2	20	19100	1	#Mid	QAM16	21.10	-2.17	18.93	33.01	PASS
Band2	20	19100	1	#Max	QAM16	21.15	-2.17	18.98	33.01	PASS
Band2	20	19100	50	#0	QAM16	20.61	-2.17	18.44	33.01	PASS
Band2	20	19100	50	#Mid	QAM16	20.66	-2.17	18.49	33.01	PASS
Band2	20	19100	50	#Max	QAM16	20.65	-2.17	18.48	33.01	PASS
Band2	20	19100	100	#0	QAM16	20.65	-2.17	18.48	33.01	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band2	20	18700	100	#0	QPSK	0.88	0.00047	-2.5	2.5	PASS
Band2	20	18700	100	#0	QAM16	1.10	0.00059	-2.5	2.5	PASS
Band2	20	18900	100	#0	QPSK	-20.69	-0.01101	-2.5	2.5	PASS
Band2	20	18900	100	#0	QAM16	-26.56	-0.01413	-2.5	2.5	PASS
Band2	20	19100	100	#0	QPSK	8.88	0.00467	-2.5	2.5	PASS
Band2	20	19100	100	#0	QAM16	-7.48	-0.00394	-2.5	2.5	PASS


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18900	1	#0	QPSK	4.70	13	PASS
Band2	1.4	18900	1	#0	QAM16	5.57	13	PASS
Band2	3	18900	1	#0	QPSK	4.71	13	PASS
Band2	3	18900	1	#0	QAM16	5.76	13	PASS
Band2	5	18900	1	#0	QPSK	4.99	13	PASS
Band2	5	18900	1	#0	QAM16	5.71	13	PASS
Band2	10	18900	1	#0	QPSK	4.99	13	PASS
Band2	10	18900	1	#0	QAM16	5.94	13	PASS
Band2	15	18900	1	#0	QPSK	4.87	13	PASS
Band2	15	18900	1	#0	QAM16	5.93	13	PASS
Band2	20	18900	1	#0	QPSK	4.74	13	PASS
Band2	20	18900	1	#0	QAM16	5.56	13	PASS


Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0





Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0







4 Occupied bandwidth



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18607	6	#0	QPSK	1.098	1.243	PASS
Band2	1.4	18607	6	#0	QAM16	1.100	1.250	PASS
Band2	1.4	18900	6	#0	QPSK	1.098	1.250	PASS
Band2	1.4	18900	6	#0	QAM16	1.094	1.246	PASS
Band2	1.4	19193	6	#0	QPSK	1.103	1.259	PASS
Band2	1.4	19193	6	#0	QAM16	1.097	1.248	PASS
Band2	3	18615	15	#0	QPSK	2.707	3.031	PASS
Band2	3	18615	15	#0	QAM16	2.717	3.000	PASS
Band2	3	18900	15	#0	QPSK	2.698	3.020	PASS
Band2	3	18900	15	#0	QAM16	2.710	3.038	PASS
Band2	3	19185	15	#0	QPSK	2.712	3.036	PASS
Band2	3	19185	15	#0	QAM16	2.717	3.060	PASS
Band2	5	18625	25	#0	QPSK	4.536	4.996	PASS
Band2	5	18625	25	#0	QAM16	4.525	4.969	PASS
Band2	5	18900	25	#0	QPSK	4.502	4.961	PASS
Band2	5	18900	25	#0	QAM16	4.530	5.001	PASS
Band2	5	19175	25	#0	QPSK	4.500	4.971	PASS
Band2	5	19175	25	#0	QAM16	4.538	5.005	PASS
Band2	10	18650	50	#0	QPSK	8.980	9.841	PASS
Band2	10	18650	50	#0	QAM16	9.018	9.889	PASS
Band2	10	18900	50	#0	QPSK	8.983	9.825	PASS
Band2	10	18900	50	#0	QAM16	8.972	9.822	PASS
Band2	10	19150	50	#0	QPSK	9.000	9.843	PASS
Band2	10	19150	50	#0	QAM16	8.998	9.809	PASS
Band2	15	18675	75	#0	QPSK	13.509	14.693	PASS
Band2	15	18675	75	#0	QAM16	13.468	14.324	PASS
Band2	15	18900	75	#0	QPSK	13.478	14.700	PASS
Band2	15	18900	75	#0	QAM16	13.474	14.719	PASS
Band2	15	19125	75	#0	QPSK	13.511	14.819	PASS
Band2	15	19125	75	#0	QAM16	13.471	14.994	PASS
Band2	20	18700	100	#0	QPSK	18.032	19.555	PASS
Band2	20	18700	100	#0	QAM16	17.963	19.687	PASS
Band2	20	18900	100	#0	QPSK	18.030	19.554	PASS
Band2	20	18900	100	#0	QAM16	18.036	19.843	PASS
Band2	20	19100	100	#0	QPSK	17.973	19.485	PASS
Band2	20	19100	100	#0	QAM16	17.984	19.551	PASS


Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0

**Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0****Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0**


**Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0****Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0**

**Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0****Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0**


**Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0****Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0**




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0





Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0


**Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0****Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0**




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0



5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band2	1.4	18607	6	#0	QPSK	1850.00	-33.44	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1849.99	-34.54	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.00	-34.51	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.00	-34.08	-13	PASS
Band2	3	18615	15	#0	QPSK	1850.00	-25.19	-13	PASS
Band2	3	18615	15	#0	QAM16	1850.00	-24.41	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.01	-26.55	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.00	-25.30	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-33.55	-13	PASS
Band2	5	18625	25	#0	QAM16	1850.00	-32.79	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.00	-30.29	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.00	-30.81	-13	PASS
Band2	10	18650	50	#0	QPSK	1850.00	-36.20	-13	PASS
Band2	10	18650	50	#0	QAM16	1850.00	-37.48	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.00	-32.16	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.00	-34.87	-13	PASS
Band2	15	18675	75	#0	QPSK	1849.88	-35.69	-13	PASS
Band2	15	18675	75	#0	QAM16	1850.00	-34.30	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.09	-34.10	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.00	-35.84	-13	PASS
Band2	20	18700	100	#0	QPSK	1850.00	-39.65	-13	PASS
Band2	20	18700	100	#0	QAM16	1849.96	-40.38	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.00	-35.45	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.00	-35.63	-13	PASS


Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




6 Out-of-band emissions

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band2	1.4	18607	6	#0	QPSK	19182.53	-38.00	-13	PASS
Band2	1.4	18607	6	#0	QAM16	19176.35	-38.28	-13	PASS
Band2	1.4	19193	6	#0	QPSK	3818.65	-33.74	-13	PASS
Band2	1.4	19193	6	#0	QAM16	3818.18	-34.49	-13	PASS
Band2	3	18615	15	#0	QPSK	19300.80	-38.62	-13	PASS
Band2	3	18615	15	#0	QAM16	19262.33	-37.76	-13	PASS
Band2	3	19185	15	#0	QPSK	3819.13	-37.47	-13	PASS
Band2	3	19185	15	#0	QAM16	3815.80	-35.41	-13	PASS
Band2	5	18625	25	#0	QPSK	19705.50	-38.70	-13	PASS
Band2	5	18625	25	#0	QAM16	19026.73	-37.45	-13	PASS
Band2	5	19175	25	#0	QPSK	19300.33	-37.18	-13	PASS
Band2	5	19175	25	#0	QAM16	19224.33	-37.96	-13	PASS
Band2	10	18650	50	#0	QPSK	19657.05	-38.90	-13	PASS
Band2	10	18650	50	#0	QAM16	18434.88	-38.07	-13	PASS
Band2	10	19150	50	#0	QPSK	18673.80	-38.49	-13	PASS
Band2	10	19150	50	#0	QAM16	19245.23	-38.03	-13	PASS
Band2	15	18675	75	#0	QPSK	19118.40	-37.71	-13	PASS
Band2	15	18675	75	#0	QAM16	19250.45	-38.45	-13	PASS
Band2	15	19125	75	#0	QPSK	18570.73	-37.41	-13	PASS
Band2	15	19125	75	#0	QAM16	19271.83	-37.32	-13	PASS
Band2	20	18700	100	#0	QPSK	18749.80	-38.37	-13	PASS
Band2	20	18700	100	#0	QAM16	19443.30	-38.48	-13	PASS
Band2	20	19100	100	#0	QPSK	18799.68	-37.87	-13	PASS
Band2	20	19100	100	#0	QAM16	18838.15	-37.91	-13	PASS


Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0

