

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Conducted output power (dBm)</i>	<i>Antenna Gain (dBi)</i>	<i>EIRP (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band41(2535-2655)	5	40065	1	#0	QPSK	20.83	1.3	22.13	33.01	PASS
Band41(2535-2655)	5	40065	1	#Mid	QPSK	20.82	1.3	22.12	33.01	PASS
Band41(2535-2655)	5	40065	1	#Max	QPSK	20.85	1.3	22.15	33.01	PASS
Band41(2535-2655)	5	40065	12	#0	QPSK	19.95	1.3	21.25	33.01	PASS
Band41(2535-2655)	5	40065	12	#Mid	QPSK	19.98	1.3	21.28	33.01	PASS
Band41(2535-2655)	5	40065	12	#Max	QPSK	19.89	1.3	21.19	33.01	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	19.85	1.3	21.15	33.01	PASS
Band41(2535-2655)	5	40065	1	#0	QAM64	19.74	1.3	21.04	33.01	PASS
Band41(2535-2655)	5	40065	1	#Mid	QAM64	19.77	1.3	21.07	33.01	PASS
Band41(2535-2655)	5	40065	1	#Max	QAM64	19.74	1.3	21.04	33.01	PASS
Band41(2535-2655)	5	40065	12	#0	QAM64	19.06	1.3	20.36	33.01	PASS
Band41(2535-2655)	5	40065	12	#Mid	QAM64	19.06	1.3	20.36	33.01	PASS
Band41(2535-2655)	5	40065	12	#Max	QAM64	18.95	1.3	20.25	33.01	PASS
Band41(2535-2655)	5	40065	25	#0	QAM64	18.92	1.3	20.22	33.01	PASS
Band41(2535-2655)	5	40640	1	#0	QPSK	20.90	1.3	22.20	33.01	PASS
Band41(2535-2655)	5	40640	1	#Mid	QPSK	20.86	1.3	22.16	33.01	PASS
Band41(2535-2655)	5	40640	1	#Max	QPSK	20.94	1.3	22.24	33.01	PASS
Band41(2535-2655)	5	40640	12	#0	QPSK	20.09	1.3	21.39	33.01	PASS
Band41(2535-2655)	5	40640	12	#Mid	QPSK	20.08	1.3	21.38	33.01	PASS
Band41(2535-2655)	5	40640	12	#Max	QPSK	19.97	1.3	21.27	33.01	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	20.10	1.3	21.40	33.01	PASS
Band41(2535-2655)	5	40640	1	#0	QAM64	20.49	1.3	21.79	33.01	PASS
Band41(2535-2655)	5	40640	1	#Mid	QAM64	20.52	1.3	21.82	33.01	PASS
Band41(2535-2655)	5	40640	1	#Max	QAM64	20.38	1.3	21.68	33.01	PASS
Band41(2535-2655)	5	40640	12	#0	QAM64	19.16	1.3	20.46	33.01	PASS
Band41(2535-2655)	5	40640	12	#Mid	QAM64	19.10	1.3	20.40	33.01	PASS
Band41(2535-2655)	5	40640	12	#Max	QAM64	19.14	1.3	20.44	33.01	PASS
Band41(2535-2655)	5	40640	25	#0	QAM64	19.26	1.3	20.56	33.01	PASS
Band41(2535-2655)	5	41215	1	#0	QPSK	21.07	1.3	22.37	33.01	PASS
Band41(2535-2655)	5	41215	1	#Mid	QPSK	21.14	1.3	22.44	33.01	PASS
Band41(2535-2655)	5	41215	1	#Max	QPSK	21.18	1.3	22.48	33.01	PASS
Band41(2535-2655)	5	41215	12	#0	QPSK	20.06	1.3	21.36	33.01	PASS
Band41(2535-2655)	5	41215	12	#Mid	QPSK	19.99	1.3	21.29	33.01	PASS
Band41(2535-2655)	5	41215	12	#Max	QPSK	19.95	1.3	21.25	33.01	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	19.98	1.3	21.28	33.01	PASS
Band41(2535-2655)	5	41215	1	#0	QAM64	19.64	1.3	20.94	33.01	PASS
Band41(2535-2655)	5	41215	1	#Mid	QAM64	19.68	1.3	20.98	33.01	PASS

Band41(2535-2655)	5	41215	1	#Max	QAM64	19.74	1.3	21.04	33.01	PASS
Band41(2535-2655)	5	41215	12	#0	QAM64	19.03	1.3	20.33	33.01	PASS
Band41(2535-2655)	5	41215	12	#Mid	QAM64	19.06	1.3	20.36	33.01	PASS
Band41(2535-2655)	5	41215	12	#Max	QAM64	19.08	1.3	20.38	33.01	PASS
Band41(2535-2655)	5	41215	25	#0	QAM64	19.10	1.3	20.40	33.01	PASS
Band41(2535-2655)	10	40090	1	#0	QPSK	21.08	1.3	22.38	33.01	PASS
Band41(2535-2655)	10	40090	1	#Mid	QPSK	21.10	1.3	22.40	33.01	PASS
Band41(2535-2655)	10	40090	1	#Max	QPSK	21.14	1.3	22.44	33.01	PASS
Band41(2535-2655)	10	40090	25	#0	QPSK	19.94	1.3	21.24	33.01	PASS
Band41(2535-2655)	10	40090	25	#Mid	QPSK	20.05	1.3	21.35	33.01	PASS
Band41(2535-2655)	10	40090	25	#Max	QPSK	20.02	1.3	21.32	33.01	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	19.96	1.3	21.26	33.01	PASS
Band41(2535-2655)	10	40090	1	#0	QAM64	20.61	1.3	21.91	33.01	PASS
Band41(2535-2655)	10	40090	1	#Mid	QAM64	20.58	1.3	21.88	33.01	PASS
Band41(2535-2655)	10	40090	1	#Max	QAM64	20.51	1.3	21.81	33.01	PASS
Band41(2535-2655)	10	40090	25	#0	QAM64	19.04	1.3	20.34	33.01	PASS
Band41(2535-2655)	10	40090	25	#Mid	QAM64	19.04	1.3	20.34	33.01	PASS
Band41(2535-2655)	10	40090	25	#Max	QAM64	19.10	1.3	20.40	33.01	PASS
Band41(2535-2655)	10	40090	50	#0	QAM64	19.15	1.3	20.45	33.01	PASS
Band41(2535-2655)	10	40640	1	#0	QPSK	21.18	1.3	22.48	33.01	PASS
Band41(2535-2655)	10	40640	1	#Mid	QPSK	21.17	1.3	22.47	33.01	PASS
Band41(2535-2655)	10	40640	1	#Max	QPSK	21.12	1.3	22.42	33.01	PASS
Band41(2535-2655)	10	40640	25	#0	QPSK	20.02	1.3	21.32	33.01	PASS
Band41(2535-2655)	10	40640	25	#Mid	QPSK	20.11	1.3	21.41	33.01	PASS
Band41(2535-2655)	10	40640	25	#Max	QPSK	20.11	1.3	21.41	33.01	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	20.05	1.3	21.35	33.01	PASS
Band41(2535-2655)	10	40640	1	#0	QAM64	19.93	1.3	21.23	33.01	PASS
Band41(2535-2655)	10	40640	1	#Mid	QAM64	19.91	1.3	21.21	33.01	PASS
Band41(2535-2655)	10	40640	1	#Max	QAM64	19.81	1.3	21.11	33.01	PASS
Band41(2535-2655)	10	40640	25	#0	QAM64	19.28	1.3	20.58	33.01	PASS
Band41(2535-2655)	10	40640	25	#Mid	QAM64	19.30	1.3	20.60	33.01	PASS
Band41(2535-2655)	10	40640	25	#Max	QAM64	19.32	1.3	20.62	33.01	PASS
Band41(2535-2655)	10	40640	50	#0	QAM64	19.26	1.3	20.56	33.01	PASS
Band41(2535-2655)	10	41190	1	#0	QPSK	20.94	1.3	22.24	33.01	PASS
Band41(2535-2655)	10	41190	1	#Mid	QPSK	20.89	1.3	22.19	33.01	PASS
Band41(2535-2655)	10	41190	1	#Max	QPSK	20.93	1.3	22.23	33.01	PASS
Band41(2535-2655)	10	41190	25	#0	QPSK	20.07	1.3	21.37	33.01	PASS
Band41(2535-2655)	10	41190	25	#Mid	QPSK	19.98	1.3	21.28	33.01	PASS
Band41(2535-2655)	10	41190	25	#Max	QPSK	20.06	1.3	21.36	33.01	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	20.03	1.3	21.33	33.01	PASS
Band41(2535-2655)	10	41190	1	#0	QAM64	20.35	1.3	21.65	33.01	PASS
Band41(2535-2655)	10	41190	1	#Mid	QAM64	20.31	1.3	21.61	33.01	PASS
Band41(2535-2655)	10	41190	1	#Max	QAM64	20.47	1.3	21.77	33.01	PASS
Band41(2535-2655)	10	41190	25	#0	QAM64	19.26	1.3	20.56	33.01	PASS

Band41(2535-2655)	10	41190	25	#Mid	QAM64	19.19	1.3	20.49	33.01	PASS
Band41(2535-2655)	10	41190	25	#Max	QAM64	19.26	1.3	20.56	33.01	PASS
Band41(2535-2655)	10	41190	50	#0	QAM64	19.06	1.3	20.36	33.01	PASS
Band41(2535-2655)	15	40115	1	#0	QPSK	21.10	1.3	22.40	33.01	PASS
Band41(2535-2655)	15	40115	1	#Mid	QPSK	21.08	1.3	22.38	33.01	PASS
Band41(2535-2655)	15	40115	1	#Max	QPSK	21.03	1.3	22.33	33.01	PASS
Band41(2535-2655)	15	40115	36	#0	QPSK	20.01	1.3	21.31	33.01	PASS
Band41(2535-2655)	15	40115	36	#Mid	QPSK	20.00	1.3	21.30	33.01	PASS
Band41(2535-2655)	15	40115	36	#Max	QPSK	20.02	1.3	21.32	33.01	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	19.94	1.3	21.24	33.01	PASS
Band41(2535-2655)	15	40115	1	#0	QAM64	20.48	1.3	21.78	33.01	PASS
Band41(2535-2655)	15	40115	1	#Mid	QAM64	20.57	1.3	21.87	33.01	PASS
Band41(2535-2655)	15	40115	1	#Max	QAM64	20.66	1.3	21.96	33.01	PASS
Band41(2535-2655)	15	40115	36	#0	QAM64	19.03	1.3	20.33	33.01	PASS
Band41(2535-2655)	15	40115	36	#Mid	QAM64	19.02	1.3	20.32	33.01	PASS
Band41(2535-2655)	15	40115	36	#Max	QAM64	19.12	1.3	20.42	33.01	PASS
Band41(2535-2655)	15	40115	75	#0	QAM64	18.99	1.3	20.29	33.01	PASS
Band41(2535-2655)	15	40640	1	#0	QPSK	21.19	1.3	22.49	33.01	PASS
Band41(2535-2655)	15	40640	1	#Mid	QPSK	21.26	1.3	22.56	33.01	PASS
Band41(2535-2655)	15	40640	1	#Max	QPSK	21.11	1.3	22.41	33.01	PASS
Band41(2535-2655)	15	40640	36	#0	QPSK	20.17	1.3	21.47	33.01	PASS
Band41(2535-2655)	15	40640	36	#Mid	QPSK	20.18	1.3	21.48	33.01	PASS
Band41(2535-2655)	15	40640	36	#Max	QPSK	20.10	1.3	21.40	33.01	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	20.01	1.3	21.31	33.01	PASS
Band41(2535-2655)	15	40640	1	#0	QAM64	19.87	1.3	21.17	33.01	PASS
Band41(2535-2655)	15	40640	1	#Mid	QAM64	19.86	1.3	21.16	33.01	PASS
Band41(2535-2655)	15	40640	1	#Max	QAM64	19.81	1.3	21.11	33.01	PASS
Band41(2535-2655)	15	40640	36	#0	QAM64	19.16	1.3	20.46	33.01	PASS
Band41(2535-2655)	15	40640	36	#Mid	QAM64	19.28	1.3	20.58	33.01	PASS
Band41(2535-2655)	15	40640	36	#Max	QAM64	19.16	1.3	20.46	33.01	PASS
Band41(2535-2655)	15	40640	75	#0	QAM64	19.10	1.3	20.40	33.01	PASS
Band41(2535-2655)	15	41165	1	#0	QPSK	21.00	1.3	22.30	33.01	PASS
Band41(2535-2655)	15	41165	1	#Mid	QPSK	20.94	1.3	22.24	33.01	PASS
Band41(2535-2655)	15	41165	1	#Max	QPSK	20.97	1.3	22.27	33.01	PASS
Band41(2535-2655)	15	41165	36	#0	QPSK	20.06	1.3	21.36	33.01	PASS
Band41(2535-2655)	15	41165	36	#Mid	QPSK	19.92	1.3	21.22	33.01	PASS
Band41(2535-2655)	15	41165	36	#Max	QPSK	19.96	1.3	21.26	33.01	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	19.98	1.3	21.28	33.01	PASS
Band41(2535-2655)	15	41165	1	#0	QAM64	20.22	1.3	21.52	33.01	PASS
Band41(2535-2655)	15	41165	1	#Mid	QAM64	20.33	1.3	21.63	33.01	PASS
Band41(2535-2655)	15	41165	1	#Max	QAM64	20.35	1.3	21.65	33.01	PASS
Band41(2535-2655)	15	41165	36	#0	QAM64	19.22	1.3	20.52	33.01	PASS
Band41(2535-2655)	15	41165	36	#Mid	QAM64	19.11	1.3	20.41	33.01	PASS
Band41(2535-2655)	15	41165	36	#Max	QAM64	19.13	1.3	20.43	33.01	PASS

Band41(2535-2655)	15	41165	75	#0	QAM64	19.21	1.3	20.51	33.01	PASS
Band41(2535-2655)	20	40140	1	#0	QPSK	21.11	1.3	22.41	33.01	PASS
Band41(2535-2655)	20	40140	1	#Mid	QPSK	21.04	1.3	22.34	33.01	PASS
Band41(2535-2655)	20	40140	1	#Max	QPSK	21.06	1.3	22.36	33.01	PASS
Band41(2535-2655)	20	40140	50	#0	QPSK	20.06	1.3	21.36	33.01	PASS
Band41(2535-2655)	20	40140	50	#Mid	QPSK	19.92	1.3	21.22	33.01	PASS
Band41(2535-2655)	20	40140	50	#Max	QPSK	20.08	1.3	21.38	33.01	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	20.00	1.3	21.30	33.01	PASS
Band41(2535-2655)	20	40140	1	#0	QAM64	19.80	1.3	21.10	33.01	PASS
Band41(2535-2655)	20	40140	1	#Mid	QAM64	19.70	1.3	21.00	33.01	PASS
Band41(2535-2655)	20	40140	1	#Max	QAM64	19.79	1.3	21.09	33.01	PASS
Band41(2535-2655)	20	40140	50	#0	QAM64	19.16	1.3	20.46	33.01	PASS
Band41(2535-2655)	20	40140	50	#Mid	QAM64	19.20	1.3	20.50	33.01	PASS
Band41(2535-2655)	20	40140	50	#Max	QAM64	19.21	1.3	20.51	33.01	PASS
Band41(2535-2655)	20	40140	100	#0	QAM64	19.08	1.3	20.38	33.01	PASS
Band41(2535-2655)	20	40640	1	#0	QPSK	21.06	1.3	22.36	33.01	PASS
Band41(2535-2655)	20	40640	1	#Mid	QPSK	20.99	1.3	22.29	33.01	PASS
Band41(2535-2655)	20	40640	1	#Max	QPSK	20.99	1.3	22.29	33.01	PASS
Band41(2535-2655)	20	40640	50	#0	QPSK	20.09	1.3	21.39	33.01	PASS
Band41(2535-2655)	20	40640	50	#Mid	QPSK	20.07	1.3	21.37	33.01	PASS
Band41(2535-2655)	20	40640	50	#Max	QPSK	20.05	1.3	21.35	33.01	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	19.97	1.3	21.27	33.01	PASS
Band41(2535-2655)	20	40640	1	#0	QAM64	19.42	1.3	20.72	33.01	PASS
Band41(2535-2655)	20	40640	1	#Mid	QAM64	19.25	1.3	20.55	33.01	PASS
Band41(2535-2655)	20	40640	1	#Max	QAM64	19.44	1.3	20.74	33.01	PASS
Band41(2535-2655)	20	40640	50	#0	QAM64	19.21	1.3	20.51	33.01	PASS
Band41(2535-2655)	20	40640	50	#Mid	QAM64	19.18	1.3	20.48	33.01	PASS
Band41(2535-2655)	20	40640	50	#Max	QAM64	19.12	1.3	20.42	33.01	PASS
Band41(2535-2655)	20	40640	100	#0	QAM64	19.04	1.3	20.34	33.01	PASS
Band41(2535-2655)	20	41140	1	#0	QPSK	21.07	1.3	22.37	33.01	PASS
Band41(2535-2655)	20	41140	1	#Mid	QPSK	21.18	1.3	22.48	33.01	PASS
Band41(2535-2655)	20	41140	1	#Max	QPSK	21.13	1.3	22.43	33.01	PASS
Band41(2535-2655)	20	41140	50	#0	QPSK	19.87	1.3	21.17	33.01	PASS
Band41(2535-2655)	20	41140	50	#Mid	QPSK	19.85	1.3	21.15	33.01	PASS
Band41(2535-2655)	20	41140	50	#Max	QPSK	19.89	1.3	21.19	33.01	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	20.01	1.3	21.31	33.01	PASS
Band41(2535-2655)	20	41140	1	#0	QAM64	20.45	1.3	21.75	33.01	PASS
Band41(2535-2655)	20	41140	1	#Mid	QAM64	20.46	1.3	21.76	33.01	PASS
Band41(2535-2655)	20	41140	1	#Max	QAM64	20.49	1.3	21.79	33.01	PASS
Band41(2535-2655)	20	41140	50	#0	QAM64	19.00	1.3	20.30	33.01	PASS
Band41(2535-2655)	20	41140	50	#Mid	QAM64	19.13	1.3	20.43	33.01	PASS
Band41(2535-2655)	20	41140	50	#Max	QAM64	18.98	1.3	20.28	33.01	PASS
Band41(2535-2655)	20	41140	100	#0	QAM64	19.03	1.3	20.33	33.01	PASS


2 Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
Band41(2535-2655)	20	40140	100	#0	QPSK	-11.61	-0.00456	-2.5	2.5	PASS
Band41(2535-2655)	20	40140	100	#0	QAM64	-11.18	-0.00439	-2.5	2.5	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	7.41	0.00286	-2.5	2.5	PASS
Band41(2535-2655)	20	40640	100	#0	QAM64	13.01	0.00501	-2.5	2.5	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	28.88	0.01092	-2.5	2.5	PASS
Band41(2535-2655)	20	41140	100	#0	QAM64	35.17	0.01330	-2.5	2.5	PASS



3 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41(2535-2655)	5	40640	1	#0	QPSK	7.75	13	PASS
Band41(2535-2655)	5	40640	1	#0	QAM64	7.87	13	PASS
Band41(2535-2655)	10	40640	1	#0	QPSK	9.97	13	PASS
Band41(2535-2655)	10	40640	1	#0	QAM64	7.07	13	PASS
Band41(2535-2655)	15	40640	1	#0	QPSK	8.85	13	PASS
Band41(2535-2655)	15	40640	1	#0	QAM64	9.31	13	PASS
Band41(2535-2655)	20	40640	1	#0	QPSK	10.42	13	PASS
Band41(2535-2655)	20	40640	1	#0	QAM64	7.65	13	PASS

Band41(2535-2655) QAM64 BW=10MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QAM64 BW=15MHz Channel=40640 RB Size=1 Position=#0

**Band41(2535-2655) QAM64 BW=20MHz Channel=40640 RB Size=1 Position=#0****Band41(2535-2655) QAM64 BW=5MHz Channel=40640 RB Size=1 Position=#0**

**Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=1 Position=#0****Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=1 Position=#0**


**Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=1 Position=#0****Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band41(2535-2655)	5	40065	25	#0	QPSK	4.493	4.929	PASS
Band41(2535-2655)	5	40065	25	#0	QAM64	4.496	4.969	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	4.504	4.890	PASS
Band41(2535-2655)	5	40640	25	#0	QAM64	4.505	4.895	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	4.499	4.987	PASS
Band41(2535-2655)	5	41215	25	#0	QAM64	4.505	4.850	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	9.001	9.886	PASS
Band41(2535-2655)	10	40090	50	#0	QAM64	9.014	9.990	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	9.025	9.760	PASS
Band41(2535-2655)	10	40640	50	#0	QAM64	8.972	9.753	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	8.994	9.975	PASS
Band41(2535-2655)	10	41190	50	#0	QAM64	9.001	10.071	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	13.477	14.937	PASS
Band41(2535-2655)	15	40115	75	#0	QAM64	13.496	14.631	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	13.460	14.885	PASS
Band41(2535-2655)	15	40640	75	#0	QAM64	13.452	14.557	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	13.446	14.663	PASS
Band41(2535-2655)	15	41165	75	#0	QAM64	13.421	14.734	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	17.947	19.142	PASS
Band41(2535-2655)	20	40140	100	#0	QAM64	18.035	19.491	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	17.930	19.419	PASS
Band41(2535-2655)	20	40640	100	#0	QAM64	17.968	19.350	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	17.991	20.137	PASS
Band41(2535-2655)	20	41140	100	#0	QAM64	17.938	19.485	PASS


Band41(2535-2655) QAM64 BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QAM64 BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41(2535-2655) QAM64 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QAM64 BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QAM64 BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41(2535-2655) QAM64 BW=15MHz Channel=41165 RB Size=75 Position=#0





Band41(2535-2655) QAM64 BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QAM64 BW=20MHz Channel=40640 RB Size=100 Position=#0




Band41(2535-2655) QAM64 BW=20MHz Channel=41140 RB Size=100 Position=#0


**Band41(2535-2655) QAM64 BW=5MHz Channel=40065 RB Size=25 Position=#0****Band41(2535-2655) QAM64 BW=5MHz Channel=40640 RB Size=25 Position=#0**




Band41(2535-2655) QAM64 BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=50 Position=#0





Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0







Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=75 Position=#0


**Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0****Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0**

**Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=100 Position=#0****Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0**

**Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0****Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=25 Position=#0**




Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	2534.00	-17.13	-10	PASS
Band41(2535-2655)	5	40065	25	#0	QAM64	2533.99	-17.59	-10	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	2661.68	-32.53	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QAM64	2661.40	-31.48	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	2524.73	-34.21	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QAM64	2524.84	-33.71	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	2666.42	-37.30	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QAM64	2665.07	-37.27	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	2518.79	-36.20	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QAM64	2519.22	-36.35	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	2671.19	-36.57	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QAM64	2671.71	-38.05	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	2514.04	-39.68	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QAM64	2514.74	-39.79	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	2677.52	-40.37	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QAM64	2677.47	-40.12	-25	PASS


Band41(2535-2655) QAM64 BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QAM64 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QAM64 BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QAM64 BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QAM64 BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QAM64 BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2535-2655) QAM64 BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) QAM64 BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	24652.53	-34.99	-25	PASS
Band41(2535-2655)	5	40065	25	#0	QAM64	26023.15	-35.02	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	25814.05	-35.08	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QAM64	24738.59	-34.58	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	25903.30	-34.65	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QAM64	25760.50	-35.27	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	26473.86	-34.24	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QAM64	25891.19	-34.19	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	26343.18	-34.60	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QAM64	22305.89	-34.88	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	26352.10	-34.30	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QAM64	24196.71	-34.87	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	26197.83	-35.31	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QAM64	26413.94	-34.21	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	25789.19	-34.29	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QAM64	26362.94	-34.07	-25	PASS


Band41(2535-2655) QAM64 BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QAM64 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QAM64 BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QAM64 BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QAM64 BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QAM64 BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2535-2655) QAM64 BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) QAM64 BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0



Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0

