

TABLE OF CONTENTS

1 Conducted output power for NR FR1	2
2 Frequency stability for NR FR1	5
3 Peak-to-Average Ratio for NR FR1	7
4 Occupied bandwidth for NR FR1	39
5 Band edge for NR FR1	50
6 Out-of-band emissions for NR FR1	60

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth h (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
n5	15	5	165300	1@1	DFT_BPSK	22.51	-6.17	-8.32	14.19	38.45	PASS
n5	15	5	165300	25@0	DFT_QPSK	21.38	-6.17	-8.32	13.06	38.45	PASS
n5	15	5	165300	12@6	DFT_QPSK	22.41	-6.17	-8.32	14.09	38.45	PASS
n5	15	5	165300	1@1	DFT_QPSK	22.35	-6.17	-8.32	14.03	38.45	PASS
n5	15	5	165300	1@23	DFT_QPSK	22.34	-6.17	-8.32	14.02	38.45	PASS
n5	15	5	165300	1@1	DFT_QAM16	21.37	-6.17	-8.32	13.05	38.45	PASS
n5	15	5	165300	1@1	DFT_QAM64	19.79	-6.17	-8.32	11.47	38.45	PASS
n5	15	5	165300	1@1	DFT_QAM256	17.85	-6.17	-8.32	9.53	38.45	PASS
n5	15	5	165300	1@1	CP_QPSK	21.07	-6.17	-8.32	12.75	38.45	PASS
n5	15	5	167300	1@1	DFT_BPSK	22.48	-6.17	-8.32	14.16	38.45	PASS
n5	15	5	167300	25@0	DFT_QPSK	21.45	-6.17	-8.32	13.13	38.45	PASS
n5	15	5	167300	12@6	DFT_QPSK	22.47	-6.17	-8.32	14.15	38.45	PASS
n5	15	5	167300	1@1	DFT_QPSK	22.78	-6.17	-8.32	14.46	38.45	PASS
n5	15	5	167300	1@23	DFT_QPSK	22.51	-6.17	-8.32	14.19	38.45	PASS
n5	15	5	167300	1@1	DFT_QAM16	21.63	-6.17	-8.32	13.31	38.45	PASS
n5	15	5	167300	1@1	DFT_QAM64	20.72	-6.17	-8.32	12.4	38.45	PASS
n5	15	5	167300	1@1	DFT_QAM256	18.65	-6.17	-8.32	10.33	38.45	PASS
n5	15	5	167300	1@1	CP_QPSK	21.98	-6.17	-8.32	13.66	38.45	PASS
n5	15	5	169300	1@1	DFT_BPSK	22.15	-6.17	-8.32	13.83	38.45	PASS
n5	15	5	169300	25@0	DFT_QPSK	21.08	-6.17	-8.32	12.76	38.45	PASS
n5	15	5	169300	12@6	DFT_QPSK	22.12	-6.17	-8.32	13.8	38.45	PASS
n5	15	5	169300	1@1	DFT_QPSK	22.23	-6.17	-8.32	13.91	38.45	PASS
n5	15	5	169300	1@23	DFT_QPSK	21.38	-6.17	-8.32	13.06	38.45	PASS
n5	15	5	169300	1@1	DFT_QAM16	21.58	-6.17	-8.32	13.26	38.45	PASS
n5	15	5	169300	1@1	DFT_QAM64	19.94	-6.17	-8.32	11.62	38.45	PASS
n5	15	5	169300	1@1	DFT_QAM256	17.83	-6.17	-8.32	9.51	38.45	PASS
n5	15	5	169300	1@1	CP_QPSK	20.78	-6.17	-8.32	12.46	38.45	PASS
n5	15	15	166300	1@1	DFT_BPSK	22.24	-6.17	-8.32	13.92	38.45	PASS
n5	15	15	166300	75@0	DFT_QPSK	21.48	-6.17	-8.32	13.16	38.45	PASS
n5	15	15	166300	36@18	DFT_QPSK	22.47	-6.17	-8.32	14.15	38.45	PASS
n5	15	15	166300	1@1	DFT_QPSK	22.21	-6.17	-8.32	13.89	38.45	PASS
n5	15	15	166300	1@77	DFT_QPSK	22.21	-6.17	-8.32	13.89	38.45	PASS
n5	15	15	166300	1@1	DFT_QAM16	21.28	-6.17	-8.32	12.96	38.45	PASS
n5	15	15	166300	1@1	DFT_QAM64	20.08	-6.17	-8.32	11.76	38.45	PASS

n5	15	15	166300	1@1	DFT_QAM25 6	17.84	-6.17	-8.32	9.52	38.45	PASS
n5	15	15	166300	1@1	CP_QPSK	21.20	-6.17	-8.32	12.88	38.45	PASS
n5	15	15	167300	1@1	DFT_BPSK	22.43	-6.17	-8.32	14.11	38.45	PASS
n5	15	15	167300	75@0	DFT_QPSK	21.51	-6.17	-8.32	13.19	38.45	PASS
n5	15	15	167300	36@18	DFT_QPSK	22.46	-6.17	-8.32	14.14	38.45	PASS
n5	15	15	167300	1@1	DFT_QPSK	22.39	-6.17	-8.32	14.07	38.45	PASS
n5	15	15	167300	1@77	DFT_QPSK	22.21	-6.17	-8.32	13.89	38.45	PASS
n5	15	15	167300	1@1	DFT_QAM16	21.36	-6.17	-8.32	13.04	38.45	PASS
n5	15	15	167300	1@1	DFT_QAM64	19.78	-6.17	-8.32	11.46	38.45	PASS
n5	15	15	167300	1@1	DFT_QAM25 6	18.03	-6.17	-8.32	9.71	38.45	PASS
n5	15	15	167300	1@1	CP_QPSK	21.70	-6.17	-8.32	13.38	38.45	PASS
n5	15	15	168300	1@1	DFT_BPSK	22.71	-6.17	-8.32	14.39	38.45	PASS
n5	15	15	168300	75@0	DFT_QPSK	21.33	-6.17	-8.32	13.01	38.45	PASS
n5	15	15	168300	36@18	DFT_QPSK	22.35	-6.17	-8.32	14.03	38.45	PASS
n5	15	15	168300	1@1	DFT_QPSK	22.78	-6.17	-8.32	14.46	38.45	PASS
n5	15	15	168300	1@77	DFT_QPSK	21.53	-6.17	-8.32	13.21	38.45	PASS
n5	15	15	168300	1@1	DFT_QAM16	21.69	-6.17	-8.32	13.37	38.45	PASS
n5	15	15	168300	1@1	DFT_QAM64	20.39	-6.17	-8.32	12.07	38.45	PASS
n5	15	15	168300	1@1	DFT_QAM25 6	18.58	-6.17	-8.32	10.26	38.45	PASS
n5	15	15	168300	1@1	CP_QPSK	20.83	-6.17	-8.32	12.51	38.45	PASS
n5	15	20	166800	1@1	DFT_BPSK	22.20	-6.17	-8.32	13.88	38.45	PASS
n5	15	20	166800	100@0	DFT_QPSK	21.49	-6.17	-8.32	13.17	38.45	PASS
n5	15	20	166800	50@25	DFT_QPSK	22.51	-6.17	-8.32	14.19	38.45	PASS
n5	15	20	166800	1@1	DFT_QPSK	22.47	-6.17	-8.32	14.15	38.45	PASS
n5	15	20	166800	1@104	DFT_QPSK	22.31	-6.17	-8.32	13.99	38.45	PASS
n5	15	20	166800	1@1	DFT_QAM16	21.55	-6.17	-8.32	13.23	38.45	PASS
n5	15	20	166800	1@1	DFT_QAM64	20.16	-6.17	-8.32	11.84	38.45	PASS
n5	15	20	166800	1@1	DFT_QAM25 6	18.12	-6.17	-8.32	9.8	38.45	PASS
n5	15	20	166800	1@1	CP_QPSK	20.91	-6.17	-8.32	12.59	38.45	PASS
n5	15	20	167300	1@1	DFT_BPSK	22.53	-6.17	-8.32	14.21	38.45	PASS
n5	15	20	167300	100@0	DFT_QPSK	21.46	-6.17	-8.32	13.14	38.45	PASS
n5	15	20	167300	50@25	DFT_QPSK	22.49	-6.17	-8.32	14.17	38.45	PASS
n5	15	20	167300	1@1	DFT_QPSK	22.54	-6.17	-8.32	14.22	38.45	PASS
n5	15	20	167300	1@104	DFT_QPSK	22.17	-6.17	-8.32	13.85	38.45	PASS
n5	15	20	167300	1@1	DFT_QAM16	21.89	-6.17	-8.32	13.57	38.45	PASS
n5	15	20	167300	1@1	DFT_QAM64	19.95	-6.17	-8.32	11.63	38.45	PASS
n5	15	20	167300	1@1	DFT_QAM25 6	18.02	-6.17	-8.32	9.7	38.45	PASS
n5	15	20	167300	1@1	CP_QPSK	20.81	-6.17	-8.32	12.49	38.45	PASS
n5	15	20	167800	1@1	DFT_BPSK	22.36	-6.17	-8.32	14.04	38.45	PASS

n5	15	20	167800	100@0	DFT_QPSK	21.39	-6.17	-8.32	13.07	38.45	PASS
n5	15	20	167800	50@25	DFT_QPSK	22.44	-6.17	-8.32	14.12	38.45	PASS
n5	15	20	167800	1@1	DFT_QPSK	22.42	-6.17	-8.32	14.1	38.45	PASS
n5	15	20	167800	1@104	DFT_QPSK	21.48	-6.17	-8.32	13.16	38.45	PASS
n5	15	20	167800	1@1	DFT_QAM16	21.48	-6.17	-8.32	13.16	38.45	PASS
n5	15	20	167800	1@1	DFT_QAM64	19.97	-6.17	-8.32	11.65	38.45	PASS
n5	15	20	167800	1@1	DFT_QAM25 6	17.86	-6.17	-8.32	9.54	38.45	PASS
n5	15	20	167800	1@1	CP_QPSK	20.66	-6.17	-8.32	12.34	38.45	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n5	15	5	165300	12@6	DFT_BPSK	-1.79	-0.00217	-2.5	2.5	PASS
n5	15	5	165300	1@1	DFT_BPSK	-0.02	-0.00002	-2.5	2.5	PASS
n5	15	5	165300	1@23	DFT_BPSK	-0.11	-0.00013	-2.5	2.5	PASS
n5	15	5	165300	12@6	DFT_QPSK	-2.56	-0.00310	-2.5	2.5	PASS
n5	15	5	165300	1@1	DFT_QPSK	-2.39	-0.00289	-2.5	2.5	PASS
n5	15	5	165300	1@23	DFT_QPSK	-1.65	-0.00200	-2.5	2.5	PASS
n5	15	5	167300	12@6	DFT_BPSK	-1.94	-0.00232	-2.5	2.5	PASS
n5	15	5	167300	1@1	DFT_BPSK	-1.56	-0.00186	-2.5	2.5	PASS
n5	15	5	167300	1@23	DFT_BPSK	-2.51	-0.00300	-2.5	2.5	PASS
n5	15	5	167300	12@6	DFT_QPSK	-2.64	-0.00316	-2.5	2.5	PASS
n5	15	5	167300	1@1	DFT_QPSK	-3.76	-0.00449	-2.5	2.5	PASS
n5	15	5	167300	1@23	DFT_QPSK	-0.96	-0.00115	-2.5	2.5	PASS
n5	15	5	169300	12@6	DFT_BPSK	-3.78	-0.00447	-2.5	2.5	PASS
n5	15	5	169300	1@1	DFT_BPSK	-3.77	-0.00445	-2.5	2.5	PASS
n5	15	5	169300	1@23	DFT_BPSK	-1.40	-0.00165	-2.5	2.5	PASS
n5	15	5	169300	12@6	DFT_QPSK	-4.06	-0.00480	-2.5	2.5	PASS
n5	15	5	169300	1@1	DFT_QPSK	-3.68	-0.00435	-2.5	2.5	PASS
n5	15	5	169300	1@23	DFT_QPSK	-8.94	-0.01056	-2.5	2.5	PASS
n5	15	15	166300	36@18	DFT_BPSK	-1.79	-0.00215	-2.5	2.5	PASS
n5	15	15	166300	1@1	DFT_BPSK	-1.37	-0.00165	-2.5	2.5	PASS
n5	15	15	166300	1@77	DFT_BPSK	-0.13	-0.00016	-2.5	2.5	PASS
n5	15	15	166300	36@18	DFT_QPSK	-2.33	-0.00280	-2.5	2.5	PASS
n5	15	15	166300	1@1	DFT_QPSK	-1.40	-0.00168	-2.5	2.5	PASS
n5	15	15	166300	1@77	DFT_QPSK	-1.41	-0.00170	-2.5	2.5	PASS
n5	15	15	167300	36@18	DFT_BPSK	-1.47	-0.00176	-2.5	2.5	PASS
n5	15	15	167300	1@1	DFT_BPSK	-1.69	-0.00202	-2.5	2.5	PASS
n5	15	15	167300	1@77	DFT_BPSK	-1.10	-0.00132	-2.5	2.5	PASS
n5	15	15	167300	36@18	DFT_QPSK	-5.21	-0.00623	-2.5	2.5	PASS
n5	15	15	167300	1@1	DFT_QPSK	-5.34	-0.00638	-2.5	2.5	PASS
n5	15	15	167300	1@77	DFT_QPSK	-3.75	-0.00448	-2.5	2.5	PASS
n5	15	15	168300	36@18	DFT_BPSK	0.37	0.00044	-2.5	2.5	PASS
n5	15	15	168300	1@1	DFT_BPSK	-0.81	-0.00096	-2.5	2.5	PASS
n5	15	15	168300	1@77	DFT_BPSK	3.28	0.00390	-2.5	2.5	PASS
n5	15	15	168300	36@18	DFT_QPSK	-1.36	-0.00162	-2.5	2.5	PASS
n5	15	15	168300	1@1	DFT_QPSK	-1.83	-0.00217	-2.5	2.5	PASS
n5	15	15	168300	1@77	DFT_QPSK	-4.18	-0.00497	-2.5	2.5	PASS
n5	15	20	166800	50@25	DFT_BPSK	-2.11	-0.00253	-2.5	2.5	PASS
n5	15	20	166800	1@1	DFT_BPSK	-2.59	-0.00311	-2.5	2.5	PASS
n5	15	20	166800	1@104	DFT_BPSK	-2.21	-0.00265	-2.5	2.5	PASS


n5	15	20	166800	50@25	DFT_QPSK	-2.23	-0.00267	-2.5	2.5	PASS
n5	15	20	166800	1@1	DFT_QPSK	-2.66	-0.00319	-2.5	2.5	PASS
n5	15	20	166800	1@104	DFT_QPSK	-2.11	-0.00253	-2.5	2.5	PASS
n5	15	20	167300	50@25	DFT_BPSK	-3.03	-0.00362	-2.5	2.5	PASS
n5	15	20	167300	1@1	DFT_BPSK	-2.79	-0.00334	-2.5	2.5	PASS
n5	15	20	167300	1@104	DFT_BPSK	-3.03	-0.00362	-2.5	2.5	PASS
n5	15	20	167300	50@25	DFT_QPSK	-2.43	-0.00290	-2.5	2.5	PASS
n5	15	20	167300	1@1	DFT_QPSK	-1.91	-0.00228	-2.5	2.5	PASS
n5	15	20	167300	1@104	DFT_QPSK	-1.28	-0.00153	-2.5	2.5	PASS
n5	15	20	167800	50@25	DFT_BPSK	-1.26	-0.00150	-2.5	2.5	PASS
n5	15	20	167800	1@1	DFT_BPSK	-1.36	-0.00162	-2.5	2.5	PASS
n5	15	20	167800	1@104	DFT_BPSK	0.80	0.00095	-2.5	2.5	PASS
n5	15	20	167800	50@25	DFT_QPSK	-2.39	-0.00285	-2.5	2.5	PASS
n5	15	20	167800	1@1	DFT_QPSK	-3.65	-0.00435	-2.5	2.5	PASS
n5	15	20	167800	1@104	DFT_QPSK	-0.69	-0.00082	-2.5	2.5	PASS

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n5	15	5	165300	25@0	DFT_BPSK	4.31	13	PASS
n5	15	5	165300	25@0	DFT_QPSK	5.35	13	PASS
n5	15	5	165300	25@0	DFT_QAM16	6.18	13	PASS
n5	15	5	165300	25@0	DFT_QAM64	6.39	13	PASS
n5	15	5	165300	25@0	DFT_QAM256	6.34	13	PASS
n5	15	5	167300	25@0	DFT_BPSK	4.20	13	PASS
n5	15	5	167300	25@0	DFT_QPSK	5.12	13	PASS
n5	15	5	167300	25@0	DFT_QAM16	5.92	13	PASS
n5	15	5	167300	25@0	DFT_QAM64	6.36	13	PASS
n5	15	5	167300	25@0	DFT_QAM256	6.83	13	PASS
n5	15	5	169300	25@0	DFT_BPSK	4.41	13	PASS
n5	15	5	169300	25@0	DFT_QPSK	4.96	13	PASS
n5	15	5	169300	25@0	DFT_QAM16	5.71	13	PASS
n5	15	5	169300	25@0	DFT_QAM64	5.99	13	PASS
n5	15	5	169300	25@0	DFT_QAM256	6.34	13	PASS
n5	15	10	165800	50@0	DFT_BPSK	4.66	13	PASS
n5	15	10	165800	50@0	DFT_QPSK	5.26	13	PASS
n5	15	10	165800	50@0	DFT_QAM16	6.09	13	PASS
n5	15	10	165800	50@0	DFT_QAM64	6.43	13	PASS
n5	15	10	165800	50@0	DFT_QAM256	6.61	13	PASS
n5	15	10	167300	50@0	DFT_BPSK	4.23	13	PASS
n5	15	10	167300	50@0	DFT_QPSK	5.15	13	PASS
n5	15	10	167300	50@0	DFT_QAM16	6.00	13	PASS
n5	15	10	167300	50@0	DFT_QAM64	6.26	13	PASS
n5	15	10	167300	50@0	DFT_QAM256	6.59	13	PASS
n5	15	10	168800	50@0	DFT_BPSK	5.03	13	PASS
n5	15	10	168800	50@0	DFT_QPSK	5.30	13	PASS
n5	15	10	168800	50@0	DFT_QAM16	6.13	13	PASS
n5	15	10	168800	50@0	DFT_QAM64	6.45	13	PASS
n5	15	10	168800	50@0	DFT_QAM256	6.51	13	PASS
n5	15	15	166300	75@0	DFT_BPSK	4.61	13	PASS
n5	15	15	166300	75@0	DFT_QPSK	5.37	13	PASS
n5	15	15	166300	75@0	DFT_QAM16	6.08	13	PASS
n5	15	15	166300	75@0	DFT_QAM64	6.38	13	PASS
n5	15	15	166300	75@0	DFT_QAM256	6.64	13	PASS
n5	15	15	167300	75@0	DFT_BPSK	4.44	13	PASS
n5	15	15	167300	75@0	DFT_QPSK	5.41	13	PASS
n5	15	15	167300	75@0	DFT_QAM16	6.19	13	PASS
n5	15	15	167300	75@0	DFT_QAM64	6.52	13	PASS
n5	15	15	167300	75@0	DFT_QAM256	6.74	13	PASS

n5	15	15	168300	75@0	DFT_BPSK	4.22	13	PASS
n5	15	15	168300	75@0	DFT_QPSK	5.13	13	PASS
n5	15	15	168300	75@0	DFT_QAM16	6.03	13	PASS
n5	15	15	168300	75@0	DFT_QAM64	6.33	13	PASS
n5	15	15	168300	75@0	DFT_QAM256	6.51	13	PASS
n5	15	20	166800	100@0	DFT_BPSK	4.52	13	PASS
n5	15	20	166800	100@0	DFT_QPSK	5.45	13	PASS
n5	15	20	166800	100@0	DFT_QAM16	6.28	13	PASS
n5	15	20	166800	100@0	DFT_QAM64	6.41	13	PASS
n5	15	20	166800	100@0	DFT_QAM256	6.87	13	PASS
n5	15	20	167300	100@0	DFT_BPSK	4.49	13	PASS
n5	15	20	167300	100@0	DFT_QPSK	5.47	13	PASS
n5	15	20	167300	100@0	DFT_QAM16	6.16	13	PASS
n5	15	20	167300	100@0	DFT_QAM64	6.48	13	PASS
n5	15	20	167300	100@0	DFT_QAM256	6.67	13	PASS
n5	15	20	167800	100@0	DFT_BPSK	5.43	13	PASS
n5	15	20	167800	100@0	DFT_QPSK	5.76	13	PASS
n5	15	20	167800	100@0	DFT_QAM16	6.30	13	PASS
n5	15	20	167800	100@0	DFT_QAM64	6.44	13	PASS
n5	15	20	167800	100@0	DFT_QAM256	6.70	13	PASS


n5 SCS=15kHz DFT_BPSK BW=10MHz Channel=165800 RB=50@0




n5 SCS=15kHz DFT_BPSK BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_BPSK BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT_BPSK BW=15MHz Channel=166300 RB=75@0




n5 SCS=15kHz DFT_BPSK BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_BPSK BW=15MHz Channel=168300 RB=75@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167800 RB=100@0




n5 SCS=15kHz DFT_BPSK BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT_BPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_BPSK BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT_QAM16 BW=10MHz Channel=165800 RB=50@0




n5 SCS=15kHz DFT_QAM16 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QAM16 BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT_QAM16 BW=15MHz Channel=166300 RB=75@0




n5 SCS=15kHz DFT_QAM16 BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_QAM16 BW=15MHz Channel=168300 RB=75@0




n5 SCS=15kHz DFT_QAM16 BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT_QAM16 BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_QAM16 BW=20MHz Channel=167800 RB=100@0




n5 SCS=15kHz DFT_QAM16 BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT_QAM16 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QAM16 BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT_QAM256 BW=10MHz Channel=165800 RB=50@0




n5 SCS=15kHz DFT_QAM256 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QAM256 BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT_QAM256 BW=15MHz Channel=166300 RB=75@0




n5 SCS=15kHz DFT_QAM256 BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_QAM256 BW=15MHz Channel=168300 RB=75@0




n5 SCS=15kHz DFT_QAM256 BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT_QAM256 BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_QAM256 BW=20MHz Channel=167800 RB=100@0




n5 SCS=15kHz DFT_QAM256 BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT_QAM256 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QAM256 BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT_QAM64 BW=10MHz Channel=165800 RB=50@0




n5 SCS=15kHz DFT_QAM64 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QAM64 BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT_QAM64 BW=15MHz Channel=166300 RB=75@0




n5 SCS=15kHz DFT_QAM64 BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_QAM64 BW=15MHz Channel=168300 RB=75@0




n5 SCS=15kHz DFT_QAM64 BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT_QAM64 BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_QAM64 BW=20MHz Channel=167800 RB=100@0




n5 SCS=15kHz DFT_QAM64 BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT_QAM64 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QAM64 BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT_QPSK BW=10MHz Channel=165800 RB=50@0




n5 SCS=15kHz DFT_QPSK BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QPSK BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT_QPSK BW=15MHz Channel=166300 RB=75@0




n5 SCS=15kHz DFT_QPSK BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_QPSK BW=15MHz Channel=168300 RB=75@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167800 RB=100@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=165300 RB=25@0



n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=167300 RB=25@0



n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=169300 RB=25@0



4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n5	15	5	167300	25@0	DFT_BPSK	4.460	4.670	PASS
n5	15	5	167300	25@0	DFT_QPSK	4.470	4.650	PASS
n5	15	5	167300	25@0	DFT_QAM16	4.470	4.650	PASS
n5	15	5	167300	25@0	DFT_QAM64	4.470	4.700	PASS
n5	15	5	167300	25@0	DFT_QAM256	4.460	4.630	PASS
n5	15	10	167300	50@0	DFT_BPSK	9.180	9.110	PASS
n5	15	10	167300	50@0	DFT_QPSK	9.250	9.150	PASS
n5	15	10	167300	50@0	DFT_QAM16	9.240	9.120	PASS
n5	15	10	167300	50@0	DFT_QAM64	9.240	9.100	PASS
n5	15	10	167300	50@0	DFT_QAM256	9.220	9.120	PASS
n5	15	15	167300	75@0	DFT_BPSK	14.030	13.650	PASS
n5	15	15	167300	75@0	DFT_QPSK	14.050	13.650	PASS
n5	15	15	167300	75@0	DFT_QAM16	14.060	13.670	PASS
n5	15	15	167300	75@0	DFT_QAM64	14.030	13.660	PASS
n5	15	15	167300	75@0	DFT_QAM256	13.990	13.640	PASS
n5	15	20	167300	100@0	DFT_BPSK	18.780	18.140	PASS
n5	15	20	167300	100@0	DFT_QPSK	18.760	18.160	PASS
n5	15	20	167300	100@0	DFT_QAM16	18.700	18.120	PASS
n5	15	20	167300	100@0	DFT_QAM64	18.780	18.120	PASS
n5	15	20	167300	100@0	DFT_QAM256	18.710	18.230	PASS

n5 SCS=15kHz DFT_BPSK BW=10MHz Channel=167300 RB=50@0



n5 SCS=15kHz DFT_BPSK BW=15MHz Channel=167300 RB=75@0



n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300 RB=100@0



n5 SCS=15kHz DFT_BPSK BW=5MHz Channel=167300 RB=25@0



n5 SCS=15kHz DFT_QAM16 BW=15MHz Channel=167300 RB=75@0



n5 SCS=15kHz DFT_QAM16 BW=10MHz Channel=167300 RB=50@0



n5 SCS=15kHz DFT_QAM16 BW=20MHz Channel=167300 RB=100@0



n5 SCS=15kHz DFT_QAM16 BW=5MHz Channel=167300 RB=25@0



n5 SCS=15kHz DFT_QAM256 BW=10MHz Channel=167300 RB=50@0



n5 SCS=15kHz DFT_QAM256 BW=15MHz Channel=167300 RB=75@0



n5 SCS=15kHz DFT_QAM256 BW=20MHz Channel=167300 RB=100@0



n5 SCS=15kHz DFT_QAM256 BW=5MHz Channel=167300 RB=25@0



n5 SCS=15kHz DFT_QAM64 BW=10MHz Channel=167300 RB=50@0



n5 SCS=15kHz DFT_QAM64 BW=15MHz Channel=167300 RB=75@0



n5 SCS=15kHz DFT_QAM64 BW=20MHz Channel=167300 RB=100@0



n5 SCS=15kHz DFT_QAM64 BW=5MHz Channel=167300 RB=25@0



n5 SCS=15kHz DFT_QPSK BW=10MHz Channel=167300 RB=50@0



n5 SCS=15kHz DFT_QPSK BW=15MHz Channel=167300 RB=75@0



n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167300 RB=100@0